PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C12N 15/12, C07K 14/47, 16/18, C12Q 1/68

A3

(11) International Publication Number: WO 99/33982

(43) International Publication Date: 8 July 1999 (08.07.99)

(21) International Application Number: PCT/US98/27610

(22) International Filing Date: 22 December 1998 (22.12.98)

(30) Priority Data:

60/068,755	23 December 1997 (23.12.97)	US
60/080,664	3 April 1998 (03.04.98)	US
60/105,234	21 October 1998 (21.10.98)	US
60/105,877	27 October 1998 (27.10.98)	US
09/217,471	21 December 1998 (21.12.98)	US

(71) Applicants: CHIRON CORPORATION [US/US]; 4560 Horton Street – R440, Emeryville, CA 94608 (US). HYSEQ INC. [US/US]; 675 Almanor Avenue, Sunnyvale, CA 94086 (US).

(72) Inventors: WILLIAMS, Lewis, T.; 3 Miroflores, Tiburon, CA 94920 (US). ESCOBEDO, Jaime; 1470 Lavorna Road, Alamo, CA 94507 (US). INNIS, Michael, A.; 315 Constance Place, Moraga, CA 94556 (US). GARCIA, Pablo, Dominguez; 882 Chenery Street, San Francisco, CA 94131 (US). SUDDUTH-KLINGER, Julie; 280 Lexington Road, Kensington, CA 94707 (US). REINHARD, Christoph; 1633 Clinton Avenue, Alameda, CA 94501 (US). GIESE, Klaus; Chausseetrabe 92, D-10115 Berlin (DE). RANDAZZO, Filippo; Apt. 403, 690 Chestnut Street, San Francisco, CA 94133 (US). KENNEDY, Giulia, C.; 360 Castenada Avenue, San Francisco, CA 94116 (US). POT, David; 1565 5th Avenue #102, San Francisco, CA 94112 (US). KASSAM, Altaf; 2659 Harold Street, Oakland, CA 94602 (US). LAMSON, George; 232 Sandringham Drive, Moraga, CA 94556 (US). DRMANAC, Radoje; 850 East Greenwich Place, Palo Alto, CA 94303 (US). CRKVENJAKOV, Radomir; 762 Haverhill Drive, Sunnyvale, CA 94068 (US). DICKSON, Mark; 1411 Gabilan Drive #B, Hollister, CA 95025 (US). DRMANAC, Snezana; 850 East Greenwich Place, Palo Alto, CA 94303 (US). LABAT, Ivan; 140 Acalanes Drive, Sunnyvale, CA 94086 (US). LESHKOWITZ, Dena; 678 Durshire Way, Sunnyvale, CA 94087 (US). KITA, David; 899 Bounty Drive, Foster City, CA 94404 (US). GARCIA, Veronica; Apartment 412, 396 Ano Nuevo, Sunnyvale, CA 94086 (US). JONES, Lee, William; 396 Ano Nuevo #412, Sunnyvale, CA 94086 (US). STACHE-CRAIN, Birgit; 345 South Mary Avenue, Sunnyvale, CA 94086 (US).

(74) Agent: BLACKBURN, Robert, P.; Chiron Corporation, P.O. Box 8097, Emeryville, CA 94662-8097 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 23 December 1999 (23.12.99)

(54) Title: HUMAN GENES AND GENE EXPRESSION PRODUCTS I

(57) Abstract

This invention relates to novel human polynucleotides and variants thereof, their encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides and to proteins expressed by the genes. The invention also relates to diagnostic and therapeutic agents employing such novel human polynucleotides, their corresponding genes or gene products, e.g., these genes and proteins, including probes, antisense constructs, and antibodies.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania
AM	Armenia
AT	Austria
AU	Australia
AZ	Azerbaijan
BA	Bosnia and Herzegovina
BB	Barbados
BE	Belgium
BF	Burkina Faso
BG	Bulgaria
BJ	Benin
BR	Brazil
BY	Belarus
CA	Canada
CF	Central African Republic
CG	Congo
CH	Switzerland
CI	Côte d'Ivoire
CM	Cameroon
CN	China
CU	Cuba
CZ	Czech Republic
DE	Germany
DK	Denmark
EE	Estonia
ES	Spain
FI	Finland
FR	France
GA	Gabon
GB	United Kingdom
GE	Georgia
GH	Ghana
GN	Guinea
GR	Greece
HU	Hungary
IE	Ireland
IL	Israel
IS	Iceland
IT	Italy
JP	Japan
KE	Kenya
KG	Kyrgyzstan
KP	Democratic People's Republic of Korea
KR	Republic of Korea
KZ	Kazakstan
LC	Saint Lucia
LI	Liechtenstein
LK	Sri Lanka
LR	Liberia
LS	Lesotho
LT	Lithuania
LU	Luxembourg
LV	Latvia
MC	Monaco
MD	Republic of Moldova
MG	Madagascar
MK	The former Yugoslav Republic of Macedonia
ML	Mali
MN	Mongolia
MR	Mauritania
MW	Malawi
MX	Mexico
NE	Niger
NL	Netherlands
NO	Norway
NZ	New Zealand
PL	Poland
PT	Portugal
RO	Romania
RU	Russian Federation
SD	Sudan
SE	Sweden
SG	Singapore
SI	Slovenia
SK	Slovakia
SN	Senegal
SZ	Swaziland
TD	Chad
TG	Togo
TJ	Tajikistan
TM	Turkmenistan
TR	Turkey
TT	Trinidad and Tobago
UA	Ukraine
UG	Uganda
US	United States of America
UZ	Uzbekistan
VN	Viet Nam
YU	Yugoslavia
ZW	Zimbabwe

NOVEL HUMAN GENES AND GENE EXPRESSION PRODUCTS I

Cross-References to Related Applications

This application is a continuation-in-part of U.S. provisional patent application serial no. 60/068,755, filed December 23, 1997, and of U.S. provisional patent application serial no. 60/080,664, filed April 3, 1998, and of U.S. provisional patent application serial no. 60/105,234, filed October 21, 1998, each of which applications are incorporated herein by reference.

Field of the Invention

The present invention relates to novel polynucleotides, particularly to novel polynucleotides of human origin that are expressed in a selected cell type, are differentially expressed in one cell type relative to another cell type (*e.g.*, in cancerous cells, or in cells of a specific tissue origin) and/or share homology to polynucleotides encoding a gene product having an identified functional domain and/or activity.

Background of the Invention

Identification of novel polynucleotides, particularly those that encode an expressed gene product, is important in the advancement of drug discovery, diagnostic technologies, and the understanding of the progression and nature of complex diseases such as cancer. Identification of genes expressed in different cell types isolated from sources that differ in disease state or stage, developmental stage, exposure to various environmental factors, the tissue of origin, the species from which the tissue was isolated, and the like is key to identifying the genetic factors that are responsible for the phenotypes associated with these various differences

This invention provides novel human polynucleotides, the polypeptides encoded by these polynucleotides, and the genes and proteins corresponding to these novel polynucleotides.

Summary of the Invention

This invention relates to novel human polynucleotides and variants thereof, their encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides

and to proteins expressed by the genes. The invention also relates to diagnostic and therapeutic agents employing such novel human polynucleotides, their corresponding genes or gene products, *e.g.*, these genes and proteins, including probes, antisense constructs, and antibodies.

Accordingly, in one embodiment, the present invention features a library of polynucleotides, the library comprising the sequence information of at least one of SEQ ID NOS:1-844. In related aspects, the invention features a library provided on a nucleic acid array, or in a computer-readable format.

In one embodiment, the library is comprises a differentially expressed polynucleotide comprising a sequence selected from the group consisting of SEQ ID NOS:9, 39, 42, 52, 62, 74, 119, 172, 317, and 379. In specific related embodiments, the library comprises: 1) a polynucleotide that is differentially expressed in a human breast cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388; 2) a polynucleotide differentially expressed in a human colon cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374; or 3) a polynucleotide differentially expressed in a human lung cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

In another aspect, the invention features an isolated polynucleotide comprising a nucleotide sequence having at least 90% sequence identity to an identifying sequence of SEQ ID NOS:1-844 or a degenerate variant thereof. In related aspects, the invention features recombinant host cells and vectors comprising the polynucleotides of the invention, as well as isolated polypeptides encoded by the polynucleotides of the invention and antibodies that specifically bind such polypeptides.

In one embodiment, the invention features an isolated polynucleotide comprising a sequence encoding a polypeptide of a protein family selected from the group consisting of: 4 transmembrane segments integral membrane proteins, 7 transmembrane receptors, ATPases associated with various cellular activities (AAA), eukaryotic aspartyl proteases,

GATA family of transcription factors, G-protein alpha subunit, phorbol esters/diacylglycerol binding proteins, protein kinase, protein phosphatase 2C, protein tyrosine phosphatase, trypsin, wnt family of developmental signaling proteins, and WW/rsp5/WWP domain containing proteins. In a specific related embodiment, the invention features a polynucleotide comprising a sequence of one of SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, 341, 63, 116, 134, 136, 151, 384, 404, 308, 213, 367, 188, 251, 202, 315, 367, 397, 256, 382, 169, 23, 291, 324, 330, 341, 353, 188, 379 , and 395.

In another embodiment, the invention features a polynucleotide comprising a sequence encoding a polypeptide having a functional domain selected from the group consisting of: Ank repeat, basic region plus leucine zipper transcription factors, bromodomain, EF-hand, SH3 domain, WD domain/G-beta repeats, zinc finger (C2H2 type), zinc finger (CCHC class), and zinc-binding metalloprotease domain. In a specific related embodiment, the invention features a polynucleotide comprising a sequence of one of SEQ ID NOS: 116, 251, 374, 97, 136, 242, 379, 306, 386, 18, 335, 61, 306, 386, 322, 306, and 395.

In another aspect, the invention features a method of detecting differentially expressed genes correlated with a cancerous state of a mammalian cell, where the method comprises the step of detecting at least one differentially expressed gene product in a test sample derived from a cell suspected of being cancerous, where the gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS:4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, 388, 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, 374, 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400. Detection of the differentially expressed gene product is correlated with a cancerous state of the cell from which the test sample was derived. In one embodiment, the detecting is by hybridization of the test sample to a reference array, wherein the reference array comprises an identifying sequence of at least one of SEQ ID NOS:1-844.

In one embodiment of the method of the invention, the cell is a breast tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123,

144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388.

In another embodiment of the method of the invention, the cell is a colon tissue derived cell, and differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374.

In yet another embodiment of the method of the invention, the cell is a lung tissue derived cell, and differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

Other aspects and embodiments of the invention will be readily apparent to the ordinarily skilled artisan upon reading the description provided herein.

Detailed Description of the Invention

The invention relates to polynucleotides comprising the disclosed nucleotide sequences, to full length cDNA, mRNA and genes corresponding to these sequences, and to polypeptides and proteins encoded by these polynucleotides and genes.

Also included are polynucleotides that encode polypeptides and proteins encoded by the polynucleotides of the Sequence Listing. The various polynucleotides that can encode these polypeptides and proteins differ because of the degeneracy of the genetic code, in that most amino acids are encoded by more than one triplet codon. The identity of such codons is well-known in this art, and this information can be used for the construction of the polynucleotides within the scope of the invention.

Polynucleotides encoding polypeptides and proteins that are variants of the polypeptides and proteins encoded by the polynucleotides and related cDNA and genes are also within the scope of the invention. The variants differ from wild type protein in having one or more amino acid substitutions that either enhance, add, or diminish a biological activity of the wild type protein. Once the amino acid change is selected, a polynucleotide encoding that variant is constructed according to the invention.

The following detailed description describes the polynucleotide compositions encompassed by the invention, methods for obtaining cDNA or genomic DNA encoding a full-length gene product, expression of these polynucleotides and genes, identification of

structural motifs of the polynucleotides and genes, identification of the function of a gene product encoded by a gene corresponding to a polynucleotide of the invention, use of the provided polynucleotides as probes and in mapping and in tissue profiling, use of the corresponding polypeptides and other gene products to raise antibodies, and use of the polynucleotides and their encoded gene products for therapeutic and diagnostic purposes.

I. Polynucleotide Compositions

The scope of the invention with respect to polynucleotide compositions includes, but is not necessarily limited to, polynucleotides having a sequence set forth in any one of SEQ ID NOS:1-844; polynucleotides obtained from the biological materials described herein or other biological sources (particularly human sources) by hybridization under stringent conditions (particularly conditions of high stringency); genes corresponding to the provided polynucleotides; variants of the provided polynucleotides and their corresponding genes, particularly those variants that retain a biological activity of the encoded gene product (*e.g.*, a biological activity ascribed to a gene product corresponding to the provided polynucleotides as a result of the assignment of the gene product to a protein family(ies) and/or identification of a functional domain present in the gene product). Other nucleic acid compositions contemplated by and within the scope of the present invention will be readily apparent to one of ordinary skill in the art when provided with the disclosure here.

The invention features polynucleotides that are expressed in cells of human tissue, specifically human colon, breast, and/or lung tissue. Novel nucleic acid compositions of the invention of particular interest comprise a sequence set forth in any one of SEQ ID NOS:1-844 or an identifying sequence thereof. An "identifying sequence" is a contiguous sequence of residues at least about 10 nt to about 20 nt in length, usually at least about 50 nt to about 100 nt in length, that uniquely identifies a polynucleotide sequence, *e.g.*, exhibits less than 90%, usually less than about 80% to about 85% sequence identity to any contiguous nucleotide sequence of more than about 20 nt. Thus, the subject novel nucleic acid compositions include full length cDNAs or mRNAs that encompass an identifying sequence of contiguous nucleotides from any one of SEQ ID NOS:1-844.

The polynucleotides of the invention also include polynucleotides having sequence similarity or sequence identity. Nucleic acids having sequence similarity are detected by

hybridization under low stringency conditions, for example, at 50°C and 10XSSC (0.9 M saline/0.09 M sodium citrate) and remain bound when subjected to washing at 55°C in 1XSSC. Sequence identity can be determined by hybridization under stringent conditions, for example, at 50°C or higher and 0.1XSSC (9 mM saline/0.9 mM sodium citrate). Hybridization methods and conditions are well known in the art, see, *e.g.*, U.S. Patent No. 5,707,829. Nucleic acids that are substantially identical to the provided polynucleotide sequences, *e.g.* allelic variants, genetically altered versions of the gene, *etc.*, bind to the provided polynucleotide sequences (SEQ ID NOS:1-844) under stringent hybridization conditions. By using probes, particularly labeled probes of DNA sequences, one can isolate homologous or related genes. The source of homologous genes can be any species, *e.g.* primate species, particularly human; rodents, such as rats and mice, canines, felines, bovines, ovines, equines, yeast, nematodes, *etc.*

Preferably, hybridization is performed using at least 15 contiguous nucleotides of at least one of SEQ ID NOS: 1-844. That is, when at least 15 contiguous nucleotides of one of the disclosed SEQ ID NOs. is used as a probe, the probe will preferentially hybridize with a gene or mRNA (of the biological material) comprising the complementary sequence, allowing the identification and retrieval of the nucleic acids of the biological material that uniquely hybridize to the selected probe. Probes from more than one SEQ ID NO. will hybridize with the same gene or mRNA if the cDNA from which they were derived corresponds to one mRNA. Probes of more than 15 nucleotides can be used, but 15 nucleotides represents enough sequence for unique identification.

The polynucleotides of the invention also include naturally occurring variants of the nucleotide sequences (*e.g.*, degenerate variants, allelic variants, *etc.*). Variants of the polynucleotides of the invention are identified by hybridization of putative variants with nucleotide sequences disclosed herein, preferably by hybridization under stringent conditions For example, by using appropriate wash conditions, variants of the polynucleotides of the invention can be identified where the allelic variant exhibits at most about 25-30% base pair mismatches relative to the selected polynucleotide probe. In general, allelic variants contain 15-25% base pair mismatches, and can contain as little as even 5-15%, or 2-5%, or 1-2% base pair mismatches, as well as a single base-pair mismatch.

The invention also encompasses homologs corresponding to the polynucleotides of SEQ ID NOS:1-844, where the source of homologous genes can be any mammalian species, *e.g.*, primate species, particularly human; rodents, such as rats, canines, felines, bovines, ovines, equines, yeast, nematodes, etc. Between mammalian species, *e.g.*, human and mouse, homologs have substantial sequence similarity, *e.g.*, at least 75% sequence identity, usually at least 90%, more usually at least 95% between nucleotide sequences. Sequence similarity is calculated based on a reference sequence, which may be a subset of a larger sequence, such as a conserved motif, coding region, flanking region, *etc*. A reference sequence will usually be at least about 18 contiguous nt long, more usually at least about 30 nt long, and may extend to the complete sequence that is being compared. Algorithms for sequence analysis are known in the art, such as BLAST, described in Altschul *et al.*, *J. Mol. Biol.* (1990) *215*:403-10.

In general, variants of the invention have a sequence identity greater than at least about 65%, preferably at least about 75%, more preferably at least about 85%, and can be greater than at least about 90% or more as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular). For the purposes of this invention, a preferred method of calculating percent identity is the Smith-Waterman algorithm, using the following. Global DNA sequence identity must be greater than 65% as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular) using an affine gap search with the following search parameters: gap open penalty, 12; and gap extension penalty, 1.

The subject nucleic acids can be cDNAs or genomic DNAs, as well as fragments thereof, particularly fragments that encode a biologically active gene product and/or are useful in the methods disclosed herein (*e.g.*, in diagnosis, as a unique identifier of a differentially expressed gene of interest, *etc.*). The term "cDNA" as used herein is intended to include all nucleic acids that share the arrangement of sequence elements found in native mature mRNA species, where sequence elements are exons and 3 and 5 non-coding regions. Normally mRNA species have contiguous exons, with the intervening introns, when present, being removed by nuclear RNA splicing, to create a continuous open reading frame encoding a polypeptide of the invention.

A genomic sequence of interest comprises the nucleic acid present between the initiation codon and the stop codon, as defined in the listed sequences, including all of the introns that are normally present in a native chromosome. It can further include the 3 and 5 untranslated regions found in the mature mRNA. It can further include specific transcriptional and translational regulatory sequences, such as promoters, enhancers, *etc.*, including about 1 kb, but possibly more, of flanking genomic DNA at either the 5 and 3 end of the transcribed region. The genomic DNA can be isolated as a fragment of 100 kbp or smaller; and substantially free of flanking chromosomal sequence. The genomic DNA flanking the coding region, either 3 and 5 , or internal regulatory sequences as sometimes found in introns, contains sequences required for proper tissue, stage-specific, or disease-state specific expression.

The nucleic acid compositions of the subject invention can encode all or a part of the subject differentially expressed polypeptides. Double or single stranded fragments can be obtained from the DNA sequence by chemically synthesizing oligonucleotides in accordance with conventional methods, by restriction enzyme digestion, by PCR amplification, *etc.* Isolated polynucleotides and polynucleotide fragments of the invention comprise at least about 10, about 15, about 20, about 35, about 50, about 100, about 150 to about 200, about 250 to about 300, or about 350 contiguous nucleotides selected from the polynucleotide sequences as shown in SEQ ID NOS:1-844. For the most part, fragments will be of at least 15 nt, usually at least 18 nt or 25 nt, and up to at least about 50 contiguous nt in length or more. In a preferred embodiment, the polynucleotide molecules comprise a contiguous sequence of at least twelve nucleotides selected from the group consisting of the polynucleotides shown in SEQ ID NOS:1-844.

Probes specific to the polynucleotides of the invention can be generated using the polynucleotide sequences disclosed in SEQ ID NOS:1-844. The probes are preferably at least about 12, 15, 16, 18, 20, 22, 24, or 25 nucleotide fragment of a corresponding contiguous sequence of SEQ ID NOS:1-844, and can be less than 2, 1, 0.5, 0.1, or 0.05 kb in length. The probes can be synthesized chemically or can be generated from longer polynucleotides using restriction enzymes. The probes can be labeled, for example, with a radioactive, biotinylated, or fluorescent tag. Preferably, probes are designed based upon an identifying sequence of a polynucleotide of one of SEQ ID NOS:1-844. More preferably,

probes are designed based on a contiguous sequence of one of the subject polynucleotides that remain unmasked following application of a masking program for masking low complexity (*e.g.*, XBLAST) to the sequence., *i.e.*, one would select an unmasked region, as indicated by the polynucleotides outside the poly-n stretches of the masked sequence produced by the masking program.

The polynucleotides of the subject invention are isolated and obtained in substantial purity, generally as other than an intact chromosome. Usually, the polynucleotides, either as DNA or RNA, will be obtained substantially free of other naturally-occurring nucleic acid sequences, generally being at least about 50%, usually at least about 90% pure and are typically "recombinant", *e.g.*, flanked by one or more nucleotides with which it is not normally associated on a naturally occurring chromosome.

The polynucleotides of the invention can be provided as a linear molecule or within a circular molecule. They can be provided within autonomously replicating molecules (vectors) or within molecules without replication sequences. They can be regulated by their own or by other regulatory sequences, as is known in the art. The polynucleotides of the invention can be introduced into suitable host cells using a variety of techniques which are available in the art, such as transferrin polycation-mediated DNA transfer, transfection with naked or encapsulated nucleic acids, liposome-mediated DNA transfer, intracellular transportation of DNA-coated latex beads, protoplast fusion, viral infection, electroporation, gene gun, calcium phosphate-mediated transfection, and the like.

The subject nucleic acid compositions can be used to, for example, produce polypeptides, as probes for the detection of mRNA of the invention in biological samples (*e.g.*, extracts of human cells) to generate additional copies of the polynucleotides, to generate ribozymes or antisense oligonucleotides, and as single stranded DNA probes or as triple-strand forming oligonucleotides. The probes described herein can be used to, for example, determine the presence or absence of the polynucleotide sequences as shown in SEQ ID NOS:1-844 or variants thereof in a sample. These and other uses are described in more detail below.

Use of Polynucleotides to Obtain Full-Length cDNA and Full-Length Human Gene and Promoter Region

Full-length cDNA molecules comprising the disclosed polynucleotides are obtained as follows. A polynucleotide having a sequence of one of SEQ ID NOS:1-844, or a portion thereof comprising at least 12, 15, 18, or 20 nucleotides, is used as a hybridization probe to detect hybridizing members of a cDNA library using probe design methods, cloning methods, and clone selection techniques such as those described in U.S. Patent No. 5,654,173. Libraries of cDNA are made from selected tissues, such as normal or tumor tissue, or from tissues of a mammal treated with, for example, a pharmaceutical agent. Preferably, the tissue is the same as the tissue from which the polynucleotides of the invention were isolated, as both the polynucleotides described herein and the cDNA represent expressed genes. Most preferably, the cDNA library is made from the biological material described herein in the Examples. Alternatively, many cDNA libraries are available commercially. (Sambrook *et al., Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY). The choice of cell type for library construction can be made after the identity of the protein encoded by the gene corresponding to the polynucleotide of the invention is known. This will indicate which tissue and cell types are likely to express the related gene, and thus represent a suitable source for the mRNA for generating the cDNA. Where the provided polynucleotides are isolated from cDNA libraries, the libraries are prepared from mRNA of human colon cells, more preferably, human colon cancer cells, even more preferably, from a highly metastatic colon cell, Km12L4-A.

Techniques for producing and probing nucleic acid sequence libraries are described, for example, in Sambrook *et al., Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. The cDNA can be prepared by using primers based on sequence from SEQ ID NOS:1-844. In one embodiment, the cDNA library can be made from only poly-adenylated mRNA. Thus, poly-T primers can be used to prepare cDNA from the mRNA.

Members of the library that are larger than the provided polynucleotides, and preferably that encompass the complete coding sequence of the native message, are obtained. In order to confirm that the entire cDNA has been obtained, RNA protection experiments

are performed as follows. Hybridization of a full-length cDNA to an mRNA will protect the RNA from RNase degradation. If the cDNA is not full length, then the portions of the mRNA that are not hybridized will be subject to RNase degradation. This is assayed, as is known in the art, by changes in electrophoretic mobility on polyacrylamide gels, or by detection of released monoribonucleotides. Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. In order to obtain additional sequences 5' to the end of a partial cDNA, 5' RACE (*PCR Protocols: A Guide to Methods and Applications*, (1990) Academic Press, Inc.) is performed.

Genomic DNA is isolated using the provided polynucleotides in a manner similar to the isolation of full-length cDNAs. Briefly, the provided polynucleotides, or portions thereof, are used as probes to libraries of genomic DNA. Preferably, the library is obtained from the cell type that was used to generate the polynucleotides of the invention, but this is not essential. Most preferably, the genomic DNA is obtained from the biological material described herein in the Examples. Such libraries can be in vectors suitable for carrying large segments of a genome, such as P1 or YAC, as described in detail in Sambrook *et al.*, 9.4-9.30. In addition, genomic sequences can be isolated from human BAC libraries, which are commercially available from Research Genetics, Inc., Huntville, Alabama, USA, for example. In order to obtain additional 5' or 3' sequences, chromosome walking is performed, as described in Sambrook *et al.*, such that adjacent and overlapping fragments of genomic DNA are isolated. These are mapped and pieced together, as is known in the art, using restriction digestion enzymes and DNA ligase.

Using the polynucleotide sequences of the invention, corresponding full-length genes can be isolated using both classical and PCR methods to construct and probe cDNA libraries. Using either method, Northern blots, preferably, are performed on a number of cell types to determine which cell lines express the gene of interest at the highest level. Classical methods of constructing cDNA libraries are taught in Sambrook *et al.*, *supra*. With these methods, cDNA can be produced from mRNA and inserted into viral or expression vectors. Typically, libraries of mRNA comprising poly(A) tails can be produced with poly(T) primers. Similarly, cDNA libraries can be produced using the instant sequences as primers.

PCR methods are used to amplify the members of a cDNA library that comprise the desired insert. In this case, the desired insert will contain sequence from the full length

cDNA that corresponds to the instant polynucleotides. Such PCR methods include gene trapping and RACE methods. Gene trapping entails inserting a member of a cDNA library into a vector. The vector then is denatured to produce single stranded molecules. Next, a substrate-bound probe, such a biotinylated oligo, is used to trap cDNA inserts of interest. Biotinylated probes can be linked to an avidin-bound solid substrate. PCR methods can be used to amplify the trapped cDNA. To trap sequences corresponding to the full length genes, the labeled probe sequence is based on the polynucleotide sequences of the invention. Random primers or primers specific to the library vector can be used to amplify the trapped cDNA. Such gene trapping techniques are described in Gruber *et al.*, WO 95/04745 and Gruber *et al.*, U.S. Pat. No. 5,500,356. Kits are commercially available to perform gene trapping experiments from, for example, Life Technologies, Gaithersburg, Maryland, USA.

"Rapid amplification of cDNA ends," or RACE, is a PCR method of amplifying cDNAs from a number of different RNAs. The cDNAs are ligated to an oligonucleotide linker, and amplified by PCR using two primers. One primer is based on sequence from the instant polynucleotides, for which full length sequence is desired, and a second primer comprises sequence that hybridizes to the oligonucleotide linker to amplify the cDNA. A description of this methods is reported in WO 97/19110. In preferred embodiments of RACE, a common primer is designed to anneal to an arbitrary adaptor sequence ligated to cDNA ends (Apte and Siebert, *Biotechniques* (1993) *15*:890-893; Edwards *et al.*, *Nuc. Acids Res.* (1991) *19*:5227-5232). When a single gene-specific RACE primer is paired with the common primer, preferential amplification of sequences between the single gene specific primer and the common primer occurs. Commercial cDNA pools modified for use in RACE are available.

Another PCR-based method generates full-length cDNA library with anchored ends without needing specific knowledge of the cDNA sequence. The method uses lock-docking primers (I-VI), where one primer, poly TV (I-III) locks over the polyA tail of eukaryotic mRNA producing first strand synthesis and a second primer, polyGH (IV-VI) locks onto the polyC tail added by terminal deoxynucleotidyl transferase (TdT). This method is described in WO 96/40998.

The promoter region of a gene generally is located 5' to the initiation site for RNA polymerase II. Hundreds of promoter regions contain the "TATA" box, a sequence such as

TATTA or TATAA, which is sensitive to mutations. The promoter region can be obtained by performing 5' RACE using a primer from the coding region of the gene. Alternatively, the cDNA can be used as a probe for the genomic sequence, and the region 5' to the coding region is identified by "walking up." If the gene is highly expressed or differentially expressed, the promoter from the gene can be of use in a regulatory construct for a heterologous gene.

Once the full-length cDNA or gene is obtained, DNA encoding variants can be prepared by site-directed mutagenesis, described in detail in Sambrook *et al.*, 15.3-15.63. The choice of codon or nucleotide to be replaced can be based on disclosure herein on optional changes in amino acids to achieve altered protein structure and/or function.

As an alternative method to obtaining DNA or RNA from a biological material, nucleic acid comprising nucleotides having the sequence of one or more polynucleotides of the invention can be synthesized. Thus, the invention encompasses nucleic acid molecules ranging in length from 15 nucleotides (corresponding to at least 15 contiguous nucleotides of one of SEQ ID NOS: 1-844) up to a maximum length suitable for one or more biological manipulations, including replication and expression, of the nucleic acid molecule. The invention includes but is not limited to (a) nucleic acid having the size of a full gene, and comprising at least one of SEQ ID NOS: 1-844; (b) the nucleic acid of (a) also comprising at least one additional gene, operably linked to permit expression of a fusion protein; (c) an expression vector comprising (a) or (b); (d) a plasmid comprising (a) or (b) ; and (e) a recombinant viral particle comprising (a) or (b). Once provided with the polynucleotides disclosed herein, construction or preparation of (a) - (e) are well within the skill in the art.

The sequence of a nucleic acid comprising at least 15 contiguous nucleotides of at least any one of SEQ ID NOS: 1-844, preferably the entire sequence of at least any one of SEQ ID NOS: 1-844, is not limited and can be any sequence of A, T, G, and/or C (for DNA) and A, U, G, and/or C (for RNA) or modified bases thereof, including inosine and pseudouridine. The choice of sequence will depend on the desired function and can be dictated by coding regions desired, the intron-like regions desired, and the regulatory regions desired. Where the entire sequence of any one of SEQ ID NOS: 1-844 is within the nucleic acid, the nucleic acid obtained is referred to herein as a polynucleotide comprising the sequence of any one of SEQ ID NOS: 1-844.

II. Expression of Polypeptide Encoded by Full-Length cDNA or Full-Length Gene

The provided polynucleotide (*e.g.*, a polynucleotide having a sequence of one of SEQ ID NOS:1-844), the corresponding cDNA, or the full-length gene is used to express a partial or complete gene product.

Constructs of polynucleotides having sequences of SEQ ID NOS:1-844 can be generated synthetically. Alternatively, single-step assembly of a gene and entire plasmid from large numbers of oligodeoxyribonucleotides is described by, *e.g.*, Stemmer *et al.*, *Gene (Amsterdam)* (1995) *164(1)*:49-53. In this method, assembly PCR (the synthesis of long DNA sequences from large numbers of oligodeoxyribonucleotides (oligos)) is described. The method is derived from DNA shuffling (Stemmer, *Nature* (1994) *370*:389-391), and does not rely on DNA ligase, but instead relies on DNA polymerase to build increasingly longer DNA fragments during the assembly process. For example, a 1.1-kb fragment containing the TEM-1 beta-lactamase-encoding gene (bla) can be assembled in a single reaction from a total of 56 oligos, each 40 nucleotides (nt) in length. The synthetic gene can be PCR amplified and cloned in a vector containing the tetracycline-resistance gene (Tc-R) as the sole selectable marker. Without relying on ampicillin (Ap) selection, 76% of the Tc-R colonies were Ap-R, making this approach a general method for the rapid and cost-effective synthesis of any gene.

Appropriate polynucleotide constructs are purified using standard recombinant DNA techniques as described in, for example, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY, and under current regulations described in United States Dept. of HHS, National Institute of Health (NIH) Guidelines for Recombinant DNA Research. The gene product encoded by a polynucleotide of the invention is expressed in any expression system, including, for example, bacterial, yeast, insect, amphibian and mammalian systems. Suitable vectors and host cells are described in U.S. Patent No. 5,654,173.

Bacteria. Expression systems in bacteria include those described in Chang *et al.*, *Nature* (1978) *275*:615; Goeddel *et al.*, *Nature* (1979) *281*:544; Goeddel *et al.*, *Nucleic Acids Res.* (1980) *8*:4057; EP 0 036,776; U.S. Patent No. 4,551,433; DeBoer *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1983) *80*:21-25; and Siebenlist *et al.*, *Cell* (1980) *20*:269.

Yeast. Expression systems in yeast include those described in Hinnen *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1978) *75*:1929; Ito *et al.*, *J. Bacteriol.* (1983) *153*:163; Kurtz *et al.*, *Mol. Cell. Biol.* (1986) *6*:142; Kunze *et al.*, *J. Basic Microbiol.* (1985) *25*:141; Gleeson *et al.*, *J. Gen. Microbiol.* (1986) *132*:3459; Roggenkamp *et al.*, *Mol. Gen. Genet.* (1986) *202*:302; Das *et al.*, *J. Bacteriol.* (1984) *158*:1165; De Louvencourt *et al.*, *J. Bacteriol.* (1983) *154*:737; Van den Berg *et al.*, *Bio/Technology* (1990) *8*:135; Kunze *et al.*, *J. Basic Microbiol.* (1985) *25*:141; Cregg *et al.*, *Mol. Cell. Biol.* (1985) *5*:3376; U.S. Patent Nos. 4,837,148 and 4,929,555; Beach and Nurse, *Nature* (1981) *300*:706; Davidow *et al.*, *Curr. Genet.* (1985) *10*:380; Gaillardin *et al.*, *Curr. Genet.* (1985) *10*:49; Ballance *et al.*, *Biochem. Biophys. Res. Commun.* (1983) *112*:284-289; Tilburn *et al.*, *Gene* (1983) *26*:205-221; Yelton *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1984) *81*:1470-1474; Kelly and Hynes, *EMBO J.* (1985) *4*:475479; EP 0 244,234; and WO 91/00357.

Insect Cells. Expression of heterologous genes in insects is accomplished as described in U.S. Patent No. 4,745,051; Friesen *et al.*, "The Regulation of Baculovirus Gene Expression", in: *The Molecular Biology Of Baculoviruses* (1986) (W. Doerfler, ed.); EP 0 127,839; EP 0 155,476; and Vlak *et al.*, *J. Gen. Virol.* (1988) *69*:765-776; Miller *et al.*, *Ann. Rev. Microbiol.* (1988) *42*:177; Carbonell *et al.*, *Gene* (1988) *73*:409; Maeda *et al.*, *Nature* (1985) *315*:592-594; Lebacq-Verheyden *et al.*, *Mol. Cell. Biol.* (1988) *8*:3129; Smith *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1985) *82*:8844; Miyajima *et al.*, *Gene* (1987) *58*:273; and Martin *et al.*, *DNA* (1988) *7*:99. Numerous baculoviral strains and variants and corresponding permissive insect host cells from hosts are described in Luckow *et al.*, *Bio/Technology* (1988) *6*:47-55, Miller *et al.*, *Generic Engineering* (1986) *8*:277-279, and Maeda *et al.*, *Nature* (1985) *315*:592-594.

Mammalian Cells. Mammalian expression is accomplished as described in Dijkema *et al.*, *EMBO J.* (1985) *4*:761, Gorman *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1982) *79*:6777, Boshart *et al.*, *Cell* (1985) *41*:521 and U.S. Patent No. 4,399,216. Other features of mammalian expression are facilitated as described in Ham and Wallace, *Meth. Enz.* (1979) *58*:44, Barnes and Sato, *Anal. Biochem.* (1980) *102*:255, U.S. Patent Nos. 4,767,704, 4,657,866, 4,927,762, 4,560,655, WO 90/103430, WO 87/00195, and U.S. RE 30,985.

Polynucleotide molecules comprising a polynucleotide sequence provided herein propagated by placing the molecule in a vector. Viral and non-viral vectors are used,

including plasmids. The choice of plasmid will depend on the type of cell in which propagation is desired and the purpose of propagation. Certain vectors are useful for amplifying and making large amounts of the desired DNA sequence. Other vectors are suitable for expression in cells in culture. Still other vectors are suitable for transfer and expression in cells in a whole animal or person. The choice of appropriate vector is well within the skill of the art. Many such vectors are available commercially. The partial or full-length polynucleotide is inserted into a vector typically by means of DNA ligase attachment to a cleaved restriction enzyme site in the vector. Alternatively, the desired nucleotide sequence can be inserted by homologous recombination in vivo. Typically this is accomplished by attaching regions of homology to the vector on the flanks of the desired nucleotide sequence. Regions of homology are added by ligation of oligonucleotides, or by polymerase chain reaction using primers comprising both the region of homology and a portion of the desired nucleotide sequence, for example.

The polynucleotides set forth in SEQ ID NOS:1-844 or their corresponding full-length polynucleotides are linked to regulatory sequences as appropriate to obtain the desired expression properties. These can include promoters (attached either at the 5' end of the sense strand or at the 3' end of the antisense strand), enhancers, terminators, operators, repressors, and inducers. The promoters can be regulated or constitutive. In some situations it may be desirable to use conditionally active promoters, such as tissue-specific or developmental stage-specific promoters. These are linked to the desired nucleotide sequence using the techniques described above for linkage to vectors. Any techniques known in the art can be used.

When any of the above host cells, or other appropriate host cells or organisms, are used to replicate and/or express the polynucleotides or nucleic acids of the invention, the resulting replicated nucleic acid, RNA, expressed protein or polypeptide, is within the scope of the invention as a product of the host cell or organism. The product is recovered by any appropriate means known in the art.

Once the gene corresponding to a selected polynucleotide is identified, its expression can be regulated in the cell to which the gene is native. For example, an endogenous gene of a cell can be regulated by an exogenous regulatory sequence as disclosed in U.S. Patent No. 5,641,670.

III. Identification of Functional and Structural Motifs of Novel Genes

A. Screening Polynucleotide Sequences and Amino Acid Sequences Against Publicly Available Databases

Translations of the nucleotide sequence of the provided polynucleotides, cDNAs or full genes can be aligned with individual known sequences. Similarity with individual sequences can be used to determine the activity of the polypeptides encoded by the polynucleotides of the invention. For example, sequences that show similarity with a chemokine sequence can exhibit chemokine activities. Also, sequences exhibiting similarity with more than one individual sequence can exhibit activities that are characteristic of either or both individual sequences.

The full length sequences and fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence corresponding to provided polynucleotides. The nearest neighbors can indicate a tissue or cell type to be used to construct a library for the full-length sequences corresponding to the provided polynucleotides..

Typically, a selected polynucleotide is translated in all six frames to determine the best alignment with the individual sequences. The sequences disclosed herein in the Sequence Listing are in a 5' to 3' orientation and translation in three frames can be sufficient (with a few specific exceptions as described in the Examples). These amino acid sequences are referred to, generally, as query sequences, which will be aligned with the individual sequences. Databases with individual sequences are described in "Computer Methods for Macromolecular Sequence Analysis" *Methods in Enzymology* (1996) *266*, Doolittle, Academic Press, Inc., a division of Harcourt Brace & Co., San Diego, California, USA. Databases include Genbank, EMBL, and DNA Database of Japan (DDBJ).

Query and individual sequences can be aligned using the methods and computer programs described above, and include BLAST, available over the world wide web at http://ww.ncbi.nlm.nih.gov/BLAST/. Another alignment algorithm is Fasta, available in the Genetics Computing Group (GCG) package, Madison, Wisconsin, USA, a wholly owned subsidiary of Oxford Molecular Group, Inc. Other techniques for alignment are described in Doolittle, *supra*. Preferably, an alignment program that permits gaps in the sequence is

utilized to align the sequences. The Smith-Waterman is one type of algorithm that permits gaps in sequence alignments. See *Meth. Mol. Biol.* (1997) *70*: 173-187. Also, the GAP program using the Needleman and Wunsch alignment method can be utilized to align sequences. An alternative search strategy uses MPSRCH software, which runs on a MASPAR computer. MPSRCH uses a Smith-Waterman algorithm to score sequences on a massively parallel computer. This approach improves ability to identify sequences that are distantly related matches, and is especially tolerant of small gaps and nucleotide sequence errors. Amino acid sequences encoded by the provided polynucleotides can be used to search both protein and DNA databases.

Results of individual and query sequence alignments can be divided into three categories, high similarity, weak similarity, and no similarity. Individual alignment results ranging from high similarity to weak similarity provide a basis for determining polypeptide activity and/or structure. Parameters for categorizing individual results include: percentage of the alignment region length where the strongest alignment is found, percent sequence identity, and p value.

The percentage of the alignment region length is calculated by counting the number of residues of the individual sequence found in the region of strongest alignment, *e.g.*, contiguous region of the individual sequence that contains the greatest number of residues that are identical to the residues of the corresponding region of the aligned query sequence. This number is divided by the total residue length of the query sequence to calculate a percentage. For example, a query sequence of 20 amino acid residues might be aligned with a 20 amino acid region of an individual sequence. The individual sequence might be identical to amino acid residues 5, 9-15, and 17-19 of the query sequence. The region of strongest alignment is thus the region stretching from residue 9-19, an 11 amino acid stretch. The percentage of the alignment region length is: 11 (length of the region of strongest alignment) divided by (query sequence length) 20 or 55%.

Percent sequence identity is calculated by counting the number of amino acid matches between the query and individual sequence and dividing total number of matches by the number of residues of the individual sequences found in the region of strongest alignment. Thus, the percent identity in the example above would be 10 matches divided by 11 amino acids, or approximately, 90.9%

P value is the probability that the alignment was produced by chance. For a single alignment, the p value can be calculated according to Karlin *et al.*, *Proc. Natl. Acad. Sci.* (1990) *87*:2264 and Karlin *et al*., *Proc. Natl. Acad. Sci.* (1993) *90*. The p value of multiple alignments using the same query sequence can be calculated using an heuristic approach described in Altschul *et al.*, *Nat. Genet.* (1994) *6*:119. Alignment programs such as BLAST program can calculate the p value.

Another factor to consider for determining identity or similarity is the location of the similarity or identity. Strong local alignment can indicate similarity even if the length of alignment is short. Sequence identity scattered throughout the length of the query sequence also can indicate a similarity between the query and profile sequences. The boundaries of the region where the sequences align can be determined according to Doolittle, *supra*; BLAST or FAST programs; or by determining the area where sequence identity is highest.

High Similarity. In general, in alignment results considered to be of high similarity, the percent of the alignment region length is typically at least about 55% of total length query sequence; more typically, at least about 58%; even more typically; at least about 60% of the total residue length of the query sequence. Usually, percent length of the alignment region can be as much as about 62%; more usually, as much as about 64%; even more usually, as much as about 66%. Further, for high similarity, the region of alignment, typically, exhibits at least about 75% of sequence identity; more typically, at least about 78%; even more typically; at least about 80% sequence identity. Usually, percent sequence identity can be as much as about 82%; more usually, as much as about 84%; even more usually, as much as about 86%.

The p value is used in conjunction with these methods. If high similarity is found, the query sequence is considered to have high similarity with a profile sequence when the p value is less than or equal to about 10^{-2}; more usually; less than or equal to about 10^{-3}; even more usually; less than or equal to about 10^{-4}. More typically, the p value is no more than about 10^{-5}; more typically; no more than or equal to about 10^{-10}; even more typically; no more than or equal to about 10^{-15} for the query sequence to be considered high similarity.

Weak Similarity. In general, where alignment results considered to be of weak similarity, there is no minimum percent length of the alignment region nor minimum length of alignment. A better showing of weak similarity is considered when the region of

alignment is, typically, at least about 15 amino acid residues in length; more typically, at least about 20; even more typically; at least about 25 amino acid residues in length. Usually, length of the alignment region can be as much as about 30 amino acid residues; more usually, as much as about 40; even more usually, as much as about 60 amino acid residues. Further, for weak similarity, the region of alignment, typically, exhibits at least about 35% of sequence identity; more typically, at least about 40%; even more typically; at least about 45% sequence identity. Usually, percent sequence identity can be as much as about 50%; more usually, as much as about 55%; even more usually, as much as about 60%.

If low similarity is found, the query sequence is considered to have weak similarity with a profile sequence when the p value is usually less than or equal to about 10^{-2}; more usually; less than or equal to about 10^{-3}; even more usually; less than or equal to about 10^{-4}. More typically, the p value is no more than about 10^{-5}; more usually; no more than or equal to about 10^{-10}; even more usually; no more than or equal to about 10^{-15} for the query sequence to be considered weak similarity.

Similarity Determined by Sequence Identity Alone. Sequence identity alone can be used to determine similarity of a query sequence to an individual sequence and can indicate the activity of the sequence. Such an alignment, preferably, permits gaps to align sequences. Typically, the query sequence is related to the profile sequence if the sequence identity over the entire query sequence is at least about 15%; more typically, at least about 20%; even more typically, at least about 25%; even more typically, at least about 50%. Sequence identity alone as a measure of similarity is most useful when the query sequence is usually, at least 80 residues in length; more usually, 90 residues; even more usually, at least 95 amino acid residues in length. More typically, similarity can be concluded based on sequence identity alone when the query sequence is preferably 100 residues in length; more preferably, 120 residues in length; even more preferably, 150 amino acid residues in length.

Determining Activity from Alignments with Profile and Multiple Aligned Sequences. Translations of the provided polynucleotides can be aligned with amino acid profiles that define either protein families or common motifs. Also, translations of the provided polynucleotides can be aligned to multiple sequence alignments (MSA) comprising the polypeptide sequences of members of protein families or motifs. Similarity or identity with profile sequences or MSAs can be used to determine the activity of the gene products (*e.g.*,

polypeptides) encoded by the provided polynucleotides or corresponding cDNA or genes. For example, sequences that show an identity or similarity with a chemokine profile or MSA can exhibit chemokine activities.

Profiles can designed manually by (1) creating an MSA, which is an alignment of the amino acid sequence of members that belong to the family and (2) constructing a statistical representation of the alignment. Such methods are described, for example, in Birney *et al.*, *Nucl. Acid Res.* (1996) *24(14)*: 2730-2739. MSAs of some protein families and motifs are publicly available. For example, http://genome.wustl.edu/Pfam/ includes MSAs of 547 different families and motifs. These MSAs are described also in Sonnhammer *et al.*, *Proteins* (1997) *28*: 405-420. Other sources over the world wide web include the site at http://www.embl-heidelberg.de/argos/ali/ali.html; alternatively, a message can be sent to ALI@EMBL-HEIDELBERG.DE for the information. A brief description of these MSAs is reported in Pascarella *et al.*, *Prot. Eng.* (1996) *9(3)*:249-251. Techniques for building profiles from MSAs are described in Sonnhammer *et al.*, *supra*; Birney *et al.*, *supra*; and "Computer Methods for Macromolecular Sequence Analysis," *Methods in Enzymology* (1996) *266*, Doolittle, Academic Press, Inc., a division of Harcourt Brace & Co., San Diego, California, USA.

Similarity between a query sequence and a protein family or motif can be determined by (a) comparing the query sequence against the profile and/or (b) aligning the query sequence with the members of the family or motif. Typically, a program such as Searchwise is used to compare the query sequence to the statistical representation of the multiple alignment, also known as a profile. The program is described in Birney *et al.*, *supra*. Other techniques to compare the sequence and profile are described in Sonnhammer *et al.*, *supra* and Doolittle, *supra*.

Next, methods described by Feng *et al.*, *J. Mol. Evol.* (1987) *25*:351 and Higgins *et al.*, *CABIOS* (1989) *5*:151 can be used align the query sequence with the members of a family or motif, also known as a MSA. Computer programs, such as PILEUP, can be used. See Feng *et al.*, *infra*. In general, the following factors are used to determine if a similarity between a query sequence and a profile or MSA exists: (1) number of conserved residues found in the query sequence, (2) percentage of conserved residues found in the query sequence, (3) number of frameshifts, and (4) spacing between conserved residues.

Some alignment programs that both translate and align sequences can make any number of frameshifts when translating the nucleotide sequence to produce the best alignment. The fewer frameshifts needed to produce an alignment, the stronger the similarity or identity between the query and profile or MSAs. For example, a weak similarity resulting from no frameshifts can be a better indication of activity or structure of a query sequence, than a strong similarity resulting from two frameshifts. Preferably, three or fewer frameshifts are found in an alignment; more preferably two or fewer frameshifts; even more preferably, one or fewer frameshifts; even more preferably, no frameshifts are found in an alignment of query and profile or MSAs.

Conserved residues are those amino acids found at a particular position in all or some of the family or motif members. For example, most chemokines contain four conserved cysteines. Alternatively, a position is considered conserved if only a certain class of amino acids is found in a particular position in all or some of the family members. For example, the N-terminal position can contain a positively charged amino acid, such as lysine, arginine, or histidine.

Typically, a residue of a polypeptide is conserved when a class of amino acids or a single amino acid is found at a particular position in at least about 40% of all class members; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

A residue is considered conserved when three unrelated amino acids are found at a particular position in the some or all of the members; more usually, two unrelated amino acids. These residues are conserved when the unrelated amino acids are found at particular positions in at least about 40% of all class member; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

A query sequence has similarity to a profile or MSA when the query sequence comprises at least about 25% of the conserved residues of the profile or MSA; more usually,

at least about 30%; even more usually; at least about 40%. Typically, the query sequence has a stronger similarity to a profile sequence or MSA when the query sequence comprises at least about 45% of the conserved residues of the profile or MSA; more typically, at least about 50%; even more typically; at least about 55%.

B. Screening Polynucleotide and Amino Acid Sequences Against Protein Profiles

The identify and function of the gene that correlates to a polynucleotide described herein can be determined by screening the polynucleotides or their corresponding amino acid sequences against profiles of protein families. Such profiles focus on common structural motifs among proteins of each family. Publicly available profiles are described above in Section IVA. Additional or alternative profiles are described below.

In comparing a novel polynucleotide with known sequences, several alignment tools are available. Examples include PileUp, which creates a multiple sequence alignment, and is described in Feng *et al., J. Mol. Evol.* (1987) *25*:351. Another method, GAP, uses the alignment method of Needleman *et al., J. Mol. Biol.* (1970) *48*:443. GAP is best suited for global alignment of sequences. A third method, BestFit, functions by inserting gaps to maximize the number of matches using the local homology algorithm of Smith *et al., Adv. Appl. Math.* (1981) *2*:482. Exemplary protein profiles are provided below and in the examples.

Chemokines. Chemokines are a family of proteins that have been implicated in lymphocyte trafficking, inflammatory diseases, angiogenesis, hematopoiesis, and viral infection. See, for example, Rollins, *Blood* (1997) *90(3)*:909-928, and Wells *et al., J. Leuk. Biol.* (1997) *61*:545-550. U.S. Patent No. 5,605,817 discloses DNA encoding a chemokine expressed in fetal spleen. U.S. Patent No. 5,656,724 discloses chemokine-like proteins and methods of use. U.S. Patent No. 5,602,008 discloses DNA encoding a chemokine expressed by liver.

Chemokine mutants are polypeptides having an amino acid sequence that possesses at least one amino acid substitution, addition, or deletion as compared to native chemokines. Fragments possess the same amino acid sequence of the native chemokines; mutants can lack the amino and/or carboxyl terminal sequences. Fusions are mutants, fragments, or native chemokines that also include amino and/or carboxyl terminal amino acid extensions.

The number or type of the amino acid changes is not critical, nor is the length or number of the amino acid deletions, or amino acid extensions that are incorporated in the chemokines as compared to the native chemokine amino acid sequences. A polynucleotide encoding one of these variant polypeptides will retain at least about 80% amino acid identity with at least one known chemokine. Preferably, these polypeptides will retain at least about 85% amino acid sequence identity, more preferably, at least about 90%; even more preferably, at least about 95%. In addition, the variants exhibit at least 80%; preferably about 90%; more preferably about 95% of at least one activity exhibited by a native chemokine, which includes immunological, biological, receptor binding, and signal transduction functions.

Assays for chemotaxis relating to neutrophils are described in Walz *et al.*, *Biochem. Biophys. Res. Commun.* (1987) *149*:755, Yoshimura *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1987) *84*:9233, and Schroder *et al., J. Immunol.* (1987) *139*:3474; to lymphocytes, Larsen *et al.*, *Science* (1989) *243*:1464, Carr *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1994) *91*:3652; to tumor-infiltrating lymphocytes, Liao *et al.*, *J. Exp. Med* (1995). *182*:1301; to hematopoietic progenitors, Aiuti *et al.*, *J. Exp. Med.* (1997) *185*:111; to monocytes, Valente *et al.*, *Biochem.* (1988) *27*:4162; and to natural killer cells, Loetscher *et al.*, *J. Immunol.* (1996) *156*:322, and Allavena *et al.*, *Eur. J. Immunol.* (1994) *24*:3233.

Assays for determining the biological activity of attracting eosinophils are described in Dahinden *et al., J. Exp. Med.* (1994) *179*:751, Weber *et al.*, *J. Immunol.* (1995) *154*:4166, and Noso *et al.*, *Biochem. Biophys. Res. Commun.* (1994) *200*:1470; for attracting dendritic cells, Sozzani *et al.*, *J. Immunol.* (1995) *155*:3292; for attracting basophils, in Dahinden *et al.*, *J. Exp. Med.* (1994) *179*:751, Alam *et al.*, *J. Immunol.* (1994) *152*:1298, Alam *et al.*, *J. Exp. Med.* (1992) *176*:781; and for activating neutrophils, Maghazaci *et al.*, *Eur. J. Immunol.* (1996) *26*:315, and Taub *et al.*, *J. Immunol.* (1995) *155*:3877. Native chemokines can act as mitogens for fibroblasts, assayed as described in Mullenbach *et al.*, *J. Biol. Chem.* (1986) *261*:719.

Native chemokines exhibit binding activity with a number of receptors. Description of such receptors and assays to detect binding are described in, for example, Murphy *et al.*, *Science* (1991) *253*:1280; Combadiere *et al.*, *J. Biol. Chem.* (1995) *270:*29671; Daugherty *et al.*, *J. Exp. Med.* (1996) *183*:2349; Samson *et al.*, *Biochem.* (1996) *35*:3362; Raport *et al.*, *J.*

Biol. Chem. (1996) *271*:17161; Combadiere *et al.*, *J. Leukoc. Biol.* (1996) *60*:147; Baba *et al.*, *J. Biol. Chem.* (1997) *23*:14893; Yosida *et al.*, *J. Biol. Chem.* (1997) *272*:13803; Arvannitakis *et al.*, *Nature* (1997) *385*:347, and other assays are known in the art.

Assays for kinase activation of chemokines are described by Yen *et al.*, *J. Leukoc. Biol.* (1997) *61*:529; Dubois *et al., J. Immunol.* (1996) *156*:1356; Turner *et al.*, *J. Immunol.* (1995) *155*:2437. Assays for inhibition of angiogenesis or cell proliferation are described in Maione *et al.*, *Science* (1990) *247*:77. Glycosaminoglycan production can be induced by native chemokines, assayed as described in Castor *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1983) *80*:765. Chemokine-mediated histamine release from basophils is assayed as described in Dahinden *et al.*, *J. Exp. Med.* (1989) *170*:1787; and White *et al.*, *Immunol. Lett.* (1989) *22*:151. Heparin binding is described in Luster *et al.*, *J. Exp. Med.* (1995) *182*:219.

Chemokines can possess dimerization activity, which can be assayed according to Burrows *et al.*, *Biochem.* (1994) *33*:12741; and Zhang *et al., Mol. Cell. Biol.* (1995) *15*:4851. Native chemokines can play a role in the inflammatory response of viruses. This activity can be assayed as described in Bleul *et al.*, *Nature* (1996) *382*:829; and Oberlin *et al.*, *Nature* (1996) *382*:833. Exocytosis of monocytes can be promoted by native chemokines. The assay for such activity is described in Uguccioni *et al.*, *Eur. J. Immunol.* (1995) *25*:64. Native chemokines also can inhibit hematopoietic stem cell proliferation. The method for testing for such activity is reported in Graham *et al.*, *Nature* (1990) *344*:442.

Death Domain Proteins. Several protein families contain death domain motifs (Feinstein and Kimchi, *TIBS Letters* (1995) *20*:242). Some death domain containing proteins are implicated in cytotoxic intracellular signaling (Cleveland *et al.*, *Cell* (1995) *81*:479, Pan *et al*, *Science* (1997) *276*:111; Duan *et al.*, *Nature* (1997) *385*:86-89, and Chinnaiyan *et al*, *Science* (1996) *274*:990). U.S. Patent No. 5,563,039 describes a protein homologous to TRADD (Tumor Necrosis Factor Receptor-1 Associated Death Domain containing protein), and modifications of the active domain of TRADD that retain the functional characteristics of the protein, as well as apoptosis assays for testing the function of such death domain containing proteins. U.S. Patent No. 5,658,883 discloses biologically active TGF-B1 peptides. U.S. Patent No. 5,674,734 discloses RIP, which contains a C-terminal death domain and an N-terminal kinase domain.

Leukemia Inhibitory Factor (LIF). An LIF profile is constructed from sequences of leukemia inhibitor factor, CT-1 (cardiotrophin-1), CNTF (ciliary neurotrophic factor), OSM (oncostatin M), and IL-6 (interleukin-6). This profile encompasses a family of secreted cytokines that have pleiotropic effects on many cell types including hepatocytes, osteoclasts, neuronal cells and cardiac myocytes, and can be used to detect additional genes encoding such proteins. These molecules are all structurally related and share a common co-receptor gp130 which mediates intracellular signal transduction by cytoplasmic tyrosine kinases such as src.

Novel proteins related to this family are also likely to be secreted, to activate gp130 and to function in the development of a variety of cell types. Thus new members of this family would be candidates to be developed as growth or survival factors for the cell types that they stimulate. For more details on this family of cytokines, see Pennica *et al*, *Cytokine and Growth Factor Reviews* (1996) *7*:81-91. U.S. Patent No. 5,420,247 discloses LIF receptor and fusion proteins. U.S. Patent No. 5,443,825 discloses human LIF.

Angiopoietin. Angiopoietin-1 is a secreted ligand of the TIE-2 tyrosine kinase; it functions as an angiogenic factor critical for normal vascular development. Angiopoietin-2 is a natural antagonist of angiopoietin-1 and thus functions as an anti-angiogenic factor. These two proteins are structurally similar and activate the same receptor (Folkman *et al.*, *Cell* (1996) *87*:1153, and Davis *et al.*, *Cell* (1996) *87*:1161). The angiopoietin molecules are composed of two domains: a coiled-coil region and a region related to fibrinogen. The fibrinogen domain is found in many molecules including ficolin and tesascin, and is well defined structurally with many members.

Receptor Protein-Tyrosine Kinases. Receptor Protein-Tyrosine Kinases or RPTKs are described in Lindberg, *Annu. Rev. Cell Biol.* (1994) *10*:251-337.

Growth Factors: (Epidermal Growth Factor) EGF and (Fibroblast Growth Factor) FGF. For a discussion of growth factor superfamilies, see *Growth Factors: A Practical Approach*, (Appendix A1) (1993) McKay and Leigh, Oxford University Press, NY, 237-243. U.S. Patent No. 4,444,760 discloses acidic brain fibroblast growth factor, which is active in the promotion of cell division and wound healing. U.S. Patent No. 5,439,818 discloses DNA encoding human recombinant basic fibroblast growth factor, which is active in wound healing. U.S. Patent No. 5,604,293 discloses recombinant human basic fibroblast growth

factor, which is useful for wound healing. U.S. Patent No. 5,410,832 discloses brain-derived and recombinant acidic fibroblast growth factor, which act as mitogens for mesoderm and neuroectoderm-derived cells in culture, and promote wound healing in soft tissue, cartilaginous tissue and musculo-skeletal tissue. U.S. Patent No. 5,387,673 discloses biologically active fragments of FGF.

Proteins of the TNF Family. A profile derived from the TNF family is created by aligning sequences of the following TNF family members: nerve growth factor (NGF), lymphotoxin, Fas ligand, tumor necrosis factor (TNFα), CD40 ligand, TRAIL, ox40 ligand, 4-1BB ligand, CD27 ligand, and CD30 ligand. The profile is designed to identify sequences of proteins that constitute new members or homologues of this family of proteins. U.S. Patent No. 5,606,023 discloses mutant TNF proteins; U.S. Patent No. 5,597,899 and U.S. Patent No. 5,486,463 disclose TNF muteins; and U.S. Patent No. 5,652,353 discloses DNA encoding TNFα muteins.

Members of the TNF family of proteins have been show in vitro to multimerize, as described in Burrows *et al.*, *Biochem.* (1994) *33*:12741 and Zhang *et al.*, *Mol. Cell. Biol.* (1995) *15*:4851 and bind receptors as described in Browning *et al.*, *J. Immunol.* (1994) *147*:1230, Androlewicz *et al.*, *J. Biol. Chem.*(1992) *267*:2542, and Crowe *et al.*, *Science* (1994) *264*:707.

In vivo, TNFs proteolytically cleave a target protein as described in Kriegel *et al.*, *Cell* (1988) *53*:45 and Mohler *et al.*, *Nature* (1994) *370*:218 and demonstrate cell proliferation and differentiation activity. T-cell or thymocyte proliferation is assayed as described in Armitage *et al.*, *Eur. J. Immunol.* (1992) *22*:447; Current Protocols in Immunology, ed. J.E. Coligan *et al.*, 3.1-3.19; Takai *et al.*, *J. Immunol.* (1986) *137*:3494-3500, Bertagnoli *et al.*, *J. Immunol.* (1990) *145*:1706, Bertagnoli *et al.*, *J. Immunol.* (1991) *133*:327, Bertagnoli *et al.*, *J. Immunol.* (1992) *149*:3778, and Bowman *et al.*, *J. Immunol.* (1994) *152*:1756. B cell proliferation and Ig secretion are assayed as described in Maliszewski, *J. Immunol.* (1990) *144*:3028, and Assays for B Cell Function: In Vitro Antibody Production, Mond and Brunswick, Current Protocols in Immunol., Coligan Ed vol 1 pp 3.8.1-3.8.16, John Wiley and Sons, Toronto 1994, Kehrl *et al.*, *Science* (1987) *238*:1144 and Boussiotis *et al.*, *PNAS USA* (1994) *91*:7007. Other in vivo activities include upregulation of cell surface antigens, upregulation of costimulatory molecules, and cellular

aggregation/adhesion as described in Barrett *et al.*, *J. Immunol.* (1991) *146*:1722; Bjorck *et al.*, *Eur. J. Immunol.* (1993) *23*:1771; Clark *et al.*, *Annu Rev. Immunol.* (1991) *9*:97; Ranheim *et al.*, *J. Exp. Med.* (1994) *177*:925; Yellin, *J. Immunol.* (1994) *153*:666; and Gruss *et al.*, *Blood* (1994) *84*:2305.

Proliferation and differentiation of hematopoietic and lymphopoietic cells has also been shown in vivo for TNFs, using assays for embryonic differentiation and hematopoiesis as described in Johansson *et al.*, *Cellular Biology* (1995) *15*:141, Keller *et al.*, *Mol. Cell. Biol.* (1993) *13*:473, McClanahan *et al.*, *Blood* (1993) *81*:2903 and using assays to detect stem cell survival and differentiation as described in Culture of Hematopoietic Cells, Freshney *et al.* eds, pp 1-21, 23-29, 139-162, 163-179, and 265-268, Wiley-Liss, Inc., New York, NY, 1994, and Hirajama *et al.*, *PNAS USA* (1992) *89*:5907.

In vivo activities of TNFs also include lymphocyte survival and apoptosis, assayed as described in Darzynkewicz *et al.*, *Cytometry* (1992) *13*:795; Gorczca *et al.*, *Leukemia* (1993) *7*:659; Itoh *et al.*, *Cell* (1991) *66*:233; Zacharduk, *J. Immunol.* (1990) *145*:4037; Zamai *et al.*, *Cytometry* (1993) *14*:891; and Gorczyca *et al.*, *Int'l J. Oncol.* (1992) *1*:639. Some members of the TNF family are cleaved from the cell surface; others remain membrane bound. The three-dimensional structure of TNF is discussed in Sprang and Eck, Tumor Necrosis Factors; *supra.*

TNF proteins include a transmembrane domain. The protein is cleaved into a shorter soluble version, as described in Kriegler *et al.*, *Cell* (1988) *53*:45, Perez *et al.*, *Cell* (1990) *63*:251, and Shaw *et al.*, *Cell* (1986) *46*:659. The transmembrane domain is between amino acid 46 and 77 and the cytoplasmic domain is between position 1 and 45 on the human form of TNFα. The 3-dimensional motifs of TNF include a sandwich of two pleated β sheets. Each sheet is composed of anti-parallel β strands. β strands facing each other on opposite sites of the sandwich are connected by short polypeptide loops, as described in Van Ostade *et al.*, *Protein Engineering* (1994) *7(1)*:5, and Sprang *et al.*, Tumor Necrosis Factors; *supra.* Residues of the TNF family proteins that are involved in the β sheet secondary structure have been identified as described in Van Ostade *et al.*, *Protein Eng.* (1994) *7(1)*:5, and Sprang *et al.*, *supra.*

TNF receptors are disclosed in U.S. Patent No. 5,395,760. A profile derived from the TNF receptor family is created by aligning sequences of the TNF receptor family, including

Apo1/Fas, TNFR I and II, death receptor 3 (DR3), CD40, ox40, CD27, and CD30. Thus, the profile is designed to identify from the polynucleotides of the invention sequences of proteins that constitute new members or homologues of this family of proteins.

Tumor necrosis factor receptors exist in two forms in humans: p55 TNFR and p75 TNFR, both of which provide intracellular signals upon binding with a ligand. The extracellular domains of these receptor proteins are cysteine rich. The receptors can remain membrane bound, although some forms of the receptors are cleaved forming soluble receptors. The regulation, diagnostic, prognostic, and therapeutic value of soluble TNF receptors is discussed in Aderka, *Cytokine and Growth Factor Reviews*, (1996) *7(3):*231.

<u>PDGF Family.</u> U.S. Patent No. 5,326,695 discloses platelet derived growth factor agonists; bioactive portions of PDGF-B are used as agonists. U.S. Patent No. 4,845,075 discloses biologically active B-chain homodimers, and also includes variants and derivatives of the PDGF-B chain. U.S. Patent No. 5,128,321 discloses PDGF analogs and methods of use. Proteins having the same bioactivity as PDGF are disclosed, including A and B chain proteins.

<u>Kinase (Including MKK) Family.</u> U.S. Patent No. 5,650,501 discloses serine/threonine kinase, associated with mitotic and meiotic cell division; the protein has a kinase domain in its N-terminal and 3 PEST regions in the C-terminus. U.S. Patent No. 5,605,825 discloses human PAK65, a serine protein kinase.

The foregoing discussion provides a few examples of the protein profiles that can be compared with the polynucleotides of the invention. One skilled in the art can use these and other protein profiles to identify the genes that correlate with the provided polynucleotides.

C. <u>Identification of Secreted & Membrane-Bound Polypeptides</u>

Both secreted and membrane-bound polypeptides of the present invention are of particular interest. For example, levels of secreted polypeptides can be assayed in body fluids that are convenient, such as blood, urine, prostatic fluid and semen. Membrane-bound polypeptides are useful for constructing vaccine antigens or inducing an immune response. Such antigens would comprise all or part of the extracellular region of the membrane-bound polypeptides. Because both secreted and membrane-bound polypeptides comprise a fragment of contiguous hydrophobic amino acids, hydrophobicity predicting algorithms can be used to identify such polypeptides.

A signal sequence is usually encoded by both secreted and membrane-bound polypeptide genes to direct a polypeptide to the surface of the cell. The signal sequence usually comprises a stretch of hydrophobic residues. Such signal sequences can fold into helical structures. Membrane-bound polypeptides typically comprise at least one transmembrane region that possesses a stretch of hydrophobic amino acids that can transverse the membrane. Some transmembrane regions also exhibit a helical structure. Hydrophobic fragments within a polypeptide can be identified by using computer algorithms. Such algorithms include Hopp & Woods, *Proc. Natl. Acad. Sci. USA* (1981) *78*:3824-3828; Kyte & Doolittle, *J. Mol. Biol.* (1982) *157*: 105-132; and RAOAR algorithm, Degli Esposti *et al.*, *Eur. J. Biochem.* (1990) *190*: 207-219.

Another method of identifying secreted and membrane-bound polypeptides is to translate the polynucleotides of the invention in all six frames and determine if at least 8 contiguous hydrophobic amino acids are present. Those translated polypeptides with at least 8; more typically, 10; even more typically, 12 contiguous hydrophobic amino acids are considered to be either a putative secreted or membrane bound polypeptide. Hydrophobic amino acids include alanine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, threonine, tryptophan, tyrosine, and valine.

IV. Identification of the Function of an Expression Product of a Full-Length Gene Corresponding to a Polynucleotide

Ribozymes, antisense constructs, and dominant negative mutants can be used to determine function of the expression product of a gene corresponding to a polynucleotide provided herein. These methods and compositions are particularly useful where the provided novel polynucleotide exhibits no significant or substantial homology to a sequence encoding a gene of known function. Antisense molecules and ribozymes can be constructed from synthetic polynucleotides. Typically, the phosphoramidite method of oligonucleotide synthesis is used. See Beaucage *et al.*, *Tet. Lett.* (1981) *22*:1859 and U.S. Patent No. 4,668,777. Automated devices for synthesis are available to create oligonucleotides using this chemistry. Examples of such devices include Biosearch 8600, Models 392 and 394 by Applied Biosystems, a division of Perkin-Elmer Corp., Foster City, California, USA; and Expedite by Perceptive Biosystems, Framingham, Massachusetts, USA. Synthetic RNA,

phosphate analog oligonucleotides, and chemically derivatized oligonucleotides can also be produced, and can be covalently attached to other molecules. RNA oligonucleotides can be synthesized, for example, using RNA phosphoramidites. This method can be performed on an automated synthesizer, such as Applied Biosystems, Models 392 and 394, Foster City, California, USA. See Applied Biosystems User Bulletin 53 and Ogilvie *et al.*, *Pure & Applied Chem.* (1987) *59*:325.

Phosphorothioate oligonucleotides can also be synthesized for antisense construction. A sulfurizing reagent, such as tetraethylthiruam disulfide (TETD) in acetonitrile can be used to convert the internucleotide cyanoethyl phosphite to the phosphorothioate triester within 15 minutes at room temperature. TETD replaces the iodine reagent, while all other reagents used for standard phosphoramidite chemistry remain the same. Such a synthesis method can be automated using Models 392 and 394 by Applied Biosystems, for example.

Oligonucleotides of up to 200 nucleotides can be synthesized, more typically, 100 nucleotides, more typically 50 nucleotides; even more typically 30 to 40 nucleotides. These synthetic fragments can be annealed and ligated together to construct larger fragments. See, for example, Sambrook *et al.*, *supra*.

A. <u>Ribozymes</u>

Trans-cleaving catalytic RNAs (ribozymes) are RNA molecules possessing endoribonuclease activity. Ribozymes are specifically designed for a particular target, and the target message must contain a specific nucleotide sequence. They are engineered to cleave any RNA species site-specifically in the background of cellular RNA. The cleavage event renders the mRNA unstable and prevents protein expression. Importantly, ribozymes can be used to inhibit expression of a gene of unknown function for the purpose of determining its function in an in vitro or in vivo context, by detecting the phenotypic effect.

One commonly used ribozyme motif is the hammerhead, for which the substrate sequence requirements are minimal. Design of the hammerhead ribozyme is disclosed in Usman *et al., Current Opin. Struct. Biol.* (1996) *6*:527. Usman also discusses the therapeutic uses of ribozymes. Ribozymes can also be prepared and used as described in Long *et al., FASEB J.* (1993) 7:25; Symons, *Ann. Rev. Biochem.* (1992) *61*:641; Perrotta *et al., Biochem.* (1992) *31*:16; Ojwang *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1992) *89*:10802; and U.S. Patent No. 5,254,678. Ribozyme cleavage of HIV-I RNA is described in U.S.

Patent No. 5,144,019; methods of cleaving RNA using ribozymes is described in U.S. Patent No. 5,116,742; and methods for increasing the specificity of ribozymes are described in U.S. Patent No. 5,225,337 and Koizumi *et al.*, *Nucleic Acid Res.* (1989) *17*:7059. Preparation and use of ribozyme fragments in a hammerhead structure are also described by Koizumi *et al., Nucleic Acids Res.* (1989) *17*:7059. Preparation and use of ribozyme fragments in a hairpin structure are described by Chowrira and Burke, *Nucleic Acids Res.* (1992) *20*:2835. Ribozymes can also be made by rolling transcription as described in Daubendiek and Kool, *Nat. Biotechnol.* (1997) *15(3)*:273.

The hybridizing region of the ribozyme can be modified or can be prepared as a branched structure as described in Horn and Urdea, *Nucleic Acids Res.* (1989) *17*:6959. The basic structure of the ribozymes can also be chemically altered in ways familiar to those skilled in the art, and chemically synthesized ribozymes can be administered as synthetic oligonucleotide derivatives modified by monomeric units. In a therapeutic context, liposome mediated delivery of ribozymes improves cellular uptake, as described in Birikh *et al., Eur. J. Biochem.* (1997) *245*:1.

Using the polynucleotide sequences of the invention and methods known in the art, ribozymes are designed to specifically bind and cut the corresponding mRNA species. Ribozymes thus provide a means to inhibit the expression of any of the proteins encoded by the disclosed polynucleotides or their full-length genes. The full-length gene need not be known in order to design and use specific inhibitory ribozymes. In the case of a polynucleotide or full-length cDNA of unknown function, ribozymes corresponding to that nucleotide sequence can be tested in vitro for efficacy in cleaving the target transcript. Those ribozymes that effect cleavage in vitro are further tested in vivo. The ribozyme can also be used to generate an animal model for a disease, as described in Birikh *et al., supra.* An effective ribozyme is used to determine the function of the gene of interest by blocking its transcription and detecting a change in the cell. Where the gene is found to be a mediator in a disease, an effective ribozyme is designed and delivered in a gene therapy for blocking transcription and expression of the gene.

Therapeutic and functional genomic applications of ribozymes proceed beginning with knowledge of a portion of the coding sequence of the gene to be inhibited. Thus, for many genes, a partial polynucleotide sequence provides adequate sequence for constructing

an effective ribozyme. A target cleavage site is selected in the target sequence, and a ribozyme is constructed based on the 5' and 3' nucleotide sequences that flank the cleavage site. Retroviral vectors are engineered to express monomeric and multimeric hammerhead ribozymes targeting the mRNA of the target coding sequence. These monomeric and multimeric ribozymes are tested in vitro for an ability to cleave the target mRNA. A cell line is stably transduced with the retroviral vectors expressing the ribozymes, and the transduction is confirmed by Northern blot analysis and reverse-transcription polymerase chain reaction (RT-PCR). The cells are screened for inactivation of the target mRNA by such indicators as reduction of expression of disease markers or reduction of the gene product of the target mRNA.

B. Antisense

Antisense nucleic acids are designed to specifically bind to RNA, resulting in the formation of RNA-DNA or RNA-RNA hybrids, with an arrest of DNA replication, reverse transcription or messenger RNA translation. Antisense polynucleotides based on a selected polynucleotide sequence can interfere with expression of the corresponding gene. Antisense polynucleotides are typically generated within the cell by expression from antisense constructs that contain the antisense strand as the transcribed strand. Antisense polynucleotides based on the disclosed polynucleotides will bind and/or interfere with the translation of mRNA comprising a sequence complementary to the antisense polynucleotide. The expression products of control cells and cells treated with the antisense construct are compared to detect the protein product of the gene corresponding to the polynucleotide upon which the antisense construct is based. The protein is isolated and identified using routine biochemical methods.

One rationale for using antisense methods to determine the function of the gene corresponding to a disclosed polynucleotide is the biological activity of antisense therapeutics. Antisense therapy for a variety of cancers is in clinical phase and has been discussed extensively in the literature. Reed reviewed antisense therapy directed at the Bcl-2 gene in tumors; gene transfer-mediated overexpression of Bcl-2 in tumor cell lines conferred resistance to many types of cancer drugs. (Reed, J.C., *N.C.I.* (1997) *89*:988). The potential for clinical development of antisense inhibitors of *ras* is discussed by Cowsert, L.M., *Anti-Cancer Drug Design* (1997) *12*:359. Additional important antisense targets include

leukemia (Geurtz, A.M., *Anti-Cancer Drug Design* (1997) *12*:341); human C-ref kinase (Monia, B.P., *Anti-Cancer Drug Design* (1997) *12*:327); and protein kinase C (McGraw *et al., Anti-Cancer Drug Design* (1997) *12*:315.

Given the extensive background literature and clinical experience in antisense therapy, one skilled in the art can use selected polynucleotides of the invention as additional potential therapeutics. The choice of polynucleotide can be narrowed by first testing them for binding to "hot spot" regions of the genome of cancerous cells. If a polynucleotide is identified as binding to a "hot spot", testing the polynucleotide as an antisense compound in the corresponding cancer cells clearly is warranted.

Ogunbiyi *et al., Gastroenterology* (1997) *113(3)*:761 describe prognostic use of allelic loss in colon cancer; Barks *et al., Genes, Chromosomes, and Cancer* (1997) *19(4)*:278 describe increased chromosome copy number detected by FISH in malignant melanoma; Nishizake *et al., Genes, Chromosomes, and Cancer* (1997) *19(4)*:267 describe genetic alterations in primary breast cancer and their metastases and direct comparison using modified comparative genome hybridization; and Elo *et al., Cancer Research* (1997) *57(16)*:3356 disclose that loss of heterozygosity at 16z24.1-q24.2 is significantly associated with metastatic and aggressive behavior of prostate cancer.

C. Dominant Negative Mutations

As an alternative method for identifying function of the gene corresponding to a polynucleotide disclosed herein, dominant negative mutations are readily generated for corresponding proteins that are active as homomultimers. A mutant polypeptide will interact with wild-type polypeptides (made from the other allele) and form a non-functional multimer. Thus, a mutation is in a substrate-binding domain, a catalytic domain, or a cellular localization domain. Preferably, the mutant polypeptide will be overproduced. Point mutations are made that have such an effect. In addition, fusion of different polypeptides of various lengths to the terminus of a protein can yield dominant negative mutants. General strategies are available for making dominant negative mutants (see, *e.g.*, Herskowitz, *Nature* (1987) *329*:219). Such techniques can be used to create loss of function mutations, which are useful for determining protein function.

V. Construction of Polypeptides of the Invention and Variants Thereof

The polypeptides of the invention include those encoded by the disclosed polynucleotides. These polypeptides can also be encoded by nucleic acids that, by virtue of the degeneracy of the genetic code, are not identical in sequence to the disclosed polynucleotides. Thus, the invention includes within its scope a polypeptide encoded by a polynucleotide having the sequence of any one of SEQ ID NOS: 1-844 or a variant thereof.

In general, the term "polypeptide" as used herein refers to both the full length polypeptide encoded by the recited polynucleotide, the polypeptide encoded by the gene represented by the recited polynucleotide, as well as portions or fragments thereof. "Polypeptides" also includes variants of the naturally occurring proteins, where such variants are homologous or substantially similar to the naturally occurring protein, and can be of an origin of the same or different species as the naturally occurring protein (*e.g.*, human, murine, or some other species that naturally expresses the recited polypeptide, usually a mammalian species). In general, variant polypeptides have a sequence that has at least about 80%, usually at least about 90%, and more usually at least about 98% sequence identity with a differentially expressed polypeptide of the invention, as measured by BLAST using the parameters described above. The variant polypeptides can be naturally or non-naturally glycosylated, *i.e.*, the polypeptide has a glycosylation pattern that differs from the glycosylation pattern found in the corresponding naturally occurring protein.

The invention also encompasses homologs of the disclosed polypeptides (or fragments thereof) where the homologs are isolated from other species, *i.e.* other animal or plant species, where such homologs, usually mammalian species, *e.g.* rodents, such as mice, rats; domestic animals, *e.g.*, horse, cow, dog, cat; and humans. By homolog is meant a polypeptide having at least about 35%, usually at least about 40% and more usually at least about 60% amino acid sequence identity a particular differentially expressed protein as identified above, where sequence identity is determined using the BLAST algorithm, with the parameters described *supra*.

In general, the polypeptides of the subject invention are provided in a non-naturally occurring environment, *e.g.* are separated from their naturally occurring environment. In certain embodiments, the subject protein is present in a composition that is enriched for the protein as compared to a control. As such, purified polypeptide is provided, where by

purified is meant that the protein is present in a composition that is substantially free of non-differentially expressed polypeptides, where by substantially free is meant that less than 90%, usually less than 60% and more usually less than 50% of the composition is made up of non-differentially expressed polypeptides.

Also within the scope of the invention are variants; variants of polypeptides include mutants, fragments, and fusions. Mutants can include amino acid substitutions, additions or deletions. The amino acid substitutions can be conservative amino acid substitutions or substitutions to eliminate non-essential amino acids, such as to alter a glycosylation site, a phosphorylation site or an acetylation site, or to minimize misfolding by substitution or deletion of one or more cysteine residues that are not necessary for function. Conservative amino acid substitutions are those that preserve the general charge, hydrophobicity/hydrophilicity, and/or steric bulk of the amino acid substituted. For example, substitutions between the following groups are conservative: Gly/Ala, Val/Ile/Leu, Asp/Glu, Lys/Arg, Asn/Gln, Ser/Cys, Thr, and Phe/Trp/Tyr.

Variants can be designed so as to retain biological activity of a particular region of the protein (*e.g.*, a functional domain and/or, where the polypeptide is a member of a protein family, a region associated with a consensus sequence). In a non-limiting example, Osawa *et al.*, *Biochem. Mol. Int.* (1994) *34*:1003, discusses the actin binding region of a protein from several different species. The actin binding regions of the these species are considered homologous based on the fact that they have amino acids that fall within "homologous residue groups." Homologous residues are judged according to the following groups (using single letter amino acid designations): STAG; ILVMF; HRK; DEQN; and FYW. For example, and S, a T, an A or a G can be in a position and the function (in this case actin binding) is retained.

Additional guidance on amino acid substitution is available from studies of protein evolution. Go *et al*, *Int. J. Peptide Protein Res.* (1980) *15*:211, classified amino acid residue sites as interior or exterior depending on their accessibility. More frequent substitution on exterior sites was confirmed to be general in eight sets of homologous protein families regardless of their biological functions and the presence or absence of a prosthetic group. Virtually all types of amino acid residues had higher mutabilities on the exterior than in the interior. No correlation between mutability and polarity was observed of amino acid

residues in the interior and exterior, respectively. Amino acid residues were classified into one of three groups depending on their polarity: polar (Arg, Lys, His, Gln, Asn, Asp, and Glu); weak polar (Ala, Pro, Gly, Thr, and Ser), and nonpolar (Cys, Val, Met, Ile, Leu, Phe, Tyr, and Trp). Amino acid replacements during protein evolution were very conservative: 88% and 76% of them in the interior or exterior, respectively, were within the same group of the three. Inter-group replacements are such that weak polar residues are replaced more often by nonpolar residues in the interior and more often by polar residues on the exterior.

Additional guidance for production of polypeptide variants is provided in Querol *et al.*, *Prot. Eng.* (1996) *9*:265, which provides general rules for amino acid substitutions to enhance protein thermostability. New glycosylation sites can be introduced as discussed in Olsen and Thomsen, *J. Gen. Microbiol.* (1991) *137*:579. An additional disulfide bridge can be introduced, as discussed by Perry and Wetzel, *Science* (1984) *226*:555; Pantoliano *et al.*, *Biochemistry* (1987) *26*:2077; Matsumura *et al.*, *Nature* (1989) *342*:291; Nishikawa *et al.*, *Protein Eng.* (1990) *3*:443; Takagi *et al.*, *J. Biol. Chem.* (1990) *265*:6874; Clarke *et al.*, *Biochemistry* (1993) *32*:4322; and Wakarchuk *et al.*, *Protein Eng.* (1994) *7*:1379. Metal binding sites can be introduced, according to Toma *et al.*, *Biochemistry* (1991) *30*:97, and Haezerbrouck *et al.*, *Protein Eng.* (1993) *6*:643. Substitutions with prolines in loops can be made according to Masul *et al.*, *Appl. Env. Microbiol.* (1994) *60*:3579; and Hardy *et al.*, *FEBS Lett.* *317*:89.

Cysteine-depleted muteins are considered variants within the scope of the invention. These variants can be constructed according to methods disclosed in U.S. Patent No. 4,959,314, which discloses substitution of cysteines with other amino acids, and methods for assaying biological activity and effect of the substitution. Such methods are suitable for proteins according to this invention that have cysteine residues suitable for such substitutions, for example to eliminate disulfide bond formation.

Variants also include fragments of the polypeptides disclosed herein, particularly biologically active fragments and/or fragments corresponding to functional domains. Fragments of interest will typically be at least about 10 aa to at least about 15 aa in length, usually at least about 50 aa in length, and can be as long as 300 aa in length or longer, but will usually not exceed about 1000 aa in length, where the fragment will have a stretch of

amino acids that is identical to a polypeptide encoded by a polynucleotide having a sequence of any SEQ ID NOS:1-844, or a homolog thereof.

The protein variants described herein are encoded by polynucleotides that are within the scope of the invention. The genetic code can be used to select the appropriate codons to construct the corresponding variants.

VI. Computer-Related Embodiments

In general, a library of polynucleotides is a collection of sequence information, which information is provided in either biochemical form (*e.g.*, as a collection of polynucleotide molecules), or in electronic form (*e.g.*, as a collection of polynucleotide sequences stored in a computer-readable form, as in a computer system and/or as part of a computer program). The sequence information of the polynucleotides can be used in a variety of ways, *e.g.*, as a resource for gene discovery, as a representation of sequences expressed in a selected cell type (*e.g.*, cell type markers), and/or as markers of a given disease or disease state. In general, a disease marker is a representation of a gene product that is present in all affected by disease either at an increased or decreased level relative to a normal cell (*e.g.*, a cell of the same or similar type that is not substantially affected by disease). For example, a polynucleotide sequence in a library can be a polynucleotide that represents an mRNA, polypeptide, or other gene product encoded by the polynucleotide, that is either overexpressed or underexpressed in a breast ductal cell affected by cancer relative to a normal (*i.e.*, substantially disease-free) breast cell.

The nucleotide sequence information of the library can be embodied in any suitable form, *e.g.*, electronic or biochemical forms. For example, a library of sequence information embodied in electronic form includes an accessible computer data file (or, in biochemical form, a collection of nucleic acid molecules) that contains the representative nucleotide sequences of genes that are differentially expressed (*e.g.*, overexpressed or underexpressed) as between, for example, i) a cancerous cell and a normal cell; ii) a cancerous cell and a dysplastic cell; iii) a cancerous cell and a cell affected by a disease or condition other than cancer; iv) a metastatic cancerous cell and a normal cell and/or non-metastatic cancerous cell; v) a malignant cancerous cell and a non-malignant cancerous cell (or a normal cell) and/or vi) a dysplastic cell relative to a normal cell. Other combinations and comparisons of

cells affected by various diseases or stages of disease will be readily apparent to the ordinarily skilled artisan. Biochemical embodiments of the library include a collection of nucleic acids that have the sequences of the genes in the library, where the nucleic acids can correspond to the entire gene in the library or to a fragment thereof, as described in greater detail below.

The polynucleotide libraries of the subject invention include sequence information of a plurality of polynucleotide sequences, where at least one of the polynucleotides has a sequence of any of SEQ ID NOS:1-844. By plurality is meant at least 2, usually at least 3 and can include up to all of SEQ ID NOS:1-844. The length and number of polynucleotides in the library will vary with the nature of the library, *e.g.*, if the library is an oligonucleotide array, a cDNA array, a computer database of the sequence information, etc.

Where the library is an electronic library, the nucleic acid sequence information can be present in a variety of media. “Media” refers to a manufacture, other than an isolated nucleic acid molecule, that contains the sequence information of the present invention. Such a manufacture provides the genome sequence or a subset thereof in a form that can be examined by means not directly applicable to the sequence as it exists in a nucleic acid. For example, the nucleotide sequence of the present invention, *e.g.* the nucleic acid sequences of any of the polynucleotides of SEQ ID NOS:1-844, can be recorded on computer readable media, *e.g.* any medium that can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as a floppy disc, a hard disc storage medium, and a magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media. One of skill in the art can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture comprising a recording of the present sequence information. "Recorded" refers to a process for storing information on computer readable medium, using any such methods as known in the art. Any convenient data storage structure can be chosen, based on the means used to access the stored information. A variety of data processor programs and formats can be used for storage, *e.g.* word processing text file, database format, *etc.* In addition to the sequence information, electronic versions of the libraries of the invention can be provided in conjunction or connection with other computer-readable information and/or other types of

computer-readable files (*e.g.*, searchable files, executable files, *etc*, including, but not limited to, for example, search program software, *etc.*.).

By providing the nucleotide sequence in computer readable form, the information can be accessed for a variety of purposes. Computer software to access sequence information is publicly available. For example, the BLAST (Altschul *et al.*, *supra.*) and BLAZE (Brutlag *et al. Comp. Chem.* (1993) 17:203) search algorithms on a Sybase system can be used identify open reading frames (ORFs) within the genome that contain homology to ORFs from other organisms.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based system are suitable for use in the present invention. The data storage means can comprise any manufacture comprising a recording of the present sequence information as described above, or a memory access means that can access such a manufacture.

"Search means" refers to one or more programs implemented on the computer-based system, to compare a target sequence or target structural motif with the stored sequence information. Search means are used to identify fragments or regions of the genome that match a particular target sequence or target motif. A variety of known algorithms are publicly known and commercially available, *e.g.* MacPattern (EMBL), BLASTN and BLASTX (NCBI). A "target sequence" can be any DNA or amino acid sequence of six or more nucleotides or two or more amino acids, preferably from about 10 to 100 amino acids or from about 30 to 300 nucleotide residues.

A "target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration that is formed upon the folding of the target motif, or on consensus sequences of regulatory or active sites. There are a variety of target motifs known in the art. Protein target motifs include, but arc not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, hairpin structures,

promoter sequences and other expression elements such as binding sites for transcription factors.

A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. One format for an output means ranks fragments of the genome possessing varying degrees of homology to a target sequence or target motif. Such presentation provides a skilled artisan with a ranking of sequences and identifies the degree of sequence similarity contained in the identified fragment.

A variety of comparing means can be used to compare a target sequence or target motif with the data storage means to identify sequence fragments of the genome. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer based systems of the present invention.

As discussed above, the "library" of the invention also encompasses biochemical libraries of the polynucleotides of SEQ ID NOS:1-844, *e.g.*, collections of nucleic acids representing the provided polynucleotides. The biochemical libraries can take a variety of forms, *e.g.*, a solution of cDNAs, a pattern of probe nucleic acids stably associated with a surface of a solid support (*i.e.*, an array) and the like. Of particular interest are nucleic acid arrays in which one or more of SEQ ID NOS:1-844 is represented on the array. By array is meant a an article of manufacture that has at least a substrate with at least two distinct nucleic acid targets on one of its surfaces, where the number of distinct nucleic acids can be considerably higher, typically being at least 10 nt, usually at least 20 nt and often at least 25 nt. A variety of different array formats have been developed and are known to those of skill in the art, including those described in 5,242,974; 5,384,261; 5,405,783; 5,412,087; 5,424,186; 5,429,807; 5,436,327; 5,445,934; 5,472,672; 5,527,681; 5,529,756; 5,545,531; 5,554,501; 5,556,752; 5,561,071; 5,599,895; 5,624,711; 5,639,603; 5,658,734; WO 93/17126; WO 95/11995; WO 95/35505; EP 742287; and EP 799897. The arrays of the subject invention find use in a variety of applications, including gene expression analysis, drug screening, mutation analysis and the like, as disclosed in the above-listed exemplary patent documents.

In addition to the above nucleic acid libraries, analogous libraries of polypeptides are also provided, where the where the polypeptides of the library will represent at least a portion of the polypeptides encoded by SEQ ID NOS:1-844.

VII. Utilities

A. Use of Polynucleotide Probes in Mapping, and in Tissue Profiling

Polynucleotide probes, generally comprising at least 12 contiguous nucleotides of a polynucleotide as shown in the Sequence Listing, are used for a variety of purposes, such as chromosome mapping of the polynucleotide and detection of transcription levels. Additional disclosure about preferred regions of the disclosed polynucleotide sequences is found in the Examples. A probe that hybridizes specifically to a polynucleotide disclosed herein should provide a detection signal at least 5-, 10-, or 20-fold higher than the background hybridization provided with other unrelated sequences.

Probes in Detection of Expression Levels. Nucleotide probes are used to detect expression of a gene corresponding to the provided polynucleotide. The references describe an example of a sandwich nucleotide hybridization assay. For example, in Northern blots, mRNA is separated electrophoretically and contacted with a probe. A probe is detected as hybridizing to an mRNA species of a particular size. The amount of hybridization is quantitated to determine relative amounts of expression, for example under a particular condition. Probes are also used to detect products of amplification by polymerase chain reaction. The products of the reaction are hybridized to the probe and hybrids are detected. Probes are used for in situ hybridization to cells to detect expression. Probes can also be used *in vivo* for diagnostic detection of hybridizing sequences. Probes are typically labeled with a radioactive isotope. Other types of detectable labels can be used such as chromophores, fluors, and enzymes. Other examples of nucleotide hybridization assays are described in WO92/02526 and U.S. Patent No. 5,124,246.

Alternatively, the Polymerase Chain Reaction (PCR) is another means for detecting small amounts of target nucleic acids (see, *e.g.*, Mullis *et al.*, *Meth. Enzymol.* (1987) *155*:335; U.S. Patent No. 4,683,195; and U.S. Patent No. 4,683,202). Two primer polynucleotides nucleotides hybridize with the target nucleic acids and are used to prime the reaction. The primers can be composed of sequence within or 3' and 5' to the polynucleotides of the Sequence Listing. Alternatively, if the primers are 3' and 5' to these

polynucleotides, they need not hybridize to them or the complements. A thermostable polymerase creates copies of target nucleic acids from the primers using the original target nucleic acids as a template. After a large amount of target nucleic acids is generated by the polymerase, it is detected by methods such as Southern blots. When using the Southern blot method, the labeled probe will hybridize to a polynucleotide of the Sequence Listing or complement.

Furthermore, mRNA or cDNA can be detected by traditional blotting techniques described in Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" (New York, Cold Spring Harbor Laboratory, 1989). mRNA or cDNA generated from mRNA using a polymerase enzyme can be purified and separated using gel electrophoresis. The nucleic acids on the gel are then blotted onto a solid support, such as nitrocellulose. The solid support is exposed to a labeled probe and then washed to remove any unhybridized probe. Next, the duplexes containing the labeled probe are detected. Typically, the probe is labeled with radioactivity.

Mapping. Polynucleotides of the present invention are used to identify a chromosome on which the corresponding gene resides. Such mapping can be useful in identifying the function of the polynucleotide-related gene by its proximity to other genes with known function. Function can also be assigned to the polynucleotide-related gene when particular syndromes or diseases map to the same chromosome. For example, use of polynucleotide probes in identification and quantification of nucleic acid sequence aberrations is described in U.S. Patent No. 5,783,387.

For example, fluorescence in situ hybridization (FISH) on normal metaphase spreads facilitates comparative genomic hybridization to allow total genome assessment of changes in relative copy number of DNA sequences. See Schwartz and Samad, *Curr. Opin. Biotechnol.* (1994) *8*:70; Kallioniemi *et al.*, *Sem. Cancer Biol.* (1993) *4*:41; Valdes *et al.*, *Methods in Molecular Biology* (1997) *68*:1, Boultwood, ed., Human Press, Totowa, NJ. Preparations of human metaphase chromosomes are prepared using standard cytogenetic techniques from human primary tissues or cell lines. Nucleotide probes comprising at least 12 contiguous nucleotides selected from the nucleotide sequence shown in the Sequence Listing are used to identify the corresponding chromosome. The nucleotide probes are labeled, for example, with a radioactive, fluorescent, biotinylated, or chemiluminescent label,

and detected by well known methods appropriate for the particular label selected. Protocols for hybridizing nucleotide probes to preparations of metaphase chromosomes are also well known in the art. A nucleotide probe will hybridize specifically to nucleotide sequences in the chromosome preparations that are complementary to the nucleotide sequence of the probe.

Polynucleotides are mapped to particular chromosomes using, for example, radiation hybrids or chromosome-specific hybrid panels. See Leach *et al., Advances in Genetics,* (1995) *33*:63-99; Walter *et al., Nature Genetics* (1994) *7*:22; Walter and Goodfellow, *Trends in Genetics* (1992) *9*:352. Panels for radiation hybrid mapping are available from Research Genetics, Inc., Huntsville, Alabama, USA. Databases for markers using various panels are available via the world wide web at http:/F/shgc-www.stanford.edu; and http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl. The statistical program RHMAP can be used to construct a map based on the data from radiation hybridization with a measure of the relative likelihood of one order versus another. RHMAP is available via the world wide web at http://www.sph.umich.edu/group/statgen/software.

In addition, commercial programs are available for identifying regions of chromosomes commonly associated with disease, such as cancer. Polynucleotides based on the polynucleotides of the invention can be used to probe these regions. For example, if through profile searching a provided polynucleotide is identified as corresponding to a gene encoding a kinase, its ability to bind to a cancer-related chromosomal region will suggest its role as a kinase in one or more stages of tumor cell development/growth. Although some experimentation would be required to elucidate the role, the polynucleotide constitutes a new material for isolating a specific protein that has potential for developing a cancer diagnostic or therapeutic.

Tissue Typing or Profiling. Expression of specific mRNA corresponding to the provided polynucleotides can vary in different cell types and can be tissue-specific. This variation of mRNA levels in different cell types can be exploited with nucleic acid probe assays to determine tissue types. For example, PCR, branched DNA probe assays, or blotting techniques utilizing nucleic acid probes substantially identical or complementary to polynucleotides listed in the Sequence Listing can determine the presence or absence of the corresponding cDNA or mRNA.

For example, a metastatic lesion is identified by its developmental organ or tissue source by identifying the expression of a particular marker of that organ or tissue. If a polynucleotide is expressed only in a specific tissue type, and a metastatic lesion is found to express that polynucleotide, then the developmental source of the lesion has been identified. Expression of a particular polynucleotide is assayed by detection of either the corresponding mRNA or the protein product. Immunological methods, such as antibody staining, are used to detect a particular protein product. Hybridization methods can be used to detect particular mRNA species, including but not limited to in situ hybridization and Northern blotting.

Use of Polymorphisms. A polynucleotide of the invention will be useful in forensics, genetic analysis, mapping, and diagnostic applications if the corresponding region of a gene is polymorphic in the human population. Particular polymorphic forms of the provided polynucleotides can be used to either identify a sample as deriving from a suspect or rule out the possibility that the sample derives from the suspect. Any means for detecting a polymorphism in a gene are used, including but not limited to electrophoresis of protein polymorphic variants, differential sensitivity to restriction enzyme cleavage, and hybridization to allele-specific probes.

B. Antibody Production

Expression products of a polynucleotide of the invention, the corresponding mRNA or cDNA, or the corresponding complete gene are prepared and used for raising antibodies for experimental, diagnostic, and therapeutic purposes. For polynucleotides to which a corresponding gene has not been assigned, this provides an additional method of identifying the corresponding gene. The polynucleotide or related cDNA is expressed as described above, and antibodies are prepared. These antibodies are specific to an epitope on the polypeptide encoded by the polynucleotide, and can precipitate or bind to the corresponding native protein in a cell or tissue preparation or in a cell-free extract of an in vitro expression system.

Immunogens for raising antibodies are prepared by mixing the polypeptides encoded by the polynucleotides of the present invention with adjuvants. Alternatively, polypeptides are made as fusion proteins to larger immunogenic proteins. Polypeptides are also covalently linked to other larger immunogenic proteins, such as keyhole limpet hemocyanin. Immunogens are typically administered intradermally, subcutaneously, or intramuscularly.

Immunogens are administered to experimental animals such as rabbits, sheep, and mice, to generate antibodies. Optionally, the animal spleen cells are isolated and fused with myeloma cells to form hybridomas which secrete monoclonal antibodies. Such methods are well known in the art. According to another method known in the art, the selected polynucleotide is administered directly, such as by intramuscular injection, and expressed in vivo. The expressed protein generates a variety of protein-specific immune responses, including production of antibodies, comparable to administration of the protein.

Preparations of polyclonal and monoclonal antibodies specific for polypeptides encoded by a selected polynucleotide are made using standard methods known in the art. The antibodies specifically bind to epitopes present in the polypeptides encoded by polynucleotides disclosed in the Sequence Listing. Typically, at least 6, 8, 10, or 12 contiguous amino acids are required to form an epitope. However, epitopes which involve non-contiguous amino acids may require more, for example at least 15, 25, or 50 amino acids. A short sequence of a polynucleotide may then be unsuitable for use as an epitope to raise antibodies for identifying the corresponding novel protein, because of the potential for cross-reactivity with a known protein. However, the antibodies can be useful for other purposes, particularly if they identify common structural features of a known protein and a novel polypeptide encoded by a polynucleotide of the invention.

Antibodies that specifically bind to human polypeptides encoded by the provided polypeptides should provide a detection signal at least 5-, 10-, or 20-fold higher than a detection signal provided with other proteins when used in Western blots or other immunochemical assays. Preferably, antibodies that specifically polypeptides of the invention do not bind to other proteins in immunochemical assays at detectable levels and can immunoprecipitate the specific polypeptide from solution.

To test for the presence of serum antibodies to the polypeptide of the invention in a human population, human antibodies are purified by methods well known in the art. Preferably, the antibodies are affinity purified by passing antiserum over a column to which the corresponding selected polypeptide or fusion protein is bound. The bound antibodies can then be eluted from the column, for example using a buffer with a high salt concentration.

In addition to the antibodies discussed above, genetically engineered antibody derivatives are made, such as single chain antibodies, according to methods well known in the art.

C. Use of Polynucleotides to Construct Arrays for Diagnostics

Polynucleotide arrays provide a high throughput technique that can assay a large number of polynucleotide sequences in a sample. This technology can be used as a diagnostic and as a tool to test for differential expression to determine function of an encoded protein. Arrays can be created by spotting polynucleotide probes onto a substrate (*e.g.*, glass, nitrocelllose, *etc.*) in a two-dimensional matrix or array having bound probes. The probes can be bound to the substrate by either covalent bonds or by non-specific interactions, such as hydrophobic interactions. Samples of polynucleotides can be detectably labeled (*e.g.*, using radioactive or fluorescent labels) and then hybridized to the probes. Double stranded polynucleotides, comprising the labeled sample polynucleotides bound to probe polynucleotides, can be detected once the unbound portion of the sample is washed away. Techniques for constructing arrays and methods of using these arrays are described in EP No. 0 799 897; PCT No. WO 97/29212; PCT No. WO 97/27317; EP No. 0 785 280; PCT No. WO 97/02357; U.S. Pat. No. 5,593,839; U.S. Pat. No. 5,578,832; EP No. 0 728 520; U.S. Pat. No. 5,599,695; EP No. 0 721 016; U.S. Pat. No. 5,556,752; PCT No. WO 95/22058; and U.S. Pat. No. 5,631,734.

As discussed in some detail above, arrays can be used to examine differential expression of genes and can be used to determine gene function. For example, arrays of the instant polynucleotide sequences can be used to determine if any of the provided polynucleotides are differentially expressed between a test cell and control cell (*e.g.,* cancer cells and normal cells). For example, high expression of a particular message in a cancer cell, which is not observed in a corresponding normal cell, can indicate a cancer specific protein. Exemplary uses of arrays are further described in, for example, Pappalarado *et al.*, *Sem. Radiation Oncol.* (1998) *8*:217; and Ramsay *Nature Biotechnol.* (1998) *16*:40.

D. Differential Expression

The polynucleotides of the invention can also be used to detect differences in expression levels between two cells, *e.g.*, as a method to identify abnormal or diseased tissue in a human. For polynucleotides corresponding to profiles of protein families as described

above, the choice of tissue can be selected according to the putative biological function. In general, the expression of a gene corresponding to a specific polynucleotide is compared between a first tissue that is suspected of being diseased and a second, normal tissue of the human. The tissue suspected of being abnormal or diseased can be derived from a different tissue type of the human, but preferably it is derived from the same tissue type; for example an intestinal polyp or other abnormal growth should be compared with normal intestinal tissue. The normal tissue can be the same tissue as that of the test sample, or any normal tissue of the patient, especially those that express the polynucleotide-related gene of interest (*e.g.*, brain, thymus, testis, heart, prostate, placenta, spleen, small intestine, skeletal muscle, pancreas, and the mucosal lining of the colon). A difference between the polynucleotide-related gene, mRNA, or protein in the two tissues which are compared, for example in molecular weight, amino acid or nucleotide sequence, or relative abundance, indicates a change in the gene, or a gene which regulates it, in the tissue of the human that was suspected of being diseased. Examples of detection of differential expression and its use in diagnosis of cancer are described in U.S. Patent Nos. 5,688,641 and 5,677,125.

The polynucleotide-related genes in the two tissues are compared by any means known in the art. For example, the two genes can be sequenced, and the sequence of the gene in the tissue suspected of being diseased compared with the gene sequence in the normal tissue. The genes corresponding to a provided polynucleotide, or portions thereof, in the two tissues are amplified, for example using nucleotide primers based on the nucleotide sequence shown in the Sequence Listing, using the polymerase chain reaction. The amplified genes or portions of genes are hybridized to detectably labeled nucleotide probes selected from a nucleotide sequence shown in the Sequence Listing. A difference in the nucleotide sequence of the isolated gene in the tissue suspected of being diseased compared with the normal nucleotide sequence suggests a role of the gene product encoded by the subject polynucleotide in the disease, and provides guidance for preparing a therapeutic agent.

Alternatively, mRNA corresponding to a provided polynucleotide in the two tissues is compared. PolyA$^+$ RNA is isolated from the two tissues as is known in the art. For example, one of skill in the art can readily determine differences in the size or amount of mRNA transcripts between the two tissues using Northern blots and detectably labeled

nucleotide probes selected from the nucleotide sequence shown in the Sequence Listing. Increased or decreased expression of a given mRNA in a tissue sample suspected of being diseased, compared with the expression of the same mRNA in a normal tissue, suggests that the expressed protein has a role in the disease, and also provides a lead for preparing a therapeutic agent.

The comparison can also be accomplished by analyzing polypeptides between the matched samples. The sizes of the proteins in the two tissues are compared, for example, using antibodies of the present invention to detect polypeptides in Western blots of protein extracts from the two tissues. Other changes, such as expression levels and subcellular localization, can also be detected immunologically, using antibodies to the corresponding protein. A higher or lower level of expression of a given polypeptide in a tissue suspected of being diseased, compared with the same protein expression level in a normal tissue, is indicative that the expressed protein has a role in the disease, and provides guidance for preparing a therapeutic agent.

Similarly, comparison of polynucleotide sequences or of gene expression products, *e.g.*, mRNA and protein, between a human tissue that is suspected of being diseased and a normal tissue of a human, are used to follow disease progression or remission in the human. Such comparisons are made as described above. For example, increased or decreased expression of a gene corresponding to an inventive polynucleotide in the tissue suspected of being neoplastic can indicate the presence of neoplastic cells in the tissue. The degree of increased expression of a given gene in the neoplastic tissue relative to expression of the same gene in normal tissue, or differences in the amount of increased expression of a given gene in the neoplastic tissue over time, is used to assess the progression of the neoplasia in that tissue or to monitor the response of the neoplastic tissue to a therapeutic protocol over time.

The expression pattern of any two cell types can be compared, such as low and high metastatic tumor cell lines, malignant or non-malignant cells, or cells from tissue which have and have not been exposed to a therapeutic agent. A genetic predisposition to disease in a human is detected by comparing expression levels of an mRNA or protein corresponding to a polynucleotide of the invention in a fetal tissue with levels associated in normal fetal tissue. Fetal tissues that are used for this purpose include, but are not limited to, amniotic

fluid, chorionic villi, blood, and the blastomere of an in vitro-fertilized embryo. The comparable normal polynucleotide-related gene is obtained from any tissue. The mRNA or protein is obtained from a normal tissue of a human in which the polynucleotide-related gene is expressed. Differences such as alterations in the nucleotide sequence or size of the same product of the fetal polynucleotide-related gene or mRNA, or alterations in the molecular weight, amino acid sequence, or relative abundance of fetal protein, can indicate a germline mutation in the polynucleotide-related gene of the fetus, which indicates a genetic predisposition to disease. Particular diagnostic and prognostic uses of the disclosed polynucleotides are described in more detail below.

E. Diagnostic, Prognostic, and Other Uses Based On Differential Expression

In general, diagnostic methods of the invention for involve detection of a level or amount of a gene product, particularly a differentially expressed gene product, in a test sample obtained from a patient suspected of having or being susceptible to a disease (*e.g.*, breast cancer, lung cancer, colon cancer and/or metastatic forms thereof), and comparing the detected levels to those levels found in normal cells (*e.g.*, cells substantially unaffected by cancer) and/or other control cells (*e.g.*, to differentiate a cancerous cell from a cell affected by dysplasia). Furthermore, the severity of the disease can be assessed by comparing the detected levels of a differentially expressed gene product with those levels detected in samples representing the levels of differentially gene product associated with varying degrees of severity of disease.

The term "differentially expressed gene" is intended to encompass a polynucleotide that can, for example, include an open reading frame encoding a gene product (*e.g.*, a polypeptide), and/or introns of such genes and adjacent 5' and 3' non-coding nucleotide sequences involved in the regulation of expression, up to about 20 kb beyond the coding region, but possibly further in either direction. The gene can be introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome. In general, a difference in expression level associated with a decrease in expression level of at least about 25%, usually at least about 50% to 75%, more usually at least about 90% or more is indicative of a differentially expressed gene of interest, *i.e.*, a gene that is underexpressed or down-regulated in the test sample relative to a control sample. Furthermore, a difference in expression level associated with an increase in expression of at

least about 25%, usually at least about 50% to 75%, more usually at least about 90% and can be at least about 1 ½-fold, usually at least about 2-fold to about 10-fold, and can be about 100-fold to about 1,000-fold increase relative to a control sample is indicative of a differentially expressed gene of interest, *i.e.*, an overexpressed or up-regulated gene.

"Differentially expressed polynucleotide" as used herein means a nucleic acid molecule (RNA or DNA) having a sequence that represents a differentially expressed gene, *e.g.*, the differentially expressed polynucleotide comprises a sequence (*e.g.*, an open reading frame encoding a gene product) that uniquely identifies a differentially expressed gene so that detection of the differentially expressed polynucleotide in a sample is correlated with the presence of a differentially expressed gene in a sample. "Differentially expressed polynucleotides" is also meant to encompass fragments of the disclosed polynucleotides, *e.g.*, fragments retaining biological activity, as well as nucleic acids homologous, substantially similar, or substantially identical (*e.g.*, having about 90% sequence identity) to the disclosed polynucleotides.

Methods of the subject invention useful in diagnosis or prognosis typically involve comparison of the abundance of a selected differentially expressed gene product in a sample of interest with that of a control to determine any relative differences in the expression of the gene product, where the difference can be measured qualitatively and/or quantitatively. Quantitation can be accomplished, for example, by comparing the level of expression product detected in the sample with the amounts of product present in a standard curve. A comparison can be made visually; by using a technique such as densitometry, with or without computerized assistance; by preparing a representative library of cDNA clones of mRNA isolated from a test sample, sequencing the clones in the library to determine that number of cDNA clones corresponding to the same gene product, and analyzing the number of clones corresponding to that same gene product relative to the number of clones of the same gene product in a control sample; or by using an array to detect relative levels of hybridization to a selected sequence or set of sequences, and comparing the hybridization pattern to that of a control. The differences in expression are then correlated with the presence or absence of an abnormal expression pattern. A variety of different methods for determining the nucleic acid abundance in a sample are known to those of skill in the art, where particular methods of interest include those described in: Pietu *et al. Genome Res.*

(1996) 6:492; Zhao *et al.*, *Gene* (1995) *156*:207; Soares , *Curr. Opin. Biotechnol.* (1977) *8*: 542; Raval, *J. Pharmacol Toxicol Methods* (1994) *32*:125; Chalifour *et al.*, *Anal. Biochem* (1994) *216*:299; Stolz *et al.*, *Mol. Biotechnol.* (1996) *6*:225; Hong *et al.*, *Biosci. Reports* (1982) *2*:907; and McGraw, *Anal. Biochem.* (1984) *143*:298. Also of interest are the methods disclosed in WO 97/27317, the disclosure of which is herein incorporated by reference.

In general, diagnostic assays of the invention involve detection of a gene product of a the polynucleotide sequence (*e.g.*, mRNA or polypeptide) that corresponds to a sequence of SEQ ID NOS:1-844. The patient from whom the sample is obtained can be apparently healthy, susceptible to disease (*e.g.*, as determined by family history or exposure to certain environmental factors), or can already be identified as having a condition in which altered expression of a gene product of the invention is implicated.

In the assays of the invention, the diagnosis can be determined based on detected gene product expression levels of a gene product encoded by at least one, preferably at least two or more, at least 3 or more, or at least 4 or more of the polynucleotides having a sequence set forth in SEQ ID NOS:1-844, and can involve detection of expression of genes corresponding to all of SEQ ID NOS:1-844 and/or additional sequences that can serve as additional diagnostic markers and/or reference sequences. Where the diagnostic method is designed to detect the presence or susceptibility of a patient to cancer, the assay preferably involves detection of a gene product encoded by a gene corresponding to a polynucleotide that is differentially expressed in cancer. For example, a higher level of expression of a polynucleotide corresponding to SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of a polynucleotide corresponding to SEQ ID NO:39 relative to a normal level is indicative of the presence of cancer in the patient. Further examples of such differentially expressed polynucleotides are described in the Examples below. Given the provided polynucleotides and information regarding their relative expression levels provided herein, assays using such polynucleotides and detection of their expression levels in diagnosis and prognosis will be readily apparent to the ordinarily skilled artisan.

Any of a variety of detectable labels can be used in connection with the various embodiments of the diagnostic methods of the invention. Suitable detectable labels include fluorochromes,(*e.g.* fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA)), radioactive labels, (*e.g.* ^{32}P, ^{35}S, ^{3}H, *etc.*), and the like. The detectable label can involve a two stage systems (*e.g.*, biotin-avidin, hapten-anti-hapten antibody, *etc.*)

Reagents specific for the polynucleotides and polypeptides of the invention, such as antibodies and nucleotide probes, can be supplied in a kit for detecting the presence of an expression product in a biological sample. The kit can also contain buffers or labeling components, as well as instructions for using the reagents to detect and quantify expression products in the biological sample. Exemplary embodiments of the diagnostic methods of the invention are described below in more detail.

<u>Polypeptide detection in diagnosis.</u> In one embodiment, the test sample is assayed for the level of a differentially expressed polypeptide. Diagnosis can be accomplished using any of a number of methods to determine the absence or presence or altered amounts of the differentially expressed polypeptide in the test sample. For example, detection can utilize staining of cells or histological sections with labeled antibodies, performed in accordance with conventional methods. Cells can be permeabilized to stain cytoplasmic molecules. In general, antibodies that specifically bind a differentially expressed polypeptide of the invention are added to a sample, and incubated for a period of time sufficient to allow binding to the epitope, usually at least about 10 minutes. The antibody can be detectably labeled for direct detection (*e.g.*, using radioisotopes, enzymes, fluorescers, chemiluminescers, and the like), or can be used in conjunction with a second stage antibody or reagent to detect binding (*e.g.*, biotin with horseradish peroxidase-conjugated avidin, a secondary antibody conjugated to a fluorescent compound, *e.g.* fluorescein, rhodamine, Texas red, *etc.*). The absence or presence of antibody binding can be determined by various methods, including flow cytometry of dissociated cells, microscopy, radiography, scintillation counting, *etc.* Any suitable alternative methods can of qualitative or quantitative

detection of levels or amounts of differentially expressed polypeptide can be used, for example ELISA, western blot, immunoprecipitation, radioimmunoassay, etc.

In general, the detected level of differentially expressed polypeptide in the test sample is compared to a level of the differentially expressed gene product in a reference or control sample, *e.g.*, in a normal cell (negative control) or in a cell having a known disease state (positive control). For example, a higher level of expression of a polypeptide encoded by SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of the polypeptide encoded by SEQ ID NO:39 relative to a normal level is indicative of the presence of cancer in the patient.

<u>mRNA detection.</u> The diagnostic methods of the invention can also or alternatively involve detection of mRNA encoded by a gene corresponding to a differentially expressed polynucleotides of the invention. Any suitable qualitative or quantitative methods known in the art for detecting specific mRNAs can be used. mRNA can be detected by, for example, *in situ* hybridization in tissue sections, by reverse transcriptase-PCR, or in Northern blots containing poly A+ mRNA. One of skill in the art can readily use these methods to determine differences in the size or amount of mRNA transcripts between two samples. For example, the level of mRNA of the invention in a tissue sample suspected of being cancerous or dysplastic is compared with the expression of the mRNA in a reference sample, *e.g.*, a positive or negative control sample (*e.g.*, normal tissue, cancerous tissue, *etc.*). In a specific non-limiting example, a higher level of mRNA corresponding to SEQ ID NO:52 relative to a level associated with a normal sample can indicate the presence of cancer in the patient from whom the sample is derived. In another example, detection of a lower level of mRNA corresponding to SEQ ID NO:39 relative to a normal level is indicative of the presence of cancer in the patient.

Any suitable method for detecting and comparing mRNA expression levels in a sample can be used in connection with the diagnostic methods of the invention (see, *e.g.*, U.S. 5,804,382). For example, mRNA expression levels in a sample can be determined by generation of a library of expressed sequence tags (ESTs) from the sample, where the EST library is representative of sequences present in the sample (Adams, et al., (1991) *Science* 252:1651). Enumeration of the relative representation of ESTs within the library can be used

to approximate the relative representation of the gene transcript within the starting sample. The results of EST analysis of a test sample can then be compared to EST analysis of a reference sample to determine the relative expression levels of a selected polynucleotide, particularly a polynucleotide corresponding to one or more of the differentially expressed genes described herein.

Alternatively, gene expression in a test sample can be performed using serial analysis of gene expression (SAGE) methodology (Velculescu et al., *Science* (1995) *270*:484). In short, SAGE involves the isolation of short unique sequence tags from a specific location within each transcript (*e.g.*, a sequence of any one of SEQ ID NOS:1-6). The sequence tags are concatenated, cloned, and sequenced. The frequency of particular transcripts within the starting sample is reflected by the number of times the associated sequence tag is encountered with the sequence population.

Gene expression in a test sample can also be analyzed using differential display (DD) methodology. In DD, fragments defined by specific sequence delimiters (*e.g.*, restriction enzyme sites) are used as unique identifiers of genes, coupled with information about fragment length or fragment location within the expressed gene. The relative representation of an expressed gene with a sample can then be estimated based on the relative representation of the fragment associated with that gene within the pool of all possible fragments. Methods and compositions for carrying out DD are well known in the art, see, *e.g.*, U.S. 5,776,683; and U.S. 5,807,680.

Alternatively, gene expression in a sample using hybridization analysis, which is based on the specificity of nucleotide interactions. Oligonucleotides or cDNA can be used to selectively identify or capture DNA or RNA of specific sequence composition, and the amount of RNA or cDNA hybridized to a known capture sequence determined qualitatively or quantitatively, to provide information about the relative representation of a particular message within the pool of cellular messages in a sample. Hybridization analysis can be designed to allow for concurrent screening of the relative expression of hundreds to thousands of genes by using, for example, array-based technologies having high density formats, including filters, microscope slides, or microchips, or solution-based technologies that use spectroscopic analysis (*e.g.*, mass spectrometry). One exemplary use of arrays in the diagnostic methods of the invention is described below in more detail.

Use of a single gene in diagnostic applications. The diagnostic methods of the invention can focus on the expression of a single differentially expressed gene. For example, the diagnostic method can involve detecting a differentially expressed gene, or a polymorphism of such a gene (*e.g.*, a polymorphism in an coding region or control region), that is associated with disease. Disease-associated polymorphisms can include deletion or truncation of the gene, mutations that alter expression level and/or affect activity of the encoded protein, *etc.*

Changes in the promoter or enhancer sequence that affect expression levels of an differentially gene can be compared to expression levels of the normal allele by various methods known in the art. Methods for determining promoter or enhancer strength include quantitation of the expressed natural protein; insertion of the variant control element into a vector with a reporter gene such as β-galactosidase, luciferase, chloramphenicol acetyltransferase, *etc.* that provides for convenient quantitation; and the like.

A number of methods are available for analyzing nucleic acids for the presence of a specific sequence, *e.g.* a disease associated polymorphism. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. Cells that express a differentially expressed gene can be used as a source of mRNA, which can be assayed directly or reverse transcribed into cDNA for analysis. The nucleic acid can be amplified by conventional techniques, such as the polymerase chain reaction (PCR), to provide sufficient amounts for analysis, and a detectable label can be included in the amplification reaction (*e.g.*, using a detectably labeled primer or detectably labeled oligonucleotides) to facilitate detection. The use of the polymerase chain reaction is described in Saiki, *et al.*, *Science* (1985) *239*:487, and a review of techniques can be found in Sambrook, *et al.*, *Molecular Cloning: A Laboratory Manual*, (1989) pp. 14.2. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley *et al.*, *Nucl. Acids Res.* (1990) *18*:2887; and Delahunty *et al.*, *Am. J. Hum. Genet.* (1996) *58*:1239.

The sample nucleic acid, *e.g.* amplified or cloned fragment, is analyzed by one of a number of methods known in the art. The nucleic acid can be sequenced by dideoxy or other methods, and the sequence of bases compared to a selected sequence, *e.g.*, to a wild-type

sequence. Hybridization with the polymorphic or variant sequence can also be used to determine its presence in a sample (*e.g.*, by Southern blot, dot blot, *etc.*). The hybridization pattern of a polymorphic or variant sequence and a control sequence to an array of oligonucleotide probes immobilized on a solid support, as described in US 5,445,934, or in WO 95/35505, can also be used as a means of identifying polymorphic or variant sequences associated with disease. Single strand conformational polymorphism (SSCP) analysis, denaturing gradient gel electrophoresis (DGGE), and heteroduplex analysis in gel matrices are used to detect conformational changes created by DNA sequence variation as alterations in electrophoretic mobility. Alternatively, where a polymorphism creates or destroys a recognition site for a restriction endonuclease, the sample is digested with that endonuclease, and the products size fractionated to determine whether the fragment was digested. Fractionation is performed by gel or capillary electrophoresis, particularly acrylamide or agarose gels.

Screening for mutations in an differentially expressed gene can be based on the functional or antigenic characteristics of the protein. Protein truncation assays are useful in detecting deletions that can affect the biological activity of the protein. Various immunoassays designed to detect polymorphisms in proteins can be used in screening. Where many diverse genetic mutations lead to a particular disease phenotype, functional protein assays have proven to be effective screening tools. The activity of the encoded protein can be determined by comparison with the wild-type protein.

<u>Pattern matching in diagnosis using arrays.</u> In another embodiment, the diagnostic and/or prognostic methods of the invention involve detection of expression of a selected set of genes in a test sample to produce a test expression pattern (TEP). The TEP is compared to a reference expression pattern (REP), which is generated by detection of expression of the selected set of genes in a reference sample (*e.g.*, a positive or negative control sample). The selected set of genes includes at least one of the genes of the invention, which genes correspond to the polynucleotide sequences of SEQ ID NOS:1-844. Of particular interest is a selected set of genes that includes gene differentially expressed in the disease for which the test sample is to be screened.

"Reference sequences" or "reference polynucleotides" as used herein in the context of differential gene expression analysis and diagnosis/prognosis refers to a selected set of

polynucleotides, which selected set includes at least one or more of the differentially expressed polynucleotides described herein. A plurality of reference sequences, preferably comprising positive and negative control sequences, can be included as reference sequences. Additional suitable reference sequences are found in Genbank, Unigene, and other nucleotide sequence databases (including, *e.g.*, expressed sequence tag (EST), partial, and full-length sequences).

"Reference array" means an array having reference sequences for use in hybridization with a sample, where the reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described herein. Usually such an array will include at least 3 different reference sequences, and can include any one or all of the provided differentially expressed sequences. Arrays of interest can further comprise sequences, including polymorphisms, of other genetic sequences, particularly other sequences of interest for screening for a disease or disorder (*e.g.*, cancer, dysplasia, or other related or unrelated diseases, disorders, or conditions). The oligonucleotide sequence on the array will usually be at least about 12 nt in length, and can be of about the length of the provided sequences, or can extend into the flanking regions to generate fragments of 100 nt to 200 nt in length or more.

A "reference expression pattern" or "REP" as used herein refers to the relative levels of expression of a selected set of genes, particularly of differentially expressed genes, that is associated with a selected cell type, *e.g.*, a normal cell, a cancerous cell, a cell exposed to an environmental stimulus, and the like. A "test expression pattern" or "TEP" refers to relative levels of expression of a selected set of genes, particularly of differentially expressed genes, in a test sample (*e.g.*, a cell of unknown or suspected disease state, from which mRNA is isolated).

"Diagnosis" as used herein generally includes determination of a subject's susceptibility to a disease or disorder, determination as to whether a subject is presently affected by a disease or disorder, as well as to the prognosis of a subject affected by a disease or disorder (*e.g.*, identification of pre-metastatic or metastatic cancerous states, stages of cancer, or responsiveness of cancer to therapy). The present invention particularly encompasses diagnosis of subjects in the context of breast cancer (*e.g.*, carcinoma in situ (*e.g.*, ductal carcinoma in situ), estrogen receptor (ER)-positive breast cancer, ER-negative

breast cancer, or other forms and/or stages of breast cancer), lung cancer (*e.g.*, small cell carcinoma, non-small cell carcinoma, mesothelioma, and other forms and/or stages of lung cancer), and colon cancer (*e.g.*, adenomatous polyp, colorectal carcinoma, and other forms and/or stages of colon cancer).

"Sample" or "biological sample" as used throughout here are generally meant to refer to samples of biological fluids or tissues, particularly samples obtained from tissues, especially from cells of the type associated with the disease for which the diagnostic application is designed (*e.g.*, ductal adenocarcinoma), and the like. "Samples" is also meant to encompass derivatives and fractions of such samples (*e.g.*, cell lysates). Where the sample is solid tissue, the cells of the tissue can be dissociated or tissue sections can be analyzed.

REPs can be generated in a variety of ways according to methods well known in the art. For example, REPs can be generated by hybridizing a control sample to an array having a selected set of polynucleotides (particularly a selected set of differentially expressed polynucleotides), acquiring the hybridization data from the array, and storing the data in a format that allows for ready comparison of the REP with a TEP. Alternatively, all expressed sequences in a control sample can be isolated and sequenced, *e.g.*, by isolating mRNA from a control sample, converting the mRNA into cDNA, and sequencing the cDNA. The resulting sequence information roughly or precisely reflects the identity and relative number of expressed sequences in the sample. The sequence information can then be stored in a format (*e.g.*, a computer-readable format) that allows for ready comparison of the REP with a TEP. The REP can be normalized prior to or after data storage, and/or can be processed to selectively remove sequences of expressed genes that are of less interest or that might complicate analysis (*e.g.*, some or all of the sequences associated with housekeeping genes can be eliminated from REP data).

TEPs can be generated in a manner similar to REPs, *e.g.*, by hybridizing a test sample to an array having a selected set of polynucleotides, particularly a selected set of differentially expressed polynucleotides, acquiring the hybridization data from the array, and storing the data in a format that allows for ready comparison of the TEP with a REP. The REP and TEP to be used in a comparison can be generated simultaneously, or the TEP can be compared to previously generated and stored REPs.

In one embodiment of the invention, comparison of a TEP with a REP involves hybridizing a test sample with a reference array, where the reference array has one or more reference sequences for use in hybridization with a sample. The reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described herein. Hybridization data for the test sample is acquired, the data normalized, and the produced TEP compared with a REP generated using an array having the same or similar selected set of differentially expressed polynucleotides. Probes that correspond to sequences differentially expressed between the two samples will show decreased or increased hybridization efficiency for one of the samples relative to the other.

Reference arrays can be produced according to any suitable methods known in the art. For example, methods of producing large arrays of oligonucleotides are described in U.S. 5,134,854, and U.S. 5,445,934 using light-directed synthesis techniques. Using a computer controlled system, a heterogeneous array of monomers is converted, through simultaneous coupling at a number of reaction sites, into a heterogeneous array of polymers. Alternatively, microarrays are generated by deposition of pre-synthesized oligonucleotides onto a solid substrate, for example as described in PCT published application no. WO 95/35505.

Methods for collection of data from hybridization of samples with a reference arrays are also well known in the art. For example, the polynucleotides of the reference and test samples can be generated using a detectable fluorescent label, and hybridization of the polynucleotides in the samples detected by scanning the microarrays for the presence of the detectable label. Methods and devices for detecting fluorescently marked targets on devices are known in the art. Generally, such detection devices include a microscope and light source for directing light at a substrate. A photon counter detects fluorescence from the substrate, while an x-y translation stage varies the location of the substrate. A confocal detection device that can be used in the subject methods is described in U.S. Patent no. 5,631,734. A scanning laser microscope is described in Shalon et al., *Genome Res.* (1996) *6*:639. A scan, using the appropriate excitation line, is performed for each fluorophore used. The digital images generated from the scan are then combined for subsequent analysis. For any particular array element, the ratio of the fluorescent signal from one sample (*e.g.*, a test

sample) is compared to the fluorescent signal from another sample (*e.g.*, a reference sample), and the relative signal intensity determined.

Methods for analyzing the data collected from hybridization to arrays are well known in the art. For example, where detection of hybridization involves a fluorescent label, data analysis can include the steps of determining fluorescent intensity as a function of substrate position from the data collected, removing outliers, *i.e.* data deviating from a predetermined statistical distribution, and calculating the relative binding affinity of the targets from the remaining data. The resulting data can be displayed as an image with the intensity in each region varying according to the binding affinity between targets and probes.

In general, the test sample is classified as having a gene expression profile corresponding to that associated with a disease or non-disease state by comparing the TEP generated from the test sample to one or more REPs generated from reference samples (*e.g.*, from samples associated with cancer or specific stages of cancer, dysplasia, samples affected by a disease other than cancer, normal samples, *etc.*). The criteria for a match or a substantial match between a TEP and a REP include expression of the same or substantially the same set of reference genes, as well as expression of these reference genes at substantially the same levels (*e.g.*, no significant difference between the samples for a signal associated with a selected reference sequence after normalization of the samples, or at least no greater than about 25% to about 40% difference in signal strength for a given reference sequence. In general, a pattern match between a TEP and a REP includes a match in expression, preferably a match in qualitative or quantitative expression level, of at least one of, all or any subset of the differentially expressed genes of the invention.

Pattern matching can be performed manually, or can be performed using a computer program. Methods for preparation of substrate matrices (*e.g.*, arrays), design of oligonucleotides for use with such matrices, labeling of probes, hybridization conditions, scanning of hybridized matrices, and analysis of patterns generated, including comparison analysis, are described in, for example, U.S. 5,800,992.

F. <u>Use of the Polynucleotides of the Invention in Cancer</u>

Oncogenesis involves the unbridled growth, dedifferentiation and abnormal migration of cells. Cancerous cells can have the ability to compress, invade, and destroy normal tissue. Cancerous cells may also metastasize to other parts of the body via the

bloodstream or the lymph system and colonize in these other areas. Different cancers are classified by the cell from which the cancerous cell is derived and from its cellular morphology and/or state of differentiation.

Somatic genetic abnormalities cause cancer initiation and progression. Cancer generally is clonally formed, *i.e.* gain of function of oncogenes and loss of function of tumor suppressor genes within a single cell transform the cell to be cancerous, and that single cell grows and divides to form a cancerous lesion. The genes known to be involved in cancer initiation and progression are involved in numerous cellular functions, including developmental differentiation, cell cycle regulation, cell signaling, immunological response, DNA replication, and DNA repair.

The identification and characterization of genetic or biochemical markers in blood or tissues that will detect the earliest changes along the carcinogenesis pathway and monitor the efficacy of various therapies and preventive interventions is a major goal of cancer research. Scientists have identified genetic changes in stool specimens that indicate the stages of colon cancer, and other biomarkers such as gene mutations, hormone receptors, proteins that inhibit metastasis, and enzymes that metabolize drugs are all being used to determine the severity and predict the course of breast, prostate, lung, and other cancers.

Recent advances in the pathogenesis of certain cancers has been helpful in determining patient treatment. The level of expression of certain polynucleotides can be indicative of a poorer prognosis, and therefore warrant more aggressive chemo- or radio-therapy for a patient. The correlation of novel surrogate tumor specific features with response to treatment and outcome in patients has defined certain prognostic indicators that allow the design of tailored therapy based on the molecular profile of the tumor. These therapies include antibody targeting and gene therapy. Moreover, a promising level of one or more marker polynucleotides can provide impetus for not aggressively treating a particular patient, thus sparing the patient the deleterious side effects of aggressive therapy. Determining expression of certain polynucleotides and comparison of a patients profile with known expression in normal tissue and variants of the disease allows a determination of the best possible treatment for a patient, both in terms of specificity of treatment and in terms of comfort level of the patient.

Surrogate tumor markers, such as polynucleotide expression, can also be used to better classify, and thus diagnose and treat, different forms and disease states of cancer. Two classifications widely used in oncology that can benefit from identification of the expression levels of the polynucleotides of the invention are staging of the cancerous disorder, and grading the nature of the cancerous tissue.

Staging. Staging is a process used by physicians to describe how advanced the cancerous state is in a patient. Staging assists the physician in determining a prognosis, planning treatment and evaluating the results of such treatment. Different staging systems are used for different types of cancer, but each generally involves the following determinations: the type of tumor, indicated by T; whether the cancer has metastasized to nearby lymph nodes, indicated by N; and whether the cancer has metastasized to more distant parts of the body, indicated by M. This system of staging is called the TNM system. Generally, if a cancer is only detectable in the area of the primary lesion without having spread to any lymph nodes it is called Stage I. If it has spread only to the closest lymph nodes, it is called Stage II. In Stage III, the cancer has generally spread to the lymph nodes in near proximity to the site of the primary lesion. Cancers that have spread to a distant part of the body, such as the liver, bone, brain or another site, are called Stage IV, the most advanced stage.

Currently, the determination of staging is done using pathological techniques and is based more on the presence or absence of malignant tissue rather than the characteristics of the tumor type. Presence or absence of malignant tissue is based primarily on the gross morphology of the cells in the areas biopsied. The polynucleotides of the invention can facilitate fine-tuning of the staging process by identifying markers for the aggresivity of a cancer, *e.g.* the metastatic potential, as well as the presence in different areas of the body. Thus, a Stage II cancer with a polynucleotide signifying a high metastatic potential cancer can be used to change a borderline Stage II tumor to a Stage III tumor, justifying more aggressive therapy. Conversely, the presence of a polynucleotide signifying a lower metastatic potential allows more conservative staging of a tumor.

Grading of cancers. Grade is a term used to describe how closely a tumor resembles normal tissue of its same type. Based on the microscopic appearance of a tumor, pathologists will identify the grade of a tumor based on parameters such as cell morphology,

cellular organization, and other markers of differentiation. As a general rule, the grade of a tumor corresponds to its rate of growth or aggressiveness. That is, undifferentiated or high-grade tumors grow more quickly than well differentiated or low-grade tumors. Information about tumor grade is useful in planning treatment and predicting prognosis.

The American Joint Commission on Cancer has recommended the following guidelines for grading tumors: 1) GX Grade cannot be assessed; 2) G1 Well differentiated; G2 Moderately well differentiated; 3) G3 Poorly differentiated; 4) G4 Undifferentiated. Although grading is used by pathologists to describe most cancers, it plays a more important role in treatment planning for certain types than for others. An example is the Gleason system that is specific for prostate cancer, which uses grade numbers to describe the degree of differentiation. Lower Gleason scores indicate well-differentiated cells. Intermediate scores denote tumors with moderately differentiated cells. Higher scores describe poorly differentiated cells. Grade is also important in some types of brain tumors and soft tissue sarcomas.

The polynucleotides of the invention can be especially valuable in determining the grade of the tumor, as they not only can aid in determining the differentiation status of the cells of a tumor, they can also identify factors other than differentiation that are valuable in determining the aggressivity of a tumor, such as metastatic potential.

Familial Cancer Genes. A number of cancer syndromes are linked to Mendelian inheritance of a predisposition to develop particular cancers. The following table contains a list of cancer types that can be inherited, and for which the gene or genes responsible have been identified. Most of the cancer types listed can occur as part of several different genetic conditions, each caused by alterations in a different gene.

Cancer Type	Genetic Condition	Gene
Brain	Li-Fraumeni syndrome	TP53
	Neurofibromatosis 1	NF1
	Neurofibromatosis 2	NF2
	von Hippel-Lindau syndrome	VHL
	Tuberous sclerosis 2	TSC2
Breast	Hereditary breast/ovarian cancer 1	BRCA1
	Hereditary breast/ovarian cancer 2	BRCA2
	Li-Fraumeni syndrome	TP53
	Ataxia telangiectasia	ATM
Colon	Familial adenomatous polyposis (FAP)	APC
	Hereditary non-polyposis colon cancer (HNPCC) 1	HMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1

Cancer Type	Genetic Condition	Gene
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2
Endocrine (parathyroid, pituitary, GI endocrine)	Multiple endocrine neoplasia 1 (MEN1)	MEN1
Endocrine (pheochromacytoma, medullary thyroid)	Multiple endocrine neoplasia 2 (MEN2)	RET
Endometrial	Hereditary non-polyposis colon cancer (HNPCC) 1	hMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2
Eye	Hereditary retinoblastoma	RB1
Hematologic (lymphomas and leukemia)	Li-Fraumeni syndrome	TP53
	Ataxia telangiectasia	ATM
Kidney	Hereditary Wilms' tumor	WT1
	von Hippel-Lindau syndrome	VHL
	Tuberous sclerosis 2	TSC2
Ovary	Hereditary breast/ovarian cancer 1	BRCA1
	Hereditary breast/ovarian cancer 2	BRCA2
Sarcoma	Hereditary retinoblastoma	RB1
	Li-Fraumeni syndrome	TP53
	Neurofibromatosis 1	NF1
Skin	Hereditary melanoma 1	CDKN2
	Hereditary melanoma 2	CDK4
	Basal cell naevus (Gorlin) syndrome	PTCH
Stomach	Hereditary non-polyposis colon cancer (HNPCC) 1	hMSH2
	Hereditary non-polyposis colon cancer (HNPCC) 2	hMLH1
	Hereditary non-polyposis colon cancer (HNPCC) 3	hPMS1
	Hereditary non-polyposis colon cancer (HNPCC) 4	hPMS2

The polynucleotides of the invention can be especially useful to monitor patients having any of the above syndromes to detect potentially malignant events at a molecular level before they are detectable at a gross morphological level. As can be seen from the table, a number of genes are involved in multiple forms of cancer. Thus, a polynucleotide of the invention identified as important for metastatic colon cancer can also have clinical implications for a patient diagnosed with stomach cancer or endometrial cancer.

Lung Cancer. Lung cancer is one of the most common cancers in the United States, accounting for about 15 percent of all cancer cases, or 170,000 new cases each year. At this time, over half of the lung cancer cases in the United States are in men, but the number found in women is increasing and will soon equal that in men. Today more women die of lung cancer than of breast cancer. Lung cancer is especially difficult to diagnose and treat because of the large size of the lungs, which allows cancer to develop for years undetected.

In fact, lung cancer can spread outside the lungs without causing any symptoms. Adding to the confusion, the most common symptom of lung cancer, a persistent cough, can often be mistaken for a cold or bronchitis.

Although there are more than a dozen different kinds of lung cancer, the two main types of lung cancer are small cell and nonsmall cell, which encompass about 90% of all lung cancer cases. Small cell carcinoma (also called oat cell carcinoma), which usually starts in one of the larger bronchial tubes, grows fairly rapidly, and is likely to be large by the time of diagnosis. Nonsmall cell lung cancer (NSCLC) is made up of three general subtypes of lung cancer. Epidermoid carcinoma (also called squamous cell carcinoma) usually starts in one of the larger bronchial tubes and grows relatively slowly. The size of these tumors can range from very small to quite large. Adenocarcinoma starts growing near the outside surface of the lung and can vary in both size and growth rate. Some slowly growing adenocarcinomas are described as alveolar cell cancer. Large cell carcinoma starts near the surface of the lung, grows rapidly, and the growth is usually fairly large when diagnosed. Other less common forms of lung cancer are carcinoid, cylindroma, mucoepidermoid, and malignant mesothelioma.

Currently, CT scans, MRIs, X-rays, sputum cytology, and biopsies are used to diagnose nonsmall cell lung cancer. The form and cellular origin of the lung cancer is diagnosed primarily through biopsy from either a surgical biopsy or a needle aspiration of lung tissue, and usually the biopsy is prompted from an abnormality identified on an X-ray. In some cases, sputum cytology can reveal lung cancers in patients with normal X-rays or can determine the type of lung cancer, but because it cannot pinpoint the tumor's location, a positive sputum cytology test is usually followed by further tests. Since these tests are based in large part on gross morphology of the tissue, the diagnosis of a particular kind of tumor is largely subjective, and the diagnosis can vary significantly between clinicians.

The polynucleotides of the invention can be used to distinguish types of lung cancer as well as identifying traits specific to a certain patient's cancer. For example, if the patient's biopsy expresses a polynucleotide that is associated with a low metastatic potential, it may justify leaving a larger portion of the patient's lung in surgery to remove the lesion. Alternatively, a smaller lesion with expression of a polynucleotide that is associated with high metastatic potential may justify a more radical removal of lung tissue and/or the

surrounding lymph nodes, even if no metastasis can be identified through pathological examination.

Similarly, the expression of polynucleotides of the invention can be used in the diagnosis, prognosis and management of colorectal cancer. The differential expression of a polynucleotide in hyperplasia can be used as a diagnostic marker for metastatic lung cancer. The polynucleotides of the invention that would be especially useful for this purpose are those that exhibit differential expression between high metastatic versus low metastatic lung cancer , *i.e.* SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 381, 395, and 400. Detection of malignant lung cancer with a higher metastatic potential can be determined using expression levels of any of these sequences alone or in combination with the levels of expression of other known genes.

Breast Cancer. The National Cancer Institute (NCI) estimates that about 1 in 8 women in the United States will develop breast cancer during her lifetime. Clinical breast examination and mammography are recommended as combined modalities for breast cancer screening, and the nature of the cancer will often depend upon the location of the tumor and the cell type from which the tumor is derived. The majority of breast cancers are adenocarcinomas subtypes, which can be summarized as follows:

Ductal carcinoma in situ (DCIS): Ductal carcinoma in situ is the most common type of noninvasive breast cancer. In DCIS, the malignant cells have not metastasized through the walls of the ducts into the fatty tissue of the breast. Comedocarcinoma is a type of DCIS that is more likely than other types of DCIS to come back in the same area after lumpectomy. It is more closely linked to eventual development of invasive ductal carcinoma than other forms of DCIS.

Infiltrating (or invasive) ductal carcinoma (IDC): this type of cancer has metastasized through the wall of the duct and invaded the fatty tissue of the breast. At this point, it has the potential to use the lymphatic system and bloodstream for metastasis to more distant parts of the body. Infiltrating ductal carcinoma accounts for about 80% of breast cancers.

Lobular carcinoma in situ (LCIS): While not a true cancer, LCIS (also called lobular neoplasia) is sometimes classified as a type of noninvasive breast cancer. It does not penetrate through the wall of the lobules. Although it does not itself usually become an

invasive cancer, women with this condition have a higher risk of developing an invasive breast cancer in the same breast, or in the opposite breast.

Infiltrating (or invasive) lobular carcinoma (ILC): ILC is similar to IDC, in that it has the potential metastasize elsewhere in the body. About 10% to 15% of invasive breast cancers are invasive lobular carcinomas. ILC can be more difficult to detect by mammogram than IDC.

Inflammatory breast cancer: This rare type of invasive breast cancer accounts for about 1% of all breast cancers and is extremely aggressive. Multiple skin symptoms associated with this cancer are caused by cancer cells blocking lymph vessels or channels in the skin over the breast.

Medullary carcinoma: This special type of infiltrating breast cancer has a relatively well defined, distinct boundary between tumor tissue and normal tissue. It accounts for about 5% of breast cancers. The prognosis for this kind of breast cancer is better than for other types of invasive breast cancer.

Mucinous carcinoma: This rare type of invasive breast cancer originates from mucus-producing cells. The prognosis for mucinous carcinoma is better than for the more common types of invasive breast cancer.

Paget's disease of the nipple: This type of breast cancer starts in the ducts and spreads to the skin of the nipple and the areola. It is a rare type of breast cancer, occurring in only 1% of all cases. Paget's disease can be associated with in situ carcinoma, or with infiltrating breast carcinoma. If no lump can be felt in the breast tissue, and the biopsy shows DCIS but no invasive cancer, the prognosis is excellent.

Phyllodes tumor: This very rare type of breast tumor forms from the stroma of the breast, in contrast to carcinomas which develop in the ducts or lobules. Phyllodes (also spelled phylloides) tumors are usually benign, but are malignant on rare occasions. Nevertheless, malignant phyllodes tumors are very rare and less than 10 women per year in the US die of this disease. Benign phyllodes tumors are successfully treated by removing the mass and a narrow margin of normal breast tissue.

Tubular carcinoma: Accounting for about 2% of all breast cancers, tubular carcinomas are a special type of infiltrating breast carcinoma. They have a better prognosis than usual infiltrating ductal or lobularcarcinomas.

High-quality mammography combined with clinical breast exam remains the only screening method clearly tied to reduction in breast cancer mortality. Lower dose x-rays, digitized computer rather than film images, and the use of computer programs to assist diagnosis, are almost ready for widespread dissemination. Other technologies also are being developed, including magnetic resonance imaging and ultrasound. In addition, a very low radiation exposure technique, positron emission tomography has the potential for detecting early breast cancer.

It is also possible to differentiate between non-cancerous breast tissue and malignant breast tissue by analyzing differential gene expression between tissues. In addition, there may be several possible alterations that lead to the various possible types of breast cancer. The different types of breast tumors (*e.g.*, invasive vs. non-invasive, ductal vs. axillary lymph node) can be differentiable from one another by the identification of the differences in genes expressed by different types of breast tumor tissues (Porter-Jordan *et al.*, *Hematol Oncol Clin North Am* (1994) *8:*73). Breast cancer can thus be generally diagnosed by detection of expression of a gene or genes associated with breast tumors. Where enough information is available about the differential gene expression between various types of breast tumor tissues, the specific type of breast tumor can also be diagnosed.

For example, increased estrogen receptor (ER) expression in normal breast epithileum, while not itself indicative of malignant tissue, is a known risk marker for development of breast cancer. Khan SA *et al.*, *Cancer Res* (1994) *54*:993. Malignant breast cancer is often divided into two groups, ER-positive and ER-negative, based on the estrogen receptor status of the tissue. The ER status represents different survival length and response to hormone therapy, and is thought to represent either: 1) an indicator of different stages of the disease, or 2) an indicator that allows differentiation between two similar but distinct diseases. K. Zhu *et al.*, *Med. Hypoth.* (1997) *49*:69. A number of other genes are known to vary expression between either different stages of cancer or different types of similar breast cancer.

Similarly, the expression of polynucleotides of the invention can be used in the diagnosis and management of breast cancer. The differential expression of a polynucleotide in human breast tumor tissue can be used as a diagnostic marker for human breast cancer. The polynucleotides of the invention that would be especially useful for this purpose are

those that exhibit differential expression between breast cancer tissue with a high metastatic potential and a low metastatic potential, *i.e.* SEQ ID NOS: 9, 42, 52, 62, 65, 66, 68, 114, 123, 144, 172, 178, 214, 219, 223, 258, 317, and 379. Detection of breast cancer can be determined using expression levels of any of these sequences alone or in combination. Determination of the aggressive nature and/or the metastatic potential of a breast cancer can also be determined by comparing levels of one or more polynucleotides of the invention and comparing levels of another sequence known to vary in cancerous tissue, *e.g.* ER expression. In addition, development of breast cancer can be detected by examining the ratio of SEQ ID NO: to the levels of steroid hormones (*e.g.*, testosterone or estrogen) or to other hormones (*e.g.*, growth hormone, insulin). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous breast tissue, to discriminate between breast cancers with different cells of origin, to discriminate between breast cancers with different potential metastatic rates, etc.

Diagnosis of breast cancer can also involve comparing the expression of a polynucleotide of the invention with the expression of other sequences in non-malignant breast tissue samples in comparison to one or more forms of the diseased tissue. A comparison of expression of one or more polynucleotides of the invention between the samples provides information on relative levels of these polynucleotides as well as the ratio of these polynucleotides to the expression of other sequences in the tissue of interest compared to normal.

This risk of breast cancer is elevated significantly by the presence of an inherited risk for breast cancer, such as a mutation in BRCA-1 or BRCA-2. New diagnostic tools are being developed to address the needs of higher risk patients to complement mammography and physical examinations for early detection of breast cancer, particularly among younger women. The presence of antigen or expression markers in nipple aspirate fluid (NAF) samples collected from one or both breasts can be useful for useful for risk assessment or early cancer detection. Breast cytology and biomarkers obtained by random fine needle aspiration have been used to identify hyperplasia with atypia and overexpression of p53 and EGFR. The polynucleotides of the invention can be used in multivariate analysis with expression studies with genes such as p53 and EGFR as risk predictors and as surrogate endpoint biomarkers for breast cancer.

As well as being used for diagnosis and risk assessment, the expression of certain genes can also correlated to prognosis of a disease state. The expression of particular gene have been used as prognostic indicators for breast cancer including increased expression of *c-erbB-2*, pS2, ER, progesterone receptor, epidermal growth factor receptor (EGFR), *neu*, *myc*, *bcl-2*, *int2*, cytosolic tyrosine kinase, cyclin E, *prad-1*, *hst*, uPA, PAI-1, PAI-2, cathepsin D, as well as the presence of a number of cancer-specific antigens, *e.g.* CEA, CA M26, CA M29 and CA 15.3. Davis, *Br. J. Biomed Sci.* (1996) *53*:157. Poor prognosis has also been linked to a decrease in expression of certain genes, such as *p53, Rb, nm23.* The expression of the polynucleotides of the invention can be of prognostic value for determining the metastatic potential of a malignant breast cancer, as this molecules are differentially expressed between high and low metastatic potential tissues tumors. The levels of these polynucleotides in patients with malignant breast cancer can compared to normal tissue, malignant tissue with a known high potential metastatic level, and malignant tissue with a known lower level of metastatic potential to provide a prognosis for a particular patient. Such a prognosis is predictive of the extent and nature of the cancer. The determined prognosis is useful in determining the prognosis of a patient with breast cancer, both for initial treatment of the disease and for longer-term monitoring of the same patient. If samples are taken from the same individual over a period of time, differences in polynucleotide expression that are specific to that patient can be identified and closely watched.

Colon Cancer. Colorectal cancer is one of the most common neoplasms in humans and perhaps the most frequent form of hereditary neoplasia. Prevention and early detection are key factors in controlling and curing colorectal cancer. Indeed, colorectal cancer is the second most preventable cancer, after lung cancer. Colorectal cancer begins as polyps, which are small, benign growths of cells that form on the inner lining of the colon. Over a period of several years, some of these polyps accumulate additional mutations and become cancerous. About 20 percent of all cases of colon cancer are thought to be related to heredity. Currently, multiple familial colorectal cancer disorders have been identified, which are summarized as follows:

Familial adenomatous polyposis (FAP): This condition results in a person having hundreds or even thousands of polyps in the colon and rectum that usually first appear during

the teenage years. Cancer nearly always develops in one or more of these polyps between the ages of 30 and 50.

Gardner's syndrome: Like FAP, Gardner's syndrome results in polyps and colorectal cancers that develop at a young age. It can also cause benign tumors of the skin, soft connective tissue and bones.

Hereditary nonpolyposis colon cancer (HNPCC): People with this condition tend to develop colorectal cancer at a young age, without first having many polyps. HNPCC has an autosomal dominant pattern of inheritance with variable but high penetrance estimated to be about 90%. HNPCC underlies 0.5%-10% of all cases of colorectal cancer. An understanding of the mechanisms behind the development of HNPCC is emerging, and genetic presymptomatic testing, now being conducted in research settings, soon will be available on a widespread basis for individuals identified at risk for this disease.

Familial colorectal cancer in Ashkenazi Jews: Recent research has found an inherited tendency to developing colorectal cancer among some Jews of Eastern European descent. Like people with FAP, Gardner's syndrome, and HNPCC, their increased risk is due to an inherited mutation present in about 6% of American Jews.

Several tests are currently used to screen for colorectal cancer, including digital rectal examination, fecal occult blood test, sigmoidoscopy, colonoscopy, virtual colonoscopy and MRI. Each of these tests identifies potential colorectal cancer lesions, or a risk of development of these lesions, at a fairly gross morphological level.

The sequential alteration of a number of genes is associated with malignant adenocarcinoma, including the genes DCC, p53, ras, and FAP. For a review, see *e.g.* Fearon ER, *et al.*, *Cell* (1990) *61(5)*:759; Hamilton SR *et al.*, *Cancer* (1993) *72*:957; Bodmer W, *et al.*, *Nat Genet.* (1994) *4(3)*:217; Fearon ER, *Ann N Y Acad Sci.* (1995) *768*:101. Molecular genetic alterations are thus promising as potential diagnostic and prognostic indicators in colorectal carcinoma and molecular genetics of colorectal carcinoma since it is possible to differentiate between different types of colorectal neoplasias using molecular markers. Colorectal cancer can thus be generally diagnosed by detection of expression of a gene or genes associated with colorectal tumors.

Similarly, the expression of polynucleotides of the invention can be used in the diagnosis, prognosis and management of colorectal cancer. The differential expression of a

polynucleotide in hyperplasia can be used as a diagnostic marker for colon cancer. The polynucleotides of the invention that would be especially useful for this purpose are those that exhibit differential expression between malignant metastatic colon cancer and normal patient tissue , *i.e.* SEQ ID NOS: 52, 119, 172, 288. Detection of malignant colon cancer can be determined using expression levels of any of these sequences alone or in combination with the levels of expression.

Determination of the aggressive nature and/or the metastatic potential of a colon cancer can also be determined by comparing levels of one or more polynucleotides of the invention and comparing total levels of another sequence known to vary in cancerous tissue, *e.g.* p53 expression. In addition, development of colon cancer can be detected by examining the ratio of any of the polynucleotides of the invention to the levels of oncogenes (*e.g.* ras) or tumor suppressor genes (*e.g.* FAP or p53). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous breast tissue, to discriminate between breast cancers with different cells of origin, to discriminate between breast cancers with different potential metastatic rates, etc.

G. Use of Polynucleotides to Screen for Peptide Analogs and Antagonists

Polypeptides encoded by the instant polynucleotides and corresponding full length genes can be used to screen peptide libraries to identify binding partners, such as receptors, from among the encoded polypeptides.

A library of peptides can be synthesized following the methods disclosed in U.S. Pat. No. 5,010,175 ('175), and in WO 91/17823. As described below in brief, one prepares a mixture of peptides, which is then screened to identify the peptides exhibiting the desired signal transduction and receptor binding activity. In the '175 method, a suitable peptide synthesis support (*e.g.*, a resin) is coupled to a mixture of appropriately protected, activated amino acids. The concentration of each amino acid in the reaction mixture is balanced or adjusted in inverse proportion to its coupling reaction rate so that the product is an equimolar mixture of amino acids coupled to the starting resin. The bound amino acids are then deprotected, and reacted with another balanced amino acid mixture to form an equimolar mixture of all possible dipeptides. This process is repeated until a mixture of peptides of the desired length (*e.g.*, hexamers) is formed. Note that one need not include all amino acids in each step: one can include only one or two amino acids in some steps (*e.g.*, where it is

known that a particular amino acid is essential in a given position), thus reducing the complexity of the mixture. After the synthesis of the peptide library is completed, the mixture of peptides is screened for binding to the selected polypeptide. The peptides are then tested for their ability to inhibit or enhance activity. Peptides exhibiting the desired activity are then isolated and sequenced.

The method described in WO 91/17823 is similar. However, instead of reacting the synthesis resin with a mixture of activated amino acids, the resin is divided into twenty equal portions (or into a number of portions corresponding to the number of different amino acids to be added in that step), and each amino acid is coupled individually to its portion of resin. The resin portions are then combined, mixed, and again divided into a number of equal portions for reaction with the second amino acid. In this manner, each reaction can be easily driven to completion. Additionally, one can maintain separate "subpools" by treating portions in parallel, rather than combining all resins at each step. This simplifies the process of determining which peptides are responsible for any observed receptor binding or signal transduction activity.

In such cases, the subpools containing, *e.g.*, 1-2,000 candidates each are exposed to one or more polypeptides of the invention. Each subpool that produces a positive result is then resynthesized as a group of smaller subpools (sub-subpools) containing, *e.g.*, 20-100 candidates, and reassayed. Positive sub-subpools can be resynthesized as individual compounds, and assayed finally to determine the peptides that exhibit a high binding constant. These peptides can be tested for their ability to inhibit or enhance the native activity. The methods described in WO 91/7823 and U.S. Patent No. 5,194,392 (herein incorporated by reference) enable the preparation of such pools and subpools by automated techniques in parallel, such that all synthesis and resynthesis can be performed in a matter of days.

Peptide agonists or antagonists are screened using any available method, such as signal transduction, antibody binding, receptor binding, mitogenic assays, chemotaxis assays, etc. The methods described herein are presently preferred. The assay conditions ideally should resemble the conditions under which the native activity is exhibited *in vivo*, that is, under physiologic pH, temperature, and ionic strength. Suitable agonists or antagonists will exhibit strong inhibition or enhancement of the native activity at

concentrations that do not cause toxic side effects in the subject. Agonists or antagonists that compete for binding to the native polypeptide can require concentrations equal to or greater than the native concentration, while inhibitors capable of binding irreversibly to the polypeptide can be added in concentrations on the order of the native concentration.

The end results of such screening and experimentation will be at least one novel polypeptide binding partner, such as a receptor, encoded by a gene or a cDNA corresponding to a polynucleotide of the invention, and at least one peptide agonist or antagonist of the novel binding partner. Such agonists and antagonists can be used to modulate, enhance, or inhibit receptor function in cells to which the receptor is native, or in cells that possess the receptor as a result of genetic engineering. Further, if the novel receptor shares biologically important characteristics with a known receptor, information about agonist/antagonist binding can facilitate development of improved agonists/antagonists of the known receptor.

H. Pharmaceutical Compositions and Therapeutic Uses

Pharmaceutical compositions can comprise polypeptides, antibodies, or polynucleotides of the claimed invention. The pharmaceutical compositions will comprise a therapeutically effective amount of either polypeptides, antibodies, or polynucleotides of the claimed invention.

The term "therapeutically effective amount" as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. Thus, it is not useful to specify an exact effective amount in advance. However, the effective amount for a given situation is determined by routine experimentation and is within the judgment of the clinician. For purposes of the present invention, an effective dose will generally be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a

therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents. The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which can be administered without undue toxicity. Suitable carriers can be large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art.

Pharmaceutically acceptable salts can be used therein, for example, mineral acid salts such as hydrochlorides, hydrobromides, phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in *Remington's Pharmaceutical Sciences* (Mack Pub. Co., N.J. 1991).

Pharmaceutically acceptable carriers in therapeutic compositions can include liquids such as water, saline, glycerol and ethanol. Auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, can also be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection can also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier.

<u>Delivery Methods.</u> Once formulated, the compositions of the invention can be (1) administered directly to the subject (*e.g.*, as polynucleotide or polypeptides); (2) delivered ex vivo, to cells derived from the subject (*e.g.*, as in *ex vivo* gene therapy); or (3) delivered *in vitro* for expression of recombinant proteins (*e.g.*, polynucleotides). Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly, or delivered to the interstitial space of a tissue. The compositions can also be administered into a tumor or lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal applications, needles, and gene guns or hyposprays. Dosage treatment can be a single dose schedule or a multiple dose schedule.

Methods for the ex vivo delivery and reimplantation of transformed cells into a subject are known in the art and described in *e.g.*, International Publication No. WO

93/14778. Examples of cells useful in ex vivo applications include, for example, stem cells, particularly hematopoetic, lymph cells, macrophages, dendritic cells, or tumor cells. Generally, delivery of nucleic acids for both ex vivo and in vitro applications can be accomplished by, for example, dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

Once a gene corresponding to a polynucleotide of the invention has been found to correlate with a proliferative disorder, such as neoplasia, dysplasia, and hyperplasia, the disorder can be amenable to treatment by administration of a therapeutic agent based on the provided polynucleotide or corresponding polypeptide.

Preparation of antisense polynucleotides is discussed above. Neoplasias that are treated with the antisense composition include, but are not limited to, cervical cancers, melanomas, colorectal adenocarcinomas, Wilms' tumor, retinoblastoma, sarcomas, myosarcomas, lung carcinomas, leukemias, such as chronic myelogenous leukemia, promyelocytic leukemia, monocytic leukemia, and myeloid leukemia, and lymphomas, such as histiocytic lymphoma. Proliferative disorders that are treated with the therapeutic composition include disorders such as anhydric hereditary ectodermal dysplasia, congenital alveolar dysplasia, epithelial dysplasia of the cervix, fibrous dysplasia of bone, and mammary dysplasia. Hyperplasias, for example, endometrial, adrenal, breast, prostate, or thyroid hyperplasias or pseudoepitheliomatous hyperplasia of the skin, are treated with antisense therapeutic compositions based upon a polynucleotide of the invention. Even in disorders in which mutations in the corresponding gene are not implicated, downregulation or inhibition of expression of a gene corresponding to a polynucleotide of the invention can have therapeutic application. For example, decreasing gene expression can help to suppress tumors in which enhanced expression of the gene is implicated.

Both the dose of the antisense composition and the means of administration are determined based on the specific qualities of the therapeutic composition, the condition, age, and weight of the patient, the progression of the disease, and other relevant factors. Administration of the therapeutic antisense agents of the invention includes local or systemic administration, including injection, oral administration, particle gun or catheterized

administration, and topical administration. Preferably, the therapeutic antisense composition contains an expression construct comprising a promoter and a polynucleotide segment of at least 12, 22, 25, 30, or 35 contiguous nucleotides of the antisense strand of a polynucleotide disclosed herein. Within the expression construct, the polynucleotide segment is located downstream from the promoter, and transcription of the polynucleotide segment initiates at the promoter.

Various methods are used to administer the therapeutic composition directly to a specific site in the body. For example, a small metastatic lesion is located and the therapeutic composition injected several times in several different locations within the body of tumor. Alternatively, arteries which serve a tumor are identified, and the therapeutic composition injected into such an artery, in order to deliver the composition directly into the tumor. A tumor that has a necrotic center is aspirated and the composition injected directly into the now empty center of the tumor. The antisense composition is directly administered to the surface of the tumor, for example, by topical application of the composition. X-ray imaging is used to assist in certain of the above delivery methods.

Receptor-mediated targeted delivery of therapeutic compositions containing an antisense polynucleotide, subgenomic polynucleotides, or antibodies to specific tissues is also used. Receptor-mediated DNA delivery techniques are described in, for example, Findeis *et al.*, *Trends Biotechnol.* (1993) *11*:202; Chiou *et al.*, *Gene Therapeutics: Methods And Applications Of Direct Gene Transfer* (J.A. Wolff, ed.) (1994); Wu *et al.*, *J. Biol. Chem.* (1988) *263*:621; Wu *et al.*, *J. Biol. Chem.* (1994) *269*:542; Zenke *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1990) *87*:3655; Wu *et al.*, *J. Biol. Chem.* (1991) *266*:338. Preferably, receptor-mediated targeted delivery of therapeutic compositions containing antibodies of the invention is used to deliver the antibodies to specific tissue.

Therapeutic compositions containing antisense subgenomic polynucleotides are administered in a range of about 100 ng to about 200 mg of DNA for local administration in a gene therapy protocol. Concentration ranges of about 500 ng to about 50 mg, about 1 μg to about 2 mg, about 5 μg to about 500 μg, and about 20 μg to about 100 μg of DNA can also be used during a gene therapy protocol. Factors such as method of action and efficacy of transformation and expression are considerations which will affect the dosage required for ultimate efficacy of the antisense subgenomic polynucleotides. Where greater expression is

desired over a larger area of tissue, larger amounts of antisense subgenomic polynucleotides or the same amounts readministered in a successive protocol of administrations, or several administrations to different adjacent or close tissue portions of, for example, a tumor site, may be required to effect a positive therapeutic outcome. In all cases, routine experimentation in clinical trials will determine specific ranges for optimal therapeutic effect. A more complete description of gene therapy vectors, especially retroviral vectors, is contained in U.S. Serial No. 08/869,309, which is expressly incorporated herein, and in section G below.

For polynucleotide-related genes encoding polypeptides or proteins with anti-inflammatory activity, suitable use, doses, and administration are described in U.S. Patent No. 5,654,173. Therapeutic agents also include antibodies to proteins and polypeptides encoded by the polynucleotides of the invention and related genes, as described in U.S. Patent No. 5,654,173.

I. Gene Therapy

The therapeutic polynucleotides and polypeptides of the present invention can be utilized in gene delivery vehicles. The gene delivery vehicle can be of viral or non-viral origin (see generally, Jolly, *Cancer Gene Therapy* (1994) *1*:51; Kimura, *Human Gene Therapy* (1994) *5*:845; Connelly, *Human Gene Therapy* (1995) *1*:185; and Kaplitt, *Nature Genetics* (1994) *6*:148). Gene therapy vehicles for delivery of constructs including a coding sequence of a therapeutic of the invention can be administered either locally or systemically. These constructs can utilize viral or non-viral vector approaches. Expression of such coding sequences can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence can be either constitutive or regulated.

The present invention can employ recombinant retroviruses which are constructed to carry or express a selected nucleic acid molecule of interest. Retrovirus vectors that can be employed include those described in EP 0 415 731; WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; U.S. Patent No. 5, 219,740; WO 93/11230; WO 93/10218; Vile and Hart, *Cancer Res.* (1993) *53*:3860; Vile *et al.*, *Cancer Res.* (1993) *53*:962; Ram et al., *Cancer Res.* (1993) *53*:83; Takamiya *et al.*, J. *Neurosci. Res.* (1992) *33*:493; Baba et al., *J. Neurosurg.* (1993) *79*:729; U.S. Patent No. 4,777,127; GB Patent No. 2,200,651; and EP 0 345 242. Preferred recombinant retroviruses include those described in WO 91/02805.

Packaging cell lines suitable for use with the above-described retroviral vector constructs can be readily prepared (see, *e.g.*, WO 95/30763 and WO 92/05266), and used to create producer cell lines (also termed vector cell lines) for the production of recombinant vector particles. Within particularly preferred embodiments of the invention, packaging cell lines are made from human (such as HT1080 cells) or mink parent cell lines, thereby allowing production of recombinant retroviruses that can survive inactivation in human serum.

The present invention also employs alphavirus-based vectors that can function as gene delivery vehicles. Such vectors can be constructed from a wide variety of alphaviruses, including, for example, Sindbis virus vectors, Semliki forest virus (ATCC VR-67; ATCC VR-1247), Ross River virus (ATCC VR-373; ATCC VR-1246) and Venezuelan equine encephalitis virus (ATCC VR-923; ATCC VR-1250; ATCC VR 1249; ATCC VR-532). Representative examples of such vector systems include those described in U.S. Patent Nos. 5,091,309; 5,217,879; and 5,185,440; WO 92/10578; WO 94/21792; WO 95/27069; WO 95/27044; and WO 95/07994. Gene delivery vehicles of the present invention can also employ parvovirus such as adeno-associated virus (AAV) vectors. Representative examples include the AAV vectors disclosed by Srivastava in WO 93/09239, Samulski et al., *J. Virol.* (1989) *63*:3822; Mendelson et al., *Virol.* (1988) *166*:154; and Flotte *et al.*, *PNAS* (1993) *90*:10613.

Representative examples of adenoviral vectors include those described by Berkner, *Biotechniques* (1988) *6*:616; Rosenfeld *et al.*, *Science* (1991) *252*:431; WO 93/19191; Kolls *et al.*, *PNAS* (1994) *91*:215; Kass-Eisler *et al.*, *PNAS* (1993) *90*:11498; Guzman *et al.*, *Circulation* (1993) *88*:2838; Guzman *et al..*, *Cir. Res.* (1993) *73*:1202; Zabner *et al.*, *Cell* (1993) *75*:207; Li *et al.*, *Hum. Gene Ther.* (1993) *4*:403; Cailaud *et al.*, *Eur. J. Neurosci.* (1993) *5*:1287; Vincent *et al.*, *Nat. Genet.* (1993) *5*:130; Jaffe *et al.*, *Nat. Genet.* (1992) *1*:372; and Levrero *et al.*, *Gene* (1991) *101*:195. Exemplary adenoviral gene therapy vectors employable in this invention also include those described in WO 94/12649, WO 93/03769; WO 93/19191; WO 94/28938; WO 95/11984 and WO 95/00655. Administration of DNA linked to killed adenovirus as described in Curiel, *Hum. Gene Ther.* (1992) *3*:147 can be employed.

Other gene delivery vehicles and methods can be employed, including polycationic condensed DNA linked or unlinked to killed adenovirus alone, for example Curiel, *Hum. Gene Ther.* (1992) *3*:147; ligand linked DNA, for example see Wu, *J. Biol. Chem.* (1989) *264*:16985; eukaryotic cell delivery vehicles cells, for example see U.S. Pat. No. 5,814,482; WO 95/07994; WO 96/17072; WO 95/30763; and WO 97/42338; deposition of photopolymerized hydrogel materials; hand-held gene transfer particle gun, as described in U.S. Patent No. 5,149,655; ionizing radiation as described in U.S. Patent No. 5,206,152 and in WO92/11033; nucleic charge neutralization or fusion with cell membranes. Additional approaches are described in Philip, *Mol. Cell Biol.* (1994) *14*:2411, and in Woffendin, *Proc. Natl. Acad. Sci.* (1994) *91*:1581.

Naked DNA can also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and U.S. Patent No. 5,580,859. Uptake efficiency can be improved using biodegradable latex beads. DNA coated latex beads are efficiently transported into cells after endocytosis initiation by the beads. The method can be improved further by treatment of the beads to increase hydrophobicity and thereby facilitate disruption of the endosome and release of the DNA into the cytoplasm. Liposomes that can act as gene delivery vehicles are described in U.S. Patent No. 5,422,120; WO 95/13796; WO 94/23697; WO 91/14445; and EP 0524968.

Further non-viral delivery suitable for use includes mechanical delivery systems such as the approach described in Woffendin *et al.*, *Proc. Natl. Acad. Sci. USA* (1994) *91*(24):11581. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials. Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun, as described in U.S. Patent No. 5,149,655; use of ionizing radiation for activating transferred gene, as described in U.S. Patent No. 5,206,152 and WO 92/11033.

The present invention will now be illustrated by reference to the following examples which set forth particularly advantageous embodiments. However, it should be noted that these embodiments are illustrative and are not to be construed as restricting the invention in any way.

EXAMPLES

The present invention is now illustrated by reference to the following examples which set forth particularly advantageous embodiments. However, these embodiments are illustrative and are not meant to be construed as restricting the invention in any way.

Example 1: Source of Biological Materials and Overview of Novel Polynucleotides Expressed by the Biological Materials

Human colon cancer cell line Km12L4-A (Morika, W. A. K. et al., *Cancer Research* (1988) *48*:6863) was used to construct a cDNA library from mRNA isolated from the cells. As described in the above overview, a total of 4,693 sequences expressed by the Km12L4-A cell line were isolated and analyzed; most sequences were about 275-300 nucleotides in length. The KM12L4-A cell line is derived from the KM12C cell line. The KM12C cell line, which is poorly metastatic (low metastatic) was established in culture from a Dukes' stage B_2 surgical specimen (Morikawa *et al. Cancer Res.* (1988) *48*:6863). The KML4-A is a highly metastatic subline derived from KM12C (Yeatman *et al. Nucl. Acids. Res.* (1995) *23*:4007; Bao-Ling *et al. Proc. Annu. Meet. Am. Assoc. Cancer. Res.* (1995) *21*:3269). The KM12C and KM12C-derived cell lines (*e.g.*, KM12L4, KM12L4-A, *etc.*) are well-recognized in the art as a model cell line for the study of colon cancer (see, *e.g.*, Moriakawa *et al.*, *supra*; Radinsky *et al. Clin. Cancer Res.* (1995) *1*:19; Yeatman *et al.*, (1995) *supra*; Yeatman *et al. Clin. Exp. Metastasis* (1996) *14*:246).

The sequences were first masked to eliminate low complexity sequences using the XBLAST masking program (Claverie "Effective Large-Scale Sequence Similarity Searches," In: Computer Methods for Macromolecular Sequence Analysis, Doolittle, ed., *Meth. Enzymol.* 266:212-227 Academic Press, NY, NY (1996); see particularly Claverie, in "Automated DNA Sequencing and Analysis Techniques" Adams *et al.*, eds., Chap. 36, p. 267 Academic Press, San Diego, 1994 and Claverie *et al. Comput. Chem.* (1993) 17:191). Generally, masking does not influence the final search results, except to eliminate of relative little interest due to their lox complexity, and to eliminate multiple "hits" based on similarity to repetitive regions common to multiple sequences, e.g., Alu repeats. Masking resulted in the elimination of 43 sequences. The remaining sequences were then used in a BLASTN vs. Genbank search with search parameters of greater than 70% overlap, 99% identity, and a p value of less than 1×10^{-40}, which search resulted in the discarding of 1,432 sequences. Sequences from this search also were discarded if the inclusive parameters were met, but the sequence was ribosomal or vector-derived.

The resulting sequences from the previous search were classified into three groups (1, 2 and 3 below) and searched in a BLASTX vs. NRP (non-redundant proteins) database search: (1) unknown (no hits in the Genbank search), (2) weak similarity (greater than 45% identity and p value of less than 1 x 10^{-5}), and (3) high similarity (greater than 60% overlap, greater than 80% identity, and p value less than 1 x 10^{-5}). This search resulted in discard of 98 sequences as having greater than 70% overlap, greater than 99% identity, and p value of less than 1 x 10^{-40}.

The remaining sequences were classified as unknown (no hits), weak similarity, and high similarity (parameters as above). Two searches were performed on these sequences. First, a BLAST vs. EST database search resulted in discard of 1771 sequences (sequences with greater than 99% overlap, greater than 99% similarity and a p value of less than 1 x 10^{-40}; sequences with a p value of less than 1 x 10^{-65} when compared to a database sequence of human origin were also excluded). Second, a BLASTN vs. Patent GeneSeq database resulted in discard of 15 sequences (greater than 99% identity; p value less than 1 x 10^{-40}; greater than 99% overlap).

The remaining sequences were subjected to screening using other rules and redundancies in the dataset. Sequences with a p value of less than 1 x 10^{-111} in relation to a database sequence of human origin were specifically excluded. The final result provided the 404 sequences listed in the accompanying Sequence Listing. The Sequence Listing is arranged beginning with sequences with no similarity to any sequence in a database searched, and ending with sequences with the greatest similarity. Each identified polynucleotide represents sequence from at least a partial mRNA transcript. Polynucleotides that were determined to be novel were assigned a sequence identification number.

The novel polynucleotides and were assigned sequence identification numbers SEQ ID NOS: 1-404. The DNA sequences corresponding to the novel polynucleotides are provided in the Sequence Listing. The majority of the sequences are presented in the Sequence Listing in the 5' to 3' direction. A small number, 25, are listed in the Sequence Listing in the 5' to 3' direction but the sequence as written is actually 3' to 5'. These sequences are readily identified with the designation "AR" in the Sequence Name in Table 1 (inserted before the claims). The sequences correctly listed in the 5' to 3' direction in the Sequence Listing are designated "AF." The Sequence Listing filed herewith therefore contains 25 sequences listed in the reverse order, namely SEQ ID NOS:47, 97, 137, 171, 173, 179, 182, 194, 200, 202, 213, 227, 258, 264, 275, 302, 313, 324, 329, 330, 331, 338, 358, 379, and 404.

Because the provided polynucleotides represent partial mRNA transcripts, two or more polynucleotides of the invention may represent different regions of the same mRNA transcript and the same gene. Thus, if two or more SEQ ID NOS: are identified as belonging to the same clone, then either sequence can be used to obtain the full-length mRNA or gene.

In order to confirm the sequences of SEQ ID NOS:1-404, inserts of the clones corresponding to these polynucleotides were re-sequenced. These "validation" sequences are provided in SEQ ID NOS:405-800. These validation sequences were often longer than the original polynucleotide sequences. They validate, and thus often provide additional sequence information. Validation sequences can be correlated with the original sequences they validate by identifying those sequences of SEQ ID NOS:1-404 and the validation sequences of SEQ ID NOS:405-800 that share the same clone name in Table 1.

Example 2: Results of Public Database Search to Identify Function of Gene Products

SEQ ID NOS:1-404, as well as the validation sequences SEQ ID NOS:405-800, were translated in all three reading frames to determine the best alignment with the individual sequences. These amino acid sequences and nucleotide sequences are referred, generally, as query sequences, which are aligned with the individual sequences. Query and individual sequences were aligned using the BLAST programs, available over the world wide web at http://ww.ncbi.nlm.nih.gov/BLAST/. Again the sequences were masked to various extents to prevent searching of repetitive sequences or poly-A sequences, using the XBLAST program for masking low complexity as described above in Example 1.

Table 2 (inserted before the claims) shows the results of the alignments. Table 2 refers to each sequence by its SEQ ID NO:, the accession numbers and descriptions of nearest neighbors from the Genbank and Non-Redundant Protein searches, and the p values of the search results. Table 1 identifies each SEQ ID NO: by SEQ name, clone ID, and cluster. As discussed above, a single cluster includes polynucleotides representing the same gene or gene family, and generally represents sequences encoding the same gene product.

For each of SEQ ID NOS:1-800, the best alignment to a protein or DNA sequence is included in Table 2. The activity of the polypeptide encoded by SEQ ID NOS:1-800 is the same or similar to the nearest neighbor reported in Table 2. The accession number of the nearest neighbor is reported, providing a reference to the activities exhibited by the nearest neighbor. The search program and database used for the alignment also are indicated as well as a calculation of the p value.

Full length sequences or fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence of SEQ ID NOS:1-800. The nearest neighbors can indicate a tissue or cell type to be used to construct a library for the full-length sequences of SEQ ID NOS:1-800.

SEQ ID NOS:1-800 and the translations thereof may be human homologs of known genes of other species or novel allelic variants of known human genes. In such cases, these new human sequences are suitable as diagnostics or therapeutics. As diagnostics, the human sequences SEQ ID NOS:1-800 exhibit greater specificity in detecting and differentiating human cell lines and types than homologs of other species. The human polypeptides encoded by SEQ ID NOS:1-800 are likely to be less immunogenic when administered to humans than homologs from other species. Further, on administration to humans, the polypeptides encoded by SEQ ID NOS:1-800 can show greater specificity or can be better regulated by other human proteins than are homologs from other species.

Example 3: Members of Protein Families

After conducting a profile search as described in the specification above, several of the polynucleotides of the invention were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein families (and thus represent new members of these protein families) and/or comprising a known functional domain (Table 3). Thus the invention encompasses fragments, fusions, and variants of such polynucleotides that retain biological activity associated with the protein family and/or functional domain identified herein.

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
24	4 transmembrane segments integral membrane proteins	1218	578	rev
41	4 transmembrane segments integral membrane proteins	1086	413	rev
101	4 transmembrane segments integral membrane proteins	1206	544	rev
157	4 transmembrane segments integral membrane proteins	721	33	rev
341	4 transmembrane segments integral membrane proteins	1253	613	rev
395	4 transmembrane segments integral membrane proteins	530	10	for
395	4 transmembrane segments integral membrane proteins	696	17	for
395	4 transmembrane segments integral membrane proteins	471	39	rev
24	7 transmembrane receptor (Secretin family)	1301	491	rev
41	7 transmembrane receptor (Secretin family)	1309	10	rev
101	7 transmembrane receptor (Secretin family)	1330	296	rev
157	7 transmembrane receptor (Secretin family)	1173	249	rev
291	7 transmembrane receptor (Secretin family)	1400	269	rev

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
291	7 transmembrane receptor (Secretin family)	712	130	for
305	7 transmembrane receptor (Secretin family)	926	4	for
305	7 transmembrane receptor (Secretin family)	753	55	rev
315	7 transmembrane receptor (Secretin family)	1058	270	rev
341	7 transmembrane receptor (Secretin family)	1265	534	rev
116	Ank repeat	141	218	for
251	Ank repeat	290	207	for
251	Ank repeat	467	387	for
63	ATPases Associated with Various Cellular Activities	543	60	for
116	ATPases Associated with Various Cellular Activities	802	313	for
134	ATPases Associated with Various Cellular Activities	525	57	rev
136	ATPases Associated with Various Cellular Activities	712	163	for
151	ATPases Associated with Various Cellular Activities	719	73	for
151	ATPases Associated with Various Cellular Activities	386	13	for
384	ATPases Associated with Various Cellular Activities	664	140	for
404	ATPases Associated with Various Cellular Activities	704	52	for
374	Basic region plus leucine zipper transcription factors	298	146	for
97	Bromodomain (conserved sequence found in human, Drosophila and yeast proteins.)	230	63	for
136	EF-hand	121	207	for
242	EF-hand	238	155	for
379	EF-hand	212	126	for
308	Eukaryotic aspartyl proteases	1300	461	rev
213	GATA family of transcription factors	720	377	for
367	G-protein alpha subunit	971	467	rev
188	Phorbol esters/diacylglycerol binding	91	177	for
251	Phorbol esters/diacylglycerol binding	133	219	for
202	protein kinase	482	1	rev
202	protein kinase	970	1	rev
315	protein kinase	739	158	for
315	protein kinase	1023	197	for
367	protein kinase	1046	285	rev
397	protein kinase	511	6	for
256	Protein phosphatase 2C	13	90	for
256	Protein phosphatase 2C	163	86	for
382	Protein Tyrosine Phosphatase	261	2	for
306	SH3 Domain	141	296	for
386	SH3 Domain	359	209	for
169	Trypsin	764	164	rev
188	WD domain, G-beta repeats	480	382	for
188	WD domain, G-beta repeats	206	117	for
335	WD domain, G-beta repeats	3	92	for
23	wnt family of developmental signaling proteins	1151	335	rev
291	wnt family of developmental signaling proteins	779	89	rev
291	wnt family of developmental signaling proteins	1347	382	rev
324	wnt family of developmental signaling proteins	1180	499	rev
330	wnt family of developmental signaling proteins	1180	499	rev
341	wnt family of developmental signaling proteins	1399	560	rev

Table 3 Polynucleotides encoding gene products of a protein family or having a known functional domain(s).

SEQ ID NO:	Biological Activity (Profile hit)	Start	Stop	Dir
353	wnt family of developmental signaling proteins	880	49	rev
188	WW/rsp5/WWP domain containing proteins	431	354	for
379	WW/rsp5/WWP domain containing proteins	12	89	for
395	WW/rsp5/WWP domain containing proteins	153	76	for
395	WW/rsp5/WWP domain containing proteins	156	64	for
61	Zinc finger, C2H2 type	254	192	for
306	Zinc finger, C2H2 type	428	367	for
386	Zinc finger, C2H2 type	191	253	for
322	Zinc finger, CCHC class	553	503	for
306	Zinc-binding metalloprotease domain	101	60	rev
395	Zinc-binding metalloprotease domain	28	69	rev

Start and stop indicate the position within the individual sequenes that align with the query sequence having the indicated SEQ ID NO. The direction (Dir) indicates the orientation of the query sequence with respect to the individual sequence, where forward (for) indicates that the alignment is in the same direction (left to right) as the sequence provided in the Sequence Listing and reverse (rev) indicates that the alignment is with a sequence complementary to the sequence provided in the Sequence Listing.

Some polynucleotides exhibited multiple profile hits because, for example, the particular sequence contains overlapping profile regions, and/or the sequence contains two different functional domains. These profile hits are described in more detail below.

a) Four Transmembrane Integral Membrane Proteins. SEQ ID NOS: 24, 41, 101, 157, 341, and 395 correspond to a sequence encoding a polypeptide that is a member of the 4 transmembrane segments integral membrane protein family (transmembrane 4 family). The transmembrane 4 family of proteins includes a number of evolutionarily-related eukaryotic cell surface antigens (Levy *et al.*, *J. Biol. Chem.*, (1991) *266*:14597; Tomlinson *et al.*, *Eur. J. Immunol.* (1993) *23*:136; Barclay *et al.* The leucocyte antigen factbooks. (1993) Academic Press, London/San Diego). The proteins belonging to this family include: 1) Mammalian antigen CD9 (MIC3), which is involved in platelet activation and aggregation; 2) Mammalian leukocyte antigen CD37, expressed on B lymphocytes; 3) Mammalian leukocyte antigen CD53 (OX-44), which is implicated in growth regulation in hematopoietic cells; 4) Mammalian lysosomal membrane protein CD63 (melanoma-associated antigen ME491; antigen AD1); 5) Mammalian antigen CD81 (cell surface protein TAPA-1), which is implicated in regulation of lymphoma cell growth; 6) Mammalian antigen CD82 (protein

R2; antigen C33; Kangai 1 (KAI1)), which associates with CD4 or CD8 and delivers costimulatory signals for the TCR/CD3 pathway; 7) Mammalian antigen CD151 (SFA-1; platelet-endothelial tetraspan antigen 3 (PETA-3)); 8) Mammalian cell surface glycoprotein A15 (TALLA-1; MXS1); 9) Mammalian novel antigen 2 (NAG-2); 10) Human tumor-associated antigen CO-029; 11) Schistosoma mansoni and japonicum 23 Kd surface antigen (SM23 / SJ23).

The members of the 4 transmembrane family share several characteristics. First, they all are apparently type III membrane proteins, which are integral membrane proteins containing an N-terminal membrane-anchoring domain which is not cleaved during biosynthesis and which functions both as a translocation signal and as a membrane anchor. The family members also contain three additional transmembrane regions, at least seven conserved cysteines residues, and are of approximately the same size (218 to 284 residues). These proteins are collectively know as the "transmembrane 4 superfamily" (TM4) because they span plasma membrane four times. A schematic diagram of the domain structure of these proteins is as follows:

```
+-+-----+-------+----+-----+-----+---------------------+-----+----+
| | TMa | Extra | TM2| Cyt | TM3 | Extracellular       | TM4 | Cyt|
+-+-----+-------+----C-----C-----+--------CC---C-----C---+-----C----+
                                          *********
```

where Cyt is the cytoplasmic domain, TMa is the transmembrane anchor; TM2 to TM4 represents transmembrane regions 2 to 4, 'C' are conserved cysteines, and '* 'indicates the position of the consensus pattern. The consensus pattern spans a conserved region including two cysteines located in a short cytoplasmic loop between two transmembrane domains: Consensus pattern: G-x(3)-[LIVMF]-x(2)-[GSA]-[LIVMF](2)-G-C-x-[GA]-[STA]- x(2)-[EG]-x(2)-[CWN]-[LIVM](2).

b) <u>Seven Transmembrane Integral Membrane Proteins.</u> SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, and 341 correspond to a sequence encoding a polypeptide that is a member of the seven transmembrane receptor family. G-protein coupled receptors (Strosberg, *Eur. J. Biochem.* (1991) *196*:1; Kerlavage, *Curr. Opin. Struct. Biol.* (1991) *1*:394; and Probst *et al.*, *DNA Cell Biol.* (1992) *11*:1; and Savarese *et al.*, *Biochem. J.* (1992) *293*:1) (also called R7G) are an extensive group of hormones, neurotransmitters, odorants and light receptors which transduce extracellular signals by interaction with guanine nucleotide-binding (G) proteins. The tertiary structure of these receptors is thought to be highly similar. They have seven hydrophobic regions, each of which most probably spans

the membrane. The N-terminus is located on the extracellular side of the membrane and is often glycosylated, while the C-terminus is cytoplasmic and generally phosphorylated. Three extracellular loops alternate with three intracellular loops to link the seven transmembrane regions. Most, but not all of these receptors, lack a signal peptide. The most conserved parts of these proteins are the transmembrane regions and the first two cytoplasmic loops. A conserved acidic-Arg-aromatic triplet is present in the N-terminal extremity of the second cytoplasmic loop (Attwood *et al.*, *Gene* (1991) *98*:153) and could be implicated in the interaction with G proteins.

To detect this widespread family of proteins a pattern is used that contains the conserved triplet and that also spans the major part of the third transmembrane helix. Additional information about the seven transmembrane receptor family, and methods for their identification and use, is found in U.S. Patent No. 5,759,804. Due in part to their expression on the cell surface and other attractive characteristics, seven transmembrane protein family members are of particular interest as drug targets, as surface antigen markers, and as drug delivery targets (*e.g.*, using antibody-drug complexes and/or use of anti-seven transmembrane protein antibodies as therapeutics in their own right).

c) <u>Ank Repeats.</u> SEQ ID NOS: 116 and 251 represent polynucleotides encoding Ank repeat-containing proteins. The ankyrin motif is a 33 amino acid sequence named after the protein ankyrin which has 24 tandem 33-amino-acid motifs. Ank repeats were originally identified in the cell-cycle-control protein cdc10 (Breeden *et al., Nature* (1987) *329*:651). Proteins containing ankyrin repeats include ankyrin, myotropin, I-kappaB proteins, cell cycle protein cdc10, the Notch receptor (Matsuno *et al., Development* (1997) *124(21):*4265); G9a (or BAT8) of the class III region of the major histocompatibility complex (Biochem J. 290:811-818, 1993), FABP, GABP, 53BP2, Lin12, glp-1, SW14, and SW16. The functions of the ankyrin repeats are compatible with a role in protein-protein interactions (Bork, *Proteins* (1993) *17(4):*363; Lambert and Bennet, *Eur. J. Biochem.* (1993) *211*:1; Kerr *et al., Current Op. Cell Biol.* (1992) *4*:496; Bennet *et al., J. Biol. Chem.* (1980) *255*:6424).

The 90 kD N-terminal domain of ankyrin contains a series of 24 33-amino-acid ank repeats. (Lux *et al.*, *Nature* (1990) *344*:36-42, Lambert *et al.*, *PNAS USA* (1990) *87*:1730.) The 24 ank repeats form four folded subdomains of 6 repeats each. These four repeat subdomains mediate interactions with at least 7 different families of membrane proteins. Ankyrin contains two separate binding sites for anion exchanger dimers. One site utilizes repeat subdomain two (repeats 7-12) and the other requires both repeat subdomains 3 and 4 (repeats 13-24). Since the anion exchangers exist in dimers, ankyrin binds 4 anion

exchangers at the same time. (Michaely and Bennett, *J. Biol. Chem.* (1995) *270(37)*:22050) The repeat motifs are involved in ankyrin interaction with tubulin, spectrin, and other membrane proteins. (Lux *et al.*, *Nature* (1990) *344*:36.)

The Rel/NF-kappaB/Dorsal family of transcription factors have activity that is controlled by sequestration in the cytoplasm in association with inhibitory proteins referred to as I-kappaB. (Gilmore, *Cell* (1990) *62*:841; Nolan and Baltimore, *Curr Opin Genet Dev.* (1992) *2*:211; Baeuerle, *Biochim Biophys Acta* (1991) *1072*:63; Schmitz *et al.*, *Trends Cell Biol.* (1991) *1*:130.) I-kappaB proteins contain 5 to 8 copies of 33 amino acid ankyrin repeats and certain NF-kappaB/rel proteins are also regulated by cis-acting ankyrin repeat containing domains including p105NF-kappaB which contains a series of ankyrin repeats (Diehl and Hannink, *J. Virol.* (1993) *67(12)*:7161). The I-kappaBs and Cactus (also containing ankyrin repeats) inhibit activators through differential interactions with the Rel-homology domain. The gene family includes proto-oncogenes, thus broadly implicating I-kappaB in the control of both normal gene expression and the aberrant gene expression that makes cells cancerous. (Nolan and Baltimore, *Curr Opin Genet Dev.* (1992) *2(2)*:211-220). In the case of rel/NF-kappaB and pp40/I-kappaBβ, both the ankyrin repeats and the carboxy-terminal domain are required for inhibiting DNA-binding activity and direct association of pp40/I-kappaBβ with rel/NF-kappaB protein. The ankyrin repeats and the carboxy-terminal of pp40/I-kappaBβ (form a structure that associates with the rel homology domain to inhibit DNA binding activity (Inoue *et al.*, *PNAS USA* (1992) *89*:4333).

The 4 ankyrin repeats in the amino terminus of the transcription factor subunit GABPβ are required for its interaction with the GABPα subunit to form a functional high affinity DNA-binding protein. These repeats can be crosslinked to DNA when GABP is bound to its target sequence. (Thompson *et al.*, *Science* (1991) *253*:762; LaMarco *et al.*, *Science* (1991) *253*:789).

Myotrophin, a 12.5 kDa protein having a key role in the initiation of cardiac hypertrophy, comprises ankyrin repeats. The ankyrin repeats are characteristic of a hairpin-like protruding tip followed by a helix-turn-helix motif. The V-shaped helix-turn-helix of the repeats stack sequentially in bundles and are stabilized by compact hydrophobic cores, whereas the protruding tips are less ordered.

d) <u>ATPases Associated with Various Cellular Activities (AAA).</u> SEQ ID NOS: 63, 116, 134, 136, 151, 384, and 404 polynucleotides encoding novel members of the "ATPases Associated with diverse cellular Activities" (AAA) protein family The AAA protein family

is composed of a large number of ATPases that share a conserved region of about 220 amino acids that contains an ATP-binding site (Froehlich *et al., J. Cell Biol.* (1991) *114*:443; Erdmann *et al. Cell* (1991) *64*:499; Peters *et al., EMBO J.* (1990) *9*:1757; Kunau *et al., Biochimie* (1993) *75*:209-224; Confalonieri *et al., BioEssays* (1995) *17*:639; http://yeamob.pci.chemie.uni-tuebingen.de/AAA/Description.html). The proteins that belong to this family either contain one or two AAA domains.

Proteins containing two AAA domains include: 1) Mammalian and drosophila NSF (N-ethylmaleimide-sensitive fusion protein) and the fungal homolog, SEC18, which are involved in intracellular transport between the endoplasmic reticulum and Golgi, as well as between different Golgi cisternae; 2) Mammalian transitional endoplasmic reticulum ATPase (previously known as p97 or VCP), which is involved in the transfer of membranes from the endoplasmic reticulum to the golgi apparatus. This ATPase forms a ring-shaped homooligomer composed of six subunits. The yeast homolog, CDC48, plays a role in spindle pole proliferation; 3) Yeast protein PAS1 essential for peroxisome assembly and the related protein PAS1 from Pichia pastoris; 4) Yeast protein AFG2; 5) Sulfolobus acidocaldarius protein SAV and Halobacterium salinarium cdcH, which may be part of a transduction pathway connecting light to cell division.

Proteins containing a single AAA domain include: 1) Escherichia coli and other bacteria ftsH (or hflB) protein. FtsH is an ATP-dependent zinc metallopeptidase that degrades the heat-shock sigma-32 factor, and is an integral membrane protein with a large cytoplasmic C-terminal domain that contain both the AAA and the protease domains; 2) Yeast protein YME1, a protein important for maintaining the integrity of the mitochondrial compartment. YME1 is also a zinc-dependent protease; 3) Yeast protein AFG3 (or YTA10). This protein also contains an AAA domain followed by a zinc-dependent protease domain; 4) Subunits from regulatory complex of the 26S proteasome (Hilt *et al., Trends Biochem. Sci.* (1996) *21*:96), which is involved in the ATP-dependent degradation of ubiquitinated proteins, which subunits include: a) Mammalian 4 and homologs in other higher eukaryotes, in yeast (gene YTA5) and fission yeast (gene mts2); b) Mammalian 6 (TBP7) and homologs in other higher eukaryotes and in yeast (gene YTA2); c) Mammalian subunit 7 (MSS1) and homologs in other higher eukaryotes and in yeast (gene CIM5 or YTA3); d) Mammalian subunit 8 (P45) and homologs in other higher eukaryotes and in yeast (SUG1 or CIM3 or TBY1) and fission yeast (gene let1); e) Other probable subunits include human TBP1, which influences HIV gene expression by interacting with the virus tat transactivator protein, and yeast YTA1 and YTA6; 5) Yeast protein BCS1, a mitochondrial protein essential for the

expression of the Rieske iron-sulfur protein; 6) Yeast protein MSP1, a protein involved in intramitochondrial sorting of proteins; 7) Yeast protein PAS8, and the corresponding proteins PAS5 from Pichia pastoris and PAY4 from Yarrowia lipolytica; 8) Mouse protein SKD1 and its fission yeast homolog (SpAC2G11.06); 9) Caenorhabditis elegans meiotic spindle formation protein mei-1; 10) Yeast protein SAP1' 11) Yeast protein YTA7; and 12) Mycobacterium leprae hypothetical protein A2126A.

In general, the AAA domains in these proteins act as ATP-dependent protein clamps(Confalonieri *et al.* (1995) *BioEssays 17*:639). In addition to the ATP-binding 'A' and 'B' motifs, which are located in the N-terminal half of this domain, there is a highly conserved region located in the central part of the domain which was used in the development of the signature pattern. The consensus pattern is: [LIVMT]-x-[LIVMT]-[LIVMF]-x-[GATMC]-[ST]-[NS]-x(4)-[LIVM]- D-x-A-[LIFA]-x-R.

e) <u>Basic Region Plus Leucine Zipper Transcription Factors.</u> SEQ ID NO:374 correspond to a polynucleotide encoding a novel member of the family of basic region plus leucine zipper transcription factors. The bZIP superfamily (Hurst, *Protein Prof.* (1995) *2*:105; and Ellenberger, *Curr. Opin. Struct. Biol.* (1994) *4*:12) of eukaryotic DNA-binding transcription factors encompasses proteins that contain a basic region mediating sequence-specific DNA-binding followed by a leucine zipper required for dimerization. Members of the family include transcription factor AP-1, which binds selectively to enhancer elements in the cis control regions of SV40 and metallothionein IIA. AP-1, also known as c-jun, is the cellular homolog of the avian sarcoma virus 17 (ASV17) oncogene v-jun.

Other members of this protein family include jun-B and jun-D, probable transcription factors that are highly similar to jun/AP-1; the fos protein, a proto-oncogene that forms a non-covalent dimer with c-jun; the fos-related proteins fra-1, and fos B; and mammalian cAMP response element (CRE) binding proteins CREB, CREM, ATF-1, ATF-3, ATF-4, ATF-5, ATF-6 and LRF-1. The consensus pattern for this protein family is: [KR]-x(1,3)-[RKSAQ]-N-x(2)-[SAQ](2)-x-[RKTAENQ]-x-R-x-[RK].

f) <u>Bromodomain.</u> SEQ ID NO:97 corresponds to a polynucleotide encoding a polypeptide having a bromodomain region (Haynes et al., 1992, Nucleic Acids Res. 20:2693-2603, Tamkun et al., 1992, Cell 68:561-572, and Tamkun, 1995, Curr. Opin. Genet. Dev. 5:473-477), which is a conserved region of about 70 amino acids found in the following proteins: 1) Higher eukaryotes transcription initiation factor TFIID 250 Kd subunit (TBP-associated factor p250) (gene CCG1); P250 is associated with the TFIID TATA-box binding protein and seems essential for progression of the G1 phase of the cell

cycle. 2) Human RING3, a protein of unknown function encoded in the MHC class II locus; 3) Mammalian CREB-binding protein (CBP), which mediates cAMP-gene regulation by binding specifically to phosphorylated CREB protein; 4) Mammalian homologs of brahma, including three brahma-like human: SNF2a(hBRM), SNF2b, and BRG1; 5) Human BS69, a protein that binds to adenovirus E1A and inhibits E1A transactivation; 6) Human peregrin (or Br140).

The bromodomain is thought to be involved in protein-protein interactions and may be important for the assembly or activity of multicomponent complexes involved in transcriptional activation. The consensus pattern, which spans a major part of the bromodomain, is: [STANVF]-x(2)-F-x(4)-[DNS]-x(5,7)-[DENQTF]-Y-[HFY]-x(2)-[LIVMFY]-x(3)-[LIVM]-x(4)-[LIVM]-x(6,8)-Y-x(12,13)-[LIVM]-x(2)-N-[SACF]-x(2)-[FY].

g) <u>EF-Hand.</u> SEQ ID NOS:136, 242, and 379 correspond to polynucleotides encoding a novel protein in the family of EF-hand proteins. Many calcium-binding proteins belong to the same evolutionary family and share a type of calcium-binding domain known as the EF-hand (Kawasaki *et al.*, *Protein. Prof.* (1995) *2*:305-490). This type of domain consists of a twelve residue loop flanked on both sides by a twelve residue alpha-helical domain. In an EF-hand loop the calcium ion is coordinated in a pentagonal bipyramidal configuration. The six residues involved in the binding are in positions 1, 3, 5, 7, 9 and 12; these residues are denoted by X, Y, Z, -Y, -X and -Z. The invariant Glu or Asp at position 12 provides two oxygens for liganding Ca (bidentate ligand).

Proteins known to contain EF-hand regions include: Calmodulin (Ca=4, except in yeast where Ca=3) ("Ca=" indicates approximate number of EF-hand regions); diacylglycerol kinase (EC 2.7.1.107) (DGK) (Ca=2); 2) FAD-dependent glycerol-3-phosphate dehydrogenase (EC 1.1.99.5) from mammals (Ca=1); guanylate cyclase activating protein (GCAP) (Ca=3); MIF related proteins 8 (MRP-8 or CFAG) and 14 (MRP-14) (Ca=2); myosin regulatory light chains (Ca=1); oncomodulin (Ca=2); osteonectin (basement membrane protein BM-40) (SPARC); and proteins that contain an "osteonectin" domain (QR1, matrix glycoprotein SC1).

The consensus pattern includes the complete EF-hand loop as well as the first residue which follows the loop and which seem to always be hydrophobic.

Consensus pattern: D-x-[DNS]-{ILVFYW}-[DENSTG]-[DNQGHRK]-{GP}-[LIVMC]-[DENQSTAGC]-x(2)-[DE]-[LIVMFYW]

h) Eukaryotic Aspartyl Proteases. SEQ ID NO:308 corresponds to a gene encoding a novel eukaryotic aspartyl protease. Aspartyl proteases, known as acid proteases, (EC 3.4.23.-) are a widely distributed family of proteolytic enzymes (Foltmann B., *Essays Biochem.* (1981) *17*:52; Davies D.R., *Annu. Rev. Biophys. Chem.* (1990) *19*:189; Rao J.K.M., *et al.*, *Biochemistry* (1991) *30*:4663) known to exist in vertebrates, fungi, plants, retroviruses and some plant viruses. Aspartate proteases of eukaryotes are monomeric enzymes which consist of two domains. Each domain contains an active site centered on a catalytic aspartyl residue. The two domains most probably evolved from the duplication of an ancestral gene encoding a primordial domain. Currently known eukaryotic aspartyl proteases include: 1) Vertebrate gastric pepsins A and C (also known as gastricsin); 2) Vertebrate chymosin (rennin), involved in digestion and used for making cheese; 3) Vertebrate lysosomal cathepsins D (EC 3.4.23.5) and E (EC 3.4.23.34); 4) Mammalian renin (EC 3.4.23.15) whose function is to generate angiotensin I from angiotensinogen in the plasma; 5) Fungal proteases such as aspergillopepsin A (EC 3.4.23.18), candidapepsin (EC 3.4.23.24), mucoropepsin (EC 3.4.23.23) (mucor rennin), endothiapepsin (EC 3.4.23.22), polyporopepsin (EC 3.4.23.29), and rhizopuspepsin (EC 3.4.23.21); and 6) Yeast saccharopepsin (EC 3.4.23.25) (proteinase A) (gene PEP4). PEP4 is implicated in posttranslational regulation of vacuolar hydrolases; 7) Yeast barrierpepsin (EC 3.4.23.35) (gene BAR1); a protease that cleaves alpha-factor and thus acts as an antagonist of the mating pheromone; and 8) Fission yeast sxa1 which is involved in degrading or processing the mating pheromones.

Most retroviruses and some plant viruses, such as badnaviruses, encode for an aspartyl protease which is an homodimer of a chain of about 95 to 125 amino acids. In most retroviruses, the protease is encoded as a segment of a polyprotein which is cleaved during the maturation process of the virus. It is generally part of the pol polyprotein and, more rarely, of the gag polyprotein. Because the sequence around the two aspartates of eukaryotic aspartyl proteases and around the single active site of the viral proteases is conserved, a single signature pattern can be used to identify members of both groups of proteases. The consensus pattern is: [LIVMFGAC]-[LIVMTADN]-[LIVFSA]-D-[ST]-G-[STAV]-[STAPDENQ]- x-[LIVMFSTNC]-x-[LIVMFGTA], where D is the active site residue.

i) GATA Family of Transcription Factors. SEQ ID NO:213 corresponds to a novel member of the GATA family of transcription factors. The GATA family of transcription factors are proteins that bind to DNA sites with the consensus sequence (A/T)GATA(A/G), found within the regulatory region of a number of genes. Proteins currently known to belong

to this family are: 1) GATA-1 (Trainor, C.D., *et al.*, *Nature* (1990) *343*:92) (also known as Eryfl, GF-1 or NF-E1), which binds to the GATA region of globin genes and other genes expressed in erythroid cells. It is a transcriptional activator which probably serves as a general 'switch' factor for erythroid development; 2) GATA-2 (Lee, M.E., *et al.*, *J. Biol. Chem.* (1991) *266*:16188), a transcriptional activator which regulates endothelin-1 gene expression in endothelial cells; 3) GATA-3 (Ho, I.-C., *et al.*, *EMBO J.* (1991) *10*:1187), a transcriptional activator which binds to the enhancer of the T-cell receptor alpha and delta genes; 4) GATA-4 (Spieth, J., *et al.*, *Mol. Cell. Biol.* (1991) *11*:4651), a transcriptional activator expressed in endodermally derived tissues and heart; 5) Drosophila protein pannier (or DGATAa) (gene pnr) which acts as a repressor of the achaete-scute complex (as-c); 6) Bombyx mori BCFI (Drevet, J.R., *et al.*, *J. Biol. Chem.* (1994) *269*:10660), which regulates the expression of chorion genes; 7) Caenorhabditis elegans elt-1 and elt-2, transcriptional activators of genes containing the GATA region, including vitellogenin genes (Hawkins, M.G., *et al.*, *J. Biol. Chem.* (1995) *270*:14666); 8) Ustilago maydis urbs1 (Voisard, C.P.O., *et al.*, *Mol. Cell. Biol.* (1993) *13*:7091), a protein involved in the repression of the biosynthesis of siderophores; 9) Fission yeast protein GAF2.

All these transcription factors contain a pair of highly similar 'zinc finger' type domains with the consensus sequence C-x2-C-x17-C-x2-C. Some other proteins contain a single zinc finger motif highly related to those of the GATA transcription factors. These proteins are: 1) Drosophila box A-binding factor (ABF) (also known as protein serpent (gene srp)) which may function as a transcriptional activator protein and may play a key role in the organogenesis of the fat body; 2) Emericella nidulans are (Arst, H.N., Jr., *et al.*, *Trends Genet.* (1989) *5*:291) a transcriptional activator which mediates nitrogen metabolite repression; 3) Neurospora crassa nit-2 (Fu, Y.-H., *et al.*, *Mol. Cell. Biol.* (1990) *10*:1056), a transcriptional activator which turns on the expression of genes coding for enzymes required for the use of a variety of secondary nitrogen sources, during conditions of nitrogen limitation; 4) Neurospora crassa white collar proteins 1 and 2 (WC-1 and WC-2), which control expression of light-regulated genes; 5) Saccharomyces cerevisiae DAL81 (or UGA43), a negative nitrogen regulatory protein; 6) Saccharomyces cerevisiae GLN3, a positive nitrogen regulatory protein; 7) Saccharomyces cerevisiae GAT1; 8) Saccharomyces cerevisiae GZF3.

The consensus pattern for the GATA family is: C-x-[DN]-C-x(4,5)-[ST]-x(2)-W-[HR]-[RK]-x(3)-[GN]-x(3,4)-C-N-[AS]-C, where the four C's are zinc ligands.

j) G-Protein Alpha Subunit. SEQ ID NO:367 corresponds to a gene encoding a novel polypeptide of the G-protein alpha subunit family. Guanine nucleotide binding proteins (G-proteins) are a family of membrane-associated proteins that couple extracellularly-activated integral-membrane receptors to intracellular effectors, such as ion channels and enzymes that vary the concentration of second messenger molecules. G-proteins are composed of 3 subunits (alpha, beta and gamma) which, in the resting state, associate as a trimer at the inner face of the plasma membrane. The alpha subunit has a molecule of guanosine diphosphate (GDP) bound to it. Stimulation of the G-protein by an activated receptor leads to its exchange for GTP (guanosine triphosphate). This results in the separation of the alpha from the beta and gamma subunits, which always remain tightly associated as a dimer. Both the alpha and beta-gamma subunits are then able to interact with effectors, either individually or in a cooperative manner. The intrinsic GTPase activity of the alpha subunit hydrolyses the bound GTP to GDP. This returns the alpha subunit to its inactive conformation and allows it to reassociate with the beta-gamma subunit, thus restoring the system to its resting state.

G-protein alpha subunits are 350-400 amino acids in length and have molecular weights in the range 40-45 kDa. Seventeen distinct types of alpha subunit have been identified in mammals. These fall into 4 main groups on the basis of both sequence similarity and function: alpha-s, alpha-q, alpha-i and alpha-12 (Simon *et al.*, *Science* (1993) *252*:802). Many alpha subunits are substrates for ADP-ribosylation by cholera or pertussis toxins. They are often N-terminally acylated, usually with myristate and/or palmitoylate, and these fatty acid modifications are probably important for membrane association and high- affinity interactions with other proteins. The atomic structure of the alpha subunit of the G-protein involved in mammalian vision, transducin, has been elucidated in both GTP- and GDB-bound forms, and shows considerable similarity in both primary and tertiary structure in the nucleotide-binding regions to other guanine nucleotide binding proteins, such as p21-ras and EF-Tu.

k) Phorbol Esters/Diacylglycerol Binding. SEQ ID NO:188 and 251 represent polynucleotides encoding a protein belonging to the family including phorbol esters/diacylglycerol binding proteins. Diacylglycerol (DAG) is an important second messenger. Phorbol esters (PE) are analogues of DAG and potent tumor promoters that cause a variety of physiological changes when administered to both cells and tissues. DAG activates a family of serine/threonine protein kinases, collectively known as protein kinase C (PKC) (Azzi *et al.*, *Eur. J. Biochem.* (1992) *208*:547). Phorbol esters can directly stimulate PKC. The N-terminal region of PKC, known as C1, has been shown (Ono *et al.*, *Proc. Natl.*

Acad. Sci. USA (1989) *86*:4868) to bind PE and DAG in a phospholipid and zinc-dependent fashion. The C1 region contains one or two copies (depending on the isozyme of PKC) of a cysteine-rich domain about 50 amino-acid residues long and essential for DAG/PE-binding. Such a domain has also been found in, for example, the following proteins.

(1) Diacylglycerol kinase (EC 2.7.1.107) (DGK) (Sakane *et al.*, *Nature* (1990) *344*:345), the enzyme that converts DAG into phosphatidate. It contains two copies of the DAG/PE-binding domain in its N-terminal section. At least five different forms of DGK are known in mammals; and

(2) N-chimaerin, a brain specific protein which shows sequence similarities with the BCR protein at its C-terminal part and contains a single copy of the DAG/PE-binding domain at its N-terminal part. It has been shown (Ahmed *et al.*, *Biochem. J.* (1990) *272*:767, and Ahmed *et al.*, *Biochem. J.* (1991) *280*:233) to be able to bind phorbol esters.

The DAG/PE-binding domain binds two zinc ions; the ligands of these metal ions are probably the six cysteines and two histidines that are conserved in this domain. The signature pattern completely spans the DAG/PE domain. The consensus pattern is: H-x-[LIVMFYW]-x(8,11)-C-x(2)-C-x(3)-[LIVMFC]-x(5,10)-C-x(2)-C-x(4)-[HD]-x(2)-C-x(5,9)-C. All the C and H are probably involved in binding zinc.

l) Protein Kinase. SEQ ID NOS:202, 315, 367, and 397 represent polynucleotides encoding protein kinases. Protein kinases catalyze phosphorylation of proteins in a variety of pathways, and are implicated in cancer. Eukaryotic protein kinases (Hanks S.K., *et al.*, *FASEB J.* (1995) *9*:576; Hunter T., *Meth. Enzymol.* (1991) *200*:3; Hanks S.K., *et al.*, *Meth. Enzymol.* (1991) *200*:38; Hanks S.K., *Curr. Opin. Struct. Biol.* (1991) *1*:369; Hanks S.K., *et al.*, *Science* (1988) *241*:42) are enzymes that belong to a very extensive family of proteins which share a conserved catalytic core common to both serine/threonine and tyrosine protein kinases. There are a number of conserved regions in the catalytic domain of protein kinases. Two of the conserved regions are the basis for the signature pattern in the protein kinase profile. The first region, which is located in the N-terminal extremity of the catalytic domain, is a glycine-rich stretch of residues in the vicinity of a lysine residue, which has been shown to be involved in ATP binding. The second region, which is located in the central part of the catalytic domain, contains a conserved aspartic acid residue which is important for the catalytic activity of the enzyme (Knighton D.R., *et al.*, *Science* (1991) *253*:407). The protein kinase profile includes two signature patterns for this second region: one specific for serine/threonine kinases and the other for tyrosine kinases. A third profile is

based on the alignment in (Hanks S.K., *et al.*, *FASEB J.* (1995) *9*:576) and covers the entire catalytic domain. The consensus patterns are as follows:

1) Consensus pattern: [LIV]-G-{P}-G-{P}-[FYWMGSTNH]-[SGA]-{PW}-[LIVCAT]-{PD}-x-[GSTACLIVMFY]-x(5,18)-[LIVMFYWCSTAR]-[AIVP]-[LIVMFAGCKR]-K, where K binds ATP. The majority of known protein kinases are detected by this pattern. Proteins kinases that are not detected by this consensus include viral kinases, which are quite divergent in this region and are completely missed by this pattern.

2) Consensus pattern: [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-K-x(2)-N-[LIVMFYCT](3), where D is an active site residue. This consensus sequence identifies most serine/threonine-specific protein kinases with only 10 exceptions. Half of the exceptions are viral kinases, while the other exceptions include Epstein-Barr virus BGLF4 and Drosophila ninaC, which have Ser and Arg, respectively, instead of the conserved Lys. These latter two protein kinases are detected by the tyrosine kinase specific pattern described below.

3) Consensus pattern: [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-[RSTAC]-x(2)-N-[LIVMFYC], where D is an active site residue. All tyrosine-specific protein kinases are detected by this consensus pattern, with the exception of human ERBB3 and mouse blk. This pattern also detects most bacterial aminoglycoside phosphotransferases (Benner S., *Nature* (1987) *329*:21; Kirby R., *J. Mol. Evol.* (1992) *30*:489) and herpesviruses ganciclovir kinases (Littler E., *et al.*, *Nature* (1992) *358*:160), which are structurally and evolutionary related to protein kinases.

The protein kinase profile also detects receptor guanylate cyclases and 2-5A-dependent ribonucleases. Sequence similarities between these two families and the eukaryotic protein kinase family have been noticed previously. The profile also detects Arabidopsis thaliana kinase-like protein TMKL1 which seems to have lost its catalytic activity.

If a protein analyzed includes the two of the above protein kinase signatures, the probability of it being a protein kinase is close to 100%. Eukaryotic-type protein kinases have also been found in prokaryotes such as Myxococcus xanthus (Munoz-Dorado J., *et al.*, *Cell* (1991) *67*:995) and Yersinia pseudotuberculosis. The patterns shown above has been updated since their publication in (Bairoch A., *et al.*, *Nature* (1988) *331*:22).

m) Protein Phosphatase 2C. SEQ ID NO:256 corresponds to a polynucleotide encoding a novel protein phosphatase 2C (PP2C), which is one of the four major classes of mammalian serine/threonine specific protein phosphatases. PP2C (Wenk *et al.*, *FEBS Lett.*

(1992) *297*:135) is a monomeric enzyme of about 42 Kd which shows broad substrate specificity and is dependent on divalent cations (mainly manganese and magnesium) for its activity. Three isozymes are currently known in mammals: PP2C-alpha, -beta and -gamma.

n) Protein Tyrosine Phosphatase. SEQ ID NO:382 represents a polynucleotide encoding a protein tyrosine kinase. Tyrosine specific protein phosphatases (EC 3.1.3.48) (PTPase) (Fischer *et al.*, *Science* (1991) *253*:401; Charbonneau *et al.*, *Annu. Rev. Cell Biol.* (1992) *8*:463; Trowbridge, *J. Biol. Chem.* (1991) *266*:23517; Tonks *et al.*, *Trends Biochem. Sci.* (1989) *14*:497; and Hunter, *Cell* (1989) *58*:1013) catalyze the removal of a phosphate group attached to a tyrosine residue. These enzymes are very important in the control of cell growth, proliferation, differentiation and transformation. Multiple forms of PTPase have been characterized and can be classified into two categories: soluble PTPases and transmembrane receptor proteins that contain PTPase domain(s).

Soluble PTPases include PTPN3 (H1) and PTPN4 (MEG), enzymes that contain an N-terminal band 4.1-like domain and could act at junctions between the membrane and cytoskeleton; PTPN6 (PTP-1C; HCP; SHP) and PTPN11 (PTP-2C; SH-PTP3; Syp), enzymes that contain two copies of the SH2 domain at its N-terminal extremity.

Dual specificity PTPases include DUSP1 (PTPN10; MAP kinase phosphatase-1; MKP-1) which dephosphorylates MAP kinase on both Thr-183 and Tyr-185; and DUSP2 (PAC-1), a nuclear enzyme that dephosphorylates MAP kinases ERK1 and ERK2 on both Thr and Tyr residues.

Structurally, all known receptor PTPases are made up of a variable length extracellular domain, followed by a transmembrane region and a C-terminal catalytic cytoplasmic domain. Some of the receptor PTPases contain fibronectin type III (FN-III) repeats, immunoglobulin-like domains, MAM domains or carbonic anhydrase-like domains in their extracellular region. The cytoplasmic region generally contains two copies of the PTPAse domain. The first seems to have enzymatic activity, while the second is inactive but seems to affect substrate specificity of the first. In these domains, the catalytic cysteine is generally conserved but some other, presumably important, residues are not.

PTPase domains consist of about 300 amino acids. There are two conserved cysteines and the second one has been shown to be absolutely required for activity. Furthermore, a number of conserved residues in its immediate vicinity have also been shown to be important. The consensus pattern for PTPases is: [LIVMF]-H-C-x(2)-G-x(3)-[STC]-[STAGP]-x-[LIVMFY]; C is the active site residue.

o) <u>SH3 Domain.</u> SEQ ID NO:306 and 386 represent polynucleotides encoding SH3 domain proteins. The Src homology 3 (SH3) domain is a small protein domain of about 60 amino acid residues first identified as a conserved sequence in the non-catalytic part of several cytoplasmic protein tyrosine kinases (e.g. Src, Abl, Lck) (Mayer *et al.*, *Nature* (1988) *332*:272). The domain has also been found in a variety of intracellular or membrane-associated proteins (Musacchio *et al.*, *FEBS Lett.* (1992) *307*:55; Pawson *et al.*, *Curr. Biol.* (1993) *3*:434; Mayer *et al.*, *Trends Cell Biol.* (1993) *3*:8; and Pawson *et al.*, *Nature* (1995) *373*:573).

The SH3 domain has a characteristic fold that consists of five or six beta-strands arranged as two tightly packed anti-parallel beta sheets. The linker regions may contain short helices (Kuriyan *et al.*, *Curr. Opin. Struct. Biol.* (1993) *3*:828). It is believed that SH3 domain-containing proteins mediate assembly of specific protein complexes via binding to proline-rich peptides (Morton *et al.*, *Curr. Biol.* (1994) *4*:615). In general, SH3 domains are found as single copies in a given protein, but there is a significant number of proteins with two SH3 domains and a few with 3 or 4 copies.

SH3 domains have been identified in, for example, protein tyrosine kinases, such as the Src, Abl, Bkt, Csk and ZAP70 families of kinases; mammalian phosphatidylinositol-specific phospholipase C-gamma-1 and -2; mammalian phosphatidyl inositol 3-kinase regulatory p85 subunit; mammalian Ras GTPase-activating protein (GAP); mammalian Vav oncoprotein, a guanine nucleotide exchange factor of the CDC24 family; Drosophila lethal(1)discs large-1 tumor suppressor protein (gene Dlg1); mammalian tight junction protein ZO-1; vertebrate erythrocyte membrane protein p55; Caenorhabditis elegans protein lin-2; rat protein CASK; and mammalian synaptic proteins SAP90/PSD-95, CHAPSYN-110/PSD-93, SAP97/DLG1 and SAP102. Novel SH3-domain containing polypeptides will facilitate elucidation of the role of such proteins in important biological pathways, such as ras activation.

p) <u>Trypsin.</u> SEQ ID NO:169 corresponds to a novel serine protease of the trypsin family. The catalytic activity of the serine proteases from the trypsin family is provided by a charge relay system involving an aspartic acid residue hydrogen-bonded to a histidine, which itself is hydrogen-bonded to a serine. The sequences in the vicinity of the active site serine and histidine residues are well conserved in this family of proteases (Brenner S., *Nature* (1988) *334*:528). Proteases known to belong to the trypsin family include: 1) Acrosin; 2) Blood coagulation factors VII, IX, X, XI and XII, thrombin, plasminogen, and protein C; 3) Cathepsin G; 4) Chymotrypsins; 5) Complement components C1r, C1s, C2, and complement

factors B, D and I; 6) Complement-activating component of RA-reactive factor; 7) Cytotoxic cell proteases (granzymes A to H); 8) Duodenase I; 9) Elastases 1, 2, 3A, 3B (protease E), leukocyte (medullasin).; 10) Enterokinase (EC 3.4.21.9) (enteropeptidase); 11) Hepatocyte growth factor activator; 12) Hepsin; 13) Glandular (tissue) kallikreins (including EGF-binding protein types A, B, and C, NGF-gamma chain, gamma-renin, prostate specific antigen (PSA) and tonin); 14) Plasma kallikrein; 15) Mast cell proteases (MCP) 1 (chymase) to 8; 16) Myeloblastin (proteinase 3) (Wegener's autoantigen); 17) Plasminogen activators (urokinase-type, and tissue-type); 18) Trypsins I, II, III, and IV; 19) Tryptases; 20) Snake venom proteases such as ancrod, batroxobin, cerastobin, flavoxobin, and protein C activator; 21) Collagenase from common cattle grub and collagenolytic protease from Atlantic sand fiddler crab; 22) Apolipoprotein(a); 23) Blood fluke cercarial protease; 24) Drosophila trypsin like proteases: alpha, easter, snake-locus; 25) Drosophila protease stubble (gene sb); and 26) Major mite fecal allergen Der p III. All the above proteins belong to family S1 in the classification of peptidases (Rawlings N.D., *et al.*, *Meth. Enzymol.* (1994) *244*:19; http://www.expasy.ch/cgi-bin/lists?peptidas.txt) and originate from eukaryotic species. It should be noted that bacterial proteases that belong to family S2A are similar enough in the regions of the active site residues that they can be picked up by the same patterns.

The consensus patterns for this trypsin protein family are: 1) [LIVM]-[ST]-A-[STAG]-H-C, where H is the active site residue. All sequences known to belong to this class detected by the pattern, except for complement components C1r and C1s, pig plasminogen, bovine protein C, rodent urokinase, ancrod, gyroxin and two insect trypsins; 2) [DNSTAGC]-[GSTAPIMVQH]-x(2)-G-[DE]-S-G-[GS]-[SAPHV]- [LIVMFYWH]-[LIVMFYSTANQH], where S is the active site residue. All sequences known to belong to this family are detected by the above consensus sequences, except for 18 different proteases which have lost the first conserved glycine. If a protein includes both the serine and the histidine active site signatures, the probability of it being a trypsin family serine protease is 100%.

q) <u>WD Domain, G-Beta Repeats.</u> SEQ ID NOS:188 and 335 represent novel members of the WD domain/G-beta repeat family. Beta-transducin (G-beta) is one of the three subunits (alpha, beta, and gamma) of the guanine nucleotide-binding proteins (G proteins) which act as intermediaries in the transduction of signals generated by transmembrane receptors (Gilman, *Annu. Rev. Biochem.* (1987) *56*:615). The alpha subunit binds to and hydrolyzes GTP; the functions of the beta and gamma subunits are less clear but

they seem to be required for the replacement of GDP by GTP as well as for membrane anchoring and receptor recognition.

In higher eukaryotes, G-beta exists as a small multigene family of highly conserved proteins of about 340 amino acid residues. Structurally, G-beta consists of eight tandem repeats of about 40 residues, each containing a central Trp-Asp motif (this type of repeat is sometimes called a WD-40 repeat). Such a repetitive segment has been shown to exist in a number of other proteins including: human LIS1, a neuronal protein involved in type-1 lissencephaly; and mammalian coatomer beta' subunit (beta'-COP), a component of a cytosolic protein complex that reversibly associates with Golgi membranes to form vesicles that mediate biosynthetic protein transport.

The consensus pattern for the WD domain/G-Beta repeat family is: [LIVMSTAC]-[LIVMFYWSTAGC]-[LIMSTAG]-[LIVMSTAGC]-x(2)-[DN]-x(2)-[LIVMWSTAC]-x-[LIVMFSTAG]-W-[DEN]-[LIVMFSTAGCN].

r) <u>wnt Family of Developmental Signaling Proteins.</u> SEQ ID NO: 23, 291, 324, 330, 341, and 353 correspond to novel members of the wnt family of developmental signaling proteins. Wnt-1 (previously known as int-1), the seminal member of this family, (Nusse R., *Trends Genet.* (1988) *4*:291) is a proto-oncogene induced by the integration of the mouse mammary tumor virus. It is thought to play a role in intercellular communication and seems to be a signalling molecule important in the development of the central nervous system (CNS). The sequence of wnt-1 is highly conserved in mammals, fish, and amphibians. Wnt-1 was found to be a member of a large family of related proteins (Nusse R., *et al.*, *Cell* (1992) *69*:1073; McMahon A.P., *Trends Genet.* (1992) *8*:1; Moon R.T., *BioEssays* (1993) *15*:91) that are all thought to be developmental regulators. These proteins are known as wnt-2 (also known as irp), wnt-3, -3A, -4, -5A, -5B, -6, -7A, -7B, -8, -8B, -9 and -10. At least four members of this family are present in Drosophila; one of them, wingless (wg), is implicated in segmentation polarity. All these proteins share the following features characteristics of secretory proteins: a signal peptide, several potential N-glycosylation sites and 22 conserved cysteines that are probably involved in disulfide bonds. The Wnt proteins seem to adhere to the plasma membrane of the secreting cells and are therefore likely to signal over only few cell diameters. The consensus pattern, which is based upon a highly conserved region including three cysteines, is as follows: C-K-C-H-G-[LIVMT]-S-G-x-C. All sequences known to belong to this family are detected by the provided consensus pattern.

s) <u>Ww/rsp5/WWP Domain-Containing Proteins.</u> SEQ ID NOS:188, 379 , and 395 represent polynucleotides encoding a polypeptide in the family of WW/rsp5/WWP domain-

containing proteins. The WW domain (Bork *et al.*, *Trends Biochem. Sci.* (1994) *19*:531; Andre *et al.*, *Biochem. Biophys. Res. Commun.* (1994) *205*:1201; Hofmann *et al.*, *FEBS Lett.* (1995) *358*:153; and Sudol *et al.*, *FEBS Lett.* (1995) *369*:67), also known as rsp5 or WWP), was originally discovered as a short conserved region in a number of unrelated proteins, among them dystrophin, the gene responsible for Duchenne muscular dystrophy. The domain, which spans about 35 residues, is repeated up to 4 times in some proteins. It has been shown (Chen *et al.*, *Proc. Natl. Acad. Sci. USA* (1995) *92*:7819) to bind proteins with particular proline-motifs, [AP]-P-P-[AP]-Y, and thus resembles somewhat SH3 domains. It appears to contain beta-strands grouped around four conserved aromatic positions, generally Trp. The name WW or WWP derives from the presence of these Trp as well as that of a conserved Pro. It is frequently associated with other domains typical for proteins in signal transduction processes.

Proteins containing the WW domain include:

1. Dystrophin, a multidomain cytoskeletal protein. Its longest alternatively spliced form consists of an N-terminal actin-binding domain, followed by 24 spectrin-like repeats, a cysteine-rich calcium-binding domain and a C-terminal globular domain. Dystrophins form tetramers and is thought to have multiple functions including involvement in membrane stability, transduction of contractile forces to the extracellular environment and organization of membrane specialization. Mutations in the dystrophin gene lead to muscular dystrophy of Duchenne or Becker type. Dystrophin contains one WW domain C-terminal of the spectrin-repeats.

2. Vertebrate YAP protein, which is a substrate of an unknown serine kinase. It binds to the SH3 domain of the Yes oncoprotein via a proline-rich region. This protein appears in alternatively spliced isoforms, containing either one or two WW domains.

3. IQGAP, which is a human GTPase activating protein acting on ras. It contains an N-terminal domain similar to fly muscle mp20 protein and a C-terminal ras GTPase activator domain.

For the sensitive detection of WW domains, the profile spans the whole homology region as well as a pattern. The consensus for this family is: W-x(9,11)-[VFY]-[FYW]-x(6,7)-[GSTNE]-[GSTQCR]-[FYW]-x(2)-P.

t) <u>Zinc Finger, C2H2 Type.</u> SEQ ID NO:61, 306, and 386 correspond to polynucleotides encoding novel members of the of the C2H2 type zinc finger protein family. Zinc finger domains (Klug *et al.*, *Trends Biochem. Sci.* (1987) *12*:464; Evans *et al.*, *Cell* (1988) *52*:1; Payre *et al.*, *FEBS Lett.* (1988) *234*:245; Miller *et al.*, *EMBO J.* (1985) *4*:1609;

and Berg, *Proc. Natl. Acad. Sci. USA* (1988) *85*:99) are nucleic acid-binding protein structures first identified in the Xenopus transcription factor TFIIIA. These domains have since been found in numerous nucleic acid-binding proteins. A zinc finger domain is composed of 25 to 30 amino acid residues. Two cysteine or histidine residues are positioned at both extremities of the domain, which are involved in the tetrahedral coordination of a zinc atom. It has been proposed that such a domain interacts with about five nucleotides.

Many classes of zinc fingers are characterized according to the number and positions of the histidine and cysteine residues involved in the zinc atom coordination. In the first class to be characterized, called C2H2, the first pair of zinc coordinating residues are cysteines, while the second pair are histidines. A number of experimental reports have demonstrated the zinc-dependent DNA or RNA binding property of some members of this class.

Mammalian proteins having a C2H2 zipper include (number in parenthesis indicates number of zinc finger regions in the protein): basonuclin (6), BCL-6/LAZ-3 (6), erythroid krueppel-like transcription factor (3), transcription factors Sp1 (3), Sp2 (3), Sp3 (3) and Sp(4) 3, transcriptional repressor YY1 (4), Wilms' tumor protein (4), EGR1/Krox24 (3), EGR2/Krox20 (3), EGR3/Pilot (3), EGR4/AT133 (4), Evi-1 (10), GLI1 (5), GLI2 (4+), GLI3 (3+), HIV-EP1/ZNF40 (4), HIV-EP2 (2), KR1 (9+), KR2 (9), KR3 (15+), KR4 (14+), KR5 (11+), HF.12 (6+), REX-1 (4), ZfX (13), ZfY (13), Zfp-35 (18), ZNF7 (15), ZNF8 (7), ZNF35 (10), ZNF42/MZF-1 (13), ZNF43 (22), ZNF46/Kup (2), ZNF76 (7), ZNF91 (36), ZNF133 (3).

In addition to the conserved zinc ligand residues, it has been shown that a number of other positions are also important for the structural integrity of the C2H2 zinc fingers. (Rosenfeld *et al.*, *J. Biomol. Struct. Dyn.* (1993) *11*:557) The best conserved position is found four residues after the second cysteine; it is generally an aromatic or aliphatic residue.

The consensus pattern for C2H2 zinc fingers is: C-x(2,4)-C-x(3)-[LIVMFYWC]-x(8)-H-x(3,5)-H. The two C's and two H's are zinc ligands.

u) Zinc Finger, CCHC Class. SEQ ID NO:322 corresponds to a polynucleotide encoding a novel member of the zinc finger CCHC family. The CCHC zinc finger protein family to date has been mostly composed of retroviral gag proteins (nucleocapsid). The prototype structure of this family is from HIV. The family also contains members involved in eukaryotic gene regulation, such as C. elegans GLH-1. The consensus sequence of this family is based upon the common structure of an 18-residue zinc finger.

v) Zinc-Binding Metalloprotease Domain. SEQ ID NO:306 and 395 represent polynucleotides encoding novel members of the zinc-binding metalloprotease domain protein family. The majority of zinc-dependent metallopeptidases (with the notable exception of the carboxypeptidases) share a common pattern of primary structure (Jongeneel *et al.*, *FEBS Lett.* (1989) *242*:211; Murphy *et al.*, *FEBS Lett.* (1991) *289*:4; and Bode *et al.*, *Zoology* (1996) *99*:237) in the part of their sequence involved in the binding of zinc, and can be grouped together as a superfamily, known as the metzincins, on the basis of this sequence similarity. Examples of these proteins include: 1) Angiotensin-converting enzyme (EC 3.4.15.1) (dipeptidyl carboxypeptidase I) (ACE), the enzyme responsible for hydrolyzing angiotensin I to angiotensin II. 2) Mammalian extracellular matrix metalloproteinases (known as matrixins) (Woessner, *FASEB J.* (1991) *5*:2145): MMP-1 (EC 3.4.24.7) (interstitial collagenase), MMP-2 (EC 3.4.24.24) (72 Kd gelatinase), MMP-9 (EC 3.4.24.35) (92 Kd gelatinase), MMP-7 (EC 3.4.24.23) (matrylisin), MMP-8 (EC 3.4.24.34) (neutrophil collagenase), MMP-3 (EC 3.4.24.17) (stromelysin-1), MMP-10 (EC 3.4.24.22) (stromelysin-2), and MMP-11 (stromelysin-3), MMP-12 (EC 3.4.24.65) (macrophage metalloelastase). 3) Endothelin-converting enzyme 1 (EC 3.4.24.71) (ECE-1), which processes the precursor of endothelin to release the active peptide.

A signature pattern which includes the two histidine and the glutamic acid residues is sufficient to detect this superfamily of proteins, having the consensus pattern: [GSTALIVN]-x(2)-H-E-[LIVMFYW]-{DEHRKP}-H-x-[LIVMFYWGSPQ]. The two H's are zinc ligands, and E is the active site residue.

Example 4: Differential Expression of Polynucleotides of the Invention : Description of Libraries and Detection of Differential Expression

The relative expression levels of the polynucleotides of the invention was assessed in several libraries prepared from various sources, including cell lines and patient tissue samples. Table 4 provides a summary of these libraries, including the shortened library name (used hereafter), the mRNA source used to prepared the cDNA library, the "nickname" of the library that is used in the tables below (in quotes), and the approximate number of clones in the library.

Table 4 Description of cDNA Libraries

Library (lib #)	Description	Number of Clones in this Clustering
1	Km12 L4 Human Colon Cell Line, High Metastatic Potential (derived from Km12C) "High Colon"	307133
2	Km12C Human Colon Cell Line, Low Metastatic Potential "Low Colon"	284755
3	MDA-MB-231 Human Breast Cancer Cell Line, High Metastatic Potential; micro-metastases in lung "High Breast"	326937
4	MCF7 Human Breast Cancer Cell, Non Metastatic "Low Breast"	318979
8	MV-522 Human Lung Cancer Cell Line, High Metastatic Potential "High Lung"	223620
9	UCP-3 Human Lung Cancer Cell Line, Low Metastatic Potential "Low Lung"	312503
12	Human microvascular endothelial cells (HMEC) – Untreated PCR (OligodT) cDNA library	41938
13	Human microvascular endothelial cells (HMEC) – bFGF treated PCR (OligodT) cDNA library	42100
14	Human microvascular endothelial cells (HMEC) – VEGF treated PCR (OligodT) cDNA library	42825
15	Normal Colon – UC#2 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	34285
16	Colon Tumor – UC#2 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	35625
17	Liver Metastasis from Colon Tumor of UC#2 Patient PCR (OligodT) cDNA library "High Colon Metastasis Tissue"	36984
18	Normal Colon – UC#3 Patient PCR (OligodT) cDNA library "Normal Colon Tumor Tissue"	36216
19	Colon Tumor – UC#3 Patient PCR (OligodT) cDNA library "High Colon Tumor Tissue"	41388
20	Liver Metastasis from Colon Tumor of UC#3 Patient PCR (OligodT) cDNA library "High Colon Metastasis Tissue"	30956

The KM12L4 and KM12C cell lines are described in Example 1 above. The MDA-MB-231 cell line was originally isolated from pleural effusions (Cailleau, *J. Natl. Cancer. Inst.* (1974) *53*:661), is of high metastatic potential, and forms poorly differentiated adenocarcinoma grade II in nude mice consistent with breast carcinoma. The MCF7 cell line was derived from a pleural effusion of a breast adenocarcinoma and is non-metastatic. The MV-522 cell line is derived from a human lung carcinoma and is of high metastatic potential. The UCP-3 cell line is a low metastatic human lung carcinoma cell line; the MV-522 is a high metastatic variant of UCP-3. These cell lines are well-recognized in the art as models for the study of human breast and lung cancer (see, *e.g.*, Chandrasekaran *et al.*, *Cancer Res.* (1979) *39*:870 (MDA-MB-231 and MCF-7); Gastpar *et al.*, *J Med Chem* (1998) *41*:4965 (MDA-MB-231 and MCF-7); Ranson *et al.*, *Br J Cancer* (1998) *77*:1586 (MDA-MB-231 and MCF-7); Kuang *et al.*, *Nucleic Acids Res* (1998) *26*:1116 (MDA-MB-231 and MCF-7); Varki *et al.*, *Int J Cancer* (1987) *40*:46 (UCP-3); Varki *et al.*, *Tumour Biol.* (1990) *11*:327; (MV-522 and UCP-3); Varki *et al.*, *Anticancer Res.* (1990) *10*:637; (MV-522); Kelner *et al.*, *Anticancer Res* (1995) *15*:867 (MV-522); and Zhang *et al.*, *Anticancer Drugs* (1997) *8*:696 (MV522)). The samples of libraries 15-20 are derived from two different patients (UC#2, and UC#3).

Each of the libraries is composed of a collection of cDNA clones that in turn are representative of the mRNAs expressed in the indicated mRNA source. In order to facilitate the analysis of the millions of sequences in each library, the sequences were assigned to clusters. The concept of "cluster of clones" is derived from a sorting/grouping of cDNA clones based on their hybridization pattern to a panel of roughly 300 7bp oligonucleotide probes (see Drmanac *et al.*, *Genomics* (1996) *37*(1):29). Random cDNA clones from a tissue library are hybridized at moderate stringency to 300 7bp oligonucleotides. Each oligonucleotide has some measure of specific hybridization to that specific clone. The combination of 300 of these measures of hybridization for 300 probes equals the "hybridization signature" for a specific clone. Clones with similar sequence will have similar hybridization signatures. By developing a sorting/grouping algorithm to analyze these signatures, groups of clones in a library can be identified and brought together computationally. These groups of clones are termed "clusters". Depending on the stringency of the selection in the algorithm (similar to the stringency of hybridization in a classic library cDNA screening protocol), the "purity" of each cluster can be controlled. For example, artifacts of clustering may occur in computational clustering just as artifacts can occur in "wet-lab" screening of a cDNA library with 400 bp cDNA fragments, at even the

highest stringency. The stringency used in the implementation of cluster herein provides groups of clones that are in general from the same cDNA or closely related cDNAs. Closely related clones can be a result of different length clones of the same cDNA, closely related clones from highly related gene families, or splice variants of the same cDNA.

Differential expression for a selected cluster was assessed by first determining the number of cDNA clones corresponding to the selected cluster in the first library (Clones in 1st), and the determining the number of cDNA clones corresponding to the selected cluster in the second library (Clones in 2nd). Differential expression of the selected cluster in the first library relative to the second library is expressed as a "ratio" of percent expression between the two libraries. In general, the "ratio" is calculated by: 1) calculating the percent expression of the selected cluster in the first library by dividing the number of clones corresponding to a selected cluster in the first library by the total number of clones analyzed from the first library; 2) calculating the percent expression of the selected cluster in the second library by dividing the number of clones corresponding to a selected cluster in a second library by the total number of clones analyzed from the second library; 3) dividing the calculated percent expression from the first library by the calculated percent expression from the second library. If the "number of clones" corresponding to a selected cluster in a library is zero, the value is set at 1 to aid in calculation. The formula used in calculating the ratio takes into account the "depth" of each of the libraries being compared, *i.e.*, the total number of clones analyzed in each library.

In general, a polynucleotide is said to be significantly differentially expressed between two samples when the ratio value is greater than at least about 2, preferably greater than at least about 3, more preferably greater than at least about 5 , where the ratio value is calculated using the method described above. The significance of differential expression is determined using a z score test (Zar, Biostatistical Analysis, Prentice Hall, Inc., USA, "Differences between Proportions," pp 296-298 (1974).

Tables 5 to 7 (inserted before the claims) show the number of clones in each of the above libraries that were analyzed for differential expression. Examples of differentially expressed polynucleotides of particular interest are described in more detail below.

Example 5: Polynucleotides Differentially Expressed in High Metastatic Potential Breast Cancer Cells Versus Low Metastatic Breast Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential breast cancer tissue and low

metastatic breast cancer cells. Expression of these sequences in breast cancer can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential breast cancer cells and low metastatic potential breast cancer cells.

Table 8. Differentially expressed polynucleotides: High metastatic potential breast cancer vs. low metastatic breast cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
9	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
42	High Breast > Low Breast (Lib3 > Lib4)	307	196	75	2.549721
52	High Breast > Low Breast (Lib3 > Lib4)	19	1364	525	2.534854
62	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
65	High Breast > Low Breast (Lib3 > Lib4)	5749	9	0	8.780930
66	High Breast > Low Breast (Lib3 > Lib4)	6455	6	0	5.853953
68	High Breast > Low Breast (Lib3 > Lib4)	6455	6	0	5.853953
114	High Breast > Low Breast (Lib3 > Lib4)	2030	32	4	7.805271
123	High Breast > Low Breast (Lib3 > Lib4)	3389	13	2	6.341782
144	High Breast > Low Breast (Lib3 > Lib4)	4623	12	2	5.853953
172	High Breast > Low Breast (Lib3 > Lib4)	102	278	116	2.338217
178	High Breast > Low Breast (Lib3 > Lib4)	3681	10	1	9.756589
214	High Breast > Low Breast (Lib3 > Lib4)	3900	8	1	7.805271
219	High Breast > Low Breast (Lib3 > Lib4)	3389	13	2	6.341782
223	High Breast > Low Breast (Lib3 > Lib4)	1399	19	7	2.648217
258	High Breast > Low Breast (Lib3 > Lib4)	4837	10	0	9.756589
317	High Breast > Low Breast (Lib3 > Lib4)	1577	25	3	8.130490
379	High Breast > Low Breast (Lib3 > Lib4)	260	27	2	13.17139
4	Low Breast > High Breast (Lib4 > Lib3)	3706	22	4	5.637215
39	Low Breast > High Breast (Lib4 > Lib3)	4016	6	0	6.149690
74	Low Breast > High Breast (Lib4 > Lib3)	6268	18	3	6.149690
81	Low Breast > High Breast (Lib4 > Lib3)	40392	8	1	8.199586
130	Low Breast > High Breast (Lib4 > Lib3)	13183	7	0	7.174638
157	Low Breast > High Breast (Lib4 > Lib3)	5417	9	0	9.224535
162	Low Breast > High Breast (Lib4 > Lib3)	9685	7	0	7.174638
183	Low Breast > High Breast (Lib4 > Lib3)	7337	16	3	5.466391
202	Low Breast > High Breast (Lib4 > Lib3)	6124	9	1	9.224535
298	Low Breast > High Breast (Lib4 > Lib3)	1037	22	4	5.637215
338	Low Breast > High Breast (Lib4 > Lib3)	689	36	17	2.170478
384	Low Breast > High Breast (Lib4 > Lib3)	697	72	30	2.459876
386	Low Breast > High Breast (Lib4 > Lib3)	4568	9	0	9.224535
388	Low Breast > High Breast (Lib4 > Lib3)	5622	13	2	6.662164

Example 6: Polynucleotides Differentially Expressed in High Metastatic Potential Lung Cancer Cells Versus Low Metastatic Lung Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential lung cancer tissue and low metastatic lung cancer cells. Expression of these sequences in lung cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells are associated can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A patient sample displaying an increased level of one or more of these

polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential lung cancer cells and low metastatic potential lung cancer cells:

Table 9 Differentially expressed polynucleotides: High metastatic potential lung cancer vs. low metastatic lung cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
400	High Lung > Low Lung (Lib8 > Lib 9)	14929	23	16	2.008868
9	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
34	High Lung > Low Lung (Lib8 > Lib9)	5832	5	0	6.987366
42	High Lung > Low Lung (Lib8 > Lib9)	307	79	27	4.088903
62	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
74	High Lung > Low Lung (Lib8 > Lib9)	6268	5	0	6.987366
106	High Lung > Low Lung (Lib8 > Lib9)	10717	8	0	11.17978
119	High Lung > Low Lung (Lib8 > Lib9)	8	1355	122	15.52111
361	High Lung > Low Lung (Lib8 > Lib9)	1120	5	0	6.987366
369	High Lung > Low Lung (Lib8 > Lib9)	2790	6	0	8.384840
371	High Lung > Low Lung (Lib8 > Lib9)	8847	6	1	8.384840
379	High Lung > Low Lung (Lib8 > Lib9)	260	15	0	20.96210
395	High Lung > Low Lung (Lib8 > Lib9)	13538	9	1	12.57726
135	Low Lung > High Lung (Lib9 > Lib8)	36313	30	1	21.46731
154	Low Lung > High Lung (Lib9 > Lib8)	5345	27	6	3.220097
160	Low Lung > High Lung (Lib9 > Lib8)	4386	21	3	5.009039
260	Low Lung > High Lung (Lib9 > Lib8)	4141	27	4	4.830145
308	Low Lung > High Lung (Lib9 > Lib8)	15855	213	12	12.70149
323	Low Lung > High Lung (Lib9 > Lib8)	5257	25	5	3.577885
349	Low Lung > High Lung (Lib9 > Lib8)	2797	14	1	10.01807
381	Low Lung > High Lung (Lib9 > Lib8)	2428	19	2	6.797982

Example 7: Polynucleotides Differentially Expressed in High Metastatic Potential Colon Cancer Cells Versus Low Metastatic Colon Cancer Cells

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential colon cancer tissue and low

metastatic colon cancer cells. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells can be indicative of increased expression of genes or regulatory sequences involved in the metastatic process. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment. In another example, sequences that display higher expression in the low metastatic potential cells can be associated with genes or regulatory sequences that inhibit metastasis, and thus the expression of these polynucleotides in a sample may warrant a more positive prognosis than the gross pathology would suggest.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential colon cancer cells and low metastatic potential colon cancer cells:

Table 11: Differentially expressed polynucleotides: High metastatic potential colon cancer vs. low metastatic colon cancer cells

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
1	High Colon > Low Colon (Lib1 > Lib2)	6660	7	0	6.489973
176	High Colon > Low Colon (Lib1 > Lib2)	3765	19	6	2.935940
241	High Colon > Low Colon (Lib1 > Lib2)	4275	11	2	5.099264
362	High Colon > Low Colon (Lib1 > Lib2)	6420	8	0	7.417112
374	High Colon > Low Colon (Lib1 > Lib2)	6420	8	0	7.417112
39	Low Colon > High Colon (Lib2 > Lib1)	4016	14	5	3.020043
97	Low Colon > High Colon (Lib2 > Lib1)	945	21	9	2.516702
134	Low Colon > High Colon (Lib2 > Lib1)	2464	19	5	4.098630
317	Low Colon > High Colon (Lib2 > Lib1)	1577	40	12	3.595289
357	Low Colon > High Colon (Lib2 > Lib1)	4309	13	4	3.505407

Example 8: Polynucleotides Differentially Expressed at Higher Levels in High Metastatic Potential Colon Cancer Patient Tissue Versus Normal Patient Tissue

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high metastatic potential colon cancer tissue and normal tissue. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information. For example, sequences that are highly expressed in the high metastatic potential cells are associated can be

indicative of increased expression of genes or regulatory sequences involved in the advanced disease state which involves processes such as angiogenesis, dedifferentiation, cell replication, and metastasis. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant more aggressive treatment.

The differential expression of these polynucleotides can be used as a diagnostic marker, a prognostic marker, for risk assessment, patient treatment and the like. These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential colon cancer cells and normal colon cells:

Table 11: Differentially expressed polynucleotides: High metastatic potential colon tissue vs. normal colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
52	High Colon Metastasis Tissue > Normal Colon Tissue of UC#3 (Lib20 > Lib18)	19	10	0	11.69918
52	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	19	13	2	6.025646
172	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	102	65	22	2.738930

Example 9: Polynucleotides Differentially Expressed at Higher Levels in High Colon Tumor Potential Patient Tissue Versus Metastasized Colon Cancer Patient Tissue

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high tumor potential colon cancer tissue and cells derived from high metastatic potential colon cancer cells. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information associated with the transformation of precancerous tissue to malignant tissue. This information can be useful in the prevention of achieving the advanced malignant state in these tissues, and can be important in risk assessment for a patient.

The following table summarizes identified polynucleotides with differential expression between high tumor potential colon cancer tissue and cells derived from high metastatic potential colon cancer cells:

Table 12: Differentially expressed polynucleotides: High tumor potential colon tissue vs. metastatic colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
52	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	19	69	10	5.160829
119	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	8	14	1	10.47124
172	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	102	43	10	3.216168

Example 10: Polynucleotides Differentially Expressed at Higher Levels in High Tumor Potential Colon Cancer Patient Tissue Versus Normal Patient Tissue

A number of polynucleotide sequences have been identified that are differentially expressed between cells derived from high tumor potential colon cancer tissue and normal tissue. Expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can be important in risk assessment for a patient. For example, sequences that are highly expressed in the potential colon cancer cells are associated with or can be indicative of increased expression of genes or regulatory sequences involved in early tumor progression. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant closer attention or more frequent screening procedures to catch the malignant state as early as possible.

The following table summarizes identified polynucleotides with differential expression between high metastatic potential colon cancer cells and normal colon cells:

Table 13: Differentially expressed polynucleotides: High tumor potential colon tissue vs. normal colon tissue

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
52	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	19	13	2	6.255508
288	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	1267	7	0	6.125253
52	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	19	69	0	60.37750
119	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	8	14	1	12.25050
172	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	102	43	7	5.375222

Example 11: Polynucleotides Differentially Expressed Across Multiple Libraries

A number of polynucleotide sequences have been identified that are differentially expressed between cancerous cells and normal cells across all three tissue types tested (*i.e.*, breast, colon, and lung). Expression of these sequences in a tissue or any origin can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can be important in risk assessment for a patient. These polynucleotides can also serve as non-tissue specific markers of, for example, risk of metastasis of a tumor. The following table summarizes identified polynucleotides that were differentially expressed but without tissue type-specificity in the breast, colon, and lung libraries tested.

Table 14: Polynucleotides Differentially Expressed Across Multiple Library Comparisons

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1st Library	Clones in 2nd Library	Ratio
9	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
39	Low Breast > High Breast (Lib4 > Lib3)	4016	6	0	6.149690
	Low Colon > High Colon (Lib2 > Lib1)	4016	14	5	3.020043
42	High Breast > Low Breast (Lib3 > Lib4)	307	196	75	2.549721
	High Lung > Low Lung (Lib8 > Lib9)	307	79	27	4.088903
52	High Breast > Low Breast (Lib3 > Lib4)	19	1364	525	2.534854
	High Colon Metastasis Tissue > Normal Colon Tissue of UC#3 (Lib20 > Lib18)	19	10	0	11.69918
	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	19	13	2	6.025646
	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	19	69	10	5.160829
	High Colon Tumor Tissue > Normal Tissue of UC#2 (Lib16 > Lib15)	19	13	2	6.255508
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	19	69	0	60.37750
62	High Breast > Low Breast (Lib3 > Lib4)	2623	31	4	7.561356
	High Lung > Low Lung (Lib8 > Lib9)	2623	6	1	8.384840
74	High Lung > Low Lung (Lib8 > Lib9)	6268	5	0	6.987366
	Low Breast > High Breast (Lib4 > Lib3)	6268	18	3	6.149690
119	High Colon Tumor Tissue > Metastasis Tissue of UC#3 (Lib19 > Lib20)	8	14	1	10.47124
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	8	14	1	12.25050
	High Lung > Low Lung (Lib8 > Lib9)	8	1355	122	15.52111
172	High Breast > Low Breast (Lib3 > Lib4)	102	278	116	2.338217
	High Colon Metastasis Tissue > Normal Tissue in UC#2 (Lib17 > Lib15)	102	65	22	2.738930
	High Colon Tumor Tissue > Metastasis	102	43	10	3.216168

SEQ ID NO.	Differential Expression	Cluster ID	Clones in 1^{st} Library	Clones in 2^{nd} Library	Ratio
	Tissue of UC#3 (Lib19 > Lib20)				
	High Colon Tumor Tissue > Normal Tissue of UC#3 (Lib19 > Lib18)	102	43	7	5.375222
317	High Breast > Low Breast (Lib3 > Lib4)	1577	25	3	8.130490
	Low Colon > High Colon (Lib2 > Lib1)	1577	40	12	3.595289
379	High Breast > Low Breast (Lib3 > Lib4)	260	27	2	13.17139
	High Lung > Low Lung (Lib8 > Lib9)	260	15	0	20.96210

<u>Example 12:</u> <u>Polynucleotides Exhibiting Colon-Specific Expression</u>

The cDNA libraries described herein were also analyzed to identify those polynucleotides that were specifically expressed in colon cells or tissue, *i.e.*, the polynucleotides were identified in libraries prepared from colon cell lines or tissue, but not in libraries of breast or lung origin. The polynucleotides that were expressed in a colon cell line and/or in colon tissue, but were present in the breast or lung cDNA libraries described herein, are shown in Table 15.

Table 15 Polynucleotides specifically expressed in colon cells.

SEQ ID NO.	Cluster	Clones in 1^{st} Library	Clones in 2^{nd} Library	SEQ ID NO.	Cluster	Clones in 1^{st} Library	Clones in 2^{nd} Library
5	36535	2	0	229	39648	2	0
13	27250	2	0	231	85064	1	0
19	16283	3	0	234	39391	2	0
24	16918	4	0	236	39498	2	0
26	40108	2	0	242	22113	3	0
32	32663	1	1	247	19255	2	0
43	39833	2	0	252	22814	3	0
47	18957	3	0	253	39563	2	0
48	39508	2	0	254	39420	2	0
56	7005	8	2	257	39412	2	0
58	18957	3	0	261	38085	2	0
59	18957	3	0	265	40054	1	0
60	16283	3	0	266	39423	2	0
64	13238	4	1	267	39453	2	0
70	39442	2	0	270	78091	1	0
71	17036	4	0	276	39168	2	0
73	7005	8	2	277	39458	2	0
83	11476	6	0	278	14391	3	1
86	39425	2	0	279	39195	2	0
94	21847	2	1	282	12977	5	0
100	16731	3	1	284	14391	3	1
101	12439	4	0	290	16347	4	0
113	17055	4	0	293	39478	2	0
120	67907	1	0	294	39392	2	0
121	12081	4	0	297	39180	2	0
124	39174	2	0	299	6867	7	3

SEQ ID NO.	Cluster	Clones in 1st Library	Clones in 2nd Library	SEQ ID NO.	Cluster	Clones in 1st Library	Clones in 2nd Library
126	8210	2	6	301	41633	1	1
128	40455	2	0	302	23218	3	0
139	22195	3	0	303	39380	2	0
143	86859	1	0	309	84328	1	0
150	8672	4	4	314	14367	3	0
153	16977	4	0	320	39886	2	0
156	17036	4	0	324	9061	5	2
159	40044	2	0	327	16653	3	1
161	40044	2	0	328	16985	4	0
163	22155	3	0	329	12977	5	0
166	15066	4	0	330	9061	5	2
170	11465	5	0	333	16392	3	0
176	3765	19	6	342	39486	2	0
181	86110	1	0	344	6874	6	3
182	39648	2	0	345	6874	6	3
185	17076	4	0	353	11494	4	0
186	22794	2	0	354	17062	3	0
187	39171	2	0	355	16245	4	0
194	40455	2	0	356	83103	1	0
199	16317	3	0	358	13072	4	1
210	39186	2	0	366	14364	1	0
211	40122	2	0	368	84182	1	0
218	26295	2	0	372	56020	1	0
222	4665	5	9	389	7514	5	3
226	82498	1	0	391	7570	5	3
227	35702	2	0	393	23210	3	0

In addition to the above, SEQ ID NOS:159 and 161 were each present in one clone in each of Lib16 (Normal Colon Tumor Tissue), and SEQ ID NOS:344 and 345 were each present in one clone in Lib17 (High Colon Metastasis Tissue). No clones corresponding to the colon-specific polynucleotides in the table above were present in any of Libraries 3, 4, 8, or 9. The polynucleotide provided above can be used as markers of cells of colon origin, and find particular use in reference arrays, as described above.

Example 13: Identification of Contiguous Sequences Having a Polynucleotide of the Invention

The novel polynucleotides were used to screen publicly available and proprietary databases to determine if any of the polynucleotides of SEQ ID NOS:1-404 would facilitate identification of a contiguous sequence, *e.g.*, the polynucleotides would provide sequence that would result in 5' extension of another DNA sequence, resulting in production of a longer contiguous sequence composed of the provided polynucleotide and the other DNA sequence(s). Contiging was performed using the AssemblyLign program with the following

parameters: 1) Overlap: Minimum Overlap Length: 30; % Stringency: 50; Minimum Repeat Length: 30; Alignment: gap creation penalty: 1.00, gap extension penalty: 1.00; 2) Consensus: % Base designation threshold: 80.

Using these parameters, 44 polynucleotides provided contiged sequences. These contiged sequences are provided as SEQ ID NOS:801-844. The contiged sequences can be correlated with the sequences of SEQ ID NOS:1-404 upon which the contiged sequences are based by identifying those sequences of SEQ ID NOS:1-404 and the contiged sequences of SEQ ID NOS:801-844 that share the same clone name in Table 1. It should be noted that of these 44 sequences that provided a contiged sequence, the following members of that group of 44 did not contig using the overlap settings indicated in parentheses (Stringency/Overlap): SEQ ID NO:804 (30%/10); SEQ ID NO:810 (20%/20); SEQ ID NO:812 (30%/10); SEQ ID NO:814 (40%/20); SEQ ID NO:816 (30%/10); SEQ ID NO:832 (30%/10); SEQ ID NO:840 (20%/20); SEQ ID NO:841 (40%/20). To generalize, the indicated polynucleotides did not contig using a minimum 20% stringency, 10 overlap. There was a corresponding increase in the number of degenerate codons in these sequences.

The contiged sequences (SEQ ID NO:801-844) thus represent longer sequences that encompass a polynucleotide sequence of the invention. The contiged sequences were then translated in all three reading frames to determine the best alignment with individual sequences using the BLAST programs as described above for SEQ ID NOS:1-404 and the validation sequences SEQ ID NOS:405-800. Again the sequences were masked using the XBLAST profram for masking low complexity as described above in Example 1 (Table 2). Several of the contiged sequences were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein families (and thus represent new members of these protein families) and/or comprising a known functional domain (Table 16). Thus the invention encompasses fragments, fusions, and variants of such polynucleotides that retain biological activity associated with the protein family and/or functional domain identified herein.

Table 16. Profile hits using contiged sequences

SEQ ID NO.	Sequence Name	Profile	Start (Stop)	Score
809	Contig_RTA00000177AF.n.18.3. Seq_THC123051	ATPases	778 (1612)	6040
824	Contig_RTA00000187AF.g.24.1. Seq_THC168636	homeobox	531 (707)	12080
824	Contig_RTA00000187AF.g.24.1. Seq_THC168636	MAP kinase kinase	769 (1494)	5784
833	Contig_RTA00000190AF.j.4.1. Seq_THC228776	protein kinase	170 (1010)	5027
833	Contig_RTA00000190AF.j.4.1. Seq_THC228776	protein kinase	170 (1010)	5027

All stop/start sequences are provided in the forward direction.

The profiles for the ATPases (AAA) and protein kinase families are described above in Example 2. The homeobox and MAP kinase kinase protein families are described further below.

Homeobox domain. The 'homeobox' is a protein domain of 60 amino acids (Gehring In: Guidebook to the Homeobox Genes, Duboule D., Ed., pp1-10, Oxford University Press, Oxford, (1994); Buerglin In: Guidebook to the Homeobox Genes, pp25-72, Oxford University Press, Oxford, (1994); Gehring *Trends Biochem. Sci.* (1992) *17*:277-280; Gehring *et al Annu. Rev. Genet.* (1986) *20*:147-173; Schofield *Trends Neurosci.* (1987) *10*:3-6; http://copan.bioz.unibas.ch/ homeo.html) first identified in number of Drosophila homeotic and segmentation proteins. It is extremely well conserved in many other animals, including vertebrates. This domain binds DNA through a helix-turn-helix type of structure. Several proteins that contain a homeobox domain play an important role in development. Most of these proteins are sequence-specific DNA-binding transcription factors. The homeobox domain is also very similar to a region of the yeast mating type proteins. These are sequence-specific DNA-binding proteins that act as master switches in yeast differentiation by controlling gene expression in a cell type-specific fashion.

A schematic representation of the homeobox domain is shown below. The helix-turn-helix region is shown by the symbols 'H' (for helix), and 't' (for turn).

```
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxHHHHHHHHtttHHHHHHHHHxxxxxxxxxx
1                                                          60
```

The pattern detects homeobox sequences 24 residues long and spans positions 34 to 57 of the homeobox domain. The consensus pattern is as follows: [LIVMFYG]-[ASLVR]-x(2)-[LIVMSTACN]-x-[LIVM]-x(4)-[LIV]-[RKNQESTAIY]-[LIVFSTNKH]-W-[FYVC]-x-[NDQTAH]-x(5)-[RKNAIMW].

MAP kinase kinase (MAPKK). MAP kinases (MAPK) are involved in signal transduction, and are important in cell cycle and cell growth controls. The MAP kinase kinases (MAPKK) are dual-specificity protein kinases which phosphorylate and activate MAP kinases. MAPKK homologues have been found in yeast, invertebrates, amphibians, and mammals. Moreover, the MAPKK/MAPK phosphorylation switch constitutes a basic module activated in distinct pathways in yeast and in vertebrates. MAPKK regulation studies have led to the discovery of at least four MAPKK convergent pathways in higher organisms. One of these is similar to the yeast pheromone response pathway which includes the ste11 protein kinase. Two other pathways require the activation of either one or both of the serine/threonine kinase-encoded oncogenes c-Raf-1 and c-Mos. Additionally, several studies suggest a possible effect of the cell cycle control regulator cyclin-dependent kinase 1 (cdc2) on MAPKK activity. Finally, MAPKKs are apparently essential transducers through which signals must pass before reaching the nucleus. For review, see, *e.g.*, Biologique *Biol Cell* (1993) *79*:193-207; Nishida *et al.*, *Trends Biochem Sci* (1993) *18*:128-31; Ruderman *Curr Opin Cell Biol* (1993) *5*:207-13; Dhanasekaran *et al.*, *Oncogene* (1998) *17*:1447-55; Kiefer *et al.*, *Biochem Soc Trans* (1997) *25*:491-8; and Hill, *Cell Signal* (1996) *8*:533-44.

Those skilled in the art will recognize, or be able to ascertain, using not more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such specific embodiments and equivalents are intended to be encompassed by the following claims.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it is readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the appended claims.

Deposit Information:

The following materials were deposited with the American Type Culture Collection: CMCC = (Chiron Master Culture Collection)

Cell Lines Deposited with ATCC

Cell Line	**Deposit Date**	**ATCC Accession No.**	**CMCC Accession No.**
KM12L4-A	March 19, 1998	CRL-12496	11606
Km12C	May 15, 1998	CRL-12533	11611
MDA-MB-231	May 15, 1998	CRL-12532	10583
MCF-7	October 9, 1998	CRL-12584	10377

CDNA Library Deposits

cDNA Library ES1 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001395A:C03	4016	79.A1.sp6:130016.Seq
M00001395A:C03	4016	RTA00000118A.c.4.1
M00001449A:D12	3681	RTA00000131A.g.15.2
M00001449A:D12	3681	79.E1.sp6:130064.Seq
M00001452A:D08	1120	79.C2.sp6:130041.Seq
M00001452A:D08	1120	RTA00000118A.p.15.3
M00001513A:B06	4568	79.D4.sp6:130055.Seq
M00001513A:B06	4568	RTA00000122A.d.15.3
M00001517A:B07	4313	79.F4.sp6:130079.Seq
M00001517A:B07	4313	RTA00000122A.n.3.1
M00001533A:C11	2428	RTA00000123A.l.21.1
M00001533A:C11	2428	79.A5.sp6:130020.Seq
M00001533A:C11	2428	RTA00000123A.l.21.1.Seq_THC205063
M00001542A:A09	22113	79.F5.sp6:130080.Seq
M00001542A:A09	22113	RTA00000125A.c.7.1

cDNA Library ES2 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001343C:F10	2790	80.E1.sp6:130256.Seq
M00001343C:F10	2790	RTA00000177AF.e.2.1.Seq_THC229461
M00001343C:F10	2790	RTA00000177AF.e.2.1
M00001343D:H07	23255	100.C1.sp6:131446.Seq
M00001343D:H07	23255	RTA00000177AF.e.14.3.Seq_THC228776
M00001343D:H07	23255	80.F1.sp6:130268.Seq
M00001343D:H07	23255	RTA00000177AF.e.14.3
M00001345A:E01	6420	172.E1.sp6:133925.Seq
M00001345A:E01	6420	RTA00000177AF.f.10.3
M00001345A:E01	6420	RTA00000177AF.f.10.3.Seq_THC226443
M00001345A:E01	6420	80.G1.sp6:130280.Seq
M00001347A:B10	13576	80.D2.sp6:130245.Seq
M00001347A:B10	13576	100.E1.sp6:131470.Seq
M00001347A:B10	13576	RTA00000177AF.g.16.1
M00001353A:G12	8078	80.E3.sp6:130258.Seq
M00001353A:G12	8078	RTA00000177AR.l.13.1
M00001353A:G12	8078	172.C3.sp6:133903.Seq
M00001353D:D10	14929	RTA00000177AF.m.1.2
M00001353D:D10	14929	80.F3.sp6:130270.Seq
M00001353D:D10	14929	172.D3.sp6:133915.Seq
M00001361A:A05	4141	80.B4.sp6:130223.Seq
M00001361A:A05	4141	RTA00000177AF.p.20.3
M00001362B:D10	5622	80.D4.sp6:130247.Seq
M00001362B:D10	5622	RTA00000178AF.a.11.1

cDNA Library ES3 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001362C:H11	945	RTA00000178AR.a.20.1
M00001362C:H11	945	100.E4.sp6:131473.Seq
M00001362C:H11	945	80.E4.sp6:130259.Seq
M00001362C:H11	945	180.C2.sp6:135940.Seq
M00001376B:G06	17732	RTA00000178AR.i.2.2
M00001376B:G06	17732	80.B5.sp6:130224.Seq
M00001387A:C05	2464	80.D6.sp6:130249.Seq
M00001387A:C05	2464	RTA00000178AF.n.18.1
M00001412B:B10	8551	RTA00000179AF.p.21.1
M00001412B:B10	8551	80.G7.sp6:130286.Seq
M00001415A:H06	13538	80.B8.sp6:130227.Seq
M00001415A:H06	13538	RTA00000180AF.a.24.1
M00001416B:H11	8847	80.C8.sp6:130239.Seq
M00001416B:H11	8847	RTA00000180AF.b.16.1
M00001429D:D07	40392	RTA00000180AF.j.8.1
M00001429D:D07	40392	80.H9.sp6:130300.Seq
M00001448D:H01	36313	80.A11.sp6:130218.Seq
M00001448D:H01	36313	RTA00000181AF.e.23.1

cDNA Library ES4 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001463C:B11	19	RTA00000182AF.b.7.1
M00001463C:B11	19	89.D1.sp6:130703.Seq
M00001470A:B10	1037	89.F2.sp6:130728.Seq
M00001470A:B10	1037	RTA00000121A.f.8.1
M00001497A:G02	2623	89.F3.sp6:130729.Seq
M00001497A:G02	2623	RTA00000183AF.a.6.1
M00001500A:E11	2623	RTA00000183AF.b.14.1
M00001500A:E11	2623	89.A4.sp6:130670.Seq
M00001501D:C02	9685	RTA00000183AF.c.11.1.Seq_THC109544
M00001501D:C02	9685	RTA00000183AF.c.11.1
M00001501D:C02	9685	89.C4.sp6:130694.Seq
M00001504C:H06	6974	89.F4.sp6:130730.Seq
M00001504C:H06	6974	RTA00000183AF.d.9.1
M00001504C:H06	6974	RTA00000183AF.d.9.1.Seq_THC223129
M00001504D:G06	6420	173.F5.SP6:134133.Seq
M00001504D:G06	6420	89.G4.sp6:130742.Seq
M00001504D:G06	6420	RTA00000183AF.d.11.1.Seq_THC226443
M00001504D:G06	6420	RTA00000183AF.d.11.1
M00001528A:C04	35555	89.B6.sp6:130684.Seq
M00001528A:C04	7337	RTA00000123A.b.17.1
M00001528A:C04	35555	184.A5.sp6:135530.Seq

cDNA Library ES5 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001537B:G07	3389	RTA00000183AF.m.19.1
M00001537B:G07	3389	89.A8.sp6:130674.Seq
M00001541A:D02	3765	89.C8.sp6:130698.Seq
M00001541A:D02	3765	RTA00000135A.d.1.1
M00001544B:B07	6974	89.A9.sp6:130675.Seq
M00001544B:B07	6974	RTA00000184AF.a.15.1
M00001546A:G11	1267	89.D9.sp6:130711.Seq
M00001546A:G11	1267	RTA00000125A.o.5.1
M00001549B:F06	4193	89.G9.sp6:130747.Seq
M00001549B:F06	4193	RTA00000184AF.e.13.1
M00001556A:F11	1577	173.C9.SP6:134101.Seq
M00001556A:F11	1577	89.F11.sp6:130737.Seq
M00001556A:F11	1577	RTA00000184AF.i.23.1
M00001556B:C08	4386	RTA00000184AF.j.4.1
M00001556B:C08	4386	89.H11.sp6:130761.Seq

cDNA Library ES6 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001563B:F06	102	RTA00000184AF.o.5.1
M00001563B:F06	102	90.B1.sp6:130871.Seq
M00001571C:H06	5749	90.E1.sp6:130907.Seq
M00001571C:H06	5749	RTA00000185AF.a.19.1
M00001594B:H04	260	90.D2.sp6:130896.Seq
M00001594B:H04	260	RTA00000185AR.i.12.2
M00001597C:H02	4837	90.E2.sp6:130908.Seq
M00001597C:H02	4837	RTA00000185AR.k.3.2
M00001624C:F01	4309	90.C4.sp6:130886.Seq
M00001624C:F01	4309	RTA00000186AF.e.22.1
M00001679A:A06	6660	90.F6.sp6:130924.Seq
M00001679A:A06	6660	122.B5.sp6:132089.Seq
M00001679A:A06	6660	RTA00000187AF.h.15.1
M00003759B:B09	697	90.G8.sp6:130938.Seq
M00003759B:B09	697	RTA00000188AF.d.6.1
M00003759B:B09	697	RTA00000188AF.d.6.1.Seq_THC178884
M00003844C:B11	6539	176.D9.sp6:134556.Seq
M00003844C:B11	6539	RTA00000189AF.d.22.1
M00003844C:B11	6539	90.B10.sp6:130880.Seq
M00003857A:G10	3389	90.A11.sp6:130869.Seq
M00003857A:G10	3389	RTA00000189AF.g.3.1

cDNA Library ES7 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003914C:F05	3900	99.E1.sp6:131278.Seq
M00003914C:F05	3900	RTA00000190AF.g.13.1
M00003922A:E06	23255	RTA00000190AF.j.4.1
M00003922A:E06	23255	99.F1.sp6:131290.Seq
M00003922A:E06	23255	RTA00000190AF.j.4.1.Seq_THC228776
M00003983A:A05	9105	99.C3.sp6:131256.Seq
M00003983A:A05	9105	RTA00000191AF.a.21.2
M00004028D:A06	6124	RTA00000191AR.e.2.3
M00004028D:A06	6124	99.D3.sp6:131268.Seq
M00004031A:A12	9061	RTA00000191AR.e.11.2
M00004031A:A12	9061	RTA00000191AR.e.11.3
M00004087D:A01	6880	RTA00000191AF.m.20.1
M00004087D:A01	6880	99.A5.sp6:131234.Seq
M00004108A:E06	4937	99.E5.sp6:131282.Seq
M00004108A:E06	4937	RTA00000191AF.p.21.1
M00004114C:F11	13183	123.D5.sp6:132305.Seq
M00004114C:F11	13183	RTA00000192AF.a.24.1
M00004114C:F11	13183	99.G5.sp6:131306.Seq

cDNA Library ES8 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004146C:C11	5257	99.B6.sp6:131247.Seq
M00004146C:C11	5257	177.F5.sp6:134768.Seq
M00004146C:C11	5257	RTA00000192AF.f.3.1
M00004146C:C11	5257	RTA00000192AF.f.3.1.Seq_THC213833
M00004157C:A09	6455	RTA00000192AF.g.23.1
M00004157C:A09	6455	99.D6.sp6:131271.Seq
M00004157C:A09	6455	123.E7.sp6:132319.Seq
M00004172C:D08	11494	RTA00000192AF.j.6.1
M00004172C:D08	11494	99.G6.sp6:131307.Seq
M00004172C:D08	11494	177.E6.sp6:134757.Seq
M00004229B:F08	6455	RTA00000193AF.b.9.1
M00004229B:F08	6455	99.C8.sp6:131261.Seq

cDNA Library ES9 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001466A:E07	4275	RTA00000120A.j.14.1
M00001531A:H11		89.F6.sp6:130732.Seq
M00001531A:H11		RTA00000123A.g.19.1
M00001551A:B10	6268	79.G9.sp6:130096.Seq
M00001551A:B10	6268	184.C12.sp6:135561.Seq
M00001551A:B10	6268	RTA00000126A.o.23.1
M00001552A:B12	307	RTA00000136A.o.4.2
M00001552A:B12	307	79.C7.sp6:130046.Seq
M00001556A:H01	15855	RTA00000184AF.j.1.1
M00001586C:C05	4623	RTA00000185AF.f.4.1
M00001604A:B10	1399	79.G8.sp6:130095.Seq
M00001604A:B10	1399	RTA00000129A.o.10.1
M00003879B:C11	5345	RTA00000189AF.l.19.1
M00003879B:C11	5345	90.B12.sp6:130882.Seq

cDNA Library ES10 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001358C:C06		RTA00000177AF.o.4.3
M00001388D:G05	5832	80.F6.sp6:130273.Seq
M00001388D:G05	5832	RTA00000178AF.o.23.1
M00001394A:F01	6583	RTA00000179AF.d.13.1
M00001394A:F01	6583	172.B8.sp6:133896.Seq
M00001394A:F01	6583	80.H6.sp6:130297.Seq
M00001429A:H04	2797	RTA00000180AF.i.19.1
M00001447A:G03	10717	RTA00000181AF.d.10.1
M00001448D:C09	8	80.H10.sp6:130301.Seq
M00001448D:C09	8	RTA00000181AF.e.17.1
M00001448D:C09	8	100.B11.sp6:131444.Seq
M00001454D:G03	689	RTA00000181AR.l.22.1

cDNA Library ES11 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003975A:G11	12439	RTA00000190AF.o.24.1
M00003978B:G05	5693	RTA00000190AF.p.17.2.Seq_THC173318
M00003978B:G05	5693	RTA00000190AF.p.17.2
M00004059A:D06	5417	RTA00000191AF.h.19.1
M00004068B:A01	3706	99.C4.sp6:131257.Seq
M00004068B:A01	3706	RTA00000191AF.i.17.2
M00004205D:F06		99.E7.sp6:131284.Seq
M00004205D:F06		177.G7.sp6:134782.Seq
M00004205D:F06		RTA00000192AF.o.11.1
M00004212B:C07	2379	RTA00000192AF.p.8.1
M00004223A:G10	16918	RTA00000193AF.a.16.1

cDNA Library ES12 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004223B:D09	7899	RTA00000193AF.a.17.1
M00004249D:G12		RTA00000193AF.c.22.1
M00004251C:G07		RTA00000193AF.d.2.1
M00004372A:A03	2030	RTA00000193AF.m.20.1

cDNA Library ES13 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001340B:A06	17062	80.A1.sp6:130208.Seq
M00001340B:A06	17062	RTA00000177AF.b.8.4
M00001340D:F10	11589	80.B1.sp6:130220.Seq
M00001340D:F10	11589	RTA00000177AF.b.17.4
M00001341A:E12	4443	80.C1.sp6:130232.Seq
M00001341A:E12	4443	RTA00000177AF.b.20.4
M00001342B:E06	39805	80.D1.sp6:130244.Seq
M00001342B:E06	39805	RTA00000177AF.c.21.3
M00001346A:F09	5007	RTA00000177AF.g.2.1
M00001346A:F09	5007	80.H1.sp6:130292.Seq
M00001346D:G06	5779	RTA00000177AF.g.14.3
M00001346D:G06	5779	RTA00000177AF.g.14.1
M00001348B:B04	16927	80.E2.sp6:130257.Seq
M00001348B:B04	16927	RTA00000177AF.h.9.3
M00001348B:G06	16985	RTA00000177AF.h.10.1
M00001348B:G06	16985	80.F2.sp6:130269.Seq
M00001349B:B08	3584	RTA00000177AF.h.20.1
M00001349B:B08	3584	80.G2.sp6:130281.Seq
M00001350A:H01	7187	100.C2.sp6:131447.Seq
M00001350A:H01	7187	80.A3.sp6:130210.Seq
M00001350A:H01	7187	RTA00000177AF.i.8.2
M00001352A:E02	16245	RTA00000177AF.k.9.3
M00001352A:E02	16245	172.D2.sp6:133914.Seq
M00001352A:E02	16245	80.D3.sp6:130246.Seq
M00001355B:G10	14391	RTA00000177AF.m.17.3
M00001355B:G10	14391	80.G3.sp6:130282.Seq
M00001355B:G10	14391	172.H3.sp6:133963.Seq
M00001355B:G10	14391	100.E3.sp6:131472.Seq
M00001361D:F08	2379	80.C4.sp6:130235.Seq
M00001361D:F08	2379	RTA00000178AF.a.6.1
M00001365C:C10	40132	RTA00000178AF.c.7.1
M00001365C:C10	40132	80.F4.sp6:130271.Seq
M00001368D:E03		80.G4.sp6:130283.Seq
M00001368D:E03		RTA00000178AF.d.20.1
M00001370A:C09	6867	80.H4.sp6:130295.Seq
M00001370A:C09	6867	RTA00000178AF.e.12.1
M00001371C:E09	7172	100.A5.sp6:131426.Seq
M00001371C:E09	7172	RTA00000178AF.f.9.1
M00001371C:E09	7172	80.A5.sp6:130212.Seq
M00001378B:B02	39833	80.C5.sp6:130236.Seq
M00001378B:B02	39833	RTA00000178AF.i.23.1
M00001379A:A05	1334	80.D5.sp6:130248.Seq
M00001379A:A05	1334	RTA00000178AF.j.7.1
M00001380D:B09	39886	RTA00000178AF.j.24.1
M00001380D:B09	39886	80.E5.sp6:130260.Seq
M00001381D:E06		80.F5.sp6:130272.Seq
M00001381D:E06		RTA00000178AF.k.16.1
M00001382C:A02	22979	80.G5.sp6:130284.Seq
M00001382C:A02	22979	RTA00000178AF.k.22.1
M00001384B:A11		80.B6.sp6:130225.Seq
M00001384B:A11		RTA00000178AF.m.13.1
M00001386C:B12	5178	80.C6.sp6:130237.Seq

cDNA Library ES13 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001386C:B12	5178	RTA00000178AF.n.10.1
M00001387B:G03	7587	80.E6.sp6:130261.Seq
M00001387B:G03	7587	RTA00000178AF.n.24.1
M00001389A:C08	16269	RTA00000178AF.p.1.1
M00001389A:C08	16269	80.G6.sp6:130285.Seq
M00001396A:C03	4009	172.D8.sp6:133920.Seq
M00001396A:C03	4009	80.A7.sp6:130214.Seq
M00001396A:C03	4009	RTA00000179AF.e.20.1
M00001400B:H06		172.B9.sp6:133897.Seq
M00001400B:H06		80.B7.sp6:130226.Seq
M00001400B:H06		RTA00000179AF.j.13.1
M00001400B:H06		RTA00000179AF.j.13.1.Seq_THC105720
M00001402A:E08	39563	80.C7.sp6:130238.Seq
M00001402A:E08	39563	RTA00000179AF.k.20.1
M00001407B:D11	5556	RTA00000179AF.n.10.1
M00001407B:D11	5556	80.D7.sp6:130250.Seq
M00001410A:D07	7005	180.H5.sp6:136003.Seq
M00001410A:D07	7005	RTA00000179AF.o.22.1
M00001410A:D07	7005	80.F7.sp6:130274.Seq
M00001414A:B01		RTA00000180AF.a.9.1
M00001414A:B01		80.H7.sp6:130298.Seq
M00001414C:A07		80.A8.sp6:130215.Seq
M00001414C:A07		RTA00000180AF.a.11.1
M00001416A:H01	7674	79.C1.sp6:130040.Seq
M00001416A:H01	7674	RTA00000118A.g.9.1
M00001417A:E02	36393	RTA00000180AF.c.2.1
M00001417A:E02	36393	80.D8.sp6:130251.Seq
M00001423B:E07	15066	RTA00000180AF.e.24.1
M00001423B:E07	15066	80.H8.sp6:130299.Seq
M00001424B:G09	10470	80.A9.sp6:130216.Seq
M00001424B:G09	10470	RTA00000180AF.f.18.1
M00001425B:H08	22195	RTA00000180AF.g.7.1
M00001425B:H08	22195	80.B9.sp6:130228.Seq
M00001426B:D12		RTA00000180AF.g.22.1
M00001426B:D12		80.C9.sp6:130240.Seq
M00001426D:C08	4261	80.D9.sp6:130252.Seq
M00001426D:C08	4261	RTA00000180AF.h.5.1
M00001428A:H10	84182	100.G9.sp6:131502.Seq
M00001428A:H10	84182	RTA00000180AF.h.19.1
M00001428A:H10	84182	80.E9.sp6:130264.Seq
M00001449A:A12	5857	80.B11.sp6:130230.Seq
M00001449A:A12	5857	RTA00000118A.g.14.1
M00001449A:B12	41633	80.C11.sp6:130242.Seq
M00001449A:B12	41633	RTA00000118A.g.16.1
M00001449A:G10	36535	RTA00000181AF.f.5.1
M00001449A:G10	36535	80.D11.sp6:130254.Seq
M00001449A:G10	36535	100.D11.sp6:131468.Seq
M00001449C:D06	86110	RTA00000181AF.f.12.1
M00001449C:D06	86110	80.E11.sp6:130266.Seq
M00001450A:A02	39304	RTA00000118A.j.21.1.Seq_THC151859
M00001450A:A02	39304	RTA00000118A.j.21.1
M00001450A:A02	39304	79.F1.sp6:130076.Seq

cDNA Library ES13 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001450A:A02	39304	180.G9.sp6:135995.Seq
M00001450A:A11	32663	80.F11.sp6:130278.Seq
M00001450A:A11	32663	RTA00000118A.l.8.1
M00001450A:B12	82498	100.F11.sp6:131492.Seq
M00001450A:B12	82498	RTA00000118A.m.10.1
M00001450A:B12	82498	79.G1.sp6:130088.Seq
M00001450A:D08	27250	80.G11.sp6:130290.Seq
M00001450A:D08	27250	180.B10.sp6:135936.Seq
M00001450A:D08	27250	RTA00000181AF.g.10.1
M00001452A:B04	84328	RTA00000118A.p.10.1
M00001452A:B04	84328	79.A2.sp6:130017.Seq
M00001452A:B12	86859	RTA00000118A.p.8.1
M00001452A:B12	86859	79.B2.sp6:130029.Seq
M00001452A:F05	85064	RTA00000131A.m.23.1
M00001452A:F05	85064	79.D2.sp6:130053.Seq
M00001452C:B06	16970	80.H11.sp6:130302.Seq
M00001452C:B06	16970	100.C12.sp6:131457.Seq
M00001452C:B06	16970	RTA00000181AR.i.18.2
M00001453A:E11	16130	80.A12.sp6:130219.Seq
M00001453A:E11	16130	100.D12.sp6:131469.Seq
M00001453A:E11	16130	RTA00000119A.c.13.1
M00001453C:F06	16653	80.B12.sp6:130231.Seq
M00001453C:F06	16653	RTA00000181AF.k.5.3
M00001454A:A09	83103	RTA00000119A.e.24.2
M00001454A:A09	83103	79.G2.sp6:130089.Seq
M00001454B:C12	7005	121.D1.sp6:131917.Seq
M00001454B:C12	7005	RTA00000181AF.k.24.1
M00001454B:C12	7005	80.C12.sp6:130243.Seq
M00001455B:E12	13072	80.F12.sp6:130279.Seq
M00001455B:E12	13072	RTA00000181AR.m.5.2
M00001460A:F06	2448	89.A1.sp6:130667.Seq
M00001460A:F06	2448	RTA00000119A.j.21.1
M00001461A:D06	1531	89.C1.sp6:130691.Seq
M00001461A:D06	1531	RTA00000119A.o.3.1
M00001465A:B11	10145	79.F3.sp6:130078.Seq
M00001465A:B11	10145	RTA00000120A.g.12.1
M00001467A:B07	38759	89.F1.sp6:130727.Seq
M00001467A:B07	38759	RTA00000120A.m.12.3
M00001467A:D04	39508	RTA00000120A.o.2.1
M00001467A:D04	39508	89.G1.sp6:130739.Seq
M00001467A:E10	39442	89.A2.sp6:130668.Seq
M00001467A:E10	39442	RTA00000120A.o.21.1
M00001468A:F05	7589	RTA00000120A.p.23.1
M00001468A:F05	7589	89.B2.sp6:130680.Seq
M00001469A:A01		RTA00000121A.c.10.1
M00001469A:A01		89.C2.sp6:130692.Seq
M00001469A:C10	12081	89.D2.sp6:130704.Seq
M00001469A:C10	12081	RTA00000133A.d.14.2
M00001469A:H12	19105	89.E2.sp6:130716.Seq
M00001469A:H12	19105	RTA00000133A.e.15.1
M00001470A:C04	39425	89.G2.sp6:130740.Seq
M00001470A:C04	39425	RTA00000133A.f.1.1

cDNA Library ES13 - ATCC#

Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001471A:B01	39478	89.H2.sp6:130752.Seq
M00001471A:B01	39478	RTA00000133A.i.5.1
M00001487B:H06		RTA00000182AF.l.15.1
M00001487B:H06		89.B3.sp6:130681.Seq
M00001488B:F12		RTA00000182AF.l.20.1
M00001488B:F12		89.C3.sp6:130693.Seq
M00001494D:F06	7206	RTA00000182AF.o.15.1
M00001494D:F06	7206	89.E3.sp6:130717.Seq
M00001499B:A11	10539	RTA00000183AF.a.24.1
M00001499B:A11	10539	89.G3.sp6:130741.Seq
M00001499B:A11	10539	173.B5.SP6:134085.Seq
M00001500A:C05	5336	RTA00000183AF.b.13.1
M00001500A:C05	5336	89.H3.sp6:130753.Seq
M00001504A:E01		RTA00000183AF.c.24.1
M00001504A:E01		89.D4.sp6:130706.Seq
M00001504A:E01		RTA00000183AF.c.24.1.Seq_THC125912
M00001504C:A07	10185	RTA00000183AF.d.5.1
M00001504C:A07	10185	89.E4.sp6:130718.Seq
M00001505C:C05		89.H4.sp6:130754.Seq
M00001505C:C05		RTA00000183AF.e.1.1
M00001506D:A09		89.A5.sp6:130671.Seq
M00001506D:A09		RTA00000183AF.e.23.1
M00001506D:A09		121.G6.sp6:131958.Seq
M00001507A:H05	39168	RTA00000121A.l.10.1
M00001507A:H05	39168	89.B5.sp6:130683.Seq
M00001535A:F10	39423	79.C5.sp6:130044.Seq
M00001535A:F10	39423	RTA00000134A.k.22.1
M00001541A:H03	39174	79.E5.sp6:130068.Seq
M00001541A:H03	39174	RTA00000124A.n.13.1
M00001544A:G02	19829	79.H5.sp6:130104.Seq
M00001544A:G02	19829	RTA00000125A.h.24.4
M00001545A:D08	13864	RTA00000125A.m.9.1
M00001545A:D08	13864	79.B6.sp6:130033.Seq
M00001551A:F05	39180	RTA00000126A.n.8.2
M00001551A:F05	39180	79.A7.sp6:130022.Seq
M00001552A:D11	39458	RTA00000126A.p.15.2
M00001552A:D11	39458	79.D7.sp6:130058.Seq
M00001557A:F03	39490	RTA00000128A.b.4.1

cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001511A:H06	39412	RTA00000133A.k.17.1
M00001511A:H06	39412	89.C5.sp6:130695.Seq
M00001512A:A09	39186	89.D5.sp6:130707.Seq
M00001512A:A09	39186	RTA00000121A.p.15.1
M00001512D:G09	3956	89.E5.sp6:130719.Seq
M00001512D:G09	3956	173.H5.SP6:134157.Seq
M00001512D:G09	3956	RTA00000183AF.g.3.1
M00001513B:G03		RTA00000183AF.g.9.1
M00001513B:G03		89.F5.sp6:130731.Seq
M00001513B:G03		RTA00000183AF.g.9.1.Seq_THC198280
M00001513C:E08	14364	RTA00000183AF.g.12.1
M00001513C:E08	14364	89.G5.sp6:130743.Seq
M00001514C:D11	40044	RTA00000183AF.g.22.1
M00001514C:D11	40044	RTA00000183AF.g.22.1.Seq_THC232899
M00001514C:D11	40044	89.H5.sp6:130755.Seq
M00001518C:B11	8952	89.A6.sp6:130672.Seq
M00001518C:B11	8952	RTA00000183AF.h.15.1
M00001528B:H04	8358	89.D6.sp6:130708.Seq
M00001528B:H04	8358	RTA00000183AF.i.5.1
M00001531A:D01	38085	RTA00000123A.e.15.1
M00001531A:D01	38085	89.E6.sp6:130720.Seq
M00001534A:C04	16921	RTA00000183AF.k.6.1
M00001534A:C04	16921	89.H6.sp6:130756.Seq
M00001534A:D09	5097	RTA00000134A.k.1.1
M00001534A:D09	5097	RTA00000134A.k.1.1.Seq_THC215869
M00001534C:A01	4119	RTA00000183AF.k.16.1
M00001534C:A01	4119	89.C7.sp6:130697.Seq
M00001535A:C06	20212	89.E7.sp6:130721.Seq
M00001535A:C06	20212	RTA00000134A.l.22.1.Seq_THC128232
M00001535A:C06	20212	RTA00000134A.l.22.1
M00001536A:B07	2696	RTA00000134A.m.13.1
M00001536A:B07	2696	89.F7.sp6:130733.Seq
M00001537A:F12	39420	89.H7.sp6:130757.Seq
M00001537A:F12	39420	RTA00000134A.o.23.1
M00001540A:D06	8286	89.B8.sp6:130686.Seq
M00001540A:D06	8286	RTA00000183AF.o.1.1
M00001542A:E06	39453	89.E8.sp6:130722.Seq
M00001542A:E06	39453	RTA00000135A.g.11.1
M00001544A:E06		RTA00000184AF.a.8.1
M00001544A:E06		173.G7.SP6:134147.Seq
M00001544A:E06		89.H8.sp6:130758.Seq
M00001545A:B02		89.B9.sp6:130687.Seq
M00001545A:B02		RTA00000135A.l.2.2
M00001548A:E10	5892	89.E9.sp6:130723.Seq
M00001548A:E10	5892	RTA00000184AF.d.11.1
M00001548A:E10	5892	RTA00000184AF.d.11.1.Seq_THC161896
M00001549C:E06	16347	89.H9.sp6:130759.Seq
M00001549C:E06	16347	RTA00000184AF.e.15.1
M00001550A:A03	7239	89.A10.sp6:130676.Seq
M00001550A:A03	7239	RTA00000126A.m.4.2
M00001550A:G01	5175	RTA00000184AF.f.3.1
M00001550A:G01	5175	89.B10.sp6:130688.Seq

cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001551A:G06	22390	RTA00000136A.j.13.1
M00001551A:G06	22390	89.C10.sp6:130700.Seq
M00001551C:G09	3266	RTA00000184AR.g.1.1
M00001551C:G09	3266	89.D10.sp6:130712.Seq
M00001553A:H06	8298	RTA00000127A.d.19.1
M00001553A:H06	8298	89.G10.sp6:130748.Seq
M00001553B:F12	4573	89.H10.sp6:130760.Seq
M00001553B:F12	4573	RTA00000184AF.h.9.1
M00001555A:B02	39539	RTA00000127A.i.21.1
M00001555A:B02	39539	89.B11.sp6:130689.Seq
M00001555A:C01	39195	89.C11.sp6:130701.Seq
M00001555A:C01	39195	RTA00000137A.c.16.1
M00001555D:G10	4561	RTA00000184AF.i.21.1
M00001555D:G10	4561	89.D11.sp6:130713.Seq
M00001556A:C09	9244	89.E11.sp6:130725.Seq
M00001556A:C09	9244	RTA00000127A.l.3.1
M00001556B:G02	11294	RTA00000184AF.j.6.1
M00001556B:G02	11294	89.A12.sp6:130678.Seq
M00001557B:H10	5192	173.E9.SP6:134125.Seq
M00001557B:H10	5192	RTA00000184AF.k.2.1
M00001557B:H10	5192	89.D12.sp6:130714.Seq
M00001557D:D09	8761	RTA00000184AF.k.12.1
M00001557D:D09	8761	89.E12.sp6:130726.Seq
M00001558B:H11	7514	RTA00000184AF.k.21.1
M00001558B:H11	7514	89.G12.sp6:130750.Seq
M00001559B:F01		89.H12.sp6:130762.Seq
M00001559B:F01		RTA00000184AF.l.11.1
M00001560D:F10	6558	90.A1.sp6:130859.Seq
M00001560D:F10	6558	RTA00000184AF.m.21.1
M00001566B:D11		RTA00000184AF.p.3.1
M00001566B:D11		90.D1.sp6:130895.Seq
M00001583D:A10	6293	RTA00000185AF.e.11.1
M00001583D:A10	6293	90.A2.sp6:130860.Seq
M00001590B:F03		RTA00000185AF.g.11.1
M00001590B:F03		90.C2.sp6:130884.Seq
M00001597D:C05	10470	RTA00000185AF.k.6.1
M00001597D:C05	10470	90.F2.sp6:130920.Seq
M00001598A:G03	16999	90.G2.sp6:130932.Seq
M00001598A:G03	16999	RTA00000185AF.k.9.1
M00001601A:D08	22794	RTA00000138A.b.5.1
M00001601A:D08	22794	90.H2.sp6:130944.Seq
M00001607A:E11	11465	RTA00000185AF.m.19.1
M00001607A:E11	11465	90.A3.sp6:130861.Seq
M00001608A:B03	7802	RTA00000185AF.n.5.1
M00001608A:B03	7802	90.B3.sp6:130873.Seq
M00001608B:E03	22155	RTA00000185AF.n.9.1
M00001608B:E03	22155	90.C3.sp6:130885.Seq
M00001608D:A11		RTA00000185AF.n.12.1
M00001608D:A11		90.D3.sp6:130897.Seq
M00001614C:F10	13157	RTA00000186AF.a.6.1
M00001614C:F10	13157	90.E3.sp6:130909.Seq
M00001617C:E02	17004	RTA00000186AF.b.21.1

cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001617C:E02	17004	90.F3.sp6:130921.Seq
M00001619C:F12	40314	90.G3.sp6:130933.Seq
M00001619C:F12	40314	RTA00000186AF.c.15.1
M00001621C:C08	40044	RTA00000186AF.d.1.1
M00001621C:C08	40044	RTA00000186AF.d.1.1.Seq_THC232899
M00001621C:C08	40044	90.H3.sp6:130945.Seq
M00001621C:C08	40044	122.E1.sp6:132121.Seq
M00001623D:F10	13913	RTA00000186AF.e.6.1
M00001623D:F10	13913	90.A4.sp6:130862.Seq
M00001632D:H07		RTA00000186AF.h.14.1.Seq_THC112525
M00001632D:H07		RTA00000186AF.h.14.1
M00001632D:H07		90.E4.sp6:130910.Seq
M00001632D:H07		176.A3.sp6:134514.Seq
M00001644C:B07	39171	RTA00000186AF.l.7.1
M00001644C:B07	39171	90.F4.sp6:130922.Seq
M00001644C:B07	39171	217.A12.sp6:139369.Seq
M00001645A:C12	19267	RTA00000186AF.l.12.1.Seq_THC178183
M00001645A:C12	19267	176.G3.sp6:134586.Seq
M00001645A:C12	19267	RTA00000186AF.l.12.1
M00001645A:C12	19267	90.G4.sp6:130934.Seq
M00001648C:A01	4665	90.H4.sp6:130946.Seq
M00001648C:A01	4665	RTA00000186AF.m.3.1
M00001657D:C03	23201	RTA00000187AF.a.14.1
M00001657D:C03	23201	90.B5.sp6:130875.Seq
M00001657D:F08	76760	90.C5.sp6:130887.Seq
M00001657D:F08	76760	RTA00000187AF.a.15.1
M00001662C:A09	23218	RTA00000187AR.c.5.2
M00001662C:A09	23218	90.D5.sp6:130899.Seq
M00001663A:E04	35702	90.E5.sp6:130911.Seq
M00001663A:E04	35702	RTA00000187AR.c.15.2
M00001669B:F02	6468	90.F5.sp6:130923.Seq
M00001669B:F02	6468	RTA00000187AF.d.15.1
M00001670C:H02	14367	90.G5.sp6:130935.Seq
M00001670C:H02	14367	RTA00000187AF.e.8.1
M00001673C:H02	7015	90.H5.sp6:130947.Seq
M00001673C:H02	7015	RTA00000187AF.f.18.1
M00001675A:C09	8773	RTA00000187AF.f.24.1
M00001675A:C09	8773	90.A6.sp6:130864.Seq
M00001675A:C09	8773	RTA00000187AF.f.24.1.Seq_THC220002
M00001676B:F05	11460	RTA00000187AF.g.12.1
M00001676B:F05	11460	90.B6.sp6:130876.Seq
M00001676B:F05	11460	219.F2.sp6:139035.Seq
M00001677D:A07	7570	90.D6.sp6:130900.Seq
M00001677D:A07	7570	RTA00000187AF.g.24.1
M00001677D:A07	7570	RTA00000187AF.g.24.1.Seq_THC168636
M00001678D:F12	4416	90.E6.sp6:130912.Seq
M00001678D:F12	4416	RTA00000187AF.h.13.1
M00001679A:F10	26875	RTA00000187AF.i.1.1
M00001679A:F10	26875	90.A7.sp6:130865.Seq
M00001679B:F01	6298	90.B7.sp6:130877.Seq
M00001679B:F01	6298	RTA00000187AR.i.10.2
M00001680D:F08	10539	90.F7.sp6:130925.Seq

cDNA Library ES14 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001680D:F08	10539	219.F6.sp6:139039.Seq
M00001680D:F08	10539	RTA00000187AF.l.7.1
M00001682C:B12	17055	90.G7.sp6:130937.Seq
M00001682C:B12	17055	RTA00000187AF.m.3.1
M00001682C:B12	17055	176.D6.sp6:134553.Seq
M00001688C:F09	5382	90.A8.sp6:130866.Seq
M00001688C:F09	5382	RTA00000187AF.m.23.2
M00001693C:G01	4393	RTA00000187AF.n.17.1
M00001693C:G01	4393	90.B8.sp6:130878.Seq
M00001716D:H05	67252	RTA00000187AF.o.6.1
M00001716D:H05	67252	90.C8.sp6:130890.Seq
M00003741D:C09	40108	90.D8.sp6:130902.Seq
M00003741D:C09	40108	RTA00000187AF.o.24.1
M00003747D:C05	11476	RTA00000187AF.p.19.1
M00003747D:C05	11476	90.E8.sp6:130914.Seq
M00003747D:C05	11476	RTA00000187AF.p.19.1.Seq_THC108482
M00003747D:C05	11476	219.H8.sp6:139065.Seq
M00003754C:E09		90.F8.sp6:130926.Seq
M00003754C:E09		RTA00000188AF.b.12.1
M00003761D:A09		RTA00000188AF.d.11.1
M00003761D:A09		90.H8.sp6:130950.Seq
M00003761D:A09		RTA00000188AF.d.11.1.Seq_THC212094
M00003762C:B08	17076	RTA00000188AF.d.21.1.Seq_THC208760
M00003762C:B08	17076	90.A9.sp6:130867.Seq
M00003762C:B08	17076	RTA00000188AF.d.21.1
M00003763A:F06	3108	RTA00000188AF.d.24.1
M00003763A:F06	3108	90.B9.sp6:130879.Seq
M00003774C:A03	67907	RTA00000188AF.g.11.1.Seq_THC123222
M00003774C:A03	67907	RTA00000188AF.g.11.1
M00003774C:A03	67907	90.C9.sp6:130891.Seq
M00003784D:D12		RTA00000188AF.i.8.1
M00003784D:D12		90.D9.sp6:130903.Seq
M00003839A:D08	7798	RTA00000189AF.c.18.1
M00003839A:D08	7798	90.A10.sp6:130868.Seq
M00003851B:D08		90.D10.sp6:130904.Seq
M00003851B:D08		RTA00000189AF.f.7.1
M00003851B:D10	13595	90.E10.sp6:130916.Seq
M00003851B:D10	13595	RTA00000189AF.f.8.1
M00003853A:D04	5619	90.F10.sp6:130928.Seq
M00003853A:D04	5619	RTA00000189AF.f.17.1
M00003853A:F12	10515	90.G10.sp6:130940.Seq
M00003853A:F12	10515	RTA00000189AF.f.18.1
M00003856B:C02	4622	90.H10.sp6:130952.Seq
M00003856B:C02	4622	RTA00000189AF.g.1.1
M00003857A:H03	4718	90.B11.sp6:130881.Seq
M00003857A:H03	4718	RTA00000189AF.g.5.1.Seq_THC196102
M00003857A:H03	4718	RTA00000189AF.g.5.1

cDNA Library ES15 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00003867A:D10		90.C11.sp6:130893.Seq
M00003867A:D10		RTA00000189AF.h.17.1
M00003871C:E02	4573	RTA00000189AF.j.12.1
M00003875C:G07	8479	90.G11.sp6:130941.Seq
M00003875C:G07	8479	RTA00000189AF.j.22.1
M00003875D:D11		90.H11.sp6:130953.Seq
M00003875D:D11		RTA00000189AF.j.23.1
M00003876D:E12	7798	90.A12.sp6:130870.Seq
M00003876D:E12	7798	RTA00000189AF.k.12.1
M00003906C:E10	9285	90.H12.sp6:130954.Seq
M00003906C:E10	9285	RTA00000190AF.d.7.1
M00003907D:A09	39809	99.A1.sp6:131230.Seq
M00003907D:A09	39809	RTA00000190AF.e.3.1.Seq_THC150217
M00003907D:A09	39809	RTA00000190AF.e.3.1
M00003907D:H04	16317	99.B1.sp6:131242.Seq
M00003907D:H04	16317	RTA00000190AF.e.6.1
M00003909D:C03	8672	RTA00000190AF.f.11.1
M00003909D:C03	8672	99.C1.sp6:131254.Seq
M00003968B:F06	24488	RTA00000190AF.n.16.1
M00003968B:F06	24488	99.C2.sp6:131255.Seq
M00003970C:B09	40122	RTA00000190AF.n.23.1
M00003970C:B09	40122	RTA00000190AF.n.23.1.Seq_THC109227
M00003970C:B09	40122	99.D2.sp6:131267.Seq
M00003974D:E07	23210	RTA00000190AF.o.20.1
M00003974D:E07	23210	RTA00000190AF.o.20.1.Seq_THC207240
M00003974D:E07	23210	99.E2.sp6:131279.Seq
M00003974D:H02	23358	RTA00000190AF.o.21.1.Seq_THC207240
M00003974D:H02	23358	RTA00000190AF.o.21.1
M00003974D:H02	23358	99.F2.sp6:131291.Seq
M00003981A:E10	3430	99.A3.sp6:131232.Seq
M00003981A:E10	3430	RTA00000191AF.a.9.1
M00003982C:C02	2433	RTA00000191AF.a.15.2
M00003982C:C02	2433	99.B3.sp6:131244.Seq
M00003982C:C02	2433	RTA00000191AF.a.15.2.Seq_THC79498
M00004028D:C05	40073	RTA00000191AF.e.3.1
M00004028D:C05	40073	99.E3.sp6:131280.Seq
M00004035C:A07	37285	99.H3.sp6:131316.Seq
M00004035C:A07	37285	RTA00000191AF.f.11.1
M00004035D:B06	17036	RTA00000191AF.f.13.1
M00004035D:B06	17036	99.A4.sp6:131233.Seq
M00004072A:C03		RTA00000191AF.j.9.1
M00004072A:C03		99.D4.sp6:131269.Seq
M00004081C:D10	15069	99.F4.sp6:131293.Seq
M00004081C:D10	15069	RTA00000191AF.l.6.1
M00004086D:G06	9285	99.H4.sp6:131317.Seq
M00004086D:G06	9285	RTA00000191AF.m.18.1
M00004105C:A04	7221	99.D5.sp6:131270.Seq
M00004105C:A04	7221	RTA00000191AF.p.9.1
M00004171D:B03	4908	RTA00000192AF.j.2.1
M00004171D:B03	4908	99.F6.sp6:131295.Seq
M00004185C:C03	11443	RTA00000192AF.l.13.2
M00004185C:C03	11443	123.A8.sp6:132272.Seq

cDNA Library ES15 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004185C:C03	11443	99.A7.sp6:131236.Seq
M00004191D:B11		RTA00000192AF.m.12.1
M00004191D:B11		99.B7.sp6:131248.Seq
M00004191D:B11		123.C8.sp6:132296.Seq
M00004197D:H01	8210	99.C7.sp6:131260.Seq
M00004197D:H01	8210	123.E8.sp6:132320.Seq
M00004197D:H01	8210	RTA00000192AF.n.13.1
M00004203B:C12	14311	99.D7.sp6:131272.Seq
M00004203B:C12	14311	RTA00000192AF.o.2.1
M00004214C:H05	11451	177.D8.sp6:134747.Seq
M00004214C:H05	11451	RTA00000192AF.p.17.1
M00004223D:E04	12971	RTA00000193AF.a.20.1
M00004223D:E04	12971	99.B8.sp6:131249.Seq
M00004269D:D06	4905	99.H8.sp6:131321.Seq
M00004269D:D06	4905	RTA00000193AF.e.14.1
M00004295D:F12	16921	99.D9.sp6:131274.Seq
M00004295D:F12	16921	RTA00000193AF.h.15.1
M00004296C:H07	13046	99.E9.sp6:131286.Seq
M00004296C:H07	13046	RTA00000193AF.h.19.1
M00004307C:A06	9457	RTA00000193AF.i.14.2
M00004307C:A06	9457	99.F9.sp6:131298.Seq
M00004307C:A06	9457	123.D11.sp6:132311.Seq
M00004312A:G03	26295	RTA00000193AF.i.24.2
M00004312A:G03	26295	99.G9.sp6:131310.Seq
M00004312A:G03	26295	RTA00000193AF.i.24.2.Seq_THC197345
M00004318C:D10	21847	RTA00000193AF.j.9.1
M00004318C:D10	21847	99.H9.sp6:131322.Seq
M00004359B:G02		RTA00000193AF.m.5.1.Seq_THC173318
M00004359B:G02		RTA00000193AF.m.5.1
M00004505D:F08		RTA00000194AF.b.19.1
M00004505D:F08		99.H10.sp6:131323.Seq
M00004692A:H08		99.B11.sp6:131252.Seq
M00004692A:H08		RTA00000194AF.c.24.1
M00004692A:H08		377.F4.sp6:141957.Seq
M00005180C:G03		RTA00000194AF.f.4.1

cDNA Library ES16 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001346D:E03	6806	RTA00000177AF.g.13.3
M00001350A:B08		80.H2.sp6:130293.Seq
M00001350A:B08		RTA00000177AF.i.6.2
M00001357D:D11	4059	RTA00000177AF.n.18.3.Seq_THC123051
M00001357D:D11	4059	RTA00000177AF.n.18.3
M00001409C:D12	9577	RTA00000179AF.o.17.1
M00001409C:D12	9577	80.E7.sp6:130262.Seq
M00001418B:F03	9952	RTA00000180AF.c.20.1
M00001418B:F03	9952	RTA00000180AF.c.20.1.Seq_THC162284
M00001418B:F03	9952	80.E8.sp6:130263.Seq
M00001418D:B06	8526	RTA00000180AF.d.1.1
M00001421C:F01	9577	RTA00000180AF.d.23.1
M00001421C:F01	9577	80.G8.sp6:130287.Seq
M00001429B:A11	4635	RTA00000180AF.i.20.1
M00001432C:F06		RTA00000180AF.k.24.1
M00001439C:F08	40054	RTA00000180AF.p.10.1
M00001442C:D07	16731	RTA00000181AF.a.20.1
M00001442C:D07	16731	80.C10.sp6:130241.Seq
M00001443B:F01		80.D10.sp6:130253.Seq
M00001443B:F01		RTA00000181AF.b.7.1
M00001445A:F05	13532	80.E10.sp6:130265.Seq
M00001445A:F05	13532	RTA00000181AF.c.4.1
M00001446A:F05	7801	RTA00000181AF.c.21.1
M00001455A:E09	13238	RTA00000181AF.m.4.1
M00001455A:E09	13238	RTA00000181AF.m.4.1.Seq_THC140691
M00001460A:F12	39498	RTA00000119A.j.20.1
M00001481D:A05	7985	RTA00000182AR.j.2.1
M00001490B:C04	18699	RTA00000182AF.m.16.1
M00001490B:C04	18699	89.D3.sp6:130705.Seq
M00001500C:E04	9443	89.B4.sp6:130682.Seq
M00001500C:E04	9443	RTA00000183AF.c.1.1
M00001532B:A06	3990	89.G6.sp6:130744.Seq
M00001532B:A06	3990	RTA00000183AF.j.11.1
M00001534A:F09	5321	89.B7.sp6:130685.Seq
M00001534A:F09	5321	RTA00000183AF.k.8.1
M00001535A:B01	7665	RTA00000134A.l.19.1
M00001536A:C08	39392	89.G7.sp6:130745.Seq
M00001536A:C08	39392	RTA00000134A.m.16.1
M00001541A:F07	22085	RTA00000135A.e.5.2
M00001542B:B01		RTA00000183AF.p.4.1
M00001542B:B01		89.F8.sp6:130734.Seq
M00001544A:E03	12170	RTA00000125A.h.18.4
M00001545A:C03	19255	RTA00000135A.m.18.1
M00001545A:C03	19255	184.B10.sp6:135547.Seq
M00001545A:C03	19255	89.C9.sp6:130699.Seq
M00001548A:H09	1058	RTA00000126A.e.20.3.Seq_THC217534
M00001548A:H09	1058	RTA00000126A.e.20.3
M00001548A:H09	1058	79.F6.sp6:130081.Seq
M00001549A:B02	4015	RTA00000136A.e.12.1
M00001549A:B02	4015	79.G6.sp6:130093.Seq
M00001549A:D08	10944	RTA00000126A.h.17.2
M00001552B:D04	5708	RTA00000184AF.g.12.1

cDNA Library ES16 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00001552B:D04	5708	89.E10.sp6:130724.Seq
M00001552D:A01		89.F10.sp6:130736.Seq
M00001552D:A01		RTA00000184AF.g.22.1
M00001553D:D10	22814	RTA00000184AF.h.14.1
M00001553D:D10	22814	89.A11.sp6:130677.Seq
M00001558A:H05		RTA00000128A.c.20.1
M00001558A:H05		89.F12.sp6:130738.Seq
M00001561A:C05	39486	RTA00000128A.m.22.2
M00001561A:C05	39486	79.B8.sp6:130035.Seq
M00001564A:B12	5053	RTA00000184AF.o.12.1
M00001578B:E04	23001	RTA00000185AF.c.24.1
M00001579D:C03	6539	90.G1.sp6:130931.Seq
M00001579D:C03	6539	173.A12.SP6:134080.Seq
M00001579D:C03	6539	RTA00000185AF.d.11.1
M00001582D:F05		RTA00000185AF.d.24.1
M00001587A:B11	39380	RTA00000129A.e.24.1
M00001587A:B11	39380	79.E8.sp6:130071.Seq
M00001604A:F05	39391	RTA00000138A.c.3.1
M00001604A:F05	39391	79.A9.sp6:130024.Seq
M00001624A:B06	3277	RTA00000138A.l.5.1
M00001624A:B06	3277	217.E1.sp6:139406.Seq
M00001624A:B06	3277	90.B4.sp6:130874.Seq
M00001630B:H09	5214	90.D4.sp6:130898.Seq
M00001630B:H09	5214	122.C2.sp6:132098.Seq
M00001630B:H09	5214	RTA00000186AF.g.11.1
M00001651A:H01		RTA00000186AF.n.7.1
M00001651A:H01		90.A5.sp6:130863.Seq
M00001677C:E10	14627	RTA00000187AF.g.23.1
M00001679C:F01	78091	90.C7.sp6:130889.Seq
M00001679C:F01	78091	RTA00000187AF.j.6.1
M00001679C:F01	78091	176.G5.sp6:134588.Seq
M00001686A:E06	4622	RTA00000187AF.m.15.2
M00003796C:D05	5619	RTA00000188AF.l.9.1.Seq_THC167845
M00003796C:D05	5619	RTA00000188AF.l.9.1
M00003826B:A06	11350	RTA00000189AF.a.24.2
M00003826B:A06	11350	90.F9.sp6:130927.Seq
M00003833A:E05	21877	RTA00000189AF.b.21.1
M00003837D:A01	7899	90.H9.sp6:130951.Seq
M00003837D:A01	7899	RTA00000189AF.c.10.1
M00003846B:D06	6874	RTA00000189AF.e.9.1
M00003846B:D06	6874	90.C10.sp6:130892.Seq
M00003879B:D10	31587	RTA00000189AF.l.20.1
M00003879B:D10	31587	90.C12.sp6:130894.Seq
M00003879D:A02	14507	90.D12.sp6:130906.Seq
M00003879D:A02	14507	RTA00000189AR.l.23.2
M00003891C:H09		90.G12.sp6:130942.Seq
M00003891C:H09		RTA00000189AF.p.8.1
M00003912B:D01	12532	99.D1.sp6:131266.Seq
M00003912B:D01	12532	RTA00000190AF.g.2.1
M00004072B:B05	17036	RTA00000191AF.j.10.1
M00004081C:D12	14391	RTA00000191AF.l.7.1
M00004111D:A08	6874	RTA00000192AF.a.14.1

cDNA Library ES16 - ATCC#
Deposit Date - December 22, 1998

Clone Name	Cluster ID	Sequence Name
M00004111D:A08	6874	99.F5.sp6:131294.Seq
M00004121B:G01		177.H4.sp6:134791.Seq
M00004121B:G01		99.H5.sp6:131318.Seq
M00004121B:G01		RTA00000192AF.c.2.1
M00004138B:H02	13272	99.A6.sp6:131235.Seq
M00004138B:H02	13272	RTA00000192AF.e.3.1
M00004151D:B08	16977	RTA00000192AF.g.3.1
M00004169C:C12	5319	99.E6.sp6:131283.Seq
M00004169C:C12	5319	RTA00000192AF.i.12.1
M00004169C:C12	5319	123.F7.sp6:132331.Seq
M00004183C:D07	16392	RTA00000192AF.l.1.1
M00004183C:D07	16392	RTA00000192AF.l.1.1.Seq_THC202071
M00004230B:C07	7212	RTA00000193AF.b.14.1
M00004230B:C07	7212	99.D8.sp6:131273.Seq
M00004249D:F10		RTA00000193AF.c.21.1.Seq_THC222602
M00004249D:F10		RTA00000193AF.c.21.1
M00004275C:C11	16914	99.A9.sp6:131238.Seq
M00004275C:C11	16914	RTA00000193AF.f.5.1
M00004283B:A04	14286	RTA00000193AF.f.22.1
M00004285B:E08	56020	RTA00000193AF.g.2.1
M00004327B:H04		RTA00000193AF.j.20.1
M00004377C:F05	2102	RTA00000193AF.n.7.1
M00004384C:D02		RTA00000193AF.n.15.1
M00004384C:D02		RTA00000193AF.n.15.1.Seq_THC215687
M00004461A:B08		RTA00000194AR.a.10.2
M00004461A:B09		RTA00000194AF.a.11.1
M00004691D:A05		RTA00000194AF.c.23.1
M00004896A:C07		RTA00000194AF.d.13.1

The above material has been deposited with the American Type Culture Collection, Rockville, Maryland, under the accession number indicated. This deposit will be maintained under the terms of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for purposes of Patent Procedure. The deposit will be maintained for a period of 30 years following issuance of this patent, or for the enforceable life of the patent, whichever is greater. Upon issuance of the patent, the deposit will be available to the public from the ATCC without restriction.

This deposit is provided merely as convenience to those of skill in the art, and is not an admission that a deposit is required under 35 U.S.C. §112. The sequence of the polynucleotides contained within the deposited material, as well as the amino acid sequence of the polypeptides encoded thereby, are incorporated herein by reference and are controlling in the event of any conflict with the written description of sequences herein. A license may

be required to make, use, or sell the deposited material, and no such license is granted hereby.

Retrieval of Individual Clones from Deposit of Pooled Clones

Where the ATCC deposit is composed of a pool of cDNA clones, the deposit was prepared by first transfecting each of the clones into separate bacterial cells. The clones were then deposited as a pool of equal mixtures in the composite deposit. Particular clones can be obtained from the composite deposit using methods well known in the art. For example, a bacterial cell containing a particular clone can be identified by isolating single colonies, and identifying colonies containing the specific clone through standard colony hybridization techniques, using an oligonucleotide probe or probes designed to specifically hybridize to a sequence of the clone insert (*e.g.*, a probe based upon unmasked sequence of the encoded polynucleotide having the indicated SEQ ID NO). The probe should be designed to have a T_m of approximately 80°C (assuming 2°C for each A or T and 4°C for each G or C). Positive colonies can then be picked, grown in culture, and the recombinant clone isolated. Alternatively, probes designed in this manner can be used to PCR to isolate a nucleic acid molecule from the pooled clones according to methods well known in the art, *e.g.*, by purifying the cDNA from the deposited culture pool, and using the probes in PCR reactions to produce an amplified product having the corresponding desired polynucleotide sequence.

Table 1. Sequence identification numbers, cluster ID, sequence name, and clone name

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
1	4635	RTA00000180AF.i.20.1	M00001429B:A11
2		RTA00000185AF.n.12.1	M00001608D:A11
3	4622	RTA00000187AF.m.15.2	M00001686A:E06
4	3706	RTA00000191AF.i.17.2	M00004068B:A01
5	36535	RTA00000181AF.f.5.1	M00001449A:G10
6	3990	RTA00000183AF.j.11.1	M00001532B:A06
7	5319	RTA00000192AF.i.12.1	M00004169C:C12
8	36393	RTA00000180AF.c.2.1	M00001417A:E02
9	2623	RTA00000183AF.a.6.1	M00001497A:G02
10	7587	RTA00000178AF.n.24.1	M00001387B:G03
11	7065	RTA00000137A.g.6.1	M00001557A:D02
12	10539	RTA00000187AF.l.7.1	M00001680D:F08
13	27250	RTA00000181AF.g.10.1	M00001450A:D08
14	5556	RTA00000179AF.n.10.1	M00001407B:D11
15		RTA00000192AF.m.12.1	M00004191D:B11
16	8761	RTA00000184AF.k.12.1	M00001557D:D09
17	4622	RTA00000189AF.g.1.1	M00003856B:C02
18	11460	RTA00000187AF.g.12.1	M00001676B:F05
19	16283	RTA00000120A.o.20.1	M00001467A:D08
20	3430	RTA00000191AF.a.9.1	M00003981A:E10
21	7065	RTA00000184AF.j.21.1	M00001557A:D02
22		RTA00000182AF.l.20.1	M00001488B:F12
23		RTA00000123A.g.19.1	M00001531A:H11
24	16918	RTA00000193AF.a.16.1	M00004223A:G10
25	16914	RTA00000193AF.f.5.1	M00004275C:C11
26	40108	RTA00000187AF.o.24.1	M00003741D:C09
27	14286	RTA00000193AF.f.22.1	M00004283B:A04
28	17004	RTA00000186AF.b.21.1	M00001617C:E02
29		RTA00000180AF.g.22.1	M00001426B:D12
30	13272	RTA00000192AF.e.3.1	M00004138B:H02
31		RTA00000194AF.f.4.1	M00005180C:G03
32	32663	RTA00000118A.l.8.1	M00001450A:A11
33		RTA00000180AF.a.9.1	M00001414A:B01
34	5832	RTA00000178AF.o.23.1	M00001388D:G05
35	7801	RTA00000181AF.c.21.1	M00001446A:F05
36	76760	RTA00000187AF.a.15.1	M00001657D:F08
37	40132	RTA00000178AF.c.7.1	M00001365C:C10
38		RTA00000183AF.e.1.1	M00001505C:C05
39	4016	RTA00000118A.c.4.1	M00001395A:C03
40	5382	RTA00000187AF.m.23.2	M00001688C:F09

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
41	5693	RTA00000190AF.p.17.2	M00003978B:G05
42	307	RTA00000136A.o.4.2	M00001552A:B12
43	39833	RTA00000178AF.i.23.1	M00001378B:B02
44		RTA00000193AF.m.5.1	M00004359B:G02
45	5325	RTA00000191AF.o.6.1	M00004093D:B12
46	5325	RTA00000191AF.o.6.2	M00004093D:B12
47	18957	RTA00000190AR.m.9.1	M00003958A:H02
48	39508	RTA00000120A.o.2.1	M00001467A:D04
49	22390	RTA00000136A.j.13.1	M00001551A:G06
50	12170	RTA00000125A.h.18.4	M00001544A:E03
51	4393	RTA00000187AF.n.17.1	M00001693C:G01
52	19	RTA00000182AF.b.7.1	M00001463C:B11
53		RTA00000193AF.c.21.1	M00004249D:F10
54	7899	RTA00000189AF.c.10.1	M00003837D:A01
55	40073	RTA00000191AF.e.3.1	M00004028D:C05
56	7005	RTA00000179AF.o.22.1	M00001410A:D07
57		RTA00000187AF.h.22.1	M00001679A:F06
58	18957	RTA00000190AF.m.9.2	M00003958A:H02
59	18957	RTA00000183AF.h.23.1	M00001528A:F09
60	16283	RTA00000182AF.c.22.1	M00001467A:D08
61	6974	RTA00000183AF.d.9.1	M00001504C:H06
62	2623	RTA00000183AF.b.14.1	M00001500A:E11
63	9105	RTA00000191AF.a.21.2	M00003983A:A05
64	13238	RTA00000181AF.m.4.1	M00001455A:E09
65	5749	RTA00000185AF.a.19.1	M00001571C:H06
66	6455	RTA00000193AF.b.9.1	M00004229B:F08
67	23001	RTA00000185AF.c.24.1	M00001578B:E04
68	6455	RTA00000192AF.g.23.1	M00004157C:A09
69	13595	RTA00000189AF.f.8.1	M00003851B:D10
70	39442	RTA00000120A.o.21.1	M00001467A:E10
71	17036	RTA00000191AF.f.13.1	M00004035D:B06
72		RTA00000183AF.g.9.1	M00001513B:G03
73	7005	RTA00000181AF.k.24.1	M00001454B:C12
74	6268	RTA00000126A.o.23.1	M00001551A:B10
75	16130	RTA00000119A.c.13.1	M00001453A:E11
76	23201	RTA00000187AF.a.14.1	M00001657D:C03
77	5321	RTA00000183AF.k.8.1	M00001534A:F09
78	13157	RTA00000186AF.a.6.1	M00001614C:F10
79	2102	RTA00000193AF.n.7.1	M00004377C:F05
80	1058	RTA00000126A.e.20.3	M00001548A:H09
81	40392	RTA00000180AF.j.8.1	M00001429D:D07
82		RTA00000183AF.e.23.1	M00001506D:A09
83	11476	RTA00000187AF.p.19.1	M00003747D:C05

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
84	3584	RTA00000177AF.h.20.1	M00001349B:B08
85	10470	RTA00000180AF.f.18.1	M00001424B:G09
86	39425	RTA00000133A.f.1.1	M00001470A:C04
87	5175	RTA00000184AF.f.3.1	M00001550A:G01
88	13576	RTA00000189AF.o.13.1	M00003885C:A02
89	7665	RTA00000134A.l.19.1	M00001535A:B01
90	16927	RTA00000177AF.h.9.3	M00001348B:B04
91	6660	RTA00000187AF.h.15.1	M00001679A:A06
92	2433	RTA00000191AF.a.15.2	M00003982C:C02
93	5097	RTA00000134A.k.1.1	M00001534A:D09
94	21847	RTA00000193AF.j.9.1	M00004318C:D10
95	3277	RTA00000138A.l.5.1	M00001624A:B06
96	5708	RTA00000184AF.g.12.1	M00001552B:D04
97	945	RTA00000178AR.a.20.1	M00001362C:H11
98	16269	RTA00000178AF.p.1.1	M00001389A:C08
99		RTA00000183AF.c.24.1	M00001504A:E01
100	16731	RTA00000181AF.a.20.1	M00001442C:D07
101	12439	RTA00000190AF.o.24.1	M00003975A:G11
102	3162	RTA00000177AF.j.12.3	M00001351B:A08
103		RTA00000194AF.b.19.1	M00004505D:F08
104		RTA00000193AF.n.15.1	M00004384C:D02
105		RTA00000186AF.n.7.1	M00001651A:H01
106	10717	RTA00000181AF.d.10.1	M00001447A:G03
107	4573	RTA00000189AF.j.12.1	M00003871C:E02
108		RTA00000186AF.h.14.1	M00001632D:H07
109	11443	RTA00000192AF.l.13.2	M00004185C:C03
110	5892	RTA00000184AF.d.11.1	M00001548A:E10
111	3162	RTA00000177AF.j.12.1	M00001351B:A08
112	10470	RTA00000185AF.k.6.1	M00001597D:C05
113	17055	RTA00000187AF.m.3.1	M00001682C:B12
114	2030	RTA00000193AF.m.20.1	M00004372A:A03
115	6558	RTA00000184AF.m.21.1	M00001560D:F10
116	23255	RTA00000190AF.j.4.1	M00003922A:E06
117	9577	RTA00000179AF.o.17.1	M00001409C:D12
118		RTA00000180AF.a.11.1	M00001414C:A07
119	8	RTA00000181AF.e.17.1	M00001448D:C09
120	67907	RTA00000188AF.g.11.1	M00003774C:A03
121	12081	RTA00000133A.d.14.2	M00001469A:C10
122	2448	RTA00000119A.j.21.1	M00001460A:F06
123	3389	RTA00000189AF.g.3.1	M00003857A:G10
124	39174	RTA00000124A.n.13.1	M00001541A:H03
125	24488	RTA00000190AF.n.16.1	M00003968B:F06
126	8210	RTA00000192AF.n.13.1	M00004197D:H01

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
127		RTA00000135A.l.2.2	M00001545A:B02
128	40455	RTA00000190AF.m.10.2	M00003958C:G10
129	9577	RTA00000180AF.d.23.1	M00001421C:F01
130	13183	RTA00000192AF.a.24.1	M00004114C:F11
131	5214	RTA00000186AF.g.11.1	M00001630B:H09
132	67252	RTA00000187AF.o.6.1	M00001716D:H05
133	3108	RTA00000188AF.d.24.1	M00003763A:F06
134	2464	RTA00000178AF.n.18.1	M00001387A:C05
135	36313	RTA00000181AF.e.23.1	M00001448D:H01
136	23255	RTA00000177AF.e.14.3	M00001343D:H07
137	7985	RTA00000182AR.j.2.1	M00001481D:A05
138	8286	RTA00000183AF.o.1.1	M00001540A:D06
139	22195	RTA00000180AF.g.7.1	M00001425B:H08
140	4573	RTA00000184AF.h.9.1	M00001553B:F12
141	26875	RTA00000187AF.i.1.1	M00001679A:F10
142	7187	RTA00000177AF.i.8.2	M00001350A:H01
143	86859	RTA00000118A.p.8.1	M00001452A:B12
144	4623	RTA00000185AF.f.4.1	M00001586C:C05
145		RTA00000121A.c.10.1	M00001469A:A01
146	10185	RTA00000183AF.d.5.1	M00001504C:A07
147		RTA00000183AF.p.4.1	M00001542B:B01
148	15069	RTA00000191AF.l.6.1	M00004081C:D10
149	39304	RTA00000118A.j.21.1	M00001450A:A02
150	8672	RTA00000190AF.f.11.1	M00003909D:C03
151	13576	RTA00000177AF.g.16.1	M00001347A:B10
152	6293	RTA00000185AF.e.11.1	M00001583D:A10
153	16977	RTA00000192AF.g.3.1	M00004151D:B08
154	5345	RTA00000189AF.l.19.1	M00003879B:C11
155	4905	RTA00000193AF.e.14.1	M00004269D:D06
156	17036	RTA00000191AF.j.10.1	M00004072B:B05
157	5417	RTA00000191AF.h.19.1	M00004059A:D06
158	7172	RTA00000178AF.f.9.1	M00001371C:E09
159	40044	RTA00000186AF.d.1.1	M00001621C:C08
160	4386	RTA00000184AF.j.4.1	M00001556B:C08
161	40044	RTA00000183AF.g.22.1	M00001514C:D11
162	9685	RTA00000183AF.c.11.1	M00001501D:C02
163	22155	RTA00000185AF.n.9.1	M00001608B:E03
164	10515	RTA00000189AF.f.18.1	M00003853A:F12
165	6539	RTA00000185AF.d.11.1	M00001579D:C03
166	15066	RTA00000180AF.e.24.1	M00001423B:E07
167	4261	RTA00000180AF.h.5.1	M00001426D:C08
168	13864	RTA00000125A.m.9.1	M00001545A:D08
169	6539	RTA00000189AF.d.22.1	M00003844C:B11

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
170	11465	RTA00000185AF.m.19.1	M00001607A:E11
171	3266	RTA00000184AR.g.1.1	M00001551C:G09
172	102	RTA00000184AF.o.5.1	M00001563B:F06
173	16970	RTA00000181AR.i.18.2	M00001452C:B06
174	12971	RTA00000193AF.a.20.1	M00004223D:E04
175	5007	RTA00000177AF.g.2.1	M00001346A:F09
176	3765	RTA00000135A.d.1.1	M00001541A:D02
177	11294	RTA00000184AF.j.6.1	M00001556B:G02
178	3681	RTA00000131A.g.15.2	M00001449A:D12
179	9283	RTA00000181AR.m.21.2	M00001455D:F09
180	18699	RTA00000182AF.m.16.1	M00001490B:C04
181	86110	RTA00000181AF.f.12.1	M00001449C:D06
182	39648	RTA00000178AR.l.8.2	M00001383A:C03
183	7337	RTA00000123A.b.17.1	M00001528A:C04
184	1334	RTA00000178AF.j.7.1	M00001379A:A05
185	17076	RTA00000188AF.d.21.1	M00003762C:B08
186	22794	RTA00000138A.b.5.1	M00001601A:D08
187	39171	RTA00000186AF.l.7.1	M00001644C:B07
188	8551	RTA00000179AF.p.21.1	M00001412B:B10
189	5857	RTA00000118A.g.14.1	M00001449A:A12
190	9443	RTA00000183AF.c.1.1	M00001500C:E04
191	9457	RTA00000193AF.i.14.2	M00004307C:A06
192	7206	RTA00000182AF.o.15.1	M00001494D:F06
193	22979	RTA00000178AF.k.22.1	M00001382C:A02
194	40455	RTA00000190AR.m.10.1	M00003958C:G10
195	7221	RTA00000191AF.p.9.1	M00004105C:A04
196		RTA00000191AF.j.9.1	M00004072A:C03
197	7239	RTA00000126A.m.4.2	M00001550A:A03
198	31587	RTA00000189AF.l.20.1	M00003879B:D10
199	16317	RTA00000190AF.e.6.1	M00003907D:H04
200	13576	RTA00000189AR.o.13.1	M00003885C:A02
201	5779	RTA00000177AF.g.14.3	M00001346D:G06
202	6124	RTA00000191AR.e.2.3	M00004028D:A06
203	9952	RTA00000180AF.c.20.1	M00001418B:F03
204		RTA00000188AF.i.8.1	M00003784D:D12
205	5779	RTA00000177AF.g.14.1	M00001346D:G06
206	39490	RTA00000128A.b.4.1	M00001557A:F03
207	4416	RTA00000187AF.h.13.1	M00001678D:F12
208	4009	RTA00000179AF.e.20.1	M00001396A:C03
209	5336	RTA00000183AF.b.13.1	M00001500A:C05
210	39186	RTA00000121A.p.15.1	M00001512A:A09
211	40122	RTA00000190AF.n.23.1	M00003970C:B09
212	12532	RTA00000190AF.g.2.1	M00003912B:D01

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
213	8078	RTA00000177AR.l.13.1	M00001353A:G12
214	3900	RTA00000190AF.g.13.1	M00003914C:F05
215	7589	RTA00000120A.p.23.1	M00001468A:F05
216	8298	RTA00000127A.d.19.1	M00001553A:H06
217	4443	RTA00000177AF.b.20.4	M00001341A:E12
218	26295	RTA00000193AF.i.24.2	M00004312A:G03
219	3389	RTA00000183AF.m.19.1	M00001537B:G07
220	7015	RTA00000187AF.f.18.1	M00001673C:H02
221	8526	RTA00000180AF.d.1.1	M00001418D:B06
222	4665	RTA00000186AF.m.3.1	M00001648C:A01
223	1399	RTA00000129A.o.10.1	M00001604A:B10
224	9244	RTA00000127A.l.3.1	M00001556A:C09
225		RTA00000179AF.j.13.1	M00001400B:H06
226	82498	RTA00000118A.m.10.1	M00001450A:B12
227	35702	RTA00000187AR.c.15.2	M00001663A:E04
228	38759	RTA00000120A.m.12.3	M00001467A:B07
229	39648	RTA00000178AF.l.8.1	M00001383A:C03
230	19105	RTA00000133A.e.15.1	M00001469A:H12
231	85064	RTA00000131A.m.23.1	M00001452A:F05
232	9285	RTA00000191AF.m.18.1	M00004086D:G06
233	9285	RTA00000190AF.d.7.1	M00003906C:E10
234	39391	RTA00000138A.c.3.1	M00001604A:F05
235		RTA00000178AF.d.20.1	M00001368D:E03
236	39498	RTA00000119A.j.20.1	M00001460A:F12
237	7798	RTA00000189AF.k.12.1	M00003876D:E12
238	7798	RTA00000189AF.c.18.1	M00003839A:D08
239	19829	RTA00000125A.h.24.4	M00001544A:G02
240		RTA00000188AF.d.11.1	M00003761D:A09
241	4275	RTA00000120A.j.14.1	M00001466A:E07
242	22113	RTA00000125A.c.7.1	M00001542A:A09
243	40314	RTA00000186AF.c.15.1	M00001619C:F12
244	10944	RTA00000126A.h.17.2	M00001549A:D08
245	39809	RTA00000190AF.e.3.1	M00003907D:A09
246	22085	RTA00000135A.e.5.2	M00001541A:F07
247	19255	RTA00000135A.m.18.1	M00001545A:C03
248	14311	RTA00000192AF.o.2.1	M00004203B:C12
249	8479	RTA00000189AF.j.22.1	M00003875C:G07
250		RTA00000189AF.j.23.1	M00003875D:D11
251	4193	RTA00000184AF.e.13.1	M00001549B:F06
252	22814	RTA00000184AF.h.14.1	M00001553D:D10
253	39563	RTA00000179AF.k.20.1	M00001402A:E08
254	39420	RTA00000134A.o.23.1	M00001537A:F12
255	11589	RTA00000177AF.b.17.4	M00001340D:F10

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
256	4937	RTA00000191AF.p.21.1	M00004108A:E06
257	39412	RTA00000133A.k.17.1	M00001511A:H06
258	4837	RTA00000185AR.k.3.2	M00001597C:H02
259	13046	RTA00000193AF.h.19.1	M00004296C:H07
260	4141	RTA00000177AF.p.20.3	M00001361A:A05
261	38085	RTA00000123A.e.15.1	M00001531A:D01
262		RTA00000189AF.p.8.1	M00003891C:H09
263	11451	RTA00000192AF.p.17.1	M00004214C:H05
264	14507	RTA00000189AR.l.23.2	M00003879D:A02
265	40054	RTA00000180AF.p.10.1	M00001439C:F08
266	39423	RTA00000134A.k.22.1	M00001535A:F10
267	39453	RTA00000135A.g.11.1	M00001542A:E06
268	10751	RTA00000187AF.k.7.1	M00001679D:D03
269	10751	RTA00000187AF.k.6.1	M00001679D:D03
270	78091	RTA00000187AF.j.6.1	M00001679C:F01
271	39539	RTA00000127A.i.21.1	M00001555A:B02
272		RTA00000182AF.l.15.1	M00001487B:H06
273		RTA00000194AF.d.13.1	M00004896A:C07
274		RTA00000128A.c.20.1	M00001558A:H05
275	9283	RTA00000181AR.m.22.2	M00001455D:F09
276	39168	RTA00000121A.l.10.1	M00001507A:H05
277	39458	RTA00000126A.p.15.2	M00001552A:D11
278	14391	RTA00000177AF.m.17.3	M00001355B:G10
279	39195	RTA00000137A.c.16.1	M00001555A:C01
280	7212	RTA00000193AF.b.14.1	M00004230B:C07
281	4015	RTA00000136A.e.12.1	M00001549A:B02
282	12977	RTA00000189AF.j.19.1	M00003875B:F04
283		RTA00000178AF.m.13.1	M00001384B:A11
284	14391	RTA00000191AF.l.7.1	M00004081C:D12
285		RTA00000194AF.c.23.1	M00004691D:A05
286		RTA00000181AF.b.7.1	M00001443B:F01
287	8358	RTA00000183AF.i.5.1	M00001528B:H04
288	1267	RTA00000125A.o.5.1	M00001546A:G11
289		RTA00000189AF.f.7.1	M00003851B:D08
290	16347	RTA00000184AF.e.15.1	M00001549C:E06
291	7899	RTA00000193AF.a.17.1	M00004223B:D09
292	2379	RTA00000178AF.a.6.1	M00001361D:F08
293	39478	RTA00000133A.i.5.1	M00001471A:B01
294	39392	RTA00000134A.m.16.1	M00001536A:C08
295	5053	RTA00000184AF.o.12.1	M00001564A:B12
296	16999	RTA00000185AF.k.9.1	M00001598A:G03
297	39180	RTA00000126A.n.8.2	M00001551A:F05
298	1037	RTA00000121A.f.8.1	M00001470A:B10

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
299	6867	RTA00000178AF.e.12.1	M00001370A:C09
300	10539	RTA00000183AF.a.24.1	M00001499B:A11
301	41633	RTA00000118A.g.16.1	M00001449A:B12
302	23218	RTA00000187AR.c.5.2	M00001662C:A09
303	39380	RTA00000129A.e.24.1	M00001587A:B11
304		RTA00000185AF.d.24.1	M00001582D:F05
305		RTA00000177AF.o.4.3	M00001358C:C06
306	6974	RTA00000184AF.a.15.1	M00001544B:B07
307		RTA00000185AF.g.11.1	M00001590B:F03
308	15855	RTA00000184AF.j.1.1	M00001556A:H01
309	84328	RTA00000118A.p.10.1	M00001452A:B04
310	10145	RTA00000120A.g.12.1	M00001465A:B11
311	39805	RTA00000177AF.c.21.3	M00001342B:E06
312		RTA00000187AF.h.23.1	M00001679A:F06
313	6298	RTA00000187AR.i.10.2	M00001679B:F01
314	14367	RTA00000187AF.e.8.1	M00001670C:H02
315		RTA00000193AF.c.22.1	M00004249D:G12
316	16921	RTA00000183AF.k.6.1	M00001534A:C04
317	1577	RTA00000184AF.i.23.1	M00001556A:F11
318	8773	RTA00000187AF.f.24.1	M00001675A:C09
319		RTA00000194AF.a.11.1	M00004461A:B09
320	39886	RTA00000178AF.j.24.1	M00001380D:B09
321	13532	RTA00000181AF.c.4.1	M00001445A:F05
322		RTA00000193AF.d.2.1	M00004251C:G07
323	5257	RTA00000192AF.f.3.1	M00004146C:C11
324	9061	RTA00000191AR.e.11.2	M00004031A:A12
325	19267	RTA00000186AF.l.12.1	M00001645A:C12
326	20212	RTA00000134A.l.22.1	M00001535A:C06
327	16653	RTA00000181AF.k.5.3	M00001453C:F06
328	16985	RTA00000177AF.h.10.1	M00001348B:G06
329	12977	RTA00000189AR.j.19.1	M00003875B:F04
330	9061	RTA00000191AR.e.11.3	M00004031A:A12
331		RTA00000194AR.a.10.2	M00004461A:B08
332	6468	RTA00000187AF.d.15.1	M00001669B:F02
333	16392	RTA00000192AF.l.1.1	M00004183C:D07
334	14627	RTA00000187AF.g.23.1	M00001677C:E10
335	6583	RTA00000179AF.d.13.1	M00001394A:F01
336	6806	RTA00000177AF.g.13.3	M00001346D:E03
337	9635	RTA00000137A.e.23.4	M00001557A:F01
338	689	RTA00000181AR.l.22.1	M00001454D:G03
339	4119	RTA00000183AF.k.16.1	M00001534C:A01
340	8952	RTA00000183AF.h.15.1	M00001518C:B11
341	2379	RTA00000192AF.p.8.1	M00004212B:C07

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
342	39486	RTA00000128A.m.22.2	M00001561A:C05
343	21877	RTA00000189AF.b.21.1	M00003833A:E05
344	6874	RTA00000192AF.a.14.1	M00004111D:A08
345	6874	RTA00000189AF.e.9.1	M00003846B:D06
346	37285	RTA00000191AF.f.11.1	M00004035C:A07
347		RTA00000193AF.j.20.1	M00004327B:H04
348	7674	RTA00000118A.g.9.1	M00001416A:H01
349	2797	RTA00000180AF.i.19.1	M00001429A:H04
350		RTA00000184AF.g.22.1	M00001552D:A01
351	7802	RTA00000185AF.n.5.1	M00001608A:B03
352	16921	RTA00000193AF.h.15.1	M00004295D:F12
353	11494	RTA00000192AF.j.6.1	M00004172C:D08
354	17062	RTA00000177AF.b.8.4	M00001340B:A06
355	16245	RTA00000177AF.k.9.3	M00001352A:E02
356	83103	RTA00000119A.e.24.2	M00001454A:A09
357	4309	RTA00000186AF.e.22.1	M00001624C:F01
358	13072	RTA00000181AR.m.5.2	M00001455B:E12
359	4059	RTA00000177AF.n.18.3	M00001357D:D11
360	5178	RTA00000178AF.n.10.1	M00001386C:B12
361	1120	RTA00000118A.p.15.3	M00001452A:D08
362	6420	RTA00000183AF.d.11.1	M00001504D:G06
363	13913	RTA00000186AF.e.6.1	M00001623D:F10
364		RTA00000192AF.c.2.1	M00004121B:G01
365	3956	RTA00000183AF.g.3.1	M00001512D:G09
366	14364	RTA00000183AF.g.12.1	M00001513C:E08
367	6880	RTA00000191AF.m.20.1	M00004087D:A01
368	84182	RTA00000180AF.h.19.1	M00001428A:H10
369	2790	RTA00000177AF.e.2.1	M00001343C:F10
370	4561	RTA00000184AF.i.21.1	M00001555D:G10
371	8847	RTA00000180AF.b.16.1	M00001416B:H11
372	56020	RTA00000193AF.g.2.1	M00004285B:E08
373	1531	RTA00000119A.o.3.1	M00001461A:D06
374	6420	RTA00000177AF.f.10.3	M00001345A:E01
375		RTA00000188AF.b.12.1	M00003754C:E09
376		RTA00000180AF.k.24.1	M00001432C:F06
377		RTA00000184AF.a.8.1	M00001544A:E06
378	2696	RTA00000134A.m.13.1	M00001536A:B07
379	260	RTA00000185AR.i.12.2	M00001594B:H04
380	11350	RTA00000189AF.a.24.2	M00003826B:A06
381	2428	RTA00000123A.l.21.1	M00001533A:C11
382	4313	RTA00000122A.n.3.1	M00001517A:B07
383		RTA00000184AF.p.3.1	M00001566B:D11
384	697	RTA00000188AF.d.6.1	M00003759B:B09

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
385	5619	RTA00000188AF.l.9.1	M00003796C:D05
386	4568	RTA00000122A.d.15.3	M00001513A:B06
387		RTA00000177AF.i.6.2	M00001350A:B08
388	5622	RTA00000178AF.a.11.1	M00001362B:D10
389	7514	RTA00000184AF.k.21.1	M00001558B:H11
390	5619	RTA00000189AF.f.17.1	M00003853A:D04
391	7570	RTA00000187AF.g.24.1	M00001677D:A07
392	23358	RTA00000190AF.o.21.1	M00003974D:H02
393	23210	RTA00000190AF.o.20.1	M00003974D:E07
394	5192	RTA00000184AF.k.2.1	M00001557B:H10
395	13538	RTA00000180AF.a.24.1	M00001415A:H06
396		RTA00000189AF.h.17.1	M00003867A:D10
397		RTA00000192AF.o.11.1	M00004205D:F06
398		RTA00000184AF.l.11.1	M00001559B:F01
399	4718	RTA00000189AF.g.5.1	M00003857A:H03
400	14929	RTA00000177AF.m.1.2	M00001353D:D10
401	4908	RTA00000192AF.j.2.1	M00004171D:B03
402		RTA00000178AF.k.16.1	M00001381D:E06
403		RTA00000194AF.c.24.1	M00004692A:H08
404	17732	RTA00000178AR.i.2.2	M00001376B:G06
405	17062	80.A1.sp6:130208.Seq	M00001340B:A06
406	11589	80.B1.sp6:130220.Seq	M00001340D:F10
407	4443	80.C1.sp6:130232.Seq	M00001341A:E12
408	39805	80.D1.sp6:130244.Seq	M00001342B:E06
409	2790	80.E1.sp6:130256.Seq	M00001343C:F10
410	23255	80.F1.sp6:130268.Seq	M00001343D:H07
411	6420	80.G1.sp6:130280.Seq	M00001345A:E01
412	5007	80.H1.sp6:130292.Seq	M00001346A:F09
413	13576	80.D2.sp6:130245.Seq	M00001347A:B10
414	16927	80.E2.sp6:130257.Seq	M00001348B:B04
415	16985	80.F2.sp6:130269.Seq	M00001348B:G06
416	3584	80.G2.sp6:130281.Seq	M00001349B:B08
417		80.H2.sp6:130293.Seq	M00001350A:B08
418	7187	80.A3.sp6:130210.Seq	M00001350A:H01
419	16245	80.D3.sp6:130246.Seq	M00001352A:E02
420	8078	80.E3.sp6:130258.Seq	M00001353A:G12
421	14929	80.F3.sp6:130270.Seq	M00001353D:D10
422	14391	80.G3.sp6:130282.Seq	M00001355B:G10
423	4141	80.B4.sp6:130223.Seq	M00001361A:A05
424	2379	80.C4.sp6:130235.Seq	M00001361D:F08
425	5622	80.D4.sp6:130247.Seq	M00001362B:D10
426	945	80.E4.sp6:130259.Seq	M00001362C:H11
427	40132	80.F4.sp6:130271.Seq	M00001365C:C10

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
428		80.G4.sp6:130283.Seq	M00001368D:E03
429	6867	80.H4.sp6:130295.Seq	M00001370A:C09
430	7172	80.A5.sp6:130212.Seq	M00001371C:E09
431	17732	80.B5.sp6:130224.Seq	M00001376B:G06
432	39833	80.C5.sp6:130236.Seq	M00001378B:B02
433	1334	80.D5.sp6:130248.Seq	M00001379A:A05
434	39886	80.E5.sp6:130260.Seq	M00001380D:B09
435		80.F5.sp6:130272.Seq	M00001381D:E06
436	22979	80.G5.sp6:130284.Seq	M00001382C:A02
437	39648	80.H5.sp6:130296.Seq	M00001383A:C03
438		80.B6.sp6:130225.Seq	M00001384B:A11
439	5178	80.C6.sp6:130237.Seq	M00001386C:B12
440	2464	80.D6.sp6:130249.Seq	M00001387A:C05
441	7587	80.E6.sp6:130261.Seq	M00001387B:G03
442	5832	80.F6.sp6:130273.Seq	M00001388D:G05
443	16269	80.G6.sp6:130285.Seq	M00001389A:C08
444	6583	80.H6.sp6:130297.Seq	M00001394A:F01
445	4009	80.A7.sp6:130214.Seq	M00001396A:C03
446		80.B7.sp6:130226.Seq	M00001400B:H06
447	39563	80.C7.sp6:130238.Seq	M00001402A:E08
448	5556	80.D7.sp6:130250.Seq	M00001407B:D11
449	9577	80.E7.sp6:130262.Seq	M00001409C:D12
450	7005	80.F7.sp6:130274.Seq	M00001410A:D07
451	8551	80.G7.sp6:130286.Seq	M00001412B:B10
452		80.H7.sp6:130298.Seq	M00001414A:B01
453		80.A8.sp6:130215.Seq	M00001414C:A07
454	13538	80.B8.sp6:130227.Seq	M00001415A:H06
455	8847	80.C8.sp6:130239.Seq	M00001416B:H11
456	36393	80.D8.sp6:130251.Seq	M00001417A:E02
457	9952	80.E8.sp6:130263.Seq	M00001418B:F03
458	9577	80.G8.sp6:130287.Seq	M00001421C:F01
459	15066	80.H8.sp6:130299.Seq	M00001423B:E07
460	10470	80.A9.sp6:130216.Seq	M00001424B:G09
461	22195	80.B9.sp6:130228.Seq	M00001425B:H08
462		80.C9.sp6:130240.Seq	M00001426B:D12
463	4261	80.D9.sp6:130252.Seq	M00001426D:C08
464	84182	80.E9.sp6:130264.Seq	M00001428A:H10
465	40392	80.H9.sp6:130300.Seq	M00001429D:D07
466	16731	80.C10.sp6:130241.Seq	M00001442C:D07
467		80.D10.sp6:130253.Seq	M00001443B:F01
468	13532	80.E10.sp6:130265.Seq	M00001445A:F05
469	8	80.H10.sp6:130301.Seq	M00001448D:C09
470	36313	80.A11.sp6:130218.Seq	M00001448D:H01

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
471	5857	80.B11.sp6:130230.Seq	M00001449A:A12
472	41633	80.C11.sp6:130242.Seq	M00001449A:B12
473	36535	80.D11.sp6:130254.Seq	M00001449A:G10
474	86110	80.E11.sp6:130266.Seq	M00001449C:D06
475	32663	80.F11.sp6:130278.Seq	M00001450A:A11
476	27250	80.G11.sp6:130290.Seq	M00001450A:D08
477	16970	80.H11.sp6:130302.Seq	M00001452C:B06
478	16130	80.A12.sp6:130219.Seq	M00001453A:E11
479	16653	80.B12.sp6:130231.Seq	M00001453C:F06
480	7005	80.C12.sp6:130243.Seq	M00001454B:C12
481	13072	80.F12.sp6:130279.Seq	M00001455B:E12
482	9283	80.G12.sp6:130291.Seq	M00001455D:F09
483	23255	100.C1.sp6:131446.Seq	M00001343D:H07
484	13576	100.E1.sp6:131470.Seq	M00001347A:B10
485	7187	100.C2.sp6:131447.Seq	M00001350A:H01
486	14391	100.E3.sp6:131472.Seq	M00001355B:G10
487	945	100.E4.sp6:131473.Seq	M00001362C:H11
488	7172	100.A5.sp6:131426.Seq	M00001371C:E09
489	39648	100.A6.sp6:131427.Seq	M00001383A:C03
490	84182	100.G9.sp6:131502.Seq	M00001428A:H10
491	8	100.B11.sp6:131444.Seq	M00001448D:C09
492	36535	100.D11.sp6:131468.Seq	M00001449A:G10
493	82498	100.F11.sp6:131492.Seq	M00001450A:B12
494	16970	100.C12.sp6:131457.Seq	M00001452C:B06
495	16130	100.D12.sp6:131469.Seq	M00001453A:E11
496	7005	121.D1.sp6:131917.Seq	M00001454B:C12
497		121.G6.sp6:131958.Seq	M00001506D:A09
498	18957	121.F7.sp6:131947.Seq	M00001528A:F09
499	40044	122.E1.sp6:132121.Seq	M00001621C:C08
500	5214	122.C2.sp6:132098.Seq	M00001630B:H09
501	6660	122.B5.sp6:132089.Seq	M00001679A:A06
502	13183	123.D5.sp6:132305.Seq	M00004114C:F11
503	6455	123.E7.sp6:132319.Seq	M00004157C:A09
504	5319	123.F7.sp6:132331.Seq	M00004169C:C12
505	11443	123.A8.sp6:132272.Seq	M00004185C:C03
506		123.C8.sp6:132296.Seq	M00004191D:B11
507	8210	123.E8.sp6:132320.Seq	M00004197D:H01
508	9457	123.D11.sp6:132311.Seq	M00004307C:A06
509	6420	172.E1.sp6:133925.Seq	M00001345A:E01
510	16245	172.D2.sp6:133914.Seq	M00001352A:E02
511	8078	172.C3.sp6:133903.Seq	M00001353A:G12
512	14929	172.D3.sp6:133915.Seq	M00001353D:D10
513	14391	172.H3.sp6:133963.Seq	M00001355B:G10

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
514	6583	172.B8.sp6:133896.Seq	M00001394A:F01
515	4009	172.D8.sp6:133920.Seq	M00001396A:C03
516		172.B9.sp6:133897.Seq	M00001400B:H06
517		176.A3.sp6:134514.Seq	M00001632D:H07
518	19267	176.G3.sp6:134586.Seq	M00001645A:C12
519	78091	176.G5.sp6:134588.Seq	M00001679C:F01
520	17055	176.D6.sp6:134553.Seq	M00001682C:B12
521	6539	176.D9.sp6:134556.Seq	M00003844C:B11
522		177.H4.sp6:134791.Seq	M00004121B:G01
523	5257	177.F5.sp6:134768.Seq	M00004146C:C11
524	11494	177.E6.sp6:134757.Seq	M00004172C:D08
525		177.G7.sp6:134782.Seq	M00004205D:F06
526	11451	177.D8.sp6:134747.Seq	M00004214C:H05
527	9283	173.D2.SP6:134106.Seq	M00001455D:F09
528	16283	173.F3.SP6:134131.Seq	M00001467A:D08
529	10539	173.B5.SP6:134085.Seq	M00001499B:A11
530	6420	173.F5.SP6:134133.Seq	M00001504D:G06
531	3956	173.H5.SP6:134157.Seq	M00001512D:G09
532		173.G7.SP6:134147.Seq	M00001544A:E06
533	1577	173.C9.SP6:134101.Seq	M00001556A:F11
534	9635	173.D9.SP6:134113.Seq	M00001557A:F01
535	5192	173.E9.SP6:134125.Seq	M00001557B:H10
536	6539	173.A12.SP6:134080.Seq	M00001579D:C03
537	945	180.C2.sp6:135940.Seq	M00001362C:H11
538	7005	180.H5.sp6:136003.Seq	M00001410A:D07
539	39304	180.G9.sp6:135995.Seq	M00001450A:A02
540	27250	180.B10.sp6:135936.Seq	M00001450A:D08
541	35555	184.A5.sp6:135530.Seq	M00001528A:C04
542	19255	184.B10.sp6:135547.Seq	M00001545A:C03
543	6268	184.C12.sp6:135561.Seq	M00001551A:B10
544	3277	217.E1.sp6:139406.Seq	M00001624A:B06
545	39171	217.A12.sp6:139369.Seq	M00001644C:B07
546	11460	219.F2.sp6:139035.Seq	M00001676B:F05
547	10539	219.F6.sp6:139039.Seq	M00001680D:F08
548	11476	219.H8.sp6:139065.Seq	M00003747D:C05
549	4016	79.A1.sp6:130016.Seq	M00001395A:C03
550	7674	79.C1.sp6:130040.Seq	M00001416A:H01
551	3681	79.E1.sp6:130064.Seq	M00001449A:D12
552	39304	79.F1.sp6:130076.Seq	M00001450A:A02
553	82498	79.G1.sp6:130088.Seq	M00001450A:B12
554	84328	79.A2.sp6:130017.Seq	M00001452A:B04
555	86859	79.B2.sp6:130029.Seq	M00001452A:B12
556	1120	79.C2.sp6:130041.Seq	M00001452A:D08

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
557	85064	79.D2.sp6:130053.Seq	M00001452A:F05
558	83103	79.G2.sp6:130089.Seq	M00001454A:A09
559	10145	79.F3.sp6:130078.Seq	M00001465A:B11
560	16283	79.H3.sp6:130102.Seq	M00001467A:D08
561	4568	79.D4.sp6:130055.Seq	M00001513A:B06
562	4313	79.F4.sp6:130079.Seq	M00001517A:B07
563	2428	79.A5.sp6:130020.Seq	M00001533A:C11
564	39423	79.C5.sp6:130044.Seq	M00001535A:F10
565	39174	79.E5.sp6:130068.Seq	M00001541A:H03
566	22113	79.F5.sp6:130080.Seq	M00001542A:A09
567	19829	79.H5.sp6:130104.Seq	M00001544A:G02
568	13864	79.B6.sp6:130033.Seq	M00001545A:D08
569	1058	79.F6.sp6:130081.Seq	M00001548A:H09
570	4015	79.G6.sp6:130093.Seq	M00001549A:B02
571	39180	79.A7.sp6:130022.Seq	M00001551A:F05
572	307	79.C7.sp6:130046.Seq	M00001552A:B12
573	39458	79.D7.sp6:130058.Seq	M00001552A:D11
574	39490	79.G7.sp6:130094.Seq	M00001557A:F03
575	39486	79.B8.sp6:130035.Seq	M00001561A:C05
576	39380	79.E8.sp6:130071.Seq	M00001587A:B11
577	1399	79.G8.sp6:130095.Seq	M00001604A:B10
578	39391	79.A9.sp6:130024.Seq	M00001604A:F05
579	6268	79.G9.sp6:130096.Seq	M00001551A:B10
580		377.F4.sp6:141957.Seq	M00004692A:H08
581	2448	89.A1.sp6:130667.Seq	M00001460A:F06
582	1531	89.C1.sp6:130691.Seq	M00001461A:D06
583	19	89.D1.sp6:130703.Seq	M00001463C:B11
584	38759	89.F1.sp6:130727.Seq	M00001467A:B07
585	39508	89.G1.sp6:130739.Seq	M00001467A:D04
586	16283	89.H1.sp6:130751.Seq	M00001467A:D08
587	39442	89.A2.sp6:130668.Seq	M00001467A:E10
588	7589	89.B2.sp6:130680.Seq	M00001468A:F05
589		89.C2.sp6:130692.Seq	M00001469A:A01
590	12081	89.D2.sp6:130704.Seq	M00001469A:C10
591	19105	89.E2.sp6:130716.Seq	M00001469A:H12
592	1037	89.F2.sp6:130728.Seq	M00001470A:B10
593	39425	89.G2.sp6:130740.Seq	M00001470A:C04
594	39478	89.H2.sp6:130752.Seq	M00001471A:B01
595		89.B3.sp6:130681.Seq	M00001487B:H06
596		89.C3.sp6:130693.Seq	M00001488B:F12
597	18699	89.D3.sp6:130705.Seq	M00001490B:C04
598	7206	89.E3.sp6:130717.Seq	M00001494D:F06
599	2623	89.F3.sp6:130729.Seq	M00001497A:G02

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
600	10539	89.G3.sp6:130741.Seq	M00001499B:A11
601	5336	89.H3.sp6:130753.Seq	M00001500A:C05
602	2623	89.A4.sp6:130670.Seq	M00001500A:E11
603	9443	89.B4.sp6:130682.Seq	M00001500C:E04
604	9685	89.C4.sp6:130694.Seq	M00001501D:C02
605		89.D4.sp6:130706.Seq	M00001504A:E01
606	10185	89.E4.sp6:130718.Seq	M00001504C:A07
607	6974	89.F4.sp6:130730.Seq	M00001504C:H06
608	6420	89.G4.sp6:130742.Seq	M00001504D:G06
609		89.H4.sp6:130754.Seq	M00001505C:C05
610		89.A5.sp6:130671.Seq	M00001506D:A09
611	39168	89.B5.sp6:130683.Seq	M00001507A:H05
612	39412	89.C5.sp6:130695.Seq	M00001511A:H06
613	39186	89.D5.sp6:130707.Seq	M00001512A:A09
614	3956	89.E5.sp6:130719.Seq	M00001512D:G09
615		89.F5.sp6:130731.Seq	M00001513B:G03
616	14364	89.G5.sp6:130743.Seq	M00001513C:E08
617	40044	89.H5.sp6:130755.Seq	M00001514C:D11
618	8952	89.A6.sp6:130672.Seq	M00001518C:B11
619	35555	89.B6.sp6:130684.Seq	M00001528A:C04
620	18957	89.C6.sp6:130696.Seq	M00001528A:F09
621	8358	89.D6.sp6:130708.Seq	M00001528B:H04
622	38085	89.E6.sp6:130720.Seq	M00001531A:D01
623		89.F6.sp6:130732.Seq	M00001531A:H11
624	3990	89.G6.sp6:130744.Seq	M00001532B:A06
625	16921	89.H6.sp6:130756.Seq	M00001534A:C04
626	5321	89.B7.sp6:130685.Seq	M00001534A:F09
627	4119	89.C7.sp6:130697.Seq	M00001534C:A01
628	20212	89.E7.sp6:130721.Seq	M00001535A:C06
629	2696	89.F7.sp6:130733.Seq	M00001536A:B07
630	39392	89.G7.sp6:130745.Seq	M00001536A:C08
631	39420	89.H7.sp6:130757.Seq	M00001537A:F12
632	3389	89.A8.sp6:130674.Seq	M00001537B:G07
633	8286	89.B8.sp6:130686.Seq	M00001540A:D06
634	3765	89.C8.sp6:130698.Seq	M00001541A:D02
635	39453	89.E8.sp6:130722.Seq	M00001542A:E06
636		89.F8.sp6:130734.Seq	M00001542B:B01
637		89.H8.sp6:130758.Seq	M00001544A:E06
638	6974	89.A9.sp6:130675.Seq	M00001544B:B07
639		89.B9.sp6:130687.Seq	M00001545A:B02
640	19255	89.C9.sp6:130699.Seq	M00001545A:C03
641	1267	89.D9.sp6:130711.Seq	M00001546A:G11
642	5892	89.E9.sp6:130723.Seq	M00001548A:E10

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
643	4193	89.G9.sp6:130747.Seq	M00001549B:F06
644	16347	89.H9.sp6:130759.Seq	M00001549C:E06
645	7239	89.A10.sp6:130676.Seq	M00001550A:A03
646	5175	89.B10.sp6:130688.Seq	M00001550A:G01
647	22390	89.C10.sp6:130700.Seq	M00001551A:G06
648	3266	89.D10.sp6:130712.Seq	M00001551C:G09
649	5708	89.E10.sp6:130724.Seq	M00001552B:D04
650		89.F10.sp6:130736.Seq	M00001552D:A01
651	8298	89.G10.sp6:130748.Seq	M00001553A:H06
652	4573	89.H10.sp6:130760.Seq	M00001553B:F12
653	22814	89.A11.sp6:130677.Seq	M00001553D:D10
654	39539	89.B11.sp6:130689.Seq	M00001555A:B02
655	39195	89.C11.sp6:130701.Seq	M00001555A:C01
656	4561	89.D11.sp6:130713.Seq	M00001555D:G10
657	9244	89.E11.sp6:130725.Seq	M00001556A:C09
658	1577	89.F11.sp6:130737.Seq	M00001556A:F11
659	4386	89.H11.sp6:130761.Seq	M00001556B:C08
660	11294	89.A12.sp6:130678.Seq	M00001556B:G02
661	5192	89.D12.sp6:130714.Seq	M00001557B:H10
662	8761	89.E12.sp6:130726.Seq	M00001557D:D09
663		89.F12.sp6:130738.Seq	M00001558A:H05
664	7514	89.G12.sp6:130750.Seq	M00001558B:H11
665		89.H12.sp6:130762.Seq	M00001559B:F01
666	6558	90.A1.sp6:130859.Seq	M00001560D:F10
667	102	90.B1.sp6:130871.Seq	M00001563B:F06
668		90.D1.sp6:130895.Seq	M00001566B:D11
669	5749	90.E1.sp6:130907.Seq	M00001571C:H06
670	6539	90.G1.sp6:130931.Seq	M00001579D:C03
671	6293	90.A2.sp6:130860.Seq	M00001583D:A10
672		90.C2.sp6:130884.Seq	M00001590B:F03
673	260	90.D2.sp6:130896.Seq	M00001594B:H04
674	4837	90.E2.sp6:130908.Seq	M00001597C:H02
675	10470	90.F2.sp6:130920.Seq	M00001597D:C05
676	16999	90.G2.sp6:130932.Seq	M00001598A:G03
677	22794	90.H2.sp6:130944.Seq	M00001601A:D08
678	11465	90.A3.sp6:130861.Seq	M00001607A:E11
679	7802	90.B3.sp6:130873.Seq	M00001608A:B03
680	22155	90.C3.sp6:130885.Seq	M00001608B:E03
681		90.D3.sp6:130897.Seq	M00001608D:A11
682	13157	90.E3.sp6:130909.Seq	M00001614C:F10
683	17004	90.F3.sp6:130921.Seq	M00001617C:E02
684	40314	90.G3.sp6:130933.Seq	M00001619C:F12
685	40044	90.H3.sp6:130945.Seq	M00001621C:C08

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
686	13913	90.A4.sp6:130862.Seq	M00001623D:F10
687	3277	90.B4.sp6:130874.Seq	M00001624A:B06
688	4309	90.C4.sp6:130886.Seq	M00001624C:F01
689	5214	90.D4.sp6:130898.Seq	M00001630B:H09
690		90.E4.sp6:130910.Seq	M00001632D:H07
691	39171	90.F4.sp6:130922.Seq	M00001644C:B07
692	19267	90.G4.sp6:130934.Seq	M00001645A:C12
693	4665	90.H4.sp6:130946.Seq	M00001648C:A01
694		90.A5.sp6:130863.Seq	M00001651A:H01
695	23201	90.B5.sp6:130875.Seq	M00001657D:C03
696	76760	90.C5.sp6:130887.Seq	M00001657D:F08
697	23218	90.D5.sp6:130899.Seq	M00001662C:A09
698	35702	90.E5.sp6:130911.Seq	M00001663A:E04
699	6468	90.F5.sp6:130923.Seq	M00001669B:F02
700	14367	90.G5.sp6:130935.Seq	M00001670C:H02
701	7015	90.H5.sp6:130947.Seq	M00001673C:H02
702	8773	90.A6.sp6:130864.Seq	M00001675A:C09
703	11460	90.B6.sp6:130876.Seq	M00001676B:F05
704	7570	90.D6.sp6:130900.Seq	M00001677D:A07
705	4416	90.E6.sp6:130912.Seq	M00001678D:F12
706	6660	90.F6.sp6:130924.Seq	M00001679A:A06
707		90.H6.sp6:130948.Seq	M00001679A:F06
708	26875	90.A7.sp6:130865.Seq	M00001679A:F10
709	6298	90.B7.sp6:130877.Seq	M00001679B:F01
710	78091	90.C7.sp6:130889.Seq	M00001679C:F01
711	10751	90.D7.sp6:130901.Seq	M00001679D:D03
712	10539	90.F7.sp6:130925.Seq	M00001680D:F08
713	17055	90.G7.sp6:130937.Seq	M00001682C:B12
714	5382	90.A8.sp6:130866.Seq	M00001688C:F09
715	4393	90.B8.sp6:130878.Seq	M00001693C:G01
716	67252	90.C8.sp6:130890.Seq	M00001716D:H05
717	40108	90.D8.sp6:130902.Seq	M00003741D:C09
718	11476	90.E8.sp6:130914.Seq	M00003747D:C05
719		90.F8.sp6:130926.Seq	M00003754C:E09
720	697	90.G8.sp6:130938.Seq	M00003759B:B09
721		90.H8.sp6:130950.Seq	M00003761D:A09
722	17076	90.A9.sp6:130867.Seq	M00003762C:B08
723	3108	90.B9.sp6:130879.Seq	M00003763A:F06
724	67907	90.C9.sp6:130891.Seq	M00003774C:A03
725		90.D9.sp6:130903.Seq	M00003784D:D12
726	11350	90.F9.sp6:130927.Seq	M00003826B:A06
727	7899	90.H9.sp6:130951.Seq	M00003837D:A01
728	7798	90.A10.sp6:130868.Seq	M00003839A:D08

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
729	6539	90.B10.sp6:130880.Seq	M00003844C:B11
730	6874	90.C10.sp6:130892.Seq	M00003846B:D06
731		90.D10.sp6:130904.Seq	M00003851B:D08
732	13595	90.E10.sp6:130916.Seq	M00003851B:D10
733	5619	90.F10.sp6:130928.Seq	M00003853A:D04
734	10515	90.G10.sp6:130940.Seq	M00003853A:F12
735	4622	90.H10.sp6:130952.Seq	M00003856B:C02
736	3389	90.A11.sp6:130869.Seq	M00003857A:G10
737	4718	90.B11.sp6:130881.Seq	M00003857A:H03
738		90.C11.sp6:130893.Seq	M00003867A:D10
739	12977	90.F11.sp6:130929.Seq	M00003875B:F04
740	8479	90.G11.sp6:130941.Seq	M00003875C:G07
741		90.H11.sp6:130953.Seq	M00003875D:D11
742	7798	90.A12.sp6:130870.Seq	M00003876D:E12
743	5345	90.B12.sp6:130882.Seq	M00003879B:C11
744	31587	90.C12.sp6:130894.Seq	M00003879B:D10
745	14507	90.D12.sp6:130906.Seq	M00003879D:A02
746	13576	90.F12.sp6:130930.Seq	M00003885C:A02
747		90.G12.sp6:130942.Seq	M00003891C:H09
748	9285	90.H12.sp6:130954.Seq	M00003906C:E10
749	39809	99.A1.sp6:131230.Seq	M00003907D:A09
750	16317	99.B1.sp6:131242.Seq	M00003907D:H04
751	8672	99.C1.sp6:131254.Seq	M00003909D:C03
752	12532	99.D1.sp6:131266.Seq	M00003912B:D01
753	3900	99.E1.sp6:131278.Seq	M00003914C:F05
754	23255	99.F1.sp6:131290.Seq	M00003922A:E06
755	24488	99.C2.sp6:131255.Seq	M00003968B:F06
756	40122	99.D2.sp6:131267.Seq	M00003970C:B09
757	23210	99.E2.sp6:131279.Seq	M00003974D:E07
758	23358	99.F2.sp6:131291.Seq	M00003974D:H02
759	3430	99.A3.sp6:131232.Seq	M00003981A:E10
760	2433	99.B3.sp6:131244.Seq	M00003982C:C02
761	9105	99.C3.sp6:131256.Seq	M00003983A:A05
762	6124	99.D3.sp6:131268.Seq	M00004028D:A06
763	40073	99.E3.sp6:131280.Seq	M00004028D:C05
764	37285	99.H3.sp6:131316.Seq	M00004035C:A07
765	17036	99.A4.sp6:131233.Seq	M00004035D:B06
766	3706	99.C4.sp6:131257.Seq	M00004068B:A01
767		99.D4.sp6:131269.Seq	M00004072A:C03
768	15069	99.F4.sp6:131293.Seq	M00004081C:D10
769	9285	99.H4.sp6:131317.Seq	M00004086D:G06
770	6880	99.A5.sp6:131234.Seq	M00004087D:A01
771	5325	99.C5.sp6:131258.Seq	M00004093D:B12

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
772	7221	99.D5.sp6:131270.Seq	M00004105C:A04
773	4937	99.E5.sp6:131282.Seq	M00004108A:E06
774	6874	99.F5.sp6:131294.Seq	M00004111D:A08
775	13183	99.G5.sp6:131306.Seq	M00004114C:F11
776		99.H5.sp6:131318.Seq	M00004121B:G01
777	13272	99.A6.sp6:131235.Seq	M00004138B:H02
778	5257	99.B6.sp6:131247.Seq	M00004146C:C11
779	6455	99.D6.sp6:131271.Seq	M00004157C:A09
780	5319	99.E6.sp6:131283.Seq	M00004169C:C12
781	4908	99.F6.sp6:131295.Seq	M00004171D:B03
782	11494	99.G6.sp6:131307.Seq	M00004172C:D08
783	11443	99.A7.sp6:131236.Seq	M00004185C:C03
784		99.B7.sp6:131248.Seq	M00004191D:B11
785	8210	99.C7.sp6:131260.Seq	M00004197D:H01
786	14311	99.D7.sp6:131272.Seq	M00004203B:C12
787		99.E7.sp6:131284.Seq	M00004205D:F06
788	12971	99.B8.sp6:131249.Seq	M00004223D:E04
789	6455	99.C8.sp6:131261.Seq	M00004229B:F08
790	7212	99.D8.sp6:131273.Seq	M00004230B:C07
791	4905	99.H8.sp6:131321.Seq	M00004269D:D06
792	16914	99.A9.sp6:131238.Seq	M00004275C:C11
793	16921	99.D9.sp6:131274.Seq	M00004295D:F12
794	13046	99.E9.sp6:131286.Seq	M00004296C:H07
795	9457	99.F9.sp6:131298.Seq	M00004307C:A06
796	26295	99.G9.sp6:131310.Seq	M00004312A:G03
797	21847	99.H9.sp6:131322.Seq	M00004318C:D10
798		99.H10.sp6:131323.Seq	M00004505D:F08
799		99.B11.sp6:131252.Seq	M00004692A:H08
800		99.D11.sp6:131276.Seq	M00005180C:G03
801	39304	RTA00000118A.j.21.1.Seq_THC151859	
802	2428	RTA00000123A.l.21.1.Seq_THC205063	
803	1058	RTA00000126A.e.20.3.Seq_THC217534	
804	5097	RTA00000134A.k.1.1.Seq_THC215869	
805	20212	RTA00000134A.l.22.1.Seq_THC128232	
806	23255	RTA00000177AF.e.14.3.Seq_THC228776	
807	2790	RTA00000177AF.e.2.1.Seq_THC229461	
808	6420	RTA00000177AF.f.10.3.Seq_THC226443	
809	4059	RTA00000177AF.n.18.3.Seq_THC123051	
810		RTA00000179AF.j.13.1.Seq_THC105720	
811	9952	RTA00000180AF.c.20.1.Seq_THC162284	
812	13238	RTA00000181AF.m.4.1.Seq_THC140691	
813	9685	RTA00000183AF.c.11.1.Seq_THC109544	
814		RTA00000183AF.c.24.1.Seq_THC125912	

SEQ ID NO:	Cluster ID	Sequence Name	Clone Name
815	6420	RTA00000183AF.d.11.1.Seq_THC226443	
816	6974	RTA00000183AF.d.9.1.Seq_THC223129	
817	40044	RTA00000183AF.g.22.1.Seq_THC232899	
818		RTA00000183AF.g.9.1.Seq_THC198280	
819	5892	RTA00000184AF.d.11.1.Seq_THC161896	
820	40044	RTA00000186AF.d.1.1.Seq_THC232899	
821		RTA00000186AF.h.14.1.Seq_THC112525	
822	19267	RTA00000186AF.l.12.1.Seq_THC178183	
823	8773	RTA00000187AF.f.24.1.Seq_THC220002	
824	7570	RTA00000187AF.g.24.1.Seq_THC168636	
825	11476	RTA00000187AF.p.19.1.Seq_THC108482	
826		RTA00000188AF.d.11.1.Seq_THC212094	
827	17076	RTA00000188AF.d.21.1.Seq_THC208760	
828	697	RTA00000188AF.d.6.1.Seq_THC178884	
829	67907	RTA00000188AF.g.11.1.Seq_THC123222	
830	5619	RTA00000188AF.l.9.1.Seq_THC167845	
831	4718	RTA00000189AF.g.5.1.Seq_THC196102	
832	39809	RTA00000190AF.e.3.1.Seq_THC150217	
833	23255	RTA00000190AF.j.4.1.Seq_THC228776	
834	40122	RTA00000190AF.n.23.1.Seq_THC109227	
835	23210	RTA00000190AF.o.20.1.Seq_THC207240	
836	23358	RTA00000190AF.o.21.1.Seq_THC207240	
837	5693	RTA00000190AF.p.17.2.Seq_THC173318	
838	2433	RTA00000191AF.a.15.2.Seq_THC79498	
839	5257	RTA00000192AF.f.3.1.Seq_THC213833	
840	16392	RTA00000192AF.l.1.1.Seq_THC202071	
841		RTA00000193AF.c.21.1.Seq_THC222602	
842	26295	RTA00000193AF.i.24.2.Seq_THC197345	
843		RTA00000193AF.m.5.1.Seq_THC173318	
844		RTA00000193AF.n.15.1.Seq_THC215687	

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
1	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
2	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
3	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
4	<NONE>	<NONE>	<NONE>	BAR3_CHITE	BALBIANI RING PROTEIN 3 PRECURSOR>PIR2:S08167 Balbiani ring 3 protein - midge (Chironomus tentans)>GP:CTBR3_1 C;tentans balbiani ring 3 (BR3) gene	1
5	<NONE>	<NONE>	<NONE>	CYAA_PODAN	ADENYLATE CYCLASE (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE)>PIR2:JC4747 adenylate cyclase (EC 4.6.1.1) - Podospora anserina>GP:PANADCY_1 Podospora anserina adenyl cyclase gene, exons 1-4	1
6	<NONE>	<NONE>	<NONE>	VP03_HSVSA	PROBABLE MEMBRANE ANTIGEN 3 (TEGUMENT PROTEIN)>PIR2:C36806 hypothetical protein ORF3 - saimiriine herpesvirus 1 (strain 11)>GP:HSGEND_3 Herpesvirus saimiri complete genome DNA; ORF 03; similarity to ORF 75 and EBV BNRF1	0.97

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
7	<NONE>	<NONE>	<NONE>	ATFCA2_18	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No; 2; Hydroxyproline-rich glycoprotein homolog; Similarity to hydroxyproline-rich glycoprotein precursor-common tobacco	0.93
8	<NONE>	<NONE>	<NONE>	DHAL_ASPNG	ALDEHYDE DEHYDROGENASE (EC 1.2.1.3) (ALDDH)>GP:ASNALDAA_1 Aspergillus niger aldehyde dehydrogenase (aldA) gene, complete cds	0.9
9	<NONE>	<NONE>	<NONE>	NCU50264_1	Neurospora crassa two-component histidine kinase (nik-1) gene, 5' region and partial cds	0.86
10	<NONE>	<NONE>	<NONE>	NEUG_BOVIN	NEUROGRANIN (P17) (B-50 IMMUNOREACTIVE C-KINASE SUBSTRATE) (BICKS) (FRAGMENT)>PIR2:A39034 neurogranin - bovine (fragment)	0.82
11	<NONE>	<NONE>	<NONE>	HUMBYSTIN_1	Homo sapiens bystin mRNA, complete cds	0.81
12	<NONE>	<NONE>	<NONE>	BTBMP1_1	Bos taurus BMP1 gene, partial sequence; Bone morphogenetic protein 1	0.69
13	<NONE>	<NONE>	<NONE>	TCCYSPROT_1	T;congolense mRNA for (prepro) cysteine proteinase	0.56
14	<NONE>	<NONE>	<NONE>	P60_LISIV	PROTEIN P60 PRECURSOR (INVASION-ASSOCIATED PROTEIN)>GP:LISIAPRELB_1 Listeria	0.15

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					ivanovii extracellular protein homologue (iap) gene, complete cds	
15	<NONE>	<NONE>	<NONE>	HEX_ADE31	HEXON PROTEIN (LATE PROTEIN 2) (FRAGMENT)>PIR2: S37217 hexon protein - human adenovirus 31 (fragment)>GP:HSAT31H_1 H;sapiens adenovirus type 31 hexon gene; Hexon protein; Internal fragment containing hypervariable regions	0.15
16	<NONE>	<NONE>	<NONE>	HSU77493_1	Human Notch2 mRNA, partial cds; Transmembrane protein; hN	0.13
17	<NONE>	<NONE>	<NONE>	CYB_PARTE	CYTOCHROME B (EC 1.10.2.2)>PIR2:S07743 cytochrome b - Paramecium tetraurelia mitochondrion (SGC6)>GP:MIPAGEN_19 Paramecium aurelia mitochondrial complete genome; Apocytochrome b (AA 1-391)	0.078
18	<NONE>	<NONE>	<NONE>	HUMERB27_1	Human c-erbB-2 gene, exon 7; C-erb-2 protein	0.054
19	<NONE>	<NONE>	<NONE>	DMTRXIII_2	D;melanogaster DNA for trxI and trxII genes; Trithorax protein trxI; Trithorax; putative>GP:DMTTHORAX_2 D;melanogaster DNA for (putative) trithorax protein; Predicted trithorax protein	0.047

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
20	<NONE>	<NONE>	<NONE>	CELB0281_5	Caenorhabditis elegans cosmid B0281; Similar to reverse transcriptases	0.043
21	<NONE>	<NONE>	<NONE>	MOTY_VIBPA	SODIUM-TYPE FLAGELLAR PROTEIN MOTY PRECURSOR>GP:VPU06949_4 Vibrio parahaemolyticus BB22 RNase T (rnt) gene and flagellar motor component (motY) gene, complete cds	0.041
22	<NONE>	<NONE>	<NONE>	A56263	beta-galactosidase (EC 3.2.1.23) isozyme 12 - Arthrobacter sp. (strain B7)>GP:ASU17417_1 Arthrobacter sp; beta-galactosidase gene, complete cds	0.04
23	<NONE>	<NONE>	<NONE>	GSA_PSEAE	GLUTAMATE-1-SEMIALDEHYDE 2,1-AMINOMUTASE (EC 5.4.3.8) (GSA) (GLUTAMATE-1-SEMIALDEHYDE AMINOTRANSFERASE) (GSA-AT)>PIR2:S57898 glutamate 1-semialdehyde 2,1-aminomutase - Pseudomonas aeruginosa>GP:PAHEML_1 P;aeruginosa hemL gene; Glutamate 1-sem	0.038
24	<NONE>	<NONE>	<NONE>	S16323	hypothetical protein - Arabidopsis thaliana>GP:ATHB1_1 A;thaliana homeobox gene Athb-1 mRNA; Open reading frame	0.035

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
25	<NONE>	<NONE>	<NONE>	IRS1_RAT	INSULIN RECEPTOR SUBSTRATE-1>PIR2:S16948 hypothetical protein IRS-1 - rat>GP:RNIRS1IRM_1 R;Norvegicus IRS-1 mRNA for insulin-receptor; During insulin stimulation, undergoes tyrosine phosphorylation and binds phosphatidylinositol 3-kinase	0.027
26	<NONE>	<NONE>	<NONE>	CEM02G9_2	Caenorhabditis elegans cosmid M02G9; M02G9;1; Similar to keratin like protein; cDNA EST yk308g11;5 comes from this gene; cDNA EST yk208e11;5 comes from this gene; cDNA EST yk208e11;3 comes	0.0088
27	<NONE>	<NONE>	<NONE>	S75490_3	competence region: iga=IgA protease, comA=transformation competence [Neisseria gonorrhoeae, MS11, Genomic, 3 genes, 2664 nt]	0.0041
28	<NONE>	<NONE>	<NONE>	EXTN_TOBAC	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)>PIR2:S06733 hydroxyproline-rich glycoprotein precursor - common tobacco>GP:NTEXT_1 Tobacco HRGPnt3 gene for extensin; Extensin (AA 1-620)	0.0025

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
29	<NONE>	<NONE>	<NONE>	HPCEGS_1	Hepatitis C virus complete genome sequence; Polyprotein	0.0014
30	<NONE>	<NONE>	<NONE>	HHVBC_4	Human hepatitis virus (genotype C, HMA) preS1, preS2, S, C, X, antigens, core antigen, X protein and polymerase	0.00093
31	<NONE>	<NONE>	<NONE>	HSLTGFBP4_1	Homo sapiens mRNA for latent transforming growth factor-beta binding protein-4; Latent TGF-beta binding protein-4	0.00061
32	<NONE>	<NONE>	<NONE>	S74909	transposase - Synechocystis sp. (PCC 6803)>GP:D90909_108 Synechocystis sp; PCC6803 complete genome, 11/27, 1311235- 1430418; Transposase; ORF_ID:slr2062	0.00051
33	<NONE>	<NONE>	<NONE>	GRN_MOUSE	GRANULINS PRECURSOR (ACROGRANIN)>GP: MUSAP_1 Mouse gene for acrogranin precursor, complete cds	0.00022
34	<NONE>	<NONE>	<NONE>	CA21_MOUSE	PROCOLLAGEN ALPHA 2(I) CHAIN PRECURSOR>PIR2:A43291 collagen alpha 2(I) chain precursor - mouse>GP:MMCOL1A2_1 Mouse COL1A2 mRNA for pro-alpha-2(I) collagen	0.00016
35	<NONE>	<NONE>	<NONE>	MMMHC29N7_2	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophatidic acid acyl transferase-	8.00E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					alpha, palmitoyl-	
36	<NONE>	<NONE>	<NONE>	NFH_RAT	NEUROFILAMENT TRIPLET H PROTEIN (200 KD NEUROFILAMENT PROTEIN) (NF-H) (FRAGMENT)	2.40E-05
37	<NONE>	<NONE>	<NONE>	HUMVWFM_1	Human von Willebrand factor mRNA, 3' end; Von Willebrand factor prepropeptide	1.70E-05
38	<NONE>	<NONE>	<NONE>	CGHU2E	collagen alpha 2(XI) chain - human (fragment)	2.00E-06
39	<NONE>	<NONE>	<NONE>	A61183	hypothetical protein (sdsB region) - Pseudomonas sp.	4.90E-08
40	<NONE>	<NONE>	<NONE>	YM8L_YEAST	HYPOTHETICAL 71.1 KD PROTEIN IN DSK2-CAT8 INTERGENIC REGION>PIR2:S54585 hypothetical protein YMR278w - yeast (Saccharomyces cerevisiae)>GP:SC8021X_4 S;cerevisiae chromosome XIII cosmid 8021; Unknown; YM8021;04, unknown, len: 622, CAI: 0;16,	1.50E-09
41	<NONE>	<NONE>	<NONE>	MTCY210_31	Mycobacterium tuberculosis cosmid Y210; Unknown; MTCY210;31, unknown, len: 299 aa, slight similarity to carboxykinases	3.10E-10

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			**Nearest Neighbor (BlastX vs. Non-Redundant Proteins)**		
SEQ ID	**ACCESSION**	**DESCRIPTION**	**P VALUE**	**ACCESSION**	**DESCRIPTION**	**P VALUE**
42	<NONE>	<NONE>	<NONE>	CEC01G10_5	Caenorhabditis elegans cosmid C01G10, complete sequence; C01G10;8; CDNA EST CEMSC45R comes from this gene>GP:CEC01G10_5 Caenorhabditis elegans cosmid C01G10; C01G10;8; CDNA EST CEMSC45R comes from this gene	2.30E-12
43	<NONE>	<NONE>	<NONE>	HSU15779_1	Human p70 (ST5) mRNA, alternatively spliced, complete cds; Differentially expressed; alternatively spliced	9.50E-14
44	<NONE>	<NONE>	<NONE>	MTCY210_31	Mycobacterium tuberculosis cosmid Y210; Unknown; MTCY210;31, unknown, len: 299 aa, slight similarity to carboxykinases	1.70E-17
45	U61403	Dictyostelium discoideum PrlA (prlA) mRNA, partial cds.	1	U93472_1	Danio rerio PPARB gene, partial cds; Nuclear receptor C domain	0.95
46	Z92832	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone F31D4; HTGS phase 1.	1	U93472_1	Danio rerio PPARB gene, partial cds; Nuclear receptor C domain	0.94
47	L36557	Oryza sativa (clone pRG3) repetitive element.	1	HSU61262_1	Human neogenin mRNA, complete cds	0.89

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
48	AF005898	Homo sapiens Na,K-ATPase beta-3 subunit pseudogene, complete sequence.	1	LRP1_CHICK	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 1 PRECURSOR (LRP) (ALPHA-2-MACROGLOBULIN RECEPTOR) (A2MR)>PIR2:A53102 LDL receptor-related protein / alpha-2-macroglobulin receptor precursor - chicken>GP:GGLRPA 2MR_1 G;gallus mRNA for LRP/alp	0.85
49	U18795	Saccharomyces cerevisiae chromosome V cosmids 9669, 8334, 8199, and lambda clone 1160.	1	NKC1_SQUAC	BUMETANIDE-SENSITIVE SODIUM-(POTASSIUM)-CHLORIDE COTRANSPORTER 2 (NA-K-CL SYMPORTER)>PIR2: A53491 bumetanide-sensitive Na-K-C1 cotransporter - spiny dogfish>GP:SANKCC 1_1 Squalus acanthias bumetanide-sensitive Na-K-Cl cotransport protein (NKCC	0.73
50	AC002523	Homo sapiens; HTGS phase 1, 54 unordered pieces.	1	BXEN_CLOBO	BOTULINUM NEUROTOXIN TYPE E, NONTOXIC COMPONENT>GP:C LOENT120_1 C;botulinum gene for nontoxic component of progenitor toxin, complete cds	0.71

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
51	AC002345	*** SEQUENCING IN PROGRESS *** Genomic sequence from Human 17; HTGS phase 1, 10 unordered pieces.	1	P3K2_DICDI	PHOSPHATIDYLINOSITOL 3-KINASE 2 (EC 2.7.1.137) (PI3-KINASE) (PTDINS-3-KINASE) (PI3K)>GP:DDU23477_1 Dictyostelium discoideum phosphatidylinositol-4,5-diphosphate 3-kinase (PIK2) mRNA, complete cds	0.58
52	X14253	Human mRNA for cripto protein.	1	I55651	noradrenaline transporter - bovine>GP:BTU09198_1 Bos taurus noradrenaline transporter mRNA, complete cds	0.55
53	U23516	Caenorhabditis elegans cosmid B0416.	1	I69024	MHC sex-limited protein - mouse (fragment)>GP:MUSMHC4AD_1 Mouse class III H2-Slp sex-limited protein gene, exons 1, 2 and 3; MHC sex-limited protein	0.47
54	AB006698	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MCL19.	1	S81293_1	L1 {insertion sequence, provirus} [human papillomavirus type 6b HPV6b, KP4, Genomic Mutant, 121 nt]; Authors note this reading frame results from a 454 bp deletion and resulting	0.25
55	K03458	Human immunodeficiency virus type 1, isolate Zaire 6, vif, tat, rev, env, nef genes and 3' LTR.	1	S13383	hydroxyproline-rich glycoprotein - sorghum	0.24

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
56	B26794	T1O16TR TAMU Arabidopsis thaliana genomic clone T1O16.	1	RK34_PORPU	CHLOROPLAST 50S RIBOSOMAL PROTEIN L34>PIR2:S73111 ribosomal protein L34 - red alga (Porphyra purpurea) chloroplast>GP:PPU38804_4 Porphyra purpurea chloroplast genome, complete sequence; 50S ribosomal protein L34	0.021
57	Z98950	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 507I15; HTGS phase 1.	1	D41132	collagen-related protein 4 - Hydra magnipapillata (fragment)>PIR2:S21932 mini-collagen - Hydra sp.>GP:HSNCOL4_1 Hydra N-COL 4 mRNA for mini-collagen; No start codon	0.02
58	U57057	Human WD protein IR10 mRNA, complete cds.	1	DMU15602_1	Drosophila melanogaster (zeste-white 4) mRNA, complete cds; Similar to C; elegans B0464;4 gene product, Swiss-Prot Accession Number Q03562	0.019
59	U57057	Human WD protein IR10 mRNA, complete cds.	1	CR2_MOUSE	COMPLEMENT RECEPTOR TYPE 2 PRECURSOR (CR2) (COMPLEMENT C3D RECEPTOR)>PIR2:A43526 complement C3d/Epstein-Barr virus receptor 2 precursor - mouse>GP:MUSCR2AA_1 Murine complement receptor type 2 (CR2) mRNA, complete cds; Complement receptor type	0.0074

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
60	B65337	CIT-HSP-2021H21.TF CIT-HSP Homo sapiens genomic clone 2021H21.	1	A38096	perlecan precursor - human>GP:HUMHSPG2B_1 Human heparan sulfate proteoglycan (HSPG2) mRNA, complete cds	0.0051
61	U84722	Human vascular endothelial cadherin mRNA, complete cds.	1	HSTAFII13_1	H;sapiens mRNA for TAFII135; Subunit of RNA polymerase II transcription factor TFIID	0.0012
62	L41493	Avian rotavirus (strain turkey 1) genomic segment 4 outer capsid protein (VP8*) gene.	1	Y328_MYCPN	HYPOTHETICAL PROTEIN MG328 HOMOLOG>PIR2:S73693 MG328 homolog P01_orf1033 - Mycoplasma pneumoniae (ATCC 29342) (SGC3)>GP:MPAE000035_2 Mycoplasma pneumoniae from bases 442306 to 452472 (section 35 of 63) of the complete genome; MG328 homolog,	0.00015
63	D63139	Aeromonas sp. gene for chitinase, complete and partial cds.	1	MTCY16B7_3	Mycobacterium tuberculosis cosmid SCY16B7; Unknown; MTCY16B7;03, initiation factor, len: 900, similar at C-terminal half to eg IF2_BACSU P17889 initiation factor if-2 (716 aa), fasta	6.30E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
64	J04974	Human alpha-2 type XI collagen mRNA (COL11A2).	1	GDF6_BOVIN	GROWTH/DIFFERENTIATION FACTOR GDF-6 PRECURSOR (CARTILAGE-DERIVED MORPHOGENETIC PROTEIN 2) (CDMP-2) (FRAGMENT)>PIR2: B55452 cartilage-derived morphogenetic protein 2 precursor - bovine (fragment)>GP:BTU13661_1 Bos taurus cartilage-derived morp	1.00E-05
65	AC002394	Homo sapiens Chromosome 16 BAC clone CIT987-SKA-211C6 ~complete genomic sequence, complete sequence.	1	CELC14F11_6	Caenorhabditis elegans cosmid C14F11; Similar to aspartate aminotransferase; coded for by C; elegans cDNA CEMSF95FB; coded for by C; elegans cDNA yk41e4;3; coded for by C; elegans	4.60E-06
66	AB002312	Human mRNA for KIAA0314 gene, partial cds.	1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFERASE 1)	1.00E-09
67	AC003085	Human BAC clone RG094H21 from 7q21-q22, complete sequence.	1	DP19_CAEEL	DPY-19 PROTEIN>PIR2:S44629 f22b7.10 protein - Caenorhabditis elegans>GP:CELF22B7_9 C;aenorhabditis elegans (Bristol N2) cosmid F22B7; Putative	4.20E-11
68	X55026	P.anserina complete mitochondrial genome.	1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88) (AMINO-TERMINAL, ALPHA- AMINO, ACETYLTRANSFER	8.40E-12

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					ASE 1)	
69	Z95399	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y39B6; HTGS phase 1.	1	CER06B9_5	Caenorhabditis elegans cosmid R06B9, complete sequence; R06B9;b; Protein predicted using Genefinder; preliminary prediction	1.50E-24
70	AC002339	Arabidopsis thaliana chromosome II BAC T11A07 genomic sequence, complete sequence.	0.99	POLG_BVDVS	GENOME POLYPROTEIN>PIR1:A44217 genome polyprotein - bovine viral diarrhea virus (strain SD-1)>GP:BVDPOLYPRO_1 Bovine viral diarrhea virus polyprotein RNA, complete cds; Putative	1
71	Y08559	B.subtilis urease operon and downstream DNA.	0.99	LRP_CAEEL	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN PRECURSOR (LRP)>PIR2:A47437 LDL-receptor-related protein - Caenorhabditis elegans>GP:CEF29D11_2 Caenorhabditis elegans cosmid F29D11, complete sequence; F29D11;1; Protein predicted using Genefi	1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
72	U67548	Methanococcus jannaschii from bases 986219 to 996377 (section 90 of 150) of the complete genome.	0.99	YB60_YEAST	HYPOTHETICAL 16.3 KD PROTEIN IN DUR1,2-NGR1 INTERGENIC REGION>PIR2:S46084 probable membrane protein YBR210w - yeast (Saccharomyces cerevisiae)>GP:SCYBR210W_1 S;cerevisiae chromosome II reading frame ORF YBR210w	1
73	U51645	Plasmodium falciparum cytidine triphosphate synthetase gene, complete cds.	0.99	HPSVRPL_1	Sin Nombre virus (NM H10) RNA L segment encoding RNA polymerase (L protein), complete cds; Viral RNA polymerase (L protein); Putative>GP:HPSVRPLA_1 Sin Nombre virus (NM R11) RNA L segment encoding RNA polymerase (L protein), complete cds; Vir	0.99
74	Z49889	Caenorhabditis elegans cosmid T06H11, complete sequence.	0.99	MUSHDPROB_1	Mouse alternatively spliced HD protein mRNA, complete cds	0.021
75	Z69374	Human DNA sequence from cosmid L174G8, Huntington's Disease Region, chromosome 4p16.3 contains a pair of ESTs.	0.99	NCPR_YEAST	NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR)	0.017

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
76	Z35847	S.cerevisiae chromosome II reading frame ORF YBL086c.	0.99	CYPA_CAEEL	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE 10 (EC 5.2.1.8) (PPIASE) (ROTAMASE) (CYCLOPHILIN-10)>GP:CELB0252_4 Caenorhabditis elegans cosmid B0252; Similar to peptidyl-prolyl cis-trans isomerase (PPIASE) (CYCLOPHILIN)>GP: CEU34954_1 Caenorhabditis el	0.0044
77	L35330	Rattus norvegicus glutathione S-transferase Yb3 subunit gene, complete cds.	0.99	CELR148_1	Caenorhabditis elegans cosmid R148; Contains similarity to drosophila DNA-binding protein K10 (NID:g8148); coded for by C; elegans cDNA yk118e11;5; coded for by C; elegans cDNA	0.0032
78	Y00324	Chicken vitellogenin gene 3' flanking region.	0.99	A56922	transcription factor shn - fruit fly (Drosophila melanogaster)	0.0023
79	M32659	D.melanogaster Shab11 protein mRNA, complete cds.	0.99	OMU25146_1	Oncorhynchus mykiss recombination activating protein 2 gene, partial cds	0.0017
80	Z69880	H.sapiens SERCA3 gene (partial).	0.99	M84D_DROME	MALE SPECIFIC SPERM PROTEIN MST84DD>PIR2:S25775 testis-specific protein Mst84Dd - fruit fly (Drosophila melanogaster)>GP:DMMST84D_4 D;melanogaster Mst84Da, Mst84Db, Mst84Dc and Mst84Dd genes for put; sperm protein	0.0011

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
81	M99166	Escherichia coli Trp repressor binding protein (wrbA) gene, complete cds.	0.99	MTU88962_1	Mycobacterium tuberculosis unknown protein gene, partial cds	6.50E-07
82	X99257	R.norvegicus mRNA for lamin C2.	0.99	MIU68729_1	Meloidogyne incognita cuticle preprocollagen (col-2) mRNA, complete cds; Putative	1.60E-09
83	AC002432	Human BAC clone RG317G18 from 7q31, complete sequence.	0.98	1FMDC	Foot and mouth disease virus type c-s8c1, chain C - foot and mouth disease virus type c-s8c1 expressed in hamster kidney cells	0.14
84	Z34799	Caenorhabditis elegans cosmid F34D10, complete sequence.	0.98	MMU57368_1	Mus musculus EGF repeat transmembrane protein mRNA, complete cds; Notch like repeats; notch 2	0.0028
85	B15207	344E15.TV CIT978SKA1 Homo sapiens genomic clone A-344E15.	0.98	POLG_HCVJ6	GENOME POLYPROTEIN (CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (EC 2.7.7.48) (NS5))>PI	0.00083

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
86	AC002412	*** SEQUENCING IN PROGRESS *** Human Chromosome X; HTGS phase 1, 2 unordered pieces.	0.98	KDG1_ARATH	DIACYLGLYCEROL KINASE 1 (EC 2.7.1.107) (DIGLYCERIDE KINASE) (DGK 1) (DAG KINASE 1)>PIR2:S71467 diacylglycerol kinase (EC 2.7.1.107) ATDGK1 - Arabidopsis thaliana>GP:ATHATDGK1_1 Arabidopsis thaliana mRNA for diacylglycerol kinase, complete c	0.00024
87	X57010	Human COL2A1 gene for collagen II alpha 1 chain, exons E2-E15.	0.98	D80005_1	Human mRNA for KIAA0183 gene, partial cds	5.90E-10
88	M83093	Neurospora crassa cAMP-dependent protein kinase (cot-1) gene, complete cds.	0.98	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11;03, unknown, len: 210	3.00E-22
89	U96271	Helicobacter pylori heat shock protein 70 (hsp70) gene, complete cds.	0.97	SLMEN6_1	S;latifolia mRNA for Men-6 protein>GP:SLMEN6_1 S;latifolia mRNA for Men-6 protein	0.43
90	U49944	Caenorhabditis elegans cosmid C39E6.	0.97	RON_HUMAN	MACROPHAGE STIMULATING PROTEIN RECEPTOR PRECURSOR (EC 2.7.1.112)>PIR2:I38185 protein-tyrosine kinase (EC 2.7.1.112), receptor type ron - human>GP:HSRON_1 H;sapiens RON mRNA for tyrosine kinase; Putative	0.034

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
91	Y09255	B.cereus dnaI gene, partial.	0.97	CELT05C1_5	Caenorhabditis elegans cosmid T05C1; Coded for by C; elegans cDNA yk30f6;3; coded for by C; elegans cDNA yk34f10;3	0.00043
92	AC002413	*** SEQUENCING IN PROGRESS *** Human Chromosome X; HTGS phase 1, 2 unordered pieces.	0.96	CELC44E4_5	Caenorhabditis elegans cosmid C44E4; Weak similarity to the drosophila hyperplastic disc protein (GB:L14644); coded for by C; elegans cDNA yk49h6;5; coded for by C; elegans cDNA	1
93	U41625	Caenorhabditis elegans cosmid K03A1.	0.96	HMGC_HUMAN	HIGH MOBILITY GROUP PROTEIN HMGI-C>PIR2:JC2232 high mobility group I-C phosphoprotein - human>GP:HSHMGICG5_1 Human high-mobility group phosphoprotein isoform I-C (HMGIC) gene, exon 5>GP:HSHMGICP_1 H;sapiens mRNA for HMGI-C protein>GP:HSHMGIC	1
94	Z82202	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34P24; HTGS phase 1.	0.96	YTH3_CAEEL	HYPOTHETICAL 75.5 KD PROTEIN C14A4.3 IN CHROMOSOME II>GP:CEC14A4_3 Caenorhabditis elegans cosmid C14A4, complete sequence; C14A4;3; Weak similarity with a B; Flavum translocation protein (Swiss Prot accession number P38376)	0.73

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
95	AL008734	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 324M8; HTGS phase 1.	0.96	S25299	extensin precursor (clone Tom L-4) - tomato>GP:TOMEXTENB_1 L;esculentum extensin (class II) gene, complete cds	0.0004
96	L15388	Human G protein-coupled receptor kinase (GRK5) mRNA, complete cds.	0.96	HUMCOL7A1X_1	Homo sapiens (clones: CW52-2, CW27-6, CW15-2, CW26-5, 11-67) collagen type VII intergenic region and (COL7A1) gene, complete cds	4.60E-06
97	X97384	A.thaliana atran3 gene.	0.95	<NONE>	<NONE>	<NONE>
98	M62505	Human C5a anaphylatoxin receptor mRNA, complete cds.	0.95	RIPB_BRYDI	RIBOSOME-INACTIVATING PROTEIN BRYODIN (RRNA N-GLYCOSIDASE) (EC 3.2.2.22) (FRAGMENT)>PIR2:S16491 rRNA N-glycosidase (EC 3.2.2.22) bryodin - red bryony (fragment)	0.83
99	D28778	Cucumber mosaic virus RNA 1 for 1a, complete sequence.	0.95	POLS_RUBVM	STRUCTURAL POLYPROTEIN (CONTAINS: NUCLEOCAPSID PROTEIN C; MEMBRANE GLYCOPROTEINS E1 AND E2)>PIR1:GNWVR3 structural polyprotein - rubella virus (strain M33)>GP:TORUB24S_1 Rubella virus 24S subgenomic mRNA for structural proteins E1, E2 and C;	0.00037
100	AF016202	Homo sapiens immunoglobulin heavy chain CDR3 gene,	0.93	HSU79716_1	Human reelin (RELN) mRNA, complete cds	1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		partial cds.				
101	Z68303	Caenorhabditis elegans cosmid ZK809, complete sequence.	0.93	HS5HT4SAR_1	H;sapiens mRNA for serotonin 4SA receptor (5-HT4SA-R)	0.87
102	X03049	E. coli DNA sequene 5' to origin of replication oriC.	0.93	S37594	mucin - human (fragment)	0.0019
103	M32659	D.melanogaster Shab11 protein mRNA, complete cds.	0.93	S38480	nonstructural protein - rubella virus>GP:RVM33NP_1 Rubella virus M33 RNA for a nonstructural protein; Nonstructural protein genes	2.30E-06
104	D88687	Human mRNA for KM-102-derived reductase-like factor, complete cds.	0.93	BAT3_HUMAN	LARGE PROLINE-RICH PROTEIN BAT3 (HLA-B-ASSOCIATED TRANSCRIPT 3)>PIR2:A35098 MHC class III histocompatibility antigen HLA-B-associated transcript 3 - human>GP:HUMBAT3A_1 Human HLA-B-associated transcript 3 (BAT3) mRNA, complete cds>GP:HUMBAT3	8.70E-07
105	D16847	Mouse mRNA for stromal cell derived protein-1, complete cds.	0.93	S52796	prpL2 protein - human (fragment)>GP:HSPRPL2_1 H;sapiens mRNA for PRPL-2 protein	3.20E-08

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
106	D90915	Synechocystis sp. PCC6803 complete genome, 17/27, 2137259-2267259.	0.92	YEK9_YEAST	HYPOTHETICAL 53.9 KD PROTEIN IN AFG3-SEB2 INTERGENIC REGION>PIR2:S50477 hypothetical protein YER019w - yeast (Saccharomyces cerevisiae)>GP:SCE9537_20 Saccharomyces cerevisiae chromosome V cosmids 9537, 9581, 9495, 9867, and lambda clone 5898	5.90E-05
107	AJ001101	Mus musculus mRNA for gC1qBP gene.	0.92	DMU58282_1	Drosophila melanogaster Bowel (bowl) mRNA, complete cds; Transcription factor; C2H2 zinc finger protein; zinc fingers have extensive sequence similarity to Drosophila odd-skipped	3.50E-05
108	X57108	Human gene for cerebroside sulfate activator protein, exons 10-14.	0.92	S69032	hypothetical protein YPR144c - yeast (Saccharomyces cerevisiae)>GP:YSCP9659_17 Saccharomyces cerevisiae chromosome XVI cosmid 9659; Ypr144cp; Weak similarity near C-terminus to RNA Polymerase beta subunit (Swiss Prot; accession number P11213)	4.30E-21

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
109	D14635	Caenorhabditis elegans DNA for EMB-5.	0.91	YM13_YEAST	PUTATIVE ATP-DEPENDENT RNA HELICASE YMR128W>PIR2:S53058 probable membrane protein YMR128w - yeast (Saccharomyces cerevisiae)>GP:SC9553_4 S;cerevisiae chromosome XIII cosmid 9553; Unknown; YM9553;04, probable ATP-dependent RNA helicase, len:	0.69
110	B55500	CIT-HSP-387J2.TFB CIT-HSP Homo sapiens genomic clone 387J2.	0.91	U97553_79	Murine herpesvirus 68 strain WUMS, complete genome; Unknown	0.00016
111	X03049	E. coli DNA sequene 5' to origin of replication oriC.	0.9	POL_MLVAV	POL POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); RIBONUCLEASE H (EC 3.1.26.4))>PIR1:GNMVGV pol polyprotein - AKV murine leukemia virus	0.0019
112	U91327	Human chromosome 12p15 BAC clone CIT987SK-99D8 complete sequence.	0.89	JC5568	serine protease (EC 3.4.-.-) h1 - Serratia marcescens	1
113	X13295	Rat mRNA for alpha-2u globulin-related protein.	0.89	MNGPOLY_1	Mengo virus polyprotein genome, complete cds withe repeats	1
114	Z78415	Caenorhabditis elegans cosmid C17G1, complete sequence.	0.89	AB000121_1	Mouse mRNA for TBPIP, complete cds; TBP1 interacting protein	0.39

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
115	AC002308	*** SEQUENCING IN PROGRESS *** Human Chromosome 22q11 BAC Clone 1000e4; HTGS phase 1, 26 unordered pieces.	0.88	YLK2_CAEE L	HYPOTHETICAL 122.7 KD PROTEIN D1044.2 IN CHROMOSOME III>GP:CELD1044_4 Caenorhabditis elegans cosmid D1044	0.0037
116	AC002073	Human PAC clone DJ515N1 from 22q11.2-q22, complete sequence.	0.88	S28499	probable finger protein - rat>GP:RNZFP_1 R;norvegicus mRNA for putative zinc finger protein	1.10E-31
117	Z83848	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57A13; HTGS phase 1.	0.87	NDL_DROM E	SERINE PROTEASE NUDEL PRECURSOR (EC 3.4.21.-)>PIR2:A57096 nudel protein precursor - fruit fly (Drosophila melanogaster)>GP:DM U29153_1 Drosophila melanogaster nudel (ndl) mRNA, complete cds; Serine protease; Soma dependent gene required matern	1
118	U23449	Caenorhabditis elegans cosmid K06A1.	0.87	AF023268_3	Homo sapiens clk2 kinase (CLK2), propin1, cote1, glucocerebrosidase (GBA), and metaxin genes, complete cds; metaxin pseudogene and glucocerebrosidase pseudogene; and thrombospondin3 (THBS3)	0.21
119	Z68181	H.vulgaris mRNA for elongation factor EF1-alpha.	0.87	RABCY450C _1	Rabbit cytochrome P-450 gene, clone pP-450PBc3, 3' end	0.14

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
120	AC000033	Homo sapiens chromosome 9, complete sequence.	0.87	VWF_CANFA	VON WILLEBRAND FACTOR PRECURSOR>GP:DOGVWG_1 Canis familiaris von Willebrand factor mRNA, complete cds	0.036
121	U23449	Caenorhabditis elegans cosmid K06A1.	0.86	S48988_1	CRP-1=cystatin-related protein [rats, Wistar albino, mRNA Partial, 213 nt]; Cystatin-related protein; Method: conceptual translation supplied by author; This sequence comes from Fig;	0.64
122	Z89651	F.rubripes GSS sequence, clone 090I24cD5.	0.86	CPU65981_1	Cryptosporidium parvum P-ATPase gene (CppA-E1) gene, complete cds; Putative calcium-ATPase	0.6
123	Z94055	Human DNA sequence from PAC 24M15 on chromosome 1. Contains tenascin-R (restrictin), EST.	0.86	GLTB_SYNY3	FERREDOXIN-DEPENDENT GLUTAMATE SYNTHASE 1 (EC 1.4.7.1) (FD-GOGAT)>PIR2:S60228 glutamate synthase (ferredoxin) (EC 1.4.7.1) gltB - Synechocystis sp. (PCC 6803)>GP:D90902_66 Synechocystis sp; PCC6803 complete genome, 4/27, 402290-524345; Gluta	0.03
124	Z49250	Human DNA sequence from cosmid HW2, Huntington's Disease Region, chromosome 4p16.3.	0.86	TRSCAPSID_1	Tobacco ringspot virus capsid protein gene, complete cds	3.00E-06

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
125	Z92855	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y48C3; HTGS phase 1.	0.84	AE000809_8	Methanobacterium thermoautotrophicum from bases 161632 to 172569 (section 15 of 148) of the complete genome; Aspartyl-. tRNA synthetase; Function Code:10;07 - Metabolism of	1
126	AC002340	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'TAMU' BAC 'T11J7' genomic sequence near marker 'm283'; HTGS phase 1, 2 unordered pieces.	0.83	CET01E8_3	Caenorhabditis elegans cosmid T01E8, complete sequence; T01E8;3; Similar to 1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase; cDNA EST CEESG02F comes from this gene;	0.86
127	AL008716	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 206C7; HTGS phase 1.	0.83	HIVU51189_5	HIV-1 clone 93th253 from Thailand, complete genome; Tat protein	0.86
128	AC002340	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'TAMU' BAC 'T11J7' genomic sequence near marker 'm283'; HTGS phase 1, 2 unordered pieces.	0.83	S60257	meltrin alpha - mouse>GP:MUSMAB_1 Mouse mRNA for meltrin alpha, complete cds	0.0013

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
129	Z83848	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57A13; HTGS phase 1.	0.82	ARO1_PNECA	PENTAFUNCTIONAL AROM POLYPEPTIDE (CONTAINS: 3-DEHYDROQUINATE SYNTHASE (EC 4.6.1.3), 3-DEHYDROQUINATE DEHYDRATASE (EC 4.2.1.10) (3-DEHYDROQUINASE), SHIKIMATE 5-DEHYDROGENASE (EC 1.1.1.25), SHIKIMATE KINASE (EC 2.7.1.71), AND EPSP SYNTHASE (E	0.0098
130	AF029308	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families.	0.8	CELZK84_5	Caenorhabditis elegans cosmid ZK84; Final exon in repeat region; similar to long tandem repeat region of sialidase (SP:TCNA_TRYCR, P23253) and neurofilament H protein; coded for by C; elegans	2.00E-08
131	AC002458	Human BAC clone RG098M04 from 7q21-q22, complete sequence.	0.78	IGF2_PIG	INSULIN-LIKE GROWTH FACTOR II PRECURSOR (IGF-II)>GP:SSIGF2_1 S;scrofa mRNA IGF2 for insulin-like-growth factor 2; Insulin- like-growth factor 2 preproprotein	0.44
132	Z83843	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 368A4; HTGS phase 1.	0.78	PAR51A_1	P;tetraurelia 51A surface protein gene, complete cds	0.0014

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
133	X03021	Human gene for granulocyte-macrophage colony stimulating factor (GM-CSF).	0.78	CEF57B1_3	Caenorhabditis elegans cosmid F57B1, complete sequence; F57B1;3; Protein predicted using Genefinder; similar to collagen	2.20E-05
134	Z74825	S.cerevisiae chromosome XV reading frame ORF YOL083w.	0.77	SYLM_SCHPO	PUTATIVE LEUCYL-TRNA SYNTHETASE, MITOCHONDRIAL PRECURSOR (EC 6.1.1.4) (LEUCINE--TRNA LIGASE)>PIR2:S62486 hypothetical protein SPAC4G8.09 - fission yeast (Schizosaccharomyces pombe)>GP:SPAC4G8_9 S;pombe chromosome I cosmid c4G8; Unknown; SPAC	0.96
135	Z74825	S.cerevisiae chromosome XV reading frame ORF YOL083w.	0.77	RNU59809_1	Rattus norvegicus mannose 6-phosphate/insulin-like growth factor II receptor (M6P/IGF2r) mRNA, complete cds; Also termed IGF-II/Man 6-P receptor, MPR, CI-MPR	0.01
136	U80445	Caenorhabditis elegans cosmid C50F2.	0.76	S28499	probable finger protein - rat>GP:RNZFP_1 R;norvegicus mRNA for putative zinc finger protein	1.10E-31
137	Z78545	Caenorhabditis elegans cosmid M03B6, complete sequence.	0.75	RRU73586_1	Rattus norvegicus Fanconi anemia group C mRNA, complete cds; Fanconi anemia group C protein; Similar to human FAC protein, GenBank Accession Numbers X66893 and X66894	0.023

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
138	Z97630	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 466N1; HTGS phase 1.	0.74	HSMSHRECA_1	H;sapiens mRNA for MSH receptor; Author-given protein sequence is in conflict with the conceptual translation	0.036
139	AF007269	Arabidopsis thaliana BAC IG002N01.	0.71	HSU95090_1	Homo sapiens chromosome 19 cosmid F19541, complete sequence; F19541_1; Hypothetical (partial) protein similar to proline oxidase	0.16
140	AC002393	Mouse BAC284H12 Chromosome 6, complete sequence.	0.7	RNLTBP2_1	Rattus norvegicus mRNA for LTBP-2 like protein; Latent TGF-beta binding protein-2 like protein	4.40E-05
141	B15232	344G8.TV CIT978SKA1 Homo sapiens genomic clone A-344G08.	0.67	DMSEVL2_2	Drosophila melanogaster sevenless mRNA; Put; sevenless protein (AA 1 - 2510)	0.41
142	D13748	Human mRNA for eukaryotic initiation factor 4AI.	0.66	MMU53563_1	Mus musculus Brg1 mRNA, partial cds; N-terminal region of the protein	0.00016
143	S45791	band 3-related protein=renal anion exchanger AE2 homolog [rabbits, New Zealand White, ileal epithelial cells, mRNA, 3964 nt].	0.66	POLS_RUBVR	STRUCTURAL POLYPROTEIN (CONTAINS: NUCLEOCAPSID PROTEIN C; MEMBRANE GLYCOPROTEINS E1 AND E2)>PIR1:GNWVRA structural polyprotein - rubella virus (strain RA27/3 vaccine)>GP:RUBCE21_1 Rubella virus RA27/3 RNA for capsid, E2 and E1 proteins; Poly	5.60E-05
144	M22462	Chicken protein p54 (ets-1)	0.66	HSHP8PROT_1	H;sapiens mRNA for HP8 protein; HP8	2.00E-06

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		mRNA, complete cds.			peptide	
145	U27999	Human clone pDEL52A11 HLA-C region cosmid 52 genomic survey sequence.	0.65	CA18_HUMAN	COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN)>PIR2:S15435 collagen alpha 1(VIII) chain precursor - human>GP:HSCOL8A1_1 Human COL8A1 mRNA for alpha 1(VIII) collagen	5.70E-06
146	M54787	N.crassa mating type a-1 protein (mt a-1) gene, exons 1-3.	0.64	I50717	vacuolar H+-ATPase A subunit - chicken (fragment)>GP:GGU22078_1 Gallus gallus vacuolar H+-ATPase A subunit gene, partial cds	0.0046
147	AC002094	Genomic sequence from Human 17, complete sequence.	0.63	PVPVA1_1	P;vivax pva1 gene	0.1
148	U32701	Haemophilus influenzae from bases 165345 to 176101 (section 16 of 163) of the complete genome.	0.63	FABG_HAEIN	3-OXOACYL-[ACYL-CARRIER PROTEIN] REDUCTASE (EC 1.1.1.100) (3-KETOACYL- ACYL CARRIER PROTEIN REDUCTASE)>PIR2:D64051 3-oxoacyl-[acyl-carrier-protein] reductase (EC 1.1.1.100) - Haemophilus influenzae (strain Rd KW20)>GP:HIU32701_7 Haemophilus	2.00E-12
149	Z37159	T.brucei serum resistance associated (SRA) mRNA for VSG-like protein.	0.61	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
150	AF027865	Mus musculus Major Histocompatibility Locus class II region.	0.61	A56514	chromokinesin - chicken>GP:GGU18309_1 Gallus gallus chromokinesin mRNA, complete cds	0.045
151	U40938	Caenorhabditis elegans cosmid D1009.	0.61	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11;03, unknown, len: 210	1.90E-24
152	I16670	Sequence 1 from patent US 5476781.	0.59	CELF21F8_7	Caenorhabditis elegans cosmid F21F8; Similar to eukaryotic aspartyl proteases	0.39
153	Z84468	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 299D3; HTGS phase 1.	0.59	CLG1_YEAST	CYCLIN-LIKE PROTEIN CLG1>PIR2:S37607 cyclin-like protein YGL215w - yeast (Saccharomyces cerevisiae)>GP:SCYGL215W_1 S;cerevisiae chromosome VII reading frame ORF YGL215w>GP:YSCCLG1CPR_1 Saccharomyces cerevisiae cyclin-like protein (CLG1) gene	0.0015
154	U00054	Caenorhabditis elegans cosmid K07E12.	0.57	<NONE>	<NONE>	<NONE>
155	M21207	Synthetic SV40 T antigen mutant pseudogene, 3' end.	0.57	1CJL2	cathepsin L (EC 3.4.22.15) mutant (F(78P)L, C25S, T110A, E176G, D178G), fragment 2 - human	0.43

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
156	AF020282	Dictyostelium discoideum DG2033 gene, partial cds.	0.56	AC002125_4	Homo sapiens DNA from chromosome 19-cosmid F25965, genomic sequence, complete sequence; F25965_5; Hypothetical 35;3 kDa protein similar to GTPase-activating proteins and orf3 from	0.6
157	M86352	Stigmatella aurantiaca reverse transcriptase (163 RT) gene, complete cds.	0.56	AC002398_4	Human DNA from chromosome 19-specific cosmid F25965, genomic sequence, complete sequence; F25965_3; Hypothetical 96 kDa human protein similar to alpha chimaerin; Hypothetical protein>GP:AC002398_4 Human DNA from chromosome 19-specific cosmi	4.50E-06
158	AC003101	*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HRPC41C23; HTGS phase 1, 33 unordered pieces.	0.54	<NONE>	<NONE>	<NONE>
159	B12117	F5L15-T7 IGF Arabidopsis thaliana genomic clone F5L15.	0.54	CEF32H2_5	Caenorhabditis elegans cosmid F32H2, complete sequence; F32H2;5; Similarity to Chicken fatty acid synthase (SW:P12276); cDNA EST yk16c2;5 comes from this gene; cDNA EST yk113h6;5 comes	1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
160	AE000664	Mus musculus TCR beta locus from bases 250554 to 501917 (section 2 of 3) of the complete sequence.	0.54	CET01G9_6	Caenorhabditis elegans cosmid T01G9, complete sequence; T01G9;4; CDNA EST yk29b7;5 comes from this gene	0.84
161	B12117	F5L15-T7 IGF Arabidopsis thaliana genomic clone F5L15.	0.54	A39718	nicotinic acetylcholine receptor alpha chain - marbled electric ray (fragments)	0.27
162	Z71261	Caenorhabditis elegans cosmid F21C3, complete sequence.	0.5	KDGE_DROME	EYE-SPECIFIC DIACYLGLYCEROL KINASE (EC 2.7.1.107) (RETINAL DEGENERATION A PROTEIN) (DIGLYCERIDE KINASE) (DGK)>GP:DRODAGK_1 Fruit fly mRNA for diacylglycerol kinase, complete cds	4.60E-05
163	M61831	Human S-adenosylhomocysteine hydrolase (AHCY) mRNA, complete cds.	0.49	P2C2_ARATH	PROTEIN PHOSPHATASE 2C (EC 3.1.3.16) (PP2C)>PIR2:S55457 phosphoprotein phosphatase (EC 3.1.3.16) 2C - Arabidopsis thaliana>GP:ATHPP2CA_1 Arabidopsis thaliana mRNA for protein phosphatase 2C	5.60E-08
164	U42608	Glycine max clathrin heavy chain mRNA, complete cds.	0.48	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
165	Z93042	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 6B17; HTGS phase 1.	0.47	PYRD_BACSU	DIHYDROOROTATE DEHYDROGENASE (EC 1.3.3.1) (DIHYDROOROTATE OXIDASE) (DHODEHASE)>PIR1:H39845 dihydroorotate oxidase (EC 1.3.3.1) - Bacillus subtilis>GPN:BSUB0009_25 Bacillus subtilis complete genome (section 9 of 21): from 1598421 to 1807200;	0.002
166	AC000044	Human Chromosome 22q13 Cosmid Clone p76e10, complete sequence.	0.47	MATK_MARPO	PROBABLE INTRON MATURASE>PIR2:A05034 hypothetical protein 370i - liverwort (Marchantia polymorpha) chloroplast>GP:CHMPXX_21 Liverwort Marchantia polymorpha chloroplast genome DNA; ORF370i	0.0011
167	X51508	Rabbit mRNA for aminopeptidase N (partial).	0.47	S45361	LRR47 protein - fruit fly (Drosophila melanogaster)>GP:DMLRR47_1 D;melanogaster mRNA for LRR47	5.30E-07
168	Z67035	H.sapiens DNA segment containing (CA) repeat; clone AFM323yf1; single read.	0.45	JQ2246	22.5K cathepsin D inhibitor protein precursor - potato>GP:POTCATHD_1 Potato cathepsin D inhibitor protein mRNA, complete cds	0.79
169	Z93042	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 6B17; HTGS phase 1.	0.44	SMU31768_1	Schistosoma mansoni elastase gene, 3045 bp clone, complete cds	0.0022

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
170	L11172	Plasmodium falciparum RNA polymerase I gene, complete cds.	0.43	HUMPKD1G08_1	Homo sapiens polycystic kidney disease (PKD1) gene, exons 43-46; Polycystic kidney disease 1 protein	1
171	Z95889	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 211A9; HTGS phase 1.	0.43	A09811_1	R;norvegicus mRNA for BRL-3A binding protein; Author-given protein sequence is in conflict with the conceptual translation	0.00083
172	U32772	Haemophilus influenzae from bases 954819 to 966363 (section 87 of 163) of the complete genome.	0.43	YPT2_CAEEL	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III>PIR2:S44639 F37A4.2 protein - Caenorhabditis elegans>GP:CELF37A4_8 Caenorhabditis elegans cosmid F37A4	2.50E-28
173	Z99281	Caenorhabditis elegans cosmid Y57G11C, complete sequence.	0.42	PTU19464_1	Paramecium tetraurelia outer arm dynein beta heavy chain gene, complete cds	1
174	X04571	Human mRNA for kidney epidermal growth factor (EGF) precursor.	0.42	YEK9_YEAST	HYPOTHETICAL 53.9 KD PROTEIN IN AFG3-SEB2 INTERGENIC REGION>PIR2:S50477 hypothetical protein YER019w - yeast (Saccharomyces cerevisiae)>GP:SCE9537_20 Saccharomyces cerevisiae chromosome V cosmids 9537, 9581, 9495, 9867, and lambda clone 5898	0.99

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
175	U32772	Haemophilus influenzae from bases 954819 to 966363 (section 87 of 163) of the complete genome.	0.41	YPT2_CAEE L	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III>PIR2:S44639 F37A4.2 protein - Caenorhabditis elegans>GP:CELF37A 4_8 Caenorhabditis elegans cosmid F37A4	7.80E-21
176	AC002053	Human Chromosome 9p22 Cosmid Clone 92f5, complete sequence.	0.4	HSU33837_1	Human glycoprotein receptor gp330 precursor, mRNA, complete cds	1
177	U88309	Caenorhabditis elegans cosmid T23B3.	0.4	DROMTTGN C_1	Drosophila melanogaster mitochondrial cytochrome c oxidase subunit I (COI) gene, 5' end, Trp-, Cys-, and Tyr-tRNA genes, NADH dehydrogenase subunit 2 (ND2) gene, 3' end	0.99
178	M34025	Human fetal Ig heavy chain variable region (clone M44) mRNA, partial cds.	0.39	DNA2_YEAS T	DNA REPLICATION HELICASE DNA2>PIR2:S48904 probable purine nucleotide-binding protein YHR164c - yeast (Saccharomyces cerevisiae)>GPN:YSC H9986_3 Saccharomyces cerevisiae chromosome VIII cosmid 9986; Dna2p: DNA replication helicase; YHR164C>GP:	1
179	AC002395	Homo sapiens; HTGS phase 1, 127 unordered pieces.	0.39	VV_MUMPE	NONSTRUCTURAL PROTEIN V (NONSTRUCTURAL PROTEIN NS1)	0.11

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
180	AC003101	*** . SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HRPC41C23; HTGS phase 1, 33 unordered pieces.	0.39	YLK2_CAEE L	HYPOTHETICAL 122.7 KD PROTEIN D1044.2 IN CHROMOSOME III>GP:CELD1044_4 Caenorhabditis elegans cosmid D1044	0.0001
181	Z54335	Human DNA sequence from cosmid L17A9, Huntington's Disease Region, chromosome 4p16.3. Contains VNTR and a CpG island.	0.39	HUMNFAT3 A_1	Homo sapiens NF-AT3 mRNA, complete cds	1.60E-06
182	U95743	Homo sapiens chromosome 16 BAC clone CIT987-SK65D3, complete sequence.	0.38	CEZC434_6	Caenorhabditis elegans cosmid ZC434, complete sequence; ZC434;6; CDNA EST CEESO02F comes from this gene; cDNA EST CEESS60F comes from this gene	0.18
183	AC001229	Sequence of BAC F5I14 from Arabidopsis thaliana chromosome 1, complete sequence.	0.34	HSOCAM_1	H;sapiens mRNA for immunoglobulin-like domain-containing 1 protein	0.051
184	X01703	Human gene for alpha-tubulin (b alpha 1).	0.33	NTC3_MOUS E	NEUROGENIC LOCUS NOTCH 3 PROTEIN>PIR2:S453 06 notch 3 protein - mouse>GP:MMNOTC _1 M;musculus mRNA for Notch 3	0.012

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
185	Z82189	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 170A21; HTGS phase 1.	0.31	LG106_3	Lemna gibba negatively light-regulated mRNA (Lg106); Second longest ORF (2)	0.27
186	Z98051	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 501A4; HTGS phase 1.	0.3	S34960	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 5 - Crithidia oncopelti mitochondrion (SGC6)>GP:MICOCNNR_3 Crithidia oncopelti mitochondrial ND4, ND5, COI, 12S ribosomal RNA genes for NADH dehydrogenase subunit 4/5, cytochrome oxidase subun	0.25
187	Z98749	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 449O17; HTGS phase 1.	0.3	SCKC_LEIQH	CHARYBDOTOXIN (CHTX) (CHTX-LQ1)>PIR2:A60963 charybdotoxin 1 - scorpion (Leiurus quinquestriatus)>3D:2CRD Charybdotoxin (nmr, 12 structures) - scorpion (Leiurus quinquestriatus)	0.12
188	X96763	C.albicans CDC4 gene.	0.29	CECC4_1	Caenorhabditis elegans cosmid CC4, complete sequence; CC4;a; Protein predicted using Genefinder; preliminary prediction	1.30E-17

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
189	U38804	Porphyra purpurea chloroplast genome, complete sequence.	0.28	HIVHCDR3C_1	Human immunodeficiency virus type 1 heavy-chain complemetarity-determining region 3 mRNA (clone 11), partial cds; Heavy-chain complementarity-determining region 3 (CDR3) from HIV gp120->GP:HIVHCDR3I_1 Human immunodeficiency virus type 1 he	1
190	U20657	Human ubiquitin protease (Unph) proto-oncogene mRNA, complete cds.	0.28	HSU20657_1	Human ubiquitin protease (Unph) proto-oncogene mRNA, complete cds	5.60E-12
191	AC002037	Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.	0.27	VRP1_YEAST	VERPROLIN>GP:SCVERPRL_1 S;cerevisiae (A364) gene for verprolin	2.00E-11
192	U58748	Caenorhabditis elegans cosmid ZK180.	0.27	EXLP_TOBAC	PISTIL-SECIFIC EXTENSIN-LIKE PROTEIN PRECURSOR (PELP)>PIR2:JQ1696 pistil extensin-like protein precursor (clone pMG15) - common tobacco>GP:NTPMG15_1 N;tabacum mRNA for pistil extensin like protein	4.10E-12
193	Z68013	Caenorhabditis elegans cosmid W02H3, complete sequence.	0.26	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
194	AF017042	Dictyostelium discoideum LTR-retrotransposon Skipper, partial genomic sequence, 5' end.	0.26	SPBC31F10_14	S;pombe chromosome II cosmid c31F10; Hypothetical protein; SPBC31F10;14c, unknown, len:1586aa, some similarity eg; to YJR140C, YJ9H_YEAST, P47171, involved in ceii cycle regulation	1
195	B03174	cSRL-16e2-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-16e2.	0.26	CELC30E1_7	Caenorhabditis elegans cosmid C30E1	0.38
196	X70810	E.gracilis chloroplast complete genome.	0.25	CEK10H10_8	Caenorhabditis elegans cosmid K10H10, complete sequence; K10H10;k; Protein predicted using Genefinder; preliminary prediction	0.98
197	U80024	Caenorhabditis elegans cosmid C18B10.	0.25	MMAF001794_1	Mus musculus Treacher Collins Syndrome protein (Tcof1) mRNA, complete cds; Putative nucleolar phosphoprotein; similar to Homo sapiens Treacher Collins syndrome TCOF1 protein encoded>GP:MMAF001794_1 Mus musculus Treacher Collins Syndrome p	0.017

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
198	AC000591	Drosophila melanogaster (subclone 9_g3 from P1 DS01486 (D32)) DNA sequence, complete sequence.	0.25	YHGE_ECOLI	HYPOTHETICAL 64.6 KD PROTEIN IN MRCA-PCKA INTERGENIC REGION (F574)>PIR2:E65135 hypothetical 64.6 kD protein in mrcA-pckA intergenic region - Escherichia coli (strain K-12)>GP:ECAE000415_7 Escherichia coli , mrcA, yrfE, yrfF, yrfG, yrfH, yrfI	0.00068
199	AC000591	Drosophila melanogaster (subclone 9_g3 from P1 DS01486 (D32)) DNA sequence, complete sequence.	0.25	YHGE_ECOLI	HYPOTHETICAL 64.6 KD PROTEIN IN MRCA-PCKA INTERGENIC REGION (F574)>PIR2:E65135 hypothetical 64.6 kD protein in mrcA-pckA intergenic region - Escherichia coli (strain K-12)>GP:ECAE000415_7 Escherichia coli , mrcA, yrfE, yrfF, yrfG, yrfH, yrfI	0.00068
200	Z99571	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 388N15; HTGS phase 1.	0.24	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I>GP:SPAC13A11_3 S;pombe chromosome I cosmid c13A11; Unknown; SPAC13A11;03, unknown, len: 210	0.017
201	U00672	Human interleukin-10 receptor mRNA, complete cds.	0.24	TFDP00900	- Polypeptides entry for factor Oct-2.5	1.00E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
202	AC003061	*** SEQUENCING IN PROGRESS *** Mouse Chromosome 6 BAC clone b245c12; HTGS phase 2, 8 ordered pieces.	0.23	CG1_HUMAN	CG1 PROTEIN>GP:HSU46023_1 Human Xq28 mRNA, complete cds; Orf	0.00078
203	AF009420	Homo sapiens microsatellite sequence in the HNF3a gene.	0.22	PN0675	collagen alpha 1(XVIII) chain - mouse (fragment)>GP:MUSCOLLAG_1 Mouse mRNA for collagen, partial cds	0.00072
204	B18861	F20C18-Sp6 IGF Arabidopsis thaliana genomic clone F20C18.	0.22	TFDP00659	- Polypeptides entry for factor PR	0.0003
205	U00672	Human interleukin-10 receptor mRNA, complete cds.	0.22	TFDP00900	- Polypeptides entry for factor Oct-2.5	1.00E-05
206	X52105	Dictyostelium discoideum SP60 gene for spore coat protein.	0.18	<NONE>	<NONE>	<NONE>
207	L07628	Saccharopolyspora erythraea insertion sequence IS1136, copy B, 3' end.	0.17	D88764_1	Rana catesbeiana mRNA for alpha 2 type I collagen, complete cds	0.00021
208	Z49631	S.cerevisiae chromosome X reading frame ORF YJR131w.	0.16	YSCDAL1A_1	Saccharomyces cerevisiae alantoinase (DAL1) gene, complete cds	1
209	Z87893	F.rubripes GSS sequence, clone 043C17aB8.	0.16	CELC27A12_8	Caenorhabditis elegans cosmid C27A12; Partial CDS; this gene begins in the neighboring clone; coded for by C; elegans cDNA yk127f1;3; coded for by C; elegans cDNA yk127f1;5	1.30E-07

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			**Nearest Neighbor (BlastX vs. Non-Redundant Proteins)**		
SEQ ID	**ACCESSION**	**DESCRIPTION**	**P VALUE**	**ACCESSION**	**DESCRIPTION**	**P VALUE**
210	U92852	Rhoiptelea chiliantha maturase (matK) gene, chloroplast gene encoding chloroplast protein, complete cds.	0.15	SEU40259_5	Staphyloccous epidermidis trimethoprim resistance plasmid pSK639; Orf53	0.95
211	X62620	B.mori Abd-A gene homeobox.	0.15	ATAP22_36	Arabidopsis thaliana DNA chromosome 4, ESSA I AP2 contig fragment No; 2; Hypothetical protein; Similarity to NADH dehydrogenase, Chondrus crispus; MNOS:S59107	0.75
212	J02079	epstein-barr virus simple repeat array (ir3).	0.15	A38346	ultra-high-sulfur keratin 1 - mouse>GP:MUSSER1_1 Mouse serine 1 ultra high sulfur protein gene, complete cds; Putative	7.50E-05
213	M35027	Vaccinia virus, complete genome.	0.14	MTF1_FUSNU	MODIFICATION METHYLASE FNUDI (EC 2.1.1.73) (CYTOSINE-SPECIFIC METHYLTRANSFERASE FNUDI) (M.FNUDI)	0.87
214	AC003058	*** SEQUENCING IN PROGRESS *** Arabidopsis thaliana 'IGF' BAC 'F27F23' genomic sequence near marker 'CIC06E08'; HTGS phase 1, 8 unordered pieces.	0.14	HEXA_DICDI	BETA-HEXOSAMINIDASE ALPHA CHAIN PRECURSOR (EC 3.2.1.52) (N-ACETYL-BETA-GLUCOSAMINIDASE) (BETA-N-ACETYLHEXOSAMINIDASE)>PIR2:A30766 beta-N-acetylhexosaminidase (EC 3.2.1.52) A precursor - slime mold (Dictyostelium	0.006

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					discoideum)>GP:DDINAGA_1 D;d	
215	AC001229	Sequence of BAC F5I14 from Arabidopsis thaliana chromosome 1, complete sequence.	0.13	A49281	pol protein - simian T-cell lymphotropic virus type 1, STLV-1 (isolate Bab34) (fragment)>GP:STVBABPOLA_1 Simian T-cell leukemia virus PCR derived (pol) gene, partial sequence BAB34POL; Bases 4779-4918 EMBL ATK numbering system; BAB34POL	0.77
216	U46067	Capra hircus beta-mannosidase mRNA, complete cds.	0.12	S70663	lectin heavy chain, N-acetylgalactosamine-specific - Entamoeba histolytica (fragment)>GP:EHU33443_1 Entamoeba histolytica GalNAc lectin heavy subunit (hgl4) gene, partial cds; N-acetylgalactosamine adherence lectin heavy subunit	0.8
217	AC000380	*** SEQUENCING IN PROGRESS *** Human Chromosome 3 pac pDJ70i11; HTGS phase 1, 2 unordered pieces.	0.12	ATFCA8_19	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No; 8; Unnamed protein product	0.64

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
218	X61207	A.brasilense hisB, H, A, F and E genes for imidazole glycerolphosphate dehydratase, glutamine amidotransferase, phosphorybosilformimino-5-amino-phosphorybosil-4-imidazolecarboxamide isomerase, cyclase and phosphorybosil-AMP-cyclohydrolase.	0.12	OCCLO2_1	O;circumcincta colost-2 gene; Cuticular collagen	0.0074
219	AF014259	HIV-1 Patient 1088 from Edinburgh, MA-p17 (gag) gene, partial cds.	0.11	DMU88570_1	Drosophila melanogaster CREB-binding protein homolog mRNA, complete cds; CBP	1
220	AC000636	Drosophila melanogaster (subclone 2_c11 from P1 DS07660 (D44)) DNA sequence, complete sequence.	0.11	A64829	hypothetical protein in dmsC 3' region - Escherichia coli (strain K-12)>GP:ECAE000192_1 Escherichia coli , ycaD, ycaK, pflA, pflB, focA genes from bases 944908 to 955952 (section 82 of 400) of the complete genome; Hypothetical protein in dmsC	0.051
221	AC002428	Human BAC clone GS039E22 from 5q31, complete sequence.	0.11	HSNMYC2_1	Human N-myc gene exon 2; Put; N-myc protein (aa 1-263) (953 is 1st base in codon)	0.00014
222	L40949	Homo sapiens (clone AT7-5eu) opioid-receptor-like protein mRNA, 5' end.	0.11	CEUNC93_2	C;elegans unc-93 gene; Protein 2	1.20E-13

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
223	AL008636	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 722E9; HTGS phase 1.	0.1	XELCOL2A1 A_1	Xenopus laevis alpha-1 collagen type II' mRNA, complete cds; Alpha-1 type II' collagen	2.60E-06
224	D86993	Human (lambda) DNA for immunoglobulin light chain.	0.1	CELM02B7_2	Caenorhabditis elegans cosmid M02B7	1.80E-09
225	AC002539	Homo sapiens chromosome 17, clone 195o20, complete sequence.	0.098	MTCY7D11_ 17	Mycobacterium tuberculosis cosmid Y7D11; Unknown; MTCY07D11;17c; unknown, len: 186 aa, FASTA best: Q10390 Y009_MYCTU hypothetical 31;0 KD protein MTCY190;09C (299 aa) opt: 355 z-score: 316;8	0.026
226	M88165	Human inter-alpha-trypsin inhibitor light chain (ITI) gene, exon 1.	0.096	A54161	ryanodine-binding protein alpha form - bullfrog>GP:D21070_1 Rana catesbeiana mRNA for bullfrog skeletal muscle calcium release channel (ryanodine receptor) alpha isoform(RyR1), complete cds; Ryanodine receptor alpha isoform	1
227	Z92851	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y39G8; HTGS phase 1.	0.082	CYA7_BOVI N	ADENYLATE CYCLASE, TYPE VII (EC 4.6.1.1) (ATP PYROPHOSPHATE-LYASE) (ADENYLYL CYCLASE)	0.3

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
228	L00638	Arabidopsis thaliana ubiquitin conjugating enzyme exons 2-4.	0.072	NUCM_TRYBB	NADH-UBIQUINONE OXIDOREDUCTASE 49 KD SUBUNIT HOMOLOG (EC 1.6.5.3) (NADH DEHYDROGENASE SUBUNIT 7 HOMOLOG)>PIR2:A35693 NADH dehydrogenase (EC 1.6.99.3) chain 7 - Trypanosoma brucei mitochondrion (SGC6)	0.24
229	U49169	Dictyostelium discoideum V-ATPase A subunit (vatA) mRNA, complete cds.	0.071	MMU65594_1	Mus musculus Brca2 mRNA, complete cds; Similar to human breast cancer susceptibility gene BRCA2; Allele: wild type; putative tumor suppressor	1
230	AF001549	Homo sapiens chromosome 16 BAC clone CIT987SK-270G1 complete sequence.	0.07	PM22_HUMAN	PERIPHERAL MYELIN PROTEIN 22 (PMP-22)>PIR2:JN0503 peripheral myelin protein 22 - human>GP:HUMGAS3X_1 Human peripheral myelin protein 22 (GAS3) mRNA, complete cds>GP:HUMPMP22_1 Human peripheral myelin protein 22 mRNA, complete cds>GP:HUMPMP22	0.0078
231	L36829	Mus musculus alphaA-crystallin-binding protein I (AlphaA-CRYBP1) gene, complete cds.	0.066	<NONE>	<NONE>	<NONE>
232	AC000159	*** SEQUENCING IN PROGRESS *** Human BAC Clone 11q13;	0.058	CEZK863_1	Caenorhabditis elegans cosmid ZK863, complete sequence; ZK863;2; Similar to collagen	1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		HTGS phase 1, 10 unordered pieces.				
233	AC000159	*** SEQUENCING IN PROGRESS *** Human BAC Clone 11q13; HTGS phase 1, 10 unordered pieces.	0.058	CAC2_HAECO	CUTICLE COLLAGEN 2C (FRAGMENT)>GP:HAECOL2C_1 H;contortus collagen 2C mRNA, 3'end	1.20E-08
234	Z23908	H. sapiens (D5S630) DNA segment containing (CA) repeat; clone AFM268zd9; single read.	0.057	VEU34999_1	Venezuelan equine encephalitis virus nonstructural and structural polyprotein genes, complete cds; Nonstructural polyprotein; Internal stop codon, readthrough occurs 5% of the time	0.0002
235	B21875	T3E8-Sp6 TAMU Arabidopsis thaliana genomic clone T3E8.	0.055	YRR2_CAEEL	HYPOTHETICAL 91.1 KD PROTEIN R144.2 IN CHROMOSOME III>GP:CELR144_7 Caenorhabditis elegans cosmid R144; Coded for by C; elegans cDNA CEESP84R; coded for by C; elegans cDNA yk23c4;5; coded for by C; elegans cDNA yk44f9;5; coded for by C; eleg	0.68
236	Z98303	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 140H19; HTGS phase 1.	0.048	AC002330_3	Arabidopsis thaliana BAC T10P11, complete sequence; Putative zinc-finger protein; C2H2 Zn-finger signature from position 80 to 100 [CEICNKGFQRDQNLQLHRRGH]	0.99

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
237	D49911	Thermus thermophilus UvrA gene, complete cds.	0.044	APP1_MOUSE	AMYLOID-LIKE PROTEIN 1 PRECURSOR (APLP)>PIR2:A46362 amyloid precursor-like protein - mouse>GP:MUSAPLP_1 Mouse amyloid precursor-like protein mRNA, complete cds	8.90E-06
238	D49911	Thermus thermophilus UvrA gene, complete cds.	0.044	MMCOL18A11_2	Mus musculus alpha-1(XVIII) collagen (COL18A1) gene, exons 40-43, complete cds	1.60E-06
239	X78119	P.amygdalus, Batsch (Texas) pru1 mRNA.	0.042	CA44_HUMAN	COLLAGEN ALPHA 4(IV) CHAIN PRECURSOR>PIR1:CGHU1B collagen alpha 4(IV) chain precursor - human>GP:HSCOL4A4_1 H;sapiens mRNA for collagen type IV alpha 4 chain; Type IV collagen alpha 4 chain	2.00E-06
240	U72877	Rana catesbeiana L-epinephrine transporter mRNA, complete cds.	0.041	YRR6_MYCCA	HYPOTHETICAL 33.0 KD PROTEIN IN LICA 3'REGION (ORF R6)>PIR2:S42125 hypothetical protein 3 - Mycoplasma capricolum (SGC3)>GP:MYCRPMH_6 M; capricolum rpmH, rnpA and licA gene; Orf R6	0.0008
241	L39891	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds.	0.04	MUC2_HUMAN	MUCIN 2 (INTESTINAL MUCIN 2) (FRAGMENTS)	5.90E-05
242	L40390	Candida glabrata ERG3 gene, complete cds.	0.039	G01763	atrophin-1 - human>GP:HSU23851_1 Human atrophin-1 mRNA, complete cds	9.00E-07

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
243	B28113	T2L16TRB TAMU Arabidopsis thaliana genomic clone T2L16.	0.038	CELZK1248_14	Caenorhabditis elegans cosmid ZK1248	1.60E-18
244	AC000030	00175, complete sequence.	0.033	ATFCA8_40	Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No: 8; Glycerol-3-phosphate permease homolog; Similarity to glycerol-3-phosphate permease - Haemophilus influenzae	0.63
245	B10738	F13G15-Sp6 IGF Arabidopsis thaliana genomic clone F13G15.	0.032	D87521_1	Mus musculus DNA-PKcs mRNA, complete cds	0.21
246	AF024503	Caenorhabditis elegans cosmid F31F4.	0.03	I38344	titin - human	1
247	Z49888	Caenorhabditis elegans cosmid F47A4, complete sequence.	0.027	KSU52064_1	Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds; Herpesvirus saimiri ORF73 homolog>GP:KSU75698_78 Kaposi's sarcoma-associated herpesvirus long unique region, 80 putative ORF's and kaposin gene, complete cds; OR	3.40E-10
248	Z83822	Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.	0.025	GRSB_BACBR	GRAMICIDIN S SYNTHETASE II (GRAMICIDIN S BIOSYNTHESIS GRSB PROTEIN) (EC 6.-.-.-)	1
249	Z94161	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone N102C10; HTGS	0.025	S16323	hypothetical protein - Arabidopsis thaliana>GP:ATHB1_1 A;thaliana homeobox gene Athb-1 mRNA; Open reading frame	0.0079

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		phase 1.				
250	AC002094	Genomic sequence from Human 17, complete sequence.	0.021	S57447	HPBRII-7 protein - human>GP:HSHPBRII 4_1 H;sapiens HPBRII-4 mRNA>GP:HSHPBRII 7_1 H;sapiens HPBRII-7 gene	8.20E-08
251	D79994	Human mRNA for KIAA0172 gene, partial cds.	0.021	CER10H10_1	Caenorhabditis elegans cosmid R10H10, complete sequence; R11A8;7; Protein predicted using Genefinder; Similarity to Mouse ankyrin (PIR Acc; No; S37771); cDNA EST CEESX25F comes from this gene;	7.00E-16
252	Z97635	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 438L4; HTGS phase 1.	0.017	CELW05H7_4	Caenorhabditis elegans cosmid W05H7	0.24
253	X84996	X.laevis mRNA for selenocysteine tRNA acting factor (Staf).	0.017	JN0786	integrin beta-4 chain precursor - mouse	0.088
254	AC002543	Human BAC clone RG300C03 from 7q31.2, complete sequence.	0.013	MZLMTCYT BT_1	Mendozellus isis mitochondrial NADH dehydrogenase, and cytochrome b genes, 3' end, and transfer RNA-Ser gene; This codes for the last 43 amino acids of NADH dehydrogenase subunit 1 followed	0.044

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
255	U10401	Caenorhabditis elegans cosmid T20B12.	0.012	MMMHC29N7_2	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophatidic acid acyl transferase-alpha, palmitoyl-	0.069
256	L14593	Saccharomyces cerevisiae protein phosphatase (PTC1) gene, complete cds.	0.011	D86995_1	Human (gene 1) DNA for phosphatase 2C motif, partial cds	2.20E-14
257	U62317	Chromosome 22q13 BAC Clone CIT987SK-384D8 complete sequence.	0.0093	P2Y8_XENLA	P2Y PURINOCEPTOR 8 (P2Y8)>GP:XLP2Y8_1 X;laevis mRNA for P2Y8 nucleotide receptor	0.89
258	D29655	Pig mRNA for UMP-CMP kinase, complete cds.	0.0075	AF004858_1	Mus musculus platelet activating factor receptor mRNA, partial cds; PAF-receptor	1
259	AF002992	Homo sapiens cosmid from Xq28, complete sequence.	0.0054	FBN1_BOVIN	FIBRILLIN 1 PRECURSOR>PIR2:A55567 fibrillin I - bovine>GP:BOVXAAAA_1 Bos taurus mRNA, complete cds; Putative	0.0004
260	B20752	T19M2-T7 TAMU Arabidopsis thaliana genomic clone T19M2.	0.0043	HSVT1IEP_1	Feline herpesvirus type 1 gene for immediate early protein, complete cds; Feline herpesvirus type 1 immediate early protein	3.90E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
261	AB006699	Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MDJ22.	0.0037	YHV5_YEAST	HYPOTHETICAL 143.6 KD PROTEIN IN SPO16-REC104 INTERGENIC REGION>PIR2:S46754 hypothetical protein YHR155w - yeast (Saccharomyces cerevisiae)>GPN:YSCH9666_15 Saccharomyces cerevisiae chromosome VIII cosmid 9666; Yhr155wp; Similar to Sip3p (Snf	0.077
262	Z99128	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 422H11; HTGS phase 1.	0.0032	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	0.0087
263	B21848	T2D2-Sp6 TAMU Arabidopsis thaliana genomic clone T2D2.	0.0031	B31794	mdm-1 protein (clone c103) - mouse	1.00E-05
264	L33853	Human germline immunoglobulin kappa chain variable region (Vk-IV subgroup) for anti-B-amyloid autoantibodies in Alzheimer's disease.	0.0027	B45550	cytochrome b homolog - Plasmodium yoelii	0.99
265	B36863	HS-1042-A1-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 824 Col=1 Row=K.	0.0027	YQK4_CAEEL	HYPOTHETICAL 64.3 KD PROTEIN C56G2.4 IN CHROMOSOME III>GP:CELC56G2_2 Caenorhabditis elegans cosmid C56G2	0.81

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
266	AC003041	*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 17, clone HCIT307A16; HTGS phase 1, 10 unordered pieces.	0.0024	GLB4_LAMSP	GIANT HEMOGLOBIN AIV CHAIN (FRAGMENT)>PIR2:S01810 hemoglobin AIV - tube worm (Lamellibrachia sp.) (fragment)	0.94
267	AC002315	Mouse BAC-146N21 Chromosome X contains iduronate-2-sulfatase gene; complete sequence.	0.0022	MG42_TARMA	SRY-RELATED PROTEIN MG42 (FRAGMENT)>PIR3:I51369 Sry-related sequence - Tarentola mauritanica (fragment)>GP:TELMG42DNA_1 Gecko MG42 gene, partial cds; Sry-related sequence	0.99
268	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	SCYJL204C_1	S;cerevisiae chromosome X reading frame ORF YJL204c	1
269	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	CEM199_3	Caenorhabditis elegans cosmid M199, complete sequence; M199;e; Protein predicted using Genefinder; preliminary prediction	0.97
270	AF016674	Caenorhabditis elegans cosmid C03H5.	0.0015	CEM199_3	Caenorhabditis elegans cosmid M199, complete sequence; M199;e; Protein predicted using Genefinder; preliminary prediction	0.97
271	Z54199	L.esculentum DNA Ailsa craig encoding 1-aminocyclopropane-1-carboxylic acid oxidase.	0.0015	CELF20A1_5	Caenorhabditis elegans cosmid F20A1; Coded for by C; elegans cDNA yk9g1;3; coded for by C; elegans cDNA yk9g1;5; coded for by C; elegans cDNA CEESU55F;	0.11

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					weak similarity to putative	
272	Z99943	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 313L4; HTGS phase 1.	0.0014	CEK08F8_5	Caenorhabditis elegans cosmid K08F8, complete sequence; K08F8;5b	0.93
273	S81083	beta - ADD=adducin beta subunit 63 kda isoform/membrane skeleton protein, beta - ADD=adducin beta subunit 63 kda isoform/membrane skeleton protein {alternatively spliced, exon 10 to 13 region} [human, Genomic, 1851 nt, segment 3 of 3].	0.0013	MTCY277_7	Mycobacterium tuberculosis cosmid Y277; Unknown; MTCY277;07c, unknown, len: 302	0.0001
274	Z82174	Human DNA sequence from cosmid B20F6 on chromosome 22q11.2-qter.	0.001	FBLA_HUMAN	FIBULIN-1, ISOFORM A PRECURSOR>GP:HSFIBUA_1 H;sapiens mRNA for fibulin-1 A	0.00063
275	Z82215	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 68O2; HTGS phase 1.	0.00079	BFR1_SCHPO	BREFELDIN A RESISTANCE PROTEIN>PIR2:S52239 hba2 protein - fission yeast (Schizosaccharomyces pombe)>GP:SPHBA2GEN_1 S;pombe hba2 gene	0.15

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
276	U28153	Caenorhabditis elegans UNC-76 (unc-76) gene, complete cds.	0.00071	CX2_HEMHA	CYTOTOXIN 2 (TOXIN 12A)	0.32
277	Z82204	Human DNA sequence from clone J362G171.	0.00054	DMU34925_2	Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds	0.045
278	AC002530	Human BAC clone RG341D10 from 7p15-p21, complete sequence.	0.00053	CELT28F2_2	Caenorhabditis elegans cosmid T28F2; Weak similarity to HSP90	0.037
279	U91322	Human chromosome 16p13 BAC clone CIT987SK-276F8 complete sequence.	0.00051	CEW08D2_2	Caenorhabditis elegans cosmid W08D2, complete sequence; W08D2;3; Protein predicted using Genefinder>GP:CEW08D2_2 Caenorhabditis elegans cosmid W08D2; W08D2;3; Protein predicted using Genefinder	0.26
280	D16986	Human HepG2 partial cDNA, clone hmd2b09m5.	0.00037	POLG_PPVNA	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI- A) (EC 3.4.22.-) (49K PROTEINASE) (49	0.48
281	U91318	Human chromosome 16p13 BAC clone CIT987SK-962B4 complete	0.00031	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		sequence.				
282	M93406	Human dispersed Alu repeats and dispersed L1 repeat.	0.0003	VG8_SPV4	GENE 8 PROTEIN>PIR1:G8BP SV gene 8 protein - spiroplasma virus 4 (SGC3)	0.23
283	AC002398	Human DNA from chromosome 19-specific cosmid F25965, genomic sequence, complete sequence.	0.00021	HMCA_DROME	HOMEOTIC CAUDAL PROTEIN>PIR2:A26357 homeotic protein Cad - fruit fly (Drosophila melanogaster)>GP:DROCADA2_1 D;melanogaster caudal gene (cad) encoding a maternal and zygotic transcript, exon 2; Caudal protein>TFD:TFDP00159 - Polypeptides en	0.021
284	AC002530	Human BAC clone RG341D10 from 7p15-p21, complete sequence.	0.0002	PL0009	complement C3d/Epstein-Barr virus receptor precursor - human	0.7
285	X01871	Yeast mitochondrial ori(o) repeat unit of petite mutant 5 (petite strain s-10/7/2).	0.00015	RVZMTCYTBT_1	Reventazonia sp; mitochondrial NADH dehydrogenase, and cytochrome b genes, 3' end, and transfer RNA-Ser gene; This codes for the last 43 amino acids of NADH dehydrogenase subunit 1 followed	0.73
286	U89984	Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds.	0.00015	ACU89984_1	Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds; Similar to human transformation-	4.20E-13

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					sensitive protein: SwissProt Accession Number P31948	
287	AC002365	Homo sapiens chromosome X clone U177G4, U152H5, U168D5, 174A6, U172D6, and U186B3 from Xp22, complete sequence.	0.00011	S10340	DNA-directed RNA polymerase (EC 2.7.7.6) - yeast (Kluyveromyces marxianus var. lactis)	0.00062
288	AC002390	Human DNA from overlapping chromosome 19-specific cosmids R30072 and R28588, genomic sequence, complete sequence.	9.90E-05	D86603_1	Mouse mRNA for Bach protein 1, complete cds; Bach1	1
289	AC002980	Homo sapiens; HTGS phase 1, 34 unordered pieces.	9.20E-05	TRBKPCYB_1	Trypanosoma brucei kinetoplast apocytochrome b gene, complete cds	0.52
290	M99412	Human interleukin-8 receptor (IL8RB) gene, complete cds.	4.50E-05	S28832	microtubule-associated protein H1 (clone KS3.1) - longfin squid (fragment)	0.88
291	AC000120	Human BAC clone RG161K23 from 7q21, complete sequence.	4.00E-05	SXSCRBA_1	S;xylosus scrB and scrR genes; Sucrose repressor	0.99

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
292	AC003037	Homo sapiens; HTGS phase 1, 66 unordered pieces.	3.40E-05	S13569	hypothetical protein 5 - Lactococcus lactis subsp. lactis insertion sequence 1076>GP:LLTLE_1 Lactococcus lactis DNA for the transposon-like element on the lactose plasmid; ORF5 (AA 1 - 43)	0.018
293	Z81512	Caenorhabditis elegans cosmid F25C8, complete sequence.	2.40E-05	MUSDBPRC_1	Mus musculus DNA-binding protein Rc mRNA, complete cds; DNA binding protein Rc	1
294	B16681	343C3.TVB CIT978SKA1 Homo sapiens genomic clone A-343C03.	1.10E-05	COPP_YEAST	COATOMER BETA' SUBUNIT (BETA'-COAT PROTEIN) (BETA'-COP)>PIR2:B55123 coatomer complex beta' chain - yeast (Saccharomyces cerevisiae)>GPN:SCYGL137W_1 S;cerevisiae chromosome VII reading frame ORF YGL137w>GP:SCU11237_1 Saccharomyces cerevisiae	0.081
295	Z16523	H. sapiens (D9S158) DNA segment containing (CA) repeat; clone AFM073yb11; single read.	1.00E-05	MMSEMF_1	M;musculus mRNA for semaphorin F; Smaphorin F	0.78
296	Z49704	S.cerevisiae chromosome XIII cosmid 8021.	5.60E-06	<NONE>	<NONE>	<NONE>
297	AC003071	Human BAC clone BK085E05 from 22q12.1-qter, complete sequence.	3.00E-06	HSRCAER_1	H;sapiens mRNA for red cell anion exchanger (EPB3, AE1, Band 3) 3' non-coding region	0.21

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
298	U20428	Human SNC19 mRNA sequence.	1.40E-06	HUMMUC2A_1	Human mucin-2 gene, partial cds	4.40E-06
299	U51903	Human RasGAP-related protein (IQGAP2) mRNA, complete cds.	6.60E-07	IQGA_HUMAN	RAS GTPASE-ACTIVATING-LIKE PROTEIN IQGAP1 (P195)>PIR2:A54854 Ras GTPase activating-related protein - human>GP:HUMIQGA_1 Homo sapiens ras GTPase-activating-like protein (IQGAP1) mRNA, complete cds; Amino acid feature: IQ calmodulin-binding do	1.60E-14
300	AL000805	F.rubripes GSS sequence, clone 021G08aA1.	4.70E-07	MT13_MYTED	METALLOTHIONEIN 10-III (MT-10-III)>PIR2:S39418 metallothionein 10-III - blue mussel	2.20E-10
301	AC003016	Human BAC clone RG134C19 from 8q21, complete sequence.	4.30E-07	SPC57A10_5	S;pombe chromosome I cosmid c57A10; Unknown; SPAC57A10;05;c, unknown, len:606aa, similar to A; nidulans Q00659, sulfur metabolite repression control, (678aa), fasta scores, opt:1355,	0.00041
302	AC003089	Human BAC clone RG180F08A, complete sequence.	3.80E-07	HPBPRECK_1	Hepatitis B virus type 11 precore protein (pre-C region, C) gene, 5' end	0.41
303	AC002074	Human BAC clone GS056H18 from 7q31-q32, complete sequence.	2.40E-07	A47021_1	Sequence 23 from Patent WO9527787; Unnamed protein product; Author-given protein sequence is in conflict with the conceptual translation>GP:A51260_1 Sequence 23 from Patent WO9614416; Unnamed protein product; Author-given	0.0016

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					protein sequence is i	
304	U04980	Rattus norvegicus fetal troponin T 3 (fetal TnT3) mRNA, partial cds.	2.20E-07	HUMFSHD_1	Human facioscapulohumeral muscular dystrophy (FSHD) gene region, D4Z4 tandem repeat unit; ORF	3.30E-08
305	U68704	Human chromosome 21q22.3 P1-clone 3804 subclone 4-52.	2.00E-07	HHV6AGNM_96	Human herpesvirus-6 (HHV-6) U1102, variant A, complete virion genome; U88; Cys repeats; this loci is open in all six reading frames, part of IE-A	2.70E-05
306	U51583	Rattus norvegicus zinc finger homeodomain enhancer-binding protein-1 (Zfhep-1) mRNA, partial cds.	8.70E-08	AF005370_67	Alcelaphine herpesvirus 1 L-DNA, complete sequence; Putative immediate early protein; ORF73; similar to H; saimiri and KSHV ORF73	6.10E-07
307	M80206	Mus domesticus poliovirus receptor homolog (MPH) mRNA, complete cds.	8.10E-08	I53960	PRR2 alpha - human	1.70E-28
308	M60854	Human ribosomal protein S16 mRNA, complete cds.	5.70E-08	OLVPOL_1	Caprine arthritis encephalitis virus (isolate OVLV-N1) pol protein gene, 3' end of cds; Nt 2497-2695 from CAEV Co	0.27
309	U82828	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds.	1.50E-08	C40201	artifact-warning sequence (translated ALU class C) - human	0.00044

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
310	Z83836	Human DNA sequence from PAC 111J24 on chromosome 22q12-qter contains ESTs.	1.40E-08	HSU64473_1	Human rheumatoid arthritis synovium immunoglobulin heavy chain variable region mRNA, partial cds>GP:HSU64498_1 Human rheumatoid arthritis synovium immunoglobulin heavy chain variable region mRNA, partial cds	0.34
311	Z50029	Caenorhabditis elegans cosmid ZC504, complete sequence.	1.40E-08	MMU88984_1	Mus musculus NIK mRNA, complete cds	1.70E-50
312	AC002351	Homo sapiens; HTGS phase 1, 17 unordered pieces.	1.20E-08	D41132	collagen-related protein 4 - Hydra magnipapillata (fragment)>PIR2:S21932 mini-collagen - Hydra sp.>GP:HSNCOL4_1 Hydra N-COL 4 mRNA for mini-collagen; No start codon	0.02
313	B65763	CIT-HSP-2023A12.TR CIT-HSP Homo sapiens genomic clone 2023A12.	3.60E-09	S18106	type II site-specific deoxyribonuclease (EC 3.1.21.4) AbrI - Azospirillum brasilense	0.045
314	Z93021	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 516C23; HTGS phase 1.	2.00E-09	AB001684_134	Chlorella vulgaris C-27 chloroplast DNA, complete sequence; RNA polymerase gamma subunit	0.6
315	D88035	Rat mRNA for glycoprotein specific UDP-glucuronyltransferase, complete cds.	1.50E-09	D88035_1	Rat mRNA for glycoprotein specific UDP-glucuronyltransferase, complete cds	1.00E-33

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
316	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds.	1.30E-10	VGF1_IBVB	F1 PROTEIN>PIR1:VFIHB1 F1 protein - avian infectious bronchitis virus (strain Beaudette)>GP:IBACGB_1 Avian infectious bronchitis virus pol protein, spike protein, small virion-associated protein, membrane protein, and nucleocapsid protein gen	1
317	B04719	cSRL-42G12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-42G12.	7.90E-11	JC5238	galactosylceramide-like protein, GCP - human	0.31
318	M73506	Mouse Tcp-10c (t allele) gene.	2.80E-11	A39487	T-complex protein 10a (allele 129) - mouse	4.10E-16
319	U71148	Human Xq28 cosmids U225B5 and U236A12, complete sequence.	1.20E-11	A56547	sex-peptide precursor - Drosophila suzukii	0.4
320	Z95116	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 57G9; HTGS phase 1.	9.90E-13	ALU2_HUMAN	!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!	0.0017
321	M64795	Rat MHC class I antigen gene (RT1-u haplotype), complete cds.	1.70E-14	STC_DROME	SHUTTLE CRAFT PROTEIN>GP:DMU09306_1 Drosophila melanogaster shuttle craft protein (stc) mRNA, complete cds; C-terminal 222 amino acids encode a novel single- stranded DNA binding domain	1.40E-13

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
322	Y09036	H.sapiens NTRK1 gene, exon 17.	4.20E-15	AF010403_1	Homo sapiens ALR mRNA, complete cds; Alternatively spliced; similarity to ALL-1 and Drosophila trithorax	1
323	U12523	Rattus norvegicus ultraviolet B radiation-activated UV98 mRNA, partial sequence.	2.90E-15	SPBC30D10_4	S;pombe chromosome II cosmid c30D10; Hypothetical protein; SPBC30D10;04, unknown, len:148aa	2.40E-09
324	Z98755	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 76C18; HTGS phase 1.	2.20E-15	RPON_HALMA	DNA-DIRECTED RNA POLYMERASE SUBUNIT N (EC 2.7.7.6)>PIR2:D41715 DNA-directed RNA polymerase II chain RPB10 homolog - Haloarcula marismortui>GP:HALHMAENOA_4 H;marismortui tRNA-Leu, HL29, HmaL13, HmaS9, OrfMMV, OrfMNA, 2-phosphoglycerate dehydr	0.019
325	M86917	Human oxysterol-binding protein (OSBP) mRNA, complete cds.	1.60E-15	CEF14H8_2	Caenorhabditis elegans cosmid F14H8, complete sequence; F14H8;1; Similarity to Human oxysterol-binding protein (SW:OXYB_HUMAN)	2.10E-18
326	AC001231	Genomic sequence from Human 17, complete sequence.	1.30E-15	AC002397_3	Mouse BAC284H12 Chromosome 6, complete sequence; DRPLA	0.0016
327	AL008626	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1114G22; HTGS phase 1.	5.30E-16	TAU48227_1	Triticum aestivum soluble starch synthase mRNA, partial cds	5.90E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
328	L04483	Human ribosomal protein S21 (RPS21) mRNA, complete cds.	7.60E-17	RS21_HUMAN	40S RIBOSOMAL PROTEIN S21>PIR2:S34108 ribosomal protein S21 - human>GP:SSZ84015_1 S;scrofa mRNA; expressed sequence tag (3'; clone c11g10); 40S ribosomal protein S21; Similar to human 40S ribosomal protein S21>GP:HUMRPS21X_1 Human ribosomal	1.40E-09
329	AB001899	Homo sapiens PACE4 gene, exon 2.	6.70E-17	LRP1_HUMAN	LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 1 PRECURSOR (LRP) (ALPHA-2-MACROGLOBULIN RECEPTOR) (A2MR) (APOLIPOPROTEIN E RECEPTOR) (APOER)>PIR2:S02392 LDL receptor-related protein precursor - human>GP:HSLDLRRL_1 Human mRNA for LDL-recept	1
330	Z98755	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 76C18; HTGS phase 1.	4.40E-17	U97553_59	Murine herpesvirus 68 strain WUMS, complete genome; Ribonucleotide reductase large	0.06
331	AF017187	Homo sapiens LTR HERV-K repetitive element fragment ltr_19_9a sequence.	3.90E-18	D84255_1	Ovophis okinavensis mitochondrial DNA for NADH dehydrogenase subunit 1, partial cds, Ile-tRNA, Pro-tRNA, Phe-tRNA, Gln- tRNA, Met-tRNA and control region (D-loop region); This cds	0.007

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
332	B36252	HS-1038-A2-G01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 820 Col=2 Row=M.	3.10E-18	PGBM_MOUSE	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN PRECURSOR (HSPG) (PERLECAN) (PLC)>PIR2:S18252 heparan sulfate proteoglycan - mouse>GP:MUSPERPA_1 Mouse perlecan mRNA, complete cds	0.00015
333	D78255	Mouse mRNA for PAP-1, complete cds.	2.70E-18	MUSPAP1_1	Mouse mRNA for PAP-1, complete cds	3.50E-18
334	AC003046	Human Xp22 PACs RPC11-263P4 and RPC11-164K3 complete sequence.	1.40E-18	CEC34F6_1	Caenorhabditis elegans cosmid C34F6; C34F6;1; CDNA EST yk46b12;5 comes from this gene; cDNA EST yk44c4;5 comes from this gene; cDNA EST yk46b12;3 comes from this gene	0.0015
335	AC003002	Human DNA from overlapping chromosome 19-specific cosmids R29515 and R28253, genomic sequence, complete sequence.	1.40E-18	MUSZFP0_1	Mouse mRNA for zinc finger protein, partial sequence	1.30E-19
336	Y15054	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial.	3.40E-19	HS4U2IR2_1	Epstein-Barr virus (AG876 isolate) U2-IR2 domain encoding nuclear protein EBNA2, complete cds; Nuclear antigen 2	2.00E-06
337	Z97876	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 295C6; HTGS	1.30E-19	AF003535_1	Homo sapiens L1 element ORF2-like protein gene, partial cds	7.00E-05

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		phase 1.				
338	M97159	Mouse (clone pIL2) B1 dispersed repeat unit.	1.10E-19	A26882	pIL2 hypothetical protein - rat (fragment)>GP:RATTDR_1 Rat growth and transformation-dependent mRNA, 3' end; Growth and transformation dependent protein	0.2
339	U30817	Bos taurus very-long-chain acyl-CoA dehydrogenase mRNA, nuclear gene encoding mitochondrial protein, complete cds.	4.70E-20	ACDV_RAT	ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD)>PIR2:A54872 acyl-CoA dehydrogenase (EC 1.3.99.-) very-long-chain-specific precursor - rat>GP:RATVLCAD_1 Rat mRNA for very-long-chain Acyl-CoA dehydrogenase, compl	8.10E-25
340	Y11535	H.sapiens mRNA for SHOXb protein.	2.80E-20	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	0.00027
341	AL008730	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 487J7; HTGS phase 1.	7.10E-21	C40201	artifact-warning sequence (translated ALU class C) - human	0.001
342	U96629	Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.	5.30E-23	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	3.80E-10

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
343	U95743	Homo sapiens chromosome 16 BAC clone CIT987-SK65D3, complete sequence.	2.10E-24	UROM_HUMAN	UROMODULIN PRECURSOR (TAMM-HORSFALL URINARY GLYCOPROTEIN) (THP)>PIR2:A30452 uromodulin precursor - human>GP:HUMUMOD_1 Human uromodulin (Tamm-Horsfall glycoprotein) mRNA, complete cds; Uromodulin precursor	1
344	U15972	Mus musculus homeobox (Hoxa7) gene, complete cds.	4.00E-25	S20790	extensin - almond>GP:PAEXTS_1 P;amygdalus mRNA for extensin	0.34
345	U15972	Mus musculus homeobox (Hoxa7) gene, complete cds.	4.00E-25	CA24_CAEEL	COLLAGEN ALPHA 2(IV) CHAIN PRECURSOR>GP:CECOLA2IV_2 C;elegans a2(IV) collagen gene; Alternatively spliced transcript	0.1
346	Z66242	H.sapiens CpG island DNA genomic Mse1 fragment, clone 84a4, reverse read cpg84a4.rt1a.	4.80E-26	CEC35A5_8	Caenorhabditis elegans cosmid C35A5, complete sequence; C35A5;8; CDNA EST yk31f6;5 comes from this gene; cDNA EST yk38h1;3 comes from this gene; cDNA EST yk38h1;5 comes from this gene;	7.70E-19
347	L25331	Rattus norvegicus lysyl hydroxylase mRNA, complete cds.	3.90E-26	LYSH_CHICK	PROCOLLAGEN-LYSINE,2-OXOGLUTARATE 5-DIOXYGENASE PRECURSOR (EC 1.14.11.4) (LYSYL HYDROXYLASE)>PIR2:A23742 procollagen-lysine 5-dioxygenase (EC 1.14.11.4) precursor - chicken>GP:CHKLYH_1 Chicken lysyl	1.10E-43

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					hydroxylase mRNA, complete cds	
348	L81569	Drosophila melanogaster (subclone 2_d7 from P1 DS04260 (D68)) DNA sequence, complete sequence.	3.30E-26	CELC52B9_2	Caenorhabditis elegans cosmid C52B9; Coded for by C; elegans cDNA cm11d6; weakly similar to S; cervisiae PTM1 precursor (SP:P32857)	8.40E-29
349	U78082	Human RNA polymerase transcriptional regulation mediator (h-MED6) mRNA, complete cds.	2.30E-26	HSU78082_1	Human RNA polymerase transcriptional regulation mediator (h-MED6) mRNA, complete cds; H-Med6p	1.50E-16
350	U43381	Human Down Syndrome region of chromosome 21 DNA.	2.10E-28	HSMRNAEB_1	H;sapiens genomic DNA, integration site for Epstein-Barr virus; Hypothetical protein	0.18
351	D50416	Mouse mRNA for AREC3, complete cds.	2.50E-29	A29947	prostaglandin-endoperoxide synthase (EC 1.14.99.1) precursor - sheep>GP:SHPCOXA_1 Sheep prostaglandin endoperoxide synthetase (cyclooxygenase), complete cds; Cyclooxygenase precursor (EC 1;14;99;1)	0.81

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
352	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds.	2.20E-29	CFU30222_1	Crithidia fasciculata fully edited ATPase subunit 6 (MURF4) mRNA, partial cds; Cryptogene	0.53
353	Z92826	Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone C18D11; HTGS phase 1.	1.10E-30	SPAC1B3_5	S;pombe chromosome I cosmid c1B3; Hypothetical protein; SPAC1B3;05, probable transcriptional regulator, len:630aa, similar eg; to YIL038C, NOT3_YEAST, P06102, general negative regulator,	3.20E-35
354	L09604	Homo sapiens differentiation-dependent A4 protein mRNA, complete cds.	3.70E-32	PVU72769_1	Phaseolus vulgaris PvPRP-12 (Pvprp1-12) mRNA, partial cds; Similar to cell wall proline rich protein>GP:PVU72769_1 Phaseolus vulgaris PvPRP-12 (Pvprp1-12) mRNA, partial cds; Similar to cell wall proline rich protein	0.00049
355	B42455	HS-1055-B2-G03-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 777 Col=6 Row=N.	1.30E-32	CELT05H4_8	Caenorhabditis elegans cosmid T05H4; Similar to the beta transducin family; coded for by C; elegans cDNA yk156e11;3; coded for by C; elegans cDNA yk14c8;3; coded for by C; elegans cDNA	6.90E-14
356	AF001905	Homo sapiens cosmids E079, B0920 and A8 from Xq25 X-linked lymphoproliferative disease gene candidate region, complete sequence.	1.80E-33	I38344	titin - human	1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
357	E03743	DNA sequence including male hormone dependent gene derived from hamster frankorgan.	1.10E-34	CELC03A7_2	Caenorhabditis elegans cosmid C03A7; Weak similarity to serotonin receptors	0.59
358	U31199	Human laminin gamma2 chain gene (LAMC2), exon 22 and flanking sequences.	1.20E-35	B44018	laminin B2t chain - human>GP:HSLAMB2TB_1 H;sapiens mRNA for laminin	1.20E-14
359	D14678	Human mRNA for kinesin-related protein, partial cds.	2.00E-36	D49544_1	Mouse mRNA for KIFC1, complete cds	1.20E-23
360	AB000425	Porcine DNA for endopeptidase 24.16, exon 16 and complete cds.	8.20E-38	POL4_DROME	RETROVIRUS-RELATED POL POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); ENDONUCLEASE) (TRANSPOSON 412)>PIR1:GNFF42 retrovirus-related pol polyprotein - fruit fly (Drosophila melanogaster) transposon 412>GP:DMRT412G_4	0.65
361	U39875	Rattus norvegicus EF-hand Ca2+-binding protein p22 mRNA, complete cds.	8.80E-42	I56333	apolipoprotein B - rat (fragment)>GP:RATAPOLPB_1 Rattus norvegicus (clone rb9E) apolipoprotein B apoB mRNA, 3' end	0.23

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
362	L09647	Rattus norvegicus hepatocyte nuclear factor 3a (HNF-3 beta) mRNA, complete cds.	6.60E-42	HN3B_RAT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)>GP:RATHNF3B_1 Rattus norvegicus hepatocyte nuclear factor 3a (HNF-3 beta) mRNA, complete cds>TFD:TFDP01611 - Polypeptides entry for factor HNF-3 (beta)	8.10E-25
363	D25538	Human mRNA for KIAA0037 gene, complete cds.	4.10E-43	CELC34D4_12	Caenorhabditis elegans cosmid C34D4	0.018
364	Z56764	H.sapiens CpG island DNA genomic Mse1 fragment, clone 13f7, reverse read cpg13f7.rt1a.	1.40E-43	S75263	hypothetical protein - Synechocystis sp. (PCC 6803)>GP:D90904_29 Synechocystis sp; PCC6803 complete genome, 6/27, 630555-781448; Hypothetical protein; ORF_ID:sll0983	0.0028
365	AC002636	*** SEQUENCING IN PROGRESS *** Drosophila melanogaster (subclone 2_g4 from P1 DS03323 (D127)) DNA sequence; HTGS phase 2.	8.40E-44	DMU95760_1	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds; Notch pathway component; nuclear protein	3.40E-51
366	J05499	Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds.	8.00E-44	GLSL_RAT	GLUTAMINASE, LIVER ISOFORM PRECURSOR (EC 3.5.1.2) (GLS)>GP:RATGAH_1 Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds	8.00E-29

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
367	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds.	5.00E-45	DMU95760_1	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds; Notch pathway component; nuclear protein	4.80E-45
368	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	4.10E-45	PTPK_HUMAN	PROTEIN-TYROSINE PHOSPHATASE KAPPA PRECURSOR (EC 3.1.3.48) (R-PTP-KAPPA)>GP:HSPTPKAP_1 H;sapiens mRNA for phosphotyrosine phosphatase kappa; Human phosphotyrosine phosphatase kappa	4.70E-16
369	D17218	Human HepG2 3' region MboI cDNA, clone hmd3g02m3.	9.40E-47	MMU53563_1	Mus musculus Brg1 mRNA, partial cds; N-terminal region of the protein	0.00012
370	U78310	Homo sapiens pescadillo mRNA, complete cds.	8.10E-48	HSU78310_1	Homo sapiens pescadillo mRNA, complete cds	1.10E-21
371	AC000399	Genomic sequence from Mouse 9, complete sequence.	7.40E-48	KIP2_YEAST	KINESIN-LIKE PROTEIN KIP2>PIR1:C42640 kinesin-related protein KIP2 - yeast (Saccharomyces cerevisiae)>GP:SCKIP2XVI_2 S;cerevisiae PEP4 and KIP2 genes encoding PEP4 proteinase (partial) and kinesin-related protein KIP2>GP:SCLACHXVI_17 S;cerev	0.14
372	AC002327	*** SEQUENCING IN PROGRESS *** Genomic sequence from Mouse 7; HTGS phase 1, 3	1.40E-48	CHKC1A205_1	Chicken alpha-2 type-1 collagen; amino acids -16 to 3; Precollagen alpha-2	0.024

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		unordered pieces.				
373	X67016	H.sapiens mRNA for amphiglycan.	9.00E-49	CED2085_2	Caenorhabditis elegans cosmid D2085, complete sequence; D2085;1; Similar to glutamine-dependent carbamoyl-phosphate synthase, aspartate carbamoyltransferase, dihydroorotase; cDNA EST cm16f3>GP:CED2085_2 Caenorhabditis elegans cosmid D2085; D	0.14
374	L10409	Mouse fork head related protein (HNF-3beta) mRNA, complete cds.	1.50E-49	MMU04197_1	Mus musculus HNF3 beta transcription factor (HNF3b) mRNA, partial cds; Sequence of this partial cDNA begins in the first third of the conserved HNF3/forkhead DNA binding domain	1.20E-30
375	U01139	Mus musculus B6D2F1 clone 2C11B mRNA.	1.20E-49	SPBC3D5_14	S;pombe chromosome II cosmid c3D5; Unknown; SPBC3D5;14c, unknown; partial; serine rich, len:309aa, similar eg; to YNL283C, YN23_YEAST, P53832, hypothetical 52;3 kd protein, (503aa),	0.00091
376	Z82170	Human DNA sequence from PAC 326L13 containing brain-4 mRNA ESTs and polymorphic CA repeat.	9.00E-50	BSU55043_3	Bacillus subtilis plasmid pPOD2000 Rep, RapAB, RapA, ParA, ParB, and ParC genes, complete cds; ORF3	0.025

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
377	Z99289	Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 142L7; HTGS phase 1.	7.70E-50	A64431	hypothetical protein MJ1050 - Methanococcus jannaschii>GP:MJU67548_2 Methanococcus jannaschii from bases 986219 to 996377 (section 90 of 150) of the complete genome; M; jannaschii predicted coding region MJ1050; Identified by GeneMark; putativ	5.60E-05
378	X98260	H.sapiens mRNA for M-phase phosphoprotein, mpp11.	6.20E-50	ZRF1_MOUSE	ZUOTIN RELATED FACTOR>GP:MMU53208_1 Mus musculus zuotin related factor (ZRF1) mRNA, complete cds; Similar to DnaJ encoded by GenBank Accession Number L16953	3.90E-30
379	M18981	Human prolactin receptor-associated protein (PRA) gene, complete cds.	9.00E-52	S106_HUMAN	CALCYCLIN (PROLACTIN RECEPTOR ASSOCIATED PROTEIN) (PRA) (GROWTH FACTOR-INDUCIBLE PROTEIN 2A9) (S100 CALCIUM-BINDING PROTEIN A6)>PIR1:BCHUY calcyclin - human>GP:HUMCACY_1 Human calcyclin gene, complete cds>GP:HUMCACYA_1 Human prolactin recept	8.80E-24
380	AB006622	Homo sapiens mRNA for KIAA0284 gene, partial cds.	1.60E-53	S33015	hypothetical protein - human herpesvirus 4	0.00088

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
381	U53225	Human sorting nexin 1 (SNX1) mRNA, complete cds.	1.80E-55	G02522	sorting nexin 1 - human>GP:HSU53225_1 Human sorting nexin 1 (SNX1) mRNA, complete cds	9.20E-50
382	Z92844	Human DNA sequence from PAC 435C23 on chromosome X. Contains ESTs.	6.50E-56	D14487_1	Lentinus edodes Le;MFB1 mRNA, complete cds	1
383	D87450	Human mRNA for KIAA0261 gene, partial cds.	4.30E-56	D87450_1	Human mRNA for KIAA0261 gene, partial cds; Similar to D;melanogaster parallel sister chromatids protein	4.30E-30
384	AC002301	*** SEQUENCING IN PROGRESS *** Human chromosome +16p11.2 BAC clone CIT987SK-A-328A3; HTGS phase 2, 1 ordered pieces.	9.80E-57	S62328	kinesin-like DNA binding protein KID - human>GP:HUMKID_1 Human mRNA for Kid (kinesin-like DNA binding protein), complete cds	2.60E-27
385	L29766	Homo sapiens epoxide hydrolase (EPHX) gene, complete cds.	7.30E-57	HSBCTCF4_1	Homo sapiens mRNA for hTCF-4	2.30E-05
386	U58884	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human Drebrin.	3.30E-58	MMU58884_1	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds; similar to Human Drebrin; SH3-containing protein; similar to human drebrin	6.00E-43
387	Y15054	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial.	9.50E-59	RNY15054_1	Rattus norvegicus mRNA for 70 kDa tumor specific antigen, partial; 70 kD tumor-specific antigen	4.70E-45

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
388	AC000406	*** SEQUENCING IN PROGRESS *** Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22; HTGS phase 1, 17 unordered pieces.	7.40E-59	<NONE>	<NONE>	<NONE>
389	L42612	Homo sapiens keratin 6 isoform K6f (KRT6F) mRNA, complete cds.	3.60E-59	KRHUEA	keratin, type II cytoskeletal - human (fragment)>GP:HSKERA_1 Human messenger fragment encoding cytoskeletal keratin (type II); mRNA from cultured epidermal cells from human foreskin>GP:HUMKER56K_1 Human 56k cytoskeletal type II keratin mRNA	7.60E-30
390	L29766	Homo sapiens epoxide hydrolase (EPHX) gene, complete cds.	2.70E-60	EGR2_HUMAN	EARLY GROWTH RESPONSE PROTEIN 2 (EGR-2) (KROX-20 PROTEIN) (AT591)>GP:HUMEGR2A_1 Human early growth response 2 protein (EGR2) mRNA, complete cds>TFD:TFDP00485 - Polypeptides entry for factor Egr-2	7.80E-06
391	L08758	Mus musculus homeobox protein (Hox A10) gene, 5' end of cds.	1.40E-60	PAALGYGEN_1	P;aeruginosa algY gene; Alginate lyase	0.00031
392	I29058	Sequence 3 from patent US 5576423.	4.20E-61	JC5106	stromal cell-derived factor 2 - human>GP:D50645_1 Human mRNA for SDF2, complete cds; Stroma cell-derived	1.50E-32

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					factor-2	
393	I29058	Sequence 3 from patent US 5576423.	4.20E-61	JC5106	stromal cell-derived factor 2 - human>GP:D50645_1 Human mRNA for SDF2, complete cds; Stroma cell-derived factor-2	1.50E-32
394	U46067	Capra hircus beta-mannosidase mRNA, complete cds.	1.90E-62	CHU46067_1	Capra hircus beta-mannosidase mRNA, complete cds	2.70E-39
395	U40747	Mus musculus formin binding protein 11 mRNA, partial cds.	6.90E-63	S64713	formin binding protein 11 - mouse (fragment)>GP:MMU40747_1 Mus musculus formin binding protein 11 mRNA, partial cds; FBP 11; Formin binding protein 11; tandem WWP/WW domains separated by 15 amino acid linker	3.00E-46
396	M36164	Human glyceraldehyde-3-phosphate dehydrogenase mRNA, 3' flank.	1.10E-63	BHT1UL_12	Bovine herpesvirus type 1 UL22-35 genes; UL26;5>GP:BHU31809_2 Bovine herpesvirus 1 maturational proteinase (UL26) gene, complete cds, and scaffold protein (UL26;5) gene, complete cds	0.003
397	Y09036	H.sapiens NTRK1 gene, exon 17.	7.30E-65	MMU39060_1	Mus musculus glucocorticoid receptor interacting protein 1 (GRIP1) mRNA, complete cds; Hormone-dependent interaction with hormone binding domains of steroid receptors;	0.0054

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					transactivation	
398	U17901	Rattus norvegicus phospholipase A-2-activating protein (plap) mRNA, complete cds.	2.70E-70	JC4239	phospholipase A2-activating protein - rat	8.40E-17
399	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.	1.70E-74	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4>PIR2:A54803 microtubule-associated motor KIF4 - mouse>GP:MUSKIF4_1 Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds; ATP-binding site: base980-1037, motor domain: base732-1781, alpha-helical co	1.10E-44
400	AF007860	Xenopus laevis xl-Mago mRNA, complete cds.	4.60E-75	AF007862_1	Mus musculus mm-Mago mRNA, complete cds; Similar to Drosophila melanogaster Mago protein	6.50E-68
401	I45565	Sequence 15 from patent US 5637463.	2.30E-82	RNU57391_1	Rattus norvegicus FceRI gamma-chain interacting protein SH2- B (SH2-B) mRNA, complete cds; Putative FceRI gamma ITAM interacting protein; SH2 domain-containing protein B; Method: conceptual	9.90E-42

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
402	U29156	Mus musculus eps15R mRNA, complete cds.	1.00E-85	MMU29156_1	Mus musculus eps15R mRNA, complete cds; Involved in signaling by the epidermal growth factor receptor; Method: conceptual translation supplied by author	4.90E-62
403	U70139	Mus musculus putative CCR4 protein mRNA, partial cds.	1.00E-85	MMU70139_1	Mus musculus putative CCR4 protein mRNA, partial cds; Similar to yeast transcription factor CCR4; transcriptional readthrough occurs with transcription being initiated at the IAP and continues	7.20E-66
404	U82626	Rattus norvegicus basement membrane-associated chondroitin proteoglycan Bamacan mRNA, complete cds.	7.60E-96	RNU82626_1	Rattus norvegicus basement membrane-associated chondroitin proteoglycan Bamacan mRNA, complete cds; Chondroitin sulfate proteoglycan; CSPG	8.20E-58

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
405	L09604	Homo sapiens differentiation-dependent A4 protein mRNA, complete cds.	2.00E-35	<NONE>	<NONE>	<NONE>
406	AB000516	Homo sapiens mRNA for DSIF p160, complete cds	0.41	POLG_TUMVQ	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; VPG PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI-A)	2.9
407	Z94753	Human DNA sequence from PAC 465G10 on chromosome X contains Menkes Disease (ATP7A) putative Cu++-transporting P-type ATPase exons 22, 23 and STS	0.004	<NONE>	<NONE>	<NONE>
408	AB011123	Homo sapiens mRNA for KIAA0551 protein, partial cds	0	MI15_CAEEL	Q23356 caenorhabditis elegans. serine/threonine-protein kinase mig-15 (ec 2.7.1.-). 11/98	2.00E-51
409	D17218	Human HepG2 3' region MboI cDNA, clone hmd3g02m3	e-123	NARG_BACSU	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7.99.4)	9.9
410	M95098	Bos taurus lysozyme gene (cow 2), complete cds	1.1	HAIR_MOUSE	HAIRLESS PROTEIN	8.00E-10

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
411	Z60048	H.sapiens CpG DNA, clone 187a9, reverse read cpg187a9.rt1a .	4.00E-54	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	4.00E-21
412	Z48975	P.magnus gene for protein urPAB	0.014	YPT2_CAEEL	HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III	2.00E-12
413	AJ001296	Notophthalmus viridescens mRNA for cytokeratin 8	0.37	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	5.00E-21
414	J03831	Xenopus laevis (clone pXEC1.3) C protein mRNA, complete cds.	0.37	PDR5_YEAST	SUPPRESSOR OF TOXICITY OF SPORIDESMIN	3.3
415	AB007157	Homo sapiens gene for ribosomal protein S21, partial cds	e-142	RS21_HUMAN	40S RIBOSOMAL PROTEIN S21	0.002
416	X86340	H.sapiens C7 gene, exon 13	3.3	STC_DROME	SHUTTLE CRAFT PROTEIN	4.3
417	U12404	Human Csa-19 mRNA, complete cds.	0	R10A_PIG	60S RIBOSOMAL PROTEIN L10A (CSA-19) (FRAGMENT)	9.00E-57
418	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	8.00E-08	<NONE>	<NONE>	<NONE>
419	M80198	Human FKBP-12 pseudogene, clone lambda-512, 5' flank and complete cds.	5.00E-14	RCO1_NEUCR	TRANSCRIPTIONAL REPRESSOR RCO-1	0.008
420	AF052573	Homo sapiens DNA polymerase eta (POLH) mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
421	AF035940	Homo sapiens MAGOH mRNA, complete cds	e-131	MGN_DROME	MAGO NASHI PROTEIN	4.00E-39
422	AF054994	Homo sapiens clone 23832 mRNA sequence	0.12	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
423	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-05	<NONE>	<NONE>	<NONE>
424	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	7.00E-07	<NONE>	<NONE>	<NONE>
425	D43952	Mouse gene for reticulocalbin, exon1 and promoter region	0.36	<NONE>	<NONE>	<NONE>
426	X68553	C.elegans repetitive DNA sequence	0.4	TCB1_RABIT	T-CELL RECEPTOR BETA CHAIN PRECURSOR (ANA 11)	0.11
427	M83314	Tomato phenylalanine ammonia lyase (pal) gene, complete cds and promoter region.	3.3	SMB2_HUMAN	DNA-BINDING PROTEIN SMUBP-2 (GLIAL FACTOR-1) (GF-1)	0.65
428	AF070636	Homo sapiens clone 24686 mRNA sequence	5.00E-23	<NONE>	<NONE>	<NONE>
429	<NONE>	<NONE>	<NONE>	IQGA_HUMAN	RAS GTPASE-ACTIVATING-LIKE PROTEIN IQGAP1 (P195)	2.00E-06
430	AF068627	Mus musculus DNA cytosine-5 methyltransferase 3B2 (Dnmt3b) mRNA, alternatively spliced, complete cds	5.00E-04	LOX1_LENCU	LIPOXYGENASE (EC 1.13.11.12)	9.9
431	AF020043	Homo sapiens chromosome-associated polypeptide	0	YJH4_YEAST	HYPOTHETICAL 141.3 KD PROTEIN IN SCP160-MRPL8 INTERGENIC REGION	4.00E-16
432	K00046	ross river virus 26s subgenomic rna and junction region.	0.12	CUL2_HUMAN	CULLIN HOMOLOG 2 (CUL-2)	7.4

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
433	AF005664	Homo sapiens properdin (PFC) gene, complete cds	0.005	UL88_HCMVA	PROTEIN UL88	5.8
434	Z70705	H.sapiens mRNA (fetal brain cDNA com5)	2.00E-05	PH87_YEAST	INORGANIC PHOSPHATE TRANSPORTER PHO87	1.5
435	U29156	Mus musculus eps15R mRNA, complete cds.	e-125	EP15_HUMAN	EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN EPS15) (AF-1P PROTEIN)	1.00E-13
436	AE000750	Aquifex aeolicus section 82 of 109 of the complete genome	0.37	<NONE>	<NONE>	<NONE>
437	U49169	Dictyostelium discoideum V-ATPase A subunit (vatA) mRNA, complete cds	0.12	VCAP_HSV6U	MAJOR CAPSID PROTEIN (MCP)	5.6
438	AF032871	Homo sapiens uncoupling protein 3 (UCP3) gene, exon 1 and partial exon 2	0.13	WEE1_SCHPO	MITOSIS INHIBITOR PROTEIN KINASE WEE1 (EC 2.7.1.-)	3.7
439	AB000425	Porcine DNA for endopeptidase 24.16, exon 16 and complete cds	4.00E-32	<NONE>	<NONE>	<NONE>
440	U51037	Mus musculus 11-zinc-finger transcription factor	0.04	<NONE>	<NONE>	<NONE>
441	AF032456	Homo sapiens ubiquitin conjugating enzyme G2	e-110	<NONE>	<NONE>	<NONE>
442	AF009288	Homo sapiens clone HEB8 Cri-du-chat region mRNA	2.00E-14	LMG1_HUMAN	LAMININ GAMMA-1 CHAIN PRECURSOR (LAMININ B2 CHAIN)	8.1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
443	AF024578	Homo sapiens type-1 protein phosphatase skeletal muscle glycogen targeting subunit (PPP1R3) gene, exon 4, and complete cds	1.1	<NONE>	<NONE>	<NONE>
444	M24486	Human prolyl 4-hydroxylase alpha subunit mRNA, complete cds, clone PA-11.	0	DACHA	<NONE>	4.00E-58
445	X96400	P.tetraurelia alpha-51D gene	0.37	<NONE>	<NONE>	<NONE>
446	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
447	X84996	X.laevis mRNA for selenocysteine tRNA acting factor (Staf)	0.12	POL_MLVRD	POL POLYPROTEIN (PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE (EC 2.7.7.49); RIBONUCLEASE H (EC 3.1.26.4))	2.00E-08
448	AF019980	Dictyostelium discoideum ZipA (zipA) gene, partial cds	3.4	HMDL_BRAFL	HOMEOBOX PROTEIN DLL HOMOLOG	0.23
449	X78424	D.carota (Queen Anne's Lace) Inv*Dc2 gene, 3432bp	0.38	<NONE>	<NONE>	<NONE>
450	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
451	X89886	P.patens mRNA for 5-aminolevulinate dehydratase	1.1	CKR6_HUMAN	C-C CHEMOKINE RECEPTOR TYPE 6 (C-C CKR-6) (CCR6)	9.9
452	U67471	Methanococcus jannaschii section 13 of 150 of the complete genome	0.12	YR72_ECOLI	HYPOTHETICAL 53.2 KD PROTEIN (ORF2) (RETRON EC67)	5.8
453	AF060246	Mus musculus strain C57BL/6 zinc finger protein 106 (Zfp106) mRNA, H3a-a allele, complete cds	1.00E-62	YOJ8_CAEEL	HYPOTHETICAL 51.6 KD PROTEIN ZK353.8 IN CHROMOSOME III	1.7

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
454	U70667	Human Fas-ligand associated factor 1 mRNA, partial cds	0	YKB2_YEAST	HYPOTHETICAL 69.1 KD PROTEIN IN PUT3-CCE1 INTERGENIC REGION	3.00E-09
455	M95858	Bos taurus recoverin mRNA, complete cds.	0.35	GIDA_MYCGE	GLUCOSE INHIBITED DIVISION PROTEIN A	1.4
456	U67594	Methanococcus jannaschii section 136 of 150 of the complete genome	0.36	<NONE>	<NONE>	<NONE>
457	X06747	Human hnRNP core protein A1	3.00E-31	<NONE>	<NONE>	<NONE>
458	Z65575	H.sapiens CpG DNA, clone 47c5, reverse read cpg47c5.rt1a .	1.3	<NONE>	<NONE>	<NONE>
459	X88893	C.jacchus intron 4 of visual pigment gene	5.00E-15	<NONE>	<NONE>	<NONE>
460	M57426	Maize stripe virus RNA 3 nonstructural protein	0.33	DSC2_MOUSE	DESMOCOLLIN 2A/2B PRECURSOR (EPITHELIAL TYPE 2 DESMOCOLLIN)	6.5
461	X01638	Yeast TEF1 gene for elongation factor EF-1 alpha	1.1	PPOL_DROME	POLY (ADP-RIBOSE) POLYMERASE (EC 2.4.2.30) (PARP)	3.5
462	M60064	S.typhimurium glutamate 1-semialdehyde aminotransferase (hemL) gene, complete cds.	1.1	EPB4_MOUSE	EPHRIN TYPE-B RECEPTOR 4 PRECURSOR (EC 2.7.1.112) KINASE 2) (TYROSINE KINASE MYK- 1)	2.5
463	X51508	Rabbit mRNA for aminopeptidase N (partial)	0.36	ACHG_XENLA	ACETYLCHOLINE RECEPTOR PROTEIN, GAMMA CHAIN PRECURSOR	1.5
464	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	2.00E-58	VG13_BPML5	GENE 13 PROTEIN (GP13)	2.5

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
465	M77235	Human cardiac tetrodotoxin-insensitive voltage-dependent sodium channel alpha subunit (HH1) mRNA, complete cds.	3.8	ZPBOC1	<NONE>	6.9
466	M58330	C.maltosa autonomously replicating sequence.	0.004	EPB4_MOUSE	EPHRIN TYPE-B RECEPTOR 4 PRECURSOR (EC 2.7.1.112) KINASE 2) (TYROSINE KINASE MYK- 1)	2.4
467	X51508	Rabbit mRNA for aminopeptidase N (partial)	0.35	ACHG_XENLA	ACETYLCHOLINE RECEPTOR PROTEIN, GAMMA CHAIN PRECURSOR	2.4
468	L10106	Mus musculus protein tyrosine phosphate mRNA, complete cds.	7.00E-59	VGLI_PRVRI	GLYCOPROTEIN GP63 PRECURSOR	4.3
469	U65939	Azotobacter vinelandii GTPase (ftsA) gene, partial cds, and ATP binding protein (ftsZ) gene, complete cds	1.1	TRUA_BACSP	Q45557 bacillus sp. (strain ksm-64). trna pseudouridine synthase a (ec 4.2.1.70) (pseudouridylate synthase i) (pseudouridine synthase i) (uracil hydrolyase). 11/98	0.001
470	U51037	Mus musculus 11-zinc-finger transcription factor	0.041	<NONE>	<NONE>	<NONE>
471	M32685	Human platelet glycoprotein IIIa, exon 14.	3.6	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
472	U82691	Phrynocephalus raddei CAS 179770 NADH dehydrogenase subunit 1 (ND1), partial cds, tRNA-Gln, tRNA-Ile and tRNA-Met, NADH dehydrogenase subunit 2 tRNA-Cys and tRNA-Tyr and c...	1.1	<NONE>	<NONE>	<NONE>
473	D85430	Mouse Murr1 mRNA, exon	0.12	EPA5_CHICK	EPHRIN TYPE-A RECEPTOR 5 PRECURSOR (EC 2.7.1.112)	2.5
474	U20661	Dictyostelium discoideum unknown internal repeat protein gene, complete cds, and unknown orf1, orf2 and orf3 genes, partial cds	0.36	YHL1_EBV	HYPOTHETICAL BHLF1 PROTEIN	4.00E-04
475	X56537	Human novel homeobox mRNA for a DNA binding protein	0.04	FA5_HUMAN	COAGULATION FACTOR V PRECURSOR (ACTIVATED PROTEIN C COFACTOR)	9.5
476	U32843	Haemophilus influenzae Rd section 158 of 163 of the complete genome	5	<NONE>	<NONE>	<NONE>
477	U67554	Methanococcus jannaschii section 96 of 150 of the complete genome	0.36	<NONE>	<NONE>	<NONE>
478	AB004244	Narke japonica mRNA for Nj-synaphin 1b, complete cds	1.1	NIA1_ORYSA	NITRATE REDUCTASE 1 (EC 1.6.6.1) (NR1)	1.00E-07
479	AF075079	Homo sapiens full length insert cDNA YQ80A08	1.00E-12	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
480	AE000723	Aquifex aeolicus section 55 of 109 of the complete genome	1	YKK0_YEAST	HYPOTHETICAL 67.5 KD PROTEIN IN APE1/LAP4-CWP1 INTERGENIC REGION	9.1
481	X73902	H.sapiens mRNA for nicein B2 chain	0	LMG2_HUMAN	LAMININ GAMMA-2 CHAIN PRECURSOR	3.00E-93
482	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-10	P53_CRIGR	CELLULAR TUMOR ANTIGEN P53	5.7
483	AL010240	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-64, complete sequence	1.2	<NONE>	<NONE>	<NONE>
484	U49919	Arabidopsis thaliana lupeol synthase mRNA, complete cds	0.54	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	6.00E-10
485	AF077618	Homo sapiens p73 gene, exon 3	0.39	MYOD_MOUSE	MYOBLAST DETERMINATION PROTEIN 1	2.1
486	AF054994	Homo sapiens clone 23832 mRNA sequence	0.13	<NONE>	<NONE>	<NONE>
487	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
488	AF068627	Mus musculus DNA cytosine-5 methyltransferase 3B2 (Dnmt3b) mRNA, alternatively spliced, complete cds	5.00E-04	ACE2_YEAST	METALLOTHIONEIN EXPRESSION ACTIVATOR	1.5
489	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-07	RINI_PIG	RIBONUCLEASE INHIBITOR	0.19

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
490	L77886	Human protein tyrosine phosphatase mRNA, complete cds	1.00E-21	VS48_TBRVS	SATELLITE RNA 48 KD PROTEIN	1.6
491	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	5.00E-04	CRP3_LIMPO	C-REACTIVE PROTEIN 3.3 PRECURSOR	3.5
492	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	EPA5_CHICK	EPHRIN TYPE-A RECEPTOR 5 PRECURSOR (EC 2.7.1.112)	2.7
493	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-09	<NONE>	<NONE>	<NONE>
494	U28153	Caenorhabditis elegans UNC-76 (unc-76) gene, complete cds.	0.37	<NONE>	<NONE>	<NONE>
495	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.37	NCPR_YEAST	NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR)	7.00E-05
496	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.013	YMB3_CAEEL	PROBABLE INTEGRIN ALPHA CHAIN F54G8.3 PRECURSOR	3.3
497	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-07	<NONE>	<NONE>	<NONE>
498	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-10	<NONE>	<NONE>	<NONE>
499	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	VGLY_LYCVW	GLYCOPROTEIN POLYPROTEIN PRECURSOR (CONTAINS: GLYCOPROTEINS G1 AND G2)	3.2

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
500	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-06	HR78_DROME	NUCLEAR HORMONE RECEPTOR HR78 (DHR78) (NUCLEAR RECEPTOR XR78E/F)	2.5
501	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-10	MYSH_BOVIN	MYOSIN I HEAVY CHAIN-LIKE PROTEIN (MIHC) (BRUSH BORDER MYOSIN I) (BBMI)	4.00E-04
502	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-04	BAL_HUMAN	BILE-SALT-ACTIVATED LIPASE PRECURSOR (EC 3.1.1.3) (EC 3.1.1.13) (BAL) (BILE-SALT-STIMULATED LIPASE) (BSSL) ESTERASE) (PANCREATIC LYSOPHOSPHOLIPASE)	2.6
503	AF080399	Drosophila melanogaster mitotic checkpoint control protein kinase BUB1 (Bub1) mRNA, complete cds	1.1	NAT1_YEAST	N-TERMINAL ACETYLTRANSFERASE 1 (EC 2.3.1.88)	2.00E-23
504	U59706	Gallus gallus alternatively spliced AMPA glutamate receptor, isoform GluR2 flop, (GluR2) mRNA, partial cds.	0.014	<NONE>	<NONE>	<NONE>
505	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-05	<NONE>	<NONE>	<NONE>
506	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-04	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
507	AF100661	Caenorhabditis elegans cosmid H20E11	0.38	<NONE>	<NONE>	<NONE>
508	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-11	CA1A_HUMAN	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR	0.024
509	U47322	Cloning vector DNA, complete sequence.	2.00E-38	COA1_SV40	COAT PROTEIN VP1	6.2
510	AF031924	Homo sapiens homeobox transcription factor barx2	e-156	CCMA_HAEIN	HEME EXPORTER PROTEIN A (CYTOCHROME C-TYPE BIOGENESIS ATP-BINDING PROTEIN CCMA)	3.5
511	AF010484	Homo sapiens ICI YAC 9IA12, right end sequence	3.00E-10	<NONE>	<NONE>	<NONE>
512	Z63829	H.sapiens CpG DNA, clone 90h2, forward read cpg90h2.ft1a .	5.00E-22	NFIR_MESAU	NUCLEAR FACTOR 1 CLONE PNF1/RED1 (NF-I) (CCAAT-BOX BINDING TRANSCRIPTION FACTOR) (CTF) (TGGCA-BINDING PROTEIN)	2.4
513	Z35094	H.sapiens mRNA for SURF-2	5.00E-97	SUR2_HUMAN	SURFEIT LOCUS PROTEIN 2	1.00E-46
514	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	<NONE>	<NONE>	<NONE>
515	D38417	Mouse mRNA for arylhydrocarbon receptor, complete cds	e-154	TEGU_EBV	LARGE TEGUMENT PROTEIN	3.4
516	L10911	Homo sapiens splicing factor (CC1.4) mRNA, complete cds.	e-117	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
517	X17093	Human HLA-F gene for human leukocyte antigen F	0.009	YEN1_SCHPO	O13695 schizosaccharomyces pombe (fission yeast). hypothetical 52.9 kd serine-rich protein c11g7.01 in chromosome i. 11/98	5.4
518	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_HUMAN	OXYSTEROL-BINDING PROTEIN	1.00E-40
519	X55038	Mouse mCENP-B gene for centromere autoantigen B	0.001	YNW7_YEAST	HYPOTHETICAL 68.8 KD PROTEIN IN URE2-SSU72 INTERGENIC REGION	3.00E-04
520	AB018323	Homo sapiens mRNA for KIAA0780 protein, partial cds	3.00E-41	LBR_CHICK	LAMIN B RECEPTOR	2.3
521	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-10	CA25_HUMAN	PROCOLLAGEN ALPHA 2(V) CHAIN PRECURSOR	0.002
522	X03558	Human mRNA for elongation factor 1 alpha subunit	0	EF11_HUMAN	ELONGATION FACTOR 1-ALPHA 1 (EF-1-ALPHA-1)	e-110
523	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-11	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	8.00E-07
524	AB014591	Homo sapiens mRNA for KIAA0691 protein, complete cds	0	NOT2_YEAST	GENERAL NEGATIVE REGULATOR OF TRANSCRIPTION SUBUNIT 2	8.00E-05
525	AB019488	Homo sapiens DNA for TRKA, exon 17 and complete cds	0	TRKA_HUMAN	HIGH AFFINITY NERVE GROWTH FACTOR RECEPTOR PRECURSOR PROTEIN) (P140-TRKA)	2.00E-27

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
526	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-15	CNG4_BOVIN	240K PROTEIN OF ROD PHOTORECEPTOR CNG-CHANNEL CYCLIC-NUCLEOTIDE-GATED CATION CHANNEL 4 (CNG CHANNEL 4) MODULATORY SUBUNIT))	0.018
527	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-06	HMZ1_DROME	ZERKNUELLT PROTEIN 1 (ZEN-1)	0.88
528	J03750	Mouse single stranded DNA binding protein p9 mRNA, complete cds.	e-135	P15_HUMAN	ACTIVATED RNA POLYMERASE II TRANSCRIPTIONAL COACTIVATOR P15 (PC4) (P14)	3.00E-21
529	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-12	RS5_DROME	40S RIBOSOMAL PROTEIN S5	0.42
530	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a .	8.00E-61	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	4.00E-15
531	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds	3.00E-60	<NONE>	<NONE>	<NONE>
532	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	4.00E-11	<NONE>	<NONE>	<NONE>
533	U50535	Human BRCA2 region, mRNA sequence CG006	4.00E-12	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	1.1
534	X92841	H.sapiens MICA gene	1.00E-55	LIN1_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	6.00E-09

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
535	U60337	Homo sapiens beta-mannosidase mRNA, complete cds	0	NODC_BRAEL	N-ACETYLGLUCOSAMINYLTRANSFERASE (EC 2.4.1.-)	1.4
536	M21731	Human lipocortin-V mRNA, complete cds.	e-169	ANX5_HUMAN	ANNEXIN V (LIPOCORTIN V) (ENDONEXIN II) (CALPHOBINDIN I) (CBP-I) (PLACENTAL ANTICOAGULANT PROTEIN I) (PAP-I) ANTICOAGULANT-ALPHA) (VAC-ALPHA) (ANCHORIN CII)	1.00E-05
537	Y08013	S.salar DNA segment containing GT repeat	0.006	<NONE>	<NONE>	<NONE>
538	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
539	M98502	Mus musculus protein encoding twelve zinc finger proteins (pMLZ-4) mRNA, complete cds.	2.00E-17	DYNA_CHICK	DYNACTIN, 117 KD ISOFORM	7.4
540	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	HXA3_HAEIN	HEME:HEMOPEXIN-BINDING PROTEIN PRECURSOR	2.6
541	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-13	AMO_KLEAE	AMINE OXIDASE PRECURSOR (EC 1.4.3.6) (MONAMINE OXIDASE) (TYRAMINE OXIDASE)	1.5
542	AF083322	Homo sapiens centriole associated protein CEP110 mRNA, complete cds	e-133	CA34_HUMAN	PROCOLLAGEN ALPHA 3(IV) CHAIN PRECURSOR	1.5
543	J03746	Human glutathione S-transferase mRNA, complete cds.	e-170	GTMI_HUMAN	GLUTATHIONE S-TRANSFERASE, MICROSOMAL (EC 2.5.1.18)	5.00E-39

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
544	U67522	Methanococcus jannaschii section 64 of 150 of the complete genome	0.37	A1AA_HUMAN	ALPHA-1A ADRENERGIC RECEPTOR	4.3
545	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	<NONE>	<NONE>	<NONE>
546	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
547	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
548	D87001	Human (lambda) DNA for immunoglobulin light chain	0.35	VAL3_TYLCU	AL3 PROTEIN (C3 PROTEIN)	3.2
549	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-08	TEGU_HSV11	LARGE TEGUMENT PROTEIN (VIRION PROTEIN UL36)	0.004
550	D16991	Human HepG2 partial cDNA, clone hmd2d01m5	8.00E-09	PTM1_YEAST	PROTEIN PTM1 PRECURSOR	0.033
551	M34025	Human fetal Ig heavy chain variable region	3.2	<NONE>	<NONE>	<NONE>
552	M98502	Mus musculus protein encoding twelve zinc finger proteins (pMLZ-4) mRNA, complete cds.	5.00E-14	<NONE>	<NONE>	<NONE>
553	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.002	<NONE>	<NONE>	<NONE>
554	Z78730	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA15C3	3.00E-20	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	5.00E-06
555	U74496	Human chromosome 4q35 subtelomeric sequence	8.00E-08	ICP4_VZVD	TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICP4	0.39

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
556	U39875	Rattus norvegicus EF-hand Ca2+-binding protein p22 mRNA, complete cds.	2.00E-56	YHFK_ECOLI	HYPOTHETICAL 79.5 KD PROTEIN IN CRP-ARGD INTERGENIC REGION (O696)	9.8
557	U65416	Human MHC class I molecule (MICB) gene, complete cds	0.12	<NONE>	<NONE>	<NONE>
558	AG000037	Homo sapiens genomic DNA, 21q region, clone: 9H11A22	5.00E-25	<NONE>	<NONE>	<NONE>
559	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-05	<NONE>	<NONE>	<NONE>
560	AB007918	Homo sapiens mRNA for KIAA0449 protein, partial cds	0.015	VGLE_HSV11	GLYCOPROTEIN E PRECURSOR	2.2
561	U58884	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human Drebrin	1.00E-73	YCV2_YEAST	HYPOTHETICAL 13.8 KD PROTEIN IN PWP2-SUP61 INTERGENIC REGION	2.6
562	AB007878	Homo sapiens KIAA0418 mRNA, complete cds	e-110	GLU2_MAIZE	GLUTELIN 2 PRECURSOR (ZEIN-GAMMA) (27 KD ZEIN)	0.72
563	AF065482	Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds	0	YJD6_YEAST	HYPOTHETICAL 49.0 KD PROTEIN IN NSP1-KAR2 INTERGENIC REGION	1.4
564	U27873	Stealth virus 1 clone 3B11 T7	0.002	SYN1_HUMAN	SYNAPSINS IA AND IB (BRAIN PROTEIN 4.1)	1.6
565	L38951	Homo sapiens importin beta subunit mRNA, complete cds	2.00E-68	VP2_BRD	STRUCTURAL CORE PROTEIN VP2	1.1
566	AF007155	Homo sapiens clone 23763 unknown mRNA, partial cds	e-165	YOHI_AZOVI	HYPOTHETICAL 33.2 KD PROTEIN IN IBPB 5'REGION	7.5

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
567	Z56295	H.sapiens CpG DNA, clone 10c2, forward read cpg10c2.ft1a .	0.12	A1AB_CANFA	ALPHA-1B ADRENERGIC RECEPTOR (FRAGMENT)	0.85
568	Z83792	G.gallus microsatellite DNA (LEI0222	0.12	<NONE>	<NONE>	<NONE>
569	U11820	Feline immunodeficiency virus USIL2489_7B gag polyprotein (gag) gene, complete cds, polymerase polyprotein (pol) gene, partial cds, vif protein (vif), complete cds, and envelope glycoprotein (env), complete cds, complete g...	1.1	<NONE>	<NONE>	<NONE>
570	M18065	Mouse 18S and 28S ribosomal DNA, 5' hypervariable (Vr) region, clone M1.	6.00E-04	CC40_YEAST	CELL DIVISION CONTROL PROTEIN 40	3.7
571	AF053645	Homo sapiens cellular apoptosis susceptibility protein (CSE1) gene, exons 3 through 10	2.00E-07	YMQ4_CAEEL	HYPOTHETICAL 25.8 KD PROTEIN K02D10.4 IN CHROMOSOME III	4.3
572	X04588	Human 2.5 kb mRNA for cytoskeletal tropomyosin TM30(nm)	0	<NONE>	<NONE>	<NONE>
573	AC001159	Homo sapiens (subclone 1_h9 from PAC H92) DNA sequence	5.00E-04	XYND_CELFI	ENDO-1,4-BETA-XYLANASE D PRECURSOR (EC 3.2.1.8)	7.3
574	Z60625	H.sapiens CpG DNA, clone 2c10, forward read cpg2c10.ft1aa .	4.00E-13	<NONE>	<NONE>	<NONE>
575	AF070640	Homo sapiens clone 24781	e-164	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		mRNA sequence				
576	Y11306	Homo sapiens mRNA for hTCF-4	2.00E-48	TCF1_HUMAN	T-CELL-SPECIFIC TRANSCRIPTION FACTOR 1 (TCF-1)	2.00E-15
577	X65279	pWE15 cosmid vector DNA	7.00E-69	OCLN_POTTR	Q28793 potorous tridactylus (potoroo). occludin. 11/98	0.71
578	M10296	Mouse DNA with homology to EBV IR3 repeat, segment 1, clone Mu2.	0.001	LMB1_HYDAT	LAMININ BETA-1 CHAIN PRECURSOR (FRAGMENTS)	1.9
579	X53744	Canine mRNA for 68kDA subunit of signal recognition particle (SRP68)	e-162	SR68_CANFA	SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68)	5.00E-16
580	AF086438	Homo sapiens full length insert cDNA clone ZD80G11	2.00E-04	<NONE>	<NONE>	<NONE>
581	U15140	Mycobacterium bovis ribosomal proteins IF-1 complete cds, and S4 (rpsD) gene, partial cds	1.3	<NONE>	<NONE>	<NONE>
582	D13292	Human mRNA for ryudocan core protein	e-166	RSP4_ARATH	40S RIBOSOMAL PROTEIN SA (P40) (LAMININ RECEPTOR HOMOLOG)	1.4
583	S71022	neoplasm-related C140 product [human, thyroid carcinoma cells, mRNA, 670 nt]	9.00E-30	RL6_HUMAN	60S RIBOSOMAL PROTEIN L6 (TAX-RESPONSIVE ENHANCER ELEMENT BINDING PROTEIN 107) (TAXREB107)	5.6
584	L20934	Anopheles gambiae complete mitochondrial genome	0.014	<NONE>	<NONE>	<NONE>
585	Z49269	H.sapiens gene for chemokine HCC-1.	1.1	AMY1_DICTH	ALPHA-AMYLASE 1 (EC 3.2.1.1) (1,4-ALPHA-D-GLUCAN GLUCANOHYDROLASE)	2.5

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
586	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-04	<NONE>	<NONE>	<NONE>
587	AF029893	Homo sapiens i-beta-1,3-N-acetylglucosaminyltransferase mRNA, complete cds	0.13	HEMO_PIG	HEMOPEXIN PRECURSOR (HYALURONIDASE) (EC 3.2.1.35)	3.5
588	J05109	T.thermophila calcium-binding 25 kDa (TCBP 25) protein gene, complete cds.	0.014	<NONE>	<NONE>	<NONE>
589	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-04	<NONE>	<NONE>	<NONE>
590	AF060246	Mus musculus strain C57BL/6 zinc finger protein 106 (Zfp106) mRNA, H3a-a allele, complete cds	1.00E-83	SCRB_PEDPE	SUCROSE-6-PHOSPHATE HYDROLASE (EC 3.2.1.26) (SUCRASE)	10
591	Y11966	B.aphidicola (host T.suberi) plasmid pBTs1 genes leuA, hspA, repA2, repA1, leuB, leuC, leuD, leuA	0.37	<NONE>	<NONE>	<NONE>
592	U20428	Human SNC19 mRNA sequence	1.00E-64	YY22_MYCTU	HYPOTHETICAL 30.8 KD PROTEIN CY49.22	0.29
593	AF043084	Lycopersicon esculentum ethylene receptor homolog (ETR1) mRNA, complete cds	0.37	KNIR_DROME	ZYGOTIC GAP PROTEIN KNIRPS	9.9
594	X65279	pWE15 cosmid vector DNA	5.00E-66	COA1_SV40	COAT PROTEIN VP1	0.001
595	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial	0.041	UL88_HSV7J	PROTEIN U59	5.8

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		cds				
596	M91452	Sus scrofa ryanodine receptor (RYR1) gene, complete cds.	3.2	<NONE>	<NONE>	<NONE>
597	U77327	Human Ki-1/57 intracellular antigen mRNA, partial cds	e-158	GAT1_CHICK	ERYTHROID TRANSCRIPTION FACTOR (GATA-1) (ERYF1)	1.2
598	U77327	Human Ki-1/57 intracellular antigen mRNA, partial cds	0	RPB7_ARATH	DNA-DIRECTED RNA POLYMERASE II 19 KD POLYPEPTIDE (EC 2.7.7.6) (RNA POLYMERASE II SUBUNIT 5)	6.2
599	Y16964	Saccharomyces sp. mitochondrial DNA for OLI1 gene, strain CID1	0.37	NMD5_YEAST	NONSENSE-MEDIATED MRNA DECAY PROTEIN 5	1.9
600	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-06	<NONE>	<NONE>	<NONE>
601	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-08	<NONE>	<NONE>	<NONE>
602	AF091046	Brugia pahangi nuclear hormone receptor (bhr-1) gene, partial cds	1.1	INVO_PONPY	INVOLUCRIN	0.23
603	M87339	Human replication factor C, 37-kDa subunit mRNA, complete cds	0	AC12_HUMAN	ACTIVATOR 1 37 KD SUBUNIT (REPLICATION FACTOR C 37 KD SUBUNIT) (A1 37 KD SUBUNIT) (RF-C 37 KD SUBUNIT) (RFC37)	1.00E-38
604	D28116	Human genes for collagen type IV alpha 5 and 6, exon 1 and exon	0.39	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		1'				
605	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	<NONE>	<NONE>	<NONE>
606	AE001149	Borrelia burgdorferi (section 35 of 70) of the complete genome	0.13	<NONE>	<NONE>	<NONE>
607	X14168	Human pLC46 with DNA replication origin	6.00E-16	Z136_HUMAN	ZINC FINGER PROTEIN 136	0.31
608	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a.	7.00E-90	HN3B_RAT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-19
609	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.043	PGCV_MOUSE	VERSICAN CORE PROTEIN PRECURSOR (LARGE FIBROBLAST PROTEOGLYCAN) (CHONDROITIN SULFATE PROTEOGLYCAN CORE PROTEIN 2) (PG-M)	3.5
610	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	7.00E-07	CA11_CHICK	PROCOLLAGEN ALPHA 1(I) CHAIN PRECURSOR	0.4
611	AB007956	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487	e-106	RRPB_CVMA5	RNA-DIRECTED RNA POLYMERASE (EC 2.7.7.48) (ORF1B)	9.7
612	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.005	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
613	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-05	UL52_EBV	HELICASE/PRIMASE COMPLEX PROTEIN (PROBABLE DNA REPLICATION PROTEIN BSLF1)	5.9
614	U95760	Drosophila melanogaster strawberry notch (sno) mRNA, complete cds	3.00E-71	POLG_PVYHU	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN; HELPER COMPONENT PROTEINASE (EC 3.4.22.-) (HC-PRO); 42-50 KD PROTEIN; CYTOPLASMIC INCLUSION PROTEIN (CI); 6 KD PROTEIN; NUCLEAR INCLUSION PROTEIN A (NI- A) (EC 3.4.22.-) (49K PROTEINASE) (49	4.3
615	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-09	VP3_ROTPC	INNER CORE PROTEIN VP3	7.7
616	J05499	Rattus norvegicus L-glutamine amidohydrolase mRNA, complete cds	e-143	GLSL_RAT	GLUTAMINASE, LIVER ISOFORM PRECURSOR (EC 3.5.1.2) (GLS)	7.00E-67
617	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.37	Y642_METJA	HYPOTHETICAL PROTEIN MJ0642	5.8
618	M21191	Human aldolase pseudogene mRNA, complete cds.	1.00E-32	LIN1_NYCCO	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	6.00E-17
619	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	NUCM_BOVIN	NADH-UBIQUINONE OXIDOREDUCTASE 49 KD SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3) (COMPLEX I-49KD) (CI-49KD)	0.044

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
620	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.005	HEMZ_RHOCA	FERROCHELATASE (EC 4.99.1.1) (PROTOHEME FERRO-LYASE)	4.4
621	AF041428	Homo sapiens ribosomal protein s4 X isoform gene, complete cds	0.002	<NONE>	<NONE>	<NONE>
622	X07158	Chironomus thummi DNA for Cla repetitive element	0.13	<NONE>	<NONE>	<NONE>
623	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-04	<NONE>	<NONE>	<NONE>
624	AF100470	Rattus norvegicus ribosome attached membrane protein 4 (RAMP4) mRNA, complete cds	1.00E-53	<NONE>	<NONE>	<NONE>
625	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds	2.00E-38	<NONE>	<NONE>	<NONE>
626	M13452	Human lamin A mRNA, 3'end.	6.00E-16	<NONE>	<NONE>	<NONE>
627	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.014	ACDV_RAT	ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD)	4.00E-20
628	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
629	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
630	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-05	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
631	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	<NONE>	<NONE>	<NONE>
632	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-05	YS83_CAEEL	HYPOTHETICAL 86.9 KD PROTEIN ZK945.3 IN CHROMOSOME II	0.65
633	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	NRP_MOUSE	NEUROPILIN PRECURSOR (A5 PROTEIN)	2.7
634	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-05	Y4JN_RHISN	HYPOTHETICAL 16.3 KD PROTEIN Y4JN	5.9
635	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-05	<NONE>	<NONE>	<NONE>
636	X64707	H.sapiens BBC1 mRNA	e-179	RL13_HUMAN	60S RIBOSOMAL PROTEIN L13 (BREAST BASIC CONSERVED PROTEIN 1)	5.00E-40
637	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-08	<NONE>	<NONE>	<NONE>
638	X14168	Human pLC46 with DNA replication origin	5.00E-14	SP3_HUMAN	TRANSCRIPTION FACTOR SP3 (SPR-2) (FRAGMENT)	0.19
639	X90999	H.sapiens mRNA for Glyoxalase II	9.00E-20	GLO2_HUMAN	HYDROXYACYLGLUTATHIONE HYDROLASE (EC 3.1.2.6)	0.007
640	AF083322	Homo sapiens centriole associated protein CEP110 mRNA, complete cds	9.00E-51	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	0.005

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
641	Z12002	M.musculus Pvt-1 mRNA.	0.36	CP5F_CANTR	CYTOCHROME P450 LIIA6 (ALKANE-INDUCIBLE) (EC 1.14.14.1) (P450-ALK3)	5.6
642	M10206	R.sphaeroides reaction center L subunit (complete cds) and M subunit (5' end) genes.	1.1	YGR1_YEAST	HYPOTHETICAL 34.8 KD PROTEIN IN SUT1-RCK1 INTERGENIC REGION	0.006
643	K02668	E. coli ddl gene encoding D-alanine:D-alanine ligase and ftsQ and ftsA genes, complete cds, and ftsZ gene, 5' end.	3.3	ANKB_HUMAN	ANKYRIN, BRAIN VARIANT 1 (ANKYRIN B) (ANKYRIN, NONERYTHROID)	7.00E-07
644	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>	<NONE>
645	X53616	C.domesticus calnexin (pp90) mRNA	1.1	<NONE>	<NONE>	<NONE>
646	X57010	Human COL2A1 gene for collagen II alpha 1 chain, exons E2-E15	3.3	PRIO_PIG	MAJOR PRION PROTEIN PRECURSOR (PRP)	1.9
647	U95097	Xenopus laevis mitotic phosphoprotein 43 mRNA, partial cds	1.1	UL07_HSV2H	PROTEIN UL7	7.3
648	X52956	Human CAMII-psi3 calmodulin retropseudogene	0.37	PRTP_EBV	PROBABLE PROCESSING AND TRANSPORT PROTEIN	7.5
649	M93425	Human protein tyrosine phosphatase (PTP-PEST) mRNA, complete cds.	0	PTNC_HUMAN	PROTEIN-TYROSINE PHOSPHATASE G1 (EC 3.1.3.48) (PTPG1)	e-107
650	L47615	Mus musculus DNA-binding protein (Fli-1) gene, 5' end of cds.	0.13	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	2.00E-07
651	U60337	Homo sapiens beta-mannosidase mRNA, complete	0	GIL1_ENTHI	GALACTOSE-INHIBITABLE LECTIN 170 KD	0.22

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		cds			SUBUNIT	
652	U08813	Oryctolagus cuniculus Na+/glucose cotransporter-related protein mRNA, complete cds.	1.00E-22	NAG1_HUMAN	SODIUM/GLUCOSE COTRANSPORTER 1 (NA(+)/GLUCOSE COTRANSPORTER 1) (HIGH AFFINITY SODIUM-GLUCOSE COTRANSPORTER)	0.1
653	Y00282	Human mRNA for ribophorin II	2.00E-78	RIB2_HUMAN	DOLICHYL-DIPHOSPHOOLIGOSACCHARIDE--PROTEIN GLYCOSYLTRANSFERASE 63 KD SUBUNIT PRECURSOR (EC 2.4.1.119) (RIBOPHORIN II)	5.00E-19
654	D10051	Human gene for 92-kDa type IV collagenase, 5'-flanking region	0.014	TAGB_DICDI	PRESTALK-SPECIFIC PROTEIN TAGB PRECURSOR (EC 3.4.21.-)	7.6
655	M29930	Human insulin receptor (allele 2) gene, exons 14, 15, 16 and 17.	8.00E-08	<NONE>	<NONE>	<NONE>
656	U78310	Homo sapiens pescadillo mRNA, complete cds	0	YG2S_YEAST	HYPOTHETICAL 69.9 KD PROTEIN IN MIC1-SRB5 INTERGENIC REGION	0.002
657	X68792	S.coelicolor A3(2) promoter sequence pth270	3.2	YBS0_YEAST	HYPOTHETICAL 27.0 KD PROTEIN IN VAL1-HSP26 INTERGENIC REGION	0.073
658	U50535	Human BRCA2 region, mRNA sequence CG006	4.00E-12	ALU1_HUMAN	!!!! ALU SUBFAMILY J WARNING ENTRY !!!!	1.2

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
659	U15522	Sus scrofa clone pvg1a Ig heavy chain variable VDJ region mRNA, partial cds.	3.2	Z165_HUMAN	ZINC FINGER PROTEIN 165	3.2
660	M20918	C.thummi piger haemoglobin (Hb) gene DNA, complete cds.	0.12	YT25_CAEEL	HYPOTHETICAL 59.9 KD PROTEIN B0304.5 IN CHROMOSOME II	0.033
661	U60337	Homo sapiens beta-mannosidase mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
662	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.001	ENV_MLVFP	ENV POLYPROTEIN PRECURSOR (CONTAINS: KNOB PROTEIN GP70; SPIKE PROTEIN P15E; R PROTEIN)	3.3
663	M97287	Human MAR/SAR DNA binding protein (SATB1) mRNA, complete cds. > :: gb|I58691|I58691 Sequence 1 from patent US 5652340	0	SAT1_HUMAN	DNA-BINDING PROTEIN SATB1 (SPECIAL AT-RICH SEQUENCE BINDING PROTEIN 1)	2.00E-20
664	L42612	Homo sapiens keratin 6 isoform K6f (KRT6F) mRNA, complete cds	e-168	K2C4_BOVIN	KERATIN, TYPE II CYTOSKELETAL 59 KD, COMPONENT IV	4.00E-10
665	U17901	Rattus norvegicus phospholipase A-2-activating protein (plap) mRNA, complete cds.	e-152	PLAP_MOUSE	PHOSPHOLIPASE A-2-ACTIVATING PROTEIN (PLAP)	4.00E-13
666	M73047	Homo sapiens tripeptidyl peptidase II mRNA, complete cds.	0	MERT_STRLI	MERCURIC TRANSPORT PROTEIN (MERCURY ION TRANSPORT PROTEIN)	4.4

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
667	U09954	Human ribosomal protein L9 gene, 5' region and complete cds.	0	RL9_HUMAN	60S RIBOSOMAL PROTEIN L9	2.00E-11
668	X98330	H.sapiens mRNA for ryanodine receptor 2	1.1	HS74_MOUSE	HEAT SHOCK 70 KD PROTEIN AGP-2	0.034
669	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.002	RPC2_DROME	DNA-DIRECTED RNA POLYMERASE III 128 KD POLYPEPTIDE	1.1
670	AF069250	Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds	7.00E-80	LEGB_PEA	LEGUMIN B (FRAGMENT)	0.011
671	Z71419	S.cerevisiae chromosome XIV reading frame ORF YNL143c	1.1	FOCD_ECOLI	OUTER MEMBRANE USHER PROTEIN FOCD PRECURSOR	9.7
672	AF044965	Homo sapiens polio virus related protein 2 gene, alpha isoform, exon 6 and partial cds	e-167	PVR_MOUSE	POLIOVIRUS RECEPTOR HOMOLOG PRECURSOR	1.00E-12
673	X65319	Cloning vector pCAT-Enhancer	2.00E-80	S106_HUMAN	CALCYCLIN (PROLACTIN RECEPTOR ASSOCIATED PROTEIN) CALCIUM-BINDING PROTEIN A6)	3.00E-15
674	D29655	Pig mRNA for UMP-CMP kinase, complete cds	e-103	V319_ASFB7	J319 PROTEIN	4.3
675	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	VEGR_RAT	VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 1 PRECURSOR RECEPTOR FLT) (FLT-1)	3.3

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
676	D90217	S. cerevisiae gene for YmL33, mitochondrial ribosomal proteins of large subunit	2.00E-07	MALY_ECOLI	MALY PROTEIN (EC 2.6.1.-)	5.6
677	AF038952	Homo sapiens cofactor A protein mRNA, complete cds	e-160	T1CA_MOUSE	TCP1-CHAPERONIN COFACTOR A	4.00E-19
678	Z96950	Gorilla gorilla DNA sequence orthologous to the human Xp:Yp telomere-junction region	5.00E-14	YHBZ_ECOLI	HYPOTHETICAL 43.3 KD GTP-BINDING PROTEIN IN DACB-RPMA INTERGENIC REGION (F390)	3.3
679	D50418	Mouse mRNA for AREC3, partial cds	2.00E-79	CYGX_RAT	OLFACTORY GUANYLYL CYCLASE GC-D PRECURSOR (EC 4.6.1.2)	1.1
680	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	8.00E-08	P2C2_SCHPO	PROTEIN PHOSPHATASE 2C HOMOLOG 2 (EC 3.1.3.16)	1.00E-04
681	AL010280	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-106, complete sequence	0.12	<NONE>	<NONE>	<NONE>
682	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	5.00E-04	VSM2_TRYBB	VARIANT SURFACE GLYCOPROTEIN MITAT 1.2 PRECURSOR (VSG 221)	4.3
683	U00238	Homo sapiens glutamine PRPP amidotransferase (GPAT) mRNA, complete cds	0	<NONE>	<NONE>	<NONE>
684	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.005	PRPR_SALTY	PROPIONATE CATABOLISM OPERON REGULATORY PROTEIN	1.5

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
685	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-07	YAND_SCHPO	HYPOTHETICAL 30.4 KD PROTEIN C3H1.13 IN CHROMOSOME I	0.38
686	D25538	Human mRNA for KIAA0037 gene, complete cds	0	<NONE>	<NONE>	<NONE>
687	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	A1AA_RAT	ALPHA-1A ADRENERGIC RECEPTOR (RA42)	4.4
688	L26956	Mesocricetus auratus stearyl-CoA desaturase sequence including male hormone dependent gene derived from hamster frankorgan	4.00E-33	<NONE>	<NONE>	<NONE>
689	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
690	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	YO93_CAEEL	HYPOTHETICAL 58.5 KD PROTEIN T20B12.3 IN CHROMOSOME III	2.00E-08
691	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	8.00E-09	<NONE>	<NONE>	<NONE>
692	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_RABIT	OXYSTEROL-BINDING PROTEIN	1.00E-34
693	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-04	UFO2_MAIZE	FLAVONOL 3-O-GLUCOSYLTRANSFERASE (EC 2.4.1.91)	3.1

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
694	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	5.00E-04	<NONE>	<NONE>	<NONE>
695	U34954	Caenorhabditis elegans cyclophilin isoform 10	5.00E-24	CYPA_CAEEL	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE 10 (EC 5.2.1.8)	2.00E-29
696	AB011167	Homo sapiens mRNA for KIAA0595 protein, partial cds	0	RFX5_HUMAN	BINDING REGULATORY FACTOR	2.1
697	U03886	Human GS2 mRNA, complete cds.	2.00E-28	SKD1_MOUSE	SKD1 PROTEIN	4.00E-17
698	AF086275	Homo sapiens full length insert cDNA clone ZD45C02	3.00E-41	SPT7_YEAST	TRANSCRIPTIONAL ACTIVATOR SPT7	0.82
699	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	CA1E_HUMAN	COLLAGEN ALPHA 1(XV) CHAIN PRECURSOR	1.1
700	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	4.00E-11	E434_ADECC	Q65962 canine adenovirus type 1 (strain cll). early e4 31 kd protein. 11/98	4.4
701	L17340	Drosophila melanogaster germline transcription factor gene, complete cds.	3.3	CISY_TETTH	CITRATE SYNTHASE, MITOCHONDRIAL PRECURSOR (EC 4.1.3.7) (14 NM FILAMENT-FORMING PROTEIN)	9.7
702	X58170	M.musculus mRNA for t-Complex Tcp-10a gene	2.00E-45	PME2_LYCES	PECTINESTERASE 2 PRECURSOR (EC 3.1.1.11) (PECTIN METHYLESTERASE) (PE 2)	7.4
703	Z96207	H.sapiens telomeric DNA sequence, clone 12PTEL049, read 12PTELOO049.se	8.00E-08	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
		q				
704	X58430	Human Hox1.8 gene	e-146	HXAA_HUMAN	HOMEOBOX PROTEIN HOX-A10 (HOX-1H) (HOX-1.8) (PL)	4.00E-05
705	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	6.00E-06	YN39_SYNP7	HYPOTHETICAL 9.2 KD PROTEIN IN CYST-CYSR INTERGENIC REGION (ORF 81)	0.89
706	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	MYSH_BOVIN	MYOSIN I HEAVY CHAIN-LIKE PROTEIN (MIHC) (BRUSH BORDER MYOSIN I) (BBMI)	0.001
707	M19961	Human cytochrome c oxidase subunit Vb (coxVb) mRNA, complete cds.	e-123	OTHU5B	<NONE>	3.00E-30
708	X68380	M.musculus gene for cathepsin D, exon 3	5.00E-04	42_MOUSE	ERYTHROCYTE MEMBRANE PROTEIN BAND 4.2 (P4.2) (PALLIDIN)	9.9
709	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	1.00E-11	TCPA_DROME	T-COMPLEX PROTEIN 1, ALPHA SUBUNIT (TCP-1-ALPHA)	4.3
710	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-10	<NONE>	<NONE>	<NONE>
711	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	4.00E-12	<NONE>	<NONE>	<NONE>
712	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.002	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
713	AB018323	Homo sapiens mRNA for KIAA0780 protein, partial cds	3.00E-41	LBR_CHICK	LAMIN B RECEPTOR	3.4
714	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	6.00E-06	YM8L_YEAST	HYPOTHETICAL 71.1 KD PROTEIN IN DSK2-CAT8 INTERGENIC REGION	3.00E-08
715	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	4.00E-13	PSC_DROME	POSTERIOR SEX COMBS PROTEIN	0.6
716	L28101	Homo sapiens kallistatin (PI4) gene, exons 1-4, complete cds	7.00E-07	IRKX_RAT	INWARD RECTIFIER POTASSIUM CHANNEL BIR9 (KIR5.1)	5.4
717	AC001038	Homo sapiens (subclone 2_h2 from P1 H49) DNA sequence	8.00E-09	MGMT_YEAST	METHYLATED-DNA--PROTEIN-CYSTEINE METHYLTRANSFERASE	0.48
718	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-11	YWDE_BACSU	HYPOTHETICAL 19.9 KD PROTEIN IN SACA-UNG INTERGENIC REGION PRECURSOR	1.8
719	U01139	Mus musculus B6D2F1 clone 2C11B mRNA.	e-110	GSC_DROME	HOMEOBOX PROTEIN GOOSECOID	7.2
720	AB017430	Homo sapiens mRNA for kinesin-like DNA binding protein, complete cds	0	YBAV_ECOLI	HYPOTHETICAL 12.7 KD PROTEIN IN HUPB-COF INTERGENIC REGION	0.17
721	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.001	CPCF_SYNP2	PHYCOCYANOBILIN LYASE BETA SUBUNIT (EC 4.-.-.-)	2.4
722	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-10	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
723	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.04	YKK7_CAEEL	HYPOTHETICAL 54.9 KD PROTEIN C02F5.7 IN CHROMOSOME III	0.057
724	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	8.00E-08	H5_CAIMO	HISTONE H5	0.39
725	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	3.00E-09	DED1_YEAST	PUTATIVE ATP-DEPENDENT RNA HELICASE DED1	0.5
726	J04617	Human elongation factor EF-1-alpha gene, complete cds. > :: dbj|E02629|E02629 DNA of human polypeptide chain elongation factor-1 alpha	5.00E-36	ALU7_HUMAN	!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!	0.84
727	X54859	Porcine TNF-alpha and TNF-beta genes for tumour necrosis factors alpha and beta, respectively.	3.3	Z165_HUMAN	ZINC FINGER PROTEIN 165	5.6
728	D49911	Thermus thermophilus UvrA gene, complete cds	0.014	CC48_CAPAN	CELL DIVISION CYCLE PROTEIN 48 HOMOLOG	9.9
729	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-06	CA25_HUMAN	PROCOLLAGEN ALPHA 2(V) CHAIN PRECURSOR	0.011
730	D15057	Human mRNA for DAD-1, complete cds	0	DAD1_HUMAN	DEFENDER AGAINST CELL DEATH 1 (DAD-1)	8.00E-16
731	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	6.00E-06	ANFD_RHOCA	NITROGENASE IRON-IRON PROTEIN ALPHA CHAIN (EC 1.18.6.1) (NITROGENASE COMPONENT I) (DINITROGENASE	9.6

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
					)	
732	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	7.00E-07	EFTU_CHLVI	ELONGATION FACTOR TU (EF-TU)	2.5
733	AB018335	Homo sapiens mRNA for KIAA0792 protein, complete cds	0	TRYM_RAT	MAST CELL TRYPTASE PRECURSOR (EC 3.4.21.59)	5.6
734	X98743	H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein)	0.04	<NONE>	<NONE>	<NONE>
735	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	2.00E-07	<NONE>	<NONE>	<NONE>
736	Z49314	S.cerevisiae chromosome X reading frame ORF YJL039c	3.2	<NONE>	<NONE>	<NONE>
737	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds	0	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	2.00E-76
738	J04038	Human glyceraldehyde-3-phosphate dehydrogenase	2.00E-47	SDC1_HUMAN	SYNDECAN-1 PRECURSOR (SYND1) (CD138)	3.5
739	AF010238	Homo sapiens von Hippel-Lindau tumor suppressor	1.00E-09	LIN1_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	0.001
740	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	YQJX_BACSU	HYPOTHETICAL 13.2 KD PROTEIN IN GLNQ-ANSR INTERGENIC REGION	9.9

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
741	L21186	Human lysyl oxidase-like protein mRNA, complete cds.	e-145	OXRTL	<NONE>	1.00E-34
742	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-05	CC48_SOYBN	CELL DIVISION CYCLE PROTEIN 48 HOMOLOG (VALOSIN CONTAINING PROTEIN HOMOLOG) (VCP)	7.6
743	AF009203	Homo sapiens YAC clone 377A1 unknown mRNA, 3'untranslated region	3.3	<NONE>	<NONE>	<NONE>
744	Z74894	S.cerevisiae chromosome XV reading frame ORF YOL152w	0.12	CD14_RABIT	Q28680 oryctolagus cuniculus (rabbit). monocyte differentiation antigen cd14 precursor. 11/98	1.9
745	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	9.00E-10	KIN3_YEAST	SERINE/THREONINE-PROTEIN KINASE KIN3 (EC 2.7.1.-)	2.5
746	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-05	YA53_SCHPO	HYPOTHETICAL 24.2 KD PROTEIN C13A11.03 IN CHROMOSOME I	7.00E-17
747	S61044	ALDH3=aldehyde dehydrogenase isozyme 3 [human, stomach, mRNA Partial, 1362 nt]	0	DHAP_HUMAN	ALDEHYDE DEHYDROGENASE, DIMERIC NADP-PREFERRING (EC 1.2.1.5) (CLASS 3)	2.00E-71
748	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	2.00E-08	CA1E_CHICK	COLLAGEN ALPHA 1(XIV) CHAIN PRECURSOR (UNDULIN)	0.36
749	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
750	L14815	Entamoeba histolytica HM-1:IMSS galactose-specific adhesin 170kD subunit (hgl3) gene, complete cds.	0.12	<NONE>	<NONE>	<NONE>
751	X63785	T.thermophila gene for snRNA U2-2	1.1	<NONE>	<NONE>	<NONE>
752	M83756	Mytilus edulis mitochondrial NADH dehydrogenase subunit 5 (ND5) gene, 3' end; NADH dehydrogenase subunit 6 (ND6) gene, complete cds; and cytochrome b (cyt b), 5' end.	0.042	DSC1_HUMAN	DESMOCOLLIN 1A/1B PRECURSOR (DESMOSOMAL GLYCOPROTEIN 2/3) (DG2 / DG3)	2.6
753	AB001066	Brown trout microsatellite DNA sequence	0.38	IMB3_HUMAN	IMPORTIN BETA-3 SUBUNIT (KARYOPHERIN BETA-3 SUBUNIT)	1.2
754	AF064787	Lotus japonicus rac GTPase activating protein 1 mRNA, complete cds	0.51	<NONE>	<NONE>	<NONE>
755	U20608	Dictyostelium discoideum unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds	0.043	<NONE>	<NONE>	<NONE>
756	M77812	Rabbit myosin heavy chain mRNA, complete cds.	1.2	RBL1_HUMAN	RETINOBLASTOMA-LIKE PROTEIN 1 (107 KD RETINOBLASTOMA-ASSOCIATED PROTEIN) (PRB1) (P107)	4.9

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
757	X63789	T.thermophila genes for snRNA U5-1, snRNA U5-2	0.058	<NONE>	<NONE>	<NONE>
758	D50646	Mouse mRNA for SDF2, complete cds	2.00E-27	PMT3_YEAST	DOLICHYL-PHOSPHATE-MANNOSE--PROTEIN MANNOSYLTRANSFERASE 3 (EC 2.4.1.109)	0.002
759	L81583	Homo sapiens (subclone 3_g2 from P1 H11) DNA sequence	3.00E-19	ALU5_HUMAN	!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!	0.86
760	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	SYFA_YEAST	PHENYLALANYL-TRNA SYNTHETASE ALPHA CHAIN CYTOPLASMIC	5.7
761	AF000370	Homo sapiens polymorphic CA dinucleotide repeat flanking region	6.00E-89	APP1_MOUSE	AMYLOID-LIKE PROTEIN 1 PRECURSOR (APLP)	5.7
762	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.002	<NONE>	<NONE>	<NONE>
763	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	7.00E-06	PSF_HUMAN	PTB-ASSOCIATED SPLICING FACTOR (PSF)	0.72
764	AB018288	Homo sapiens mRNA for KIAA0745 protein, partial cds	0	TC2A_CAEBR	TRANSPOSABLE ELEMENT TCB2 TRANSPOSASE	1.5
765	AF020282	Dictyostelium discoideum DG2033 gene, partial cds	0.38	PMT2_YEAST	DOLICHYL-PHOSPHATE-MANNOSE--PROTEIN MANNOSYLTRANSFERASE 2 (EC 2.4.1.109)	0.18

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
766	AF017357	Oryza sativa low molecular early light-inducible protein mRNA, complete cds	0.38	RGS3_HUMAN	REGULATOR OF G-PROTEIN SIGNALLING 3 (RGS3) (RGP3)	0.23
767	U67599	Methanococcus jannaschii section 141 of 150 of the complete genome	0.13	<NONE>	<NONE>	<NONE>
768	X74178	B.taurus microsatellite DNA INRA153	0.13	FAG1_SYNY3	P73574 synechocystis sp. (strain pcc 6803). 3-oxoacyl-[acyl-carrier protein] reductase 1 (ec 1.1.1.100) (3-ketoacyl- acyl carrier protein reductase 1). 11/98	5.00E-16
769	AF041858	Mus musculus synaptojanin 2 isoform delta mRNA, partial cds	0.043	CA44_HUMAN	COLLAGEN ALPHA 4(IV) CHAIN PRECURSOR	0.24
770	J01404	Drosophila melanogaster mitochondrial cytochrome c oxidase subunits, ATPase6, 7 tRNAs (Trp, Cys, Tyr, Leu(UUR), Lys, Asp, Gly) genes, and unidentified reading frames A6l, 2 and 3.	0.021	NU1M_CITLA	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 (EC 1.6.5.3)	7.2
771	AL022317	Human DNA sequence from clone 140L1 on chromosome 22q13.1-13.31, complete sequence [Homo sapiens]	3.00E-41	ALU7_HUMAN	!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!	4.00E-08
772	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	1.00E-09	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
773	AF095927	Rattus norvegicus protein phosphatase 2C mRNA, complete cds	0	P2C_PARTE	PROTEIN PHOSPHATASE 2C (EC 3.1.3.16) (PP2C)	1.00E-16
774	X87212	H.sapiens mRNA for cathepsin C	0	CATC_HUMAN	DIPEPTIDYL-PEPTIDASE I PRECURSOR (EC 3.4.14.1)	2.00E-46
775	X05283	Drosophila melanogaster PKCG7 gene exons 7-14 for protein kinase C	4.5	<NONE>	<NONE>	<NONE>
776	X03558	Human mRNA for elongation factor 1 alpha subunit	0	EF11_HUMAN	ELONGATION FACTOR 1-ALPHA 1 (EF-1-ALPHA-1)	1.00E-83
777	X06960	Aspergillus nidulans mitochondrial DNA for cytochrome oxidase subunit 3, tRNA-Tyr	0.23	<NONE>	<NONE>	<NONE>
778	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	3.00E-09	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	5.00E-07
779	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-07	NAT1_YEAST	N-TERMINAL ACETYLTRANSFE RASE 1 (EC 2.3.1.88)	5.00E-23
780	U59706	Gallus gallus alternatively spliced AMPA glutamate receptor, isoform GluR2 flop, (GluR2) mRNA, partial cds.	0.014	PPOL_SARPE	POLY (ADP-RIBOSE) POLYMERASE (EC 2.4.2.30) (PARP)	0.021
781	U57391	Rattus norvegicus FceRI gamma-chain interacting protein SH2-B (SH2-B) mRNA, complete cds	1.00E-84	<NONE>	<NONE>	<NONE>

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
782	AB014591	Homo sapiens mRNA for KIAA0691 protein, complete cds	7.00E-57	SSGP_VOLCA	SULFATED SURFACE GLYCOPROTEIN 185 (SSG 185)	5.3
783	AJ008065	Chrysolina bankii 16S rRNA gene, mitotype B2	0.043	<NONE>	<NONE>	<NONE>
784	AF067212	Caenorhabditis elegans cosmid F37F2	0.005	MEK1_RAT	MAPK/ERK KINASE KINASE 1 (EC 2.7.1.-) (MEK KINASE 1)	4.5
785	U95094	Xenopus laevis XL-INCENP (XL-INCENP) mRNA, complete cds	0.042	<NONE>	<NONE>	<NONE>
786	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	9.00E-09	<NONE>	<NONE>	<NONE>
787	Y13401	Homo sapiens CD3 delta gene, enhancer sequence	8.00E-08	<NONE>	<NONE>	<NONE>
788	AE001038	Archaeoglobus fulgidus section 69 of 172 of the complete genome	0.13	<NONE>	<NONE>	<NONE>
789	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	2.00E-06	<NONE>	<NONE>	<NONE>
790	AF041463	Manihot esculenta elongation factor 1-alpha	1.4	<NONE>	<NONE>	<NONE>
791	U95102	Xenopus laevis mitotic phosphoprotein 90 mRNA, complete cds	0.002	HXA3_HAEIN	HEME:HEMOPEXIN-BINDING PROTEIN PRECURSOR	2.7
792	Z12112	pWE15A cosmid vector DNA	3.00E-29	PKWA_THECU	PUTATIVE SERINE/THREONINE-PROTEIN KINASE PKWA (EC 2.7.1.-)	2.00E-04

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
793	U85193	Human nuclear factor I-B2 (NFIB2) mRNA, complete cds	4.00E-44	<NONE>	<NONE>	<NONE>
794	U89331	Human pseudoautosomal homeodomain-containing protein (PHOG) mRNA, complete cds	7.00E-06	NRL_HUMAN	NEURAL RETINA-SPECIFIC LEUCINE ZIPPER PROTEIN (NRL)	6.3
795	AF055666	Mus musculus kinesin light chain 2 (Klc2) mRNA, complete cds	0.52	PSPD_BOVIN	PULMONARY SURFACTANT-ASSOCIATED PROTEIN D PRECURSOR	0.33
796	L13321	Homo sapiens iduronate-2-sulfatase (IDS) gene, exon 1, incomplete 5' end.	0.14	YRP2_YEAST	HYPOTHETICAL 84.4 KD PROTEIN IN RPC2/RET1 3'REGION	0.27
797	AL010270	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-96, complete sequence	0.37	YTH3_CAEEL	HYPOTHETICAL 75.5 KD PROTEIN C14A4.3 IN CHROMOSOME II	2
798	U95098	Xenopus laevis mitotic phosphoprotein 44 mRNA, partial cds	0.015	IMB3_HUMAN	IMPORTIN BETA-3 SUBUNIT (KARYOPHERIN BETA-3 SUBUNIT)	0.063
799	U70139	Mus musculus putative CCR4 protein mRNA, partial cds	0	CCR4_YEAST	GLUCOSE-REPRESSIBLE ALCOHOL DEHYDROGENASE TRANSCRIPTIONAL EFFECTOR (CARBON CATABOLITE REPRESSOR PROTEIN 4)	5.00E-11
800	L26507	Mouse myocyte nuclear factor (MNF) mRNA, complete cds.	3.00E-41	MNF_MOUSE	MYOCYTE NUCLEAR FACTOR (MNF)	4.00E-18

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
801	U20527	Mus musculus chemokine KC gene, 5' region.	0	GRO_MOUSE	GROWTH REGULATED PROTEIN PRECURSOR (PLATELET-DERIVED GROWTH FACTOR-INDUCIBLE PROTEIN KC) (SECRETORY PROTEIN N51)	1.00E-28
802	AF065482	Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds	0	MYSA_DROME	MYOSIN HEAVY CHAIN, MUSCLE	0.089
803	U05823	Mus musculus pericentrin mRNA, complete cds.	1.00E-94	M84D_DROME	MALE SPECIFIC SPERM PROTEIN MST84DD	0.099
804	U67468	Methanococcus jannaschii section 10 of 150 of the complete genome	0.4	<NONE>	<NONE>	<NONE>
805	U14178	Human type II IL-1 receptor gene, exon 1B	1.00E-19	AMPH_HUMAN	AMPHIPHYSIN	2.9
806	L40411	Homo sapiens thyroid receptor interactor	0	TRI8_HUMAN	THYROID RECEPTOR INTERACTING PROTEIN 8 (TRIP8)	4.00E-86
807	D17218	Human HepG2 3' region MboI cDNA, clone hmd3g02m3	e-136	CA1A_HUMAN	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR	3.00E-04
808	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a .	e-102	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-24
809	D14678	Human mRNA for kinesin-related protein, partial cds	0	NCD_DROME	CLARET SEGREGATIONAL PROTEIN	1.00E-70

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
810	X56317	Xiphophorus maculatus Xmrk(proto-oncogene) gene for receptor tyrosine kinase.	0.49	WN1B_MOUSE	WNT-10B PROTEIN PRECURSOR (WNT-12)	7.2
811	M36200	Human synaptobrevin 1 (SYB1) gene, exon 5.	0.2	VE2_HPV14	REGULATORY PROTEIN E2	3.1
812	M18157	Human glandular kallikrein gene, complete cds.	1.5	EKLF_MOUSE	ERYTHROID KRUEPPEL-LIKE TRANSCRIPTION FACTOR (EKLF)	1.1
813	D25215	Human mRNA for KIAA0032 gene, complete cds	1.9	YXIS_SACER	HYPOTHETICAL 28.9 KD PROTEIN IN XIS 5'REGION (ORF1)	1.3
814	M96628	Human gene sequence, 5' end.	2.00E-06	AGRI_DISOM	AGRIN (FRAGMENT)	9.5
815	Z57610	H.sapiens CpG DNA, clone 187a10, reverse read cpg187a10.rt1a .	e-102	HN3B_MOUSE	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)	1.00E-19
816	X14168	Human pLC46 with DNA replication origin	5.00E-16	ZN44_HUMAN	ZINC FINGER PROTEIN 44 (ZINC FINGER PROTEIN KOX7)	1.6
817	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.28	LMA_DROME	LAMININ ALPHA CHAIN PRECURSOR	4.7
818	AF058055	Mus musculus monocarboxylate transporter 1	0.2	<NONE>	<NONE>	<NONE>
819	AB014570	Homo sapiens mRNA for KIAA0670 protein, partial cds	0.16	YGR1_YEAST	HYPOTHETICAL 34.8 KD PROTEIN IN SUT1-RCK1 INTERGENIC REGION	4.00E-06
820	M19262	Rat clathrin light chain (LCB3) mRNA, complete cds.	0.27	LMA_DROME	LAMININ ALPHA CHAIN PRECURSOR	4.5

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
821	Z54367	H.sapiens gene for plectin	0.29	YO93_CAEEL	HYPOTHETICAL 58.5 KD PROTEIN T20B12.3 IN CHROMOSOME III	1.00E-14
822	AB017026	Mus musculus mRNA for oxysterol-binding protein, complete cds	0	OXYB_HUMAN	OXYSTEROL-BINDING PROTEIN	2.00E-49
823	X58170	M.musculus mRNA for t-Complex Tcp-10a gene	1.00E-20	UL52_HSV11	DNA HELICASE/PRIMASE COMPLEX PROTEIN (DNA REPLICATION PROTEIN UL52)	5.3
824	X58430	Human Hox1.8 gene	0	HXAA_HUMAN	HOMEOBOX PROTEIN HOX-A10 (HOX-1H) (HOX-1.8) (PL)	1.00E-44
825	X53754	Porcine sarcoplasmic/endoplasmic-reticulum Ca(2+) pump gene 2 3'-end region	1.3	<NONE>	<NONE>	<NONE>
826	AB005786	Arabidopsis thaliana tRNA-Glu gene	0.46	<NONE>	<NONE>	<NONE>
827	AB012130	Homo sapiens SBC2 mRNA for sodium bicarbonate cotransporter2, complete cds	1.9	<NONE>	<NONE>	<NONE>
828	AB017430	Homo sapiens mRNA for kinesin-like DNA binding protein, complete cds	0	YBAV_ECOLI	HYPOTHETICAL 12.7 KD PROTEIN IN HUPB-COF INTERGENIC REGION	0.063
829	AB007886	Homo sapiens KIAA0426 mRNA, complete cds	0.042	YDF3_SCHPO	PROBABLE EUKARYOTIC INITIATION FACTOR C17C9.03	0.52
830	AB018335	Homo sapiens mRNA for KIAA0792 protein, complete cds	e-172	UROT_BOVIN	TISSUE PLASMINOGEN ACTIVATOR PRECURSOR (EC 3.4.21.68)	0.86

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
831	D12646	Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds	0	KIF4_MOUSE	KINESIN-LIKE PROTEIN KIF4	9.00E-96
832	U38376	Rattus norvegicus cytosolic phospholipase A2 mRNA, complete cds	0.048	<NONE>	<NONE>	<NONE>
833	L40411	Homo sapiens thyroid receptor interactor	0	TRI8_HUMAN	THYROID RECEPTOR INTERACTING PROTEIN 8 (TRIP8)	4.00E-86
834	U08110	Mus musculus RNA1 homolog (Fug1) mRNA, complete cds.	8.00E-04	YNW7_YEAST	HYPOTHETICAL 68.8 KD PROTEIN IN URE2-SSU72 INTERGENIC REGION	0.02
835	D50646	Mouse mRNA for SDF2, complete cds	1.00E-40	YB64_YEAST	HYPOTHETICAL 57.2 KD PROTEIN IN MET8-HPC2 INTERGENIC REGION	4.9
836	D50646	Mouse mRNA for SDF2, complete cds	1.00E-40	YB64_YEAST	HYPOTHETICAL 57.2 KD PROTEIN IN MET8-HPC2 INTERGENIC REGION	4.9
837	U67459	Methanococcus jannaschii section 1 of 150 of the complete genome	5.00E-05	GCS1_HUMAN	MANNOSYL-OLIGOSACCHARIDE GLUCOSIDASE (EC 3.2.1.106)	9.2
838	U18657	Haemophilus influenzae LeuA (leuA) gene, partial cds, DprA (dprA+), orf272 and orf193 genes, complete cds, and PfkA (pfkA) gene, partial cds.	0.01	STE6_YEAST	MATING FACTOR A SECRETION PROTEIN STE6 (MULTIPLE DRUG RESISTANCE PROTEIN HOMOLOG) (P-GLYCOPROTEIN)	7

Table 2

	Nearest Neighbor (BlastN vs. Genbank)			Nearest Neighbor (BlastX vs. Non-Redundant Proteins)		
SEQ ID	ACCESSION	DESCRIPTION	P VALUE	ACCESSION	DESCRIPTION	P VALUE
839	U12523	Rattus norvegicus ultraviolet B radiation-activated UV98 mRNA, partial sequence.	1.00E-10	YMT8_YEAST	HYPOTHETICAL 36.4 KD PROTEIN IN NUP116-FAR3 INTERGENIC REGION	2.00E-06
840	D78255	Mouse mRNA for PAP-1, complete cds	e-175	<NONE>	<NONE>	<NONE>
841	D17263	Human HepG2 3' region MboI cDNA, clone hmd5f07m3	1.00E-58	<NONE>	<NONE>	<NONE>
842	AF006751	Homo sapiens ES/130 mRNA, complete cds	0.061	YRP2_YEAST	HYPOTHETICAL 84.4 KD PROTEIN IN RPC2/RET1 3'REGION	2.00E-07
843	U67459	Methanococcus jannaschii section 1 of 150 of the complete genome	6.00E-05	YC14_METJA	HYPOTHETICAL PROTEIN MJ1214	8.1
844	D88689	Mus musculus mRNA for flt-1, complete cds	0.084	ICP0_HSV2H	TRANS-ACTING TRANSCRIPTIONAL PROTEIN ICP0 (VMW118 PROTEIN)	0.014

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001340B:A06	17062	3	0	0	0	0	0
M00001340D:F10	11589	2	2	1	3	3	8
M00001341A:E12	4443	10	6	2	6	3	11
M00001342B:E06	39805	2	0	0	0	1	0
M00001343C:F10	2790	7	15	13	14	6	0
M00001343D:H07	23255	3	0	1	1	0	0
M00001345A:E01	6420	8	0	2	0	1	0
M00001346A:F09	5007	4	8	3	6	2	6
M00001346D:E03	6806	5	2	1	2	0	3
M00001346D:G06	5779	5	4	3	4	0	0
M00001346D:G06	5779	5	4	3	4	0	0
M00001347A:B10	13576	5	0	0	0	12	11
M00001348B:B04	16927	4	0	0	2	0	0
M00001348B:G06	16985	4	0	0	0	0	0
M00001349B:B08	3584	5	11	5	0	0	2
M00001350A:H01	7187	5	3	1	0	1	0
M00001351B:A08	3162	10	14	1	6	6	5
M00001351B:A08	3162	10	14	1	6	6	5
M00001352A:E02	16245	4	0	0	0	0	0
M00001353A:G12	8078	4	3	1	0	1	0
M00001353D:D10	14929	4	0	0	1	23	16
M00001355B:G10	14391	3	1	0	0	0	0
M00001357D:D11	4059	8	6	8	16	0	1
M00001361A:A05	4141	5	2	10	16	4	27
M00001361D:F08	2379	26	13	4	2	2	3
M00001362B:D10	5622	7	4	2	13	1	2
M00001362C:H11	945	9	21	2	1	0	0
M00001365C:C10	40132	2	0	0	0	3	0
M00001370A:C09	6867	7	3	0	0	0	0
M00001371C:E09	7172	3	5	1	2	0	1
M00001376B:G06	17732	1	3	5	0	1	4
M00001378B:B02	39833	2	0	0	0	0	0
M00001379A:A05	1334	27	38	35	28	3	0
M00001380D:B09	39886	2	0	0	0	0	0
M00001382C:A02	22979	2	1	0	0	0	0
M00001383A:C03	39648	2	0	0	0	0	0
M00001383A:C03	39648	2	0	0	0	0	0
M00001386C:B12	5178	5	5	4	2	5	2
M00001387A:C05	2464	5	19	25	16	1	0
M00001387B:G03	7587	6	2	1	0	0	0
M00001388D:G05	5832	10	3	0	1	5	0
M00001389A:C08	16269	3	0	0	0	1	1
M00001394A:F01	6583	2	7	3	2	0	0
M00001395A:C03	4016	5	14	0	6	0	0
M00001396A:C03	4009	6	4	13	5	4	10
M00001402A:E08	39563	2	0	0	0	0	0

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001407B:D11	5556	8	1	5	0	2	0
M00001409C:D12	9577	5	2	0	1	11	12
M00001410A:D07	7005	8	2	0	0	0	0
M00001412B:B10	8551	4	4	0	3	0	0
M00001415A:H06	13538	5	0	0	0	9	1
M00001416A:H01	7674	5	2	0	5	0	0
M00001416B:H11	8847	4	1	3	0	6	1
M00001417A:E02	36393	2	0	0	1	0	0
M00001418B:F03	9952	4	2	1	1	0	0
M00001418D:B06	8526	3	2	1	5	1	0
M00001421C:F01	9577	5	2	0	1	11	12
M00001423B:E07	15066	4	0	0	0	0	0
M00001424B:G09	10470	5	1	0	2	0	1
M00001425B:H08	22195	3	0	0	0	0	0
M00001426D:C08	4261	4	9	7	9	12	15
M00001428A:H10	84182	1	0	0	0	0	0
M00001429A:H04	2797	15	11	18	16	1	14
M00001429B:A11	4635	7	9	2	0	0	0
M00001429D:D07	40392	2	0	1	8	12	16
M00001439C:F08	40054	1	0	0	0	0	0
M00001442C:D07	16731	3	1	0	0	0	0
M00001445A:F05	13532	3	2	1	0	1	2
M00001446A:F05	7801	5	2	4	6	1	0
M00001447A:G03	10717	7	2	0	5	8	0
M00001448D:C09	8	1850	2127	1703	3133	1355	122
M00001448D:H01	36313	2	0	0	0	1	30
M00001449A:A12	5857	6	2	3	4	0	0
M00001449A:B12	41633	1	1	0	0	0	0
M00001449A:D12	3681	12	5	10	1	2	5
M00001449A:G10	36535	2	0	0	0	0	0
M00001449C:D06	86110	1	0	0	0	0	0
M00001450A:A02	39304	2	0	0	0	0	0
M00001450A:A11	32663	1	1	0	0	0	0
M00001450A:B12	82498	1	0	0	0	0	0
M00001450A:D08	27250	2	0	0	0	0	0
M00001452A:B04	84328	1	0	0	0	0	0
M00001452A:B12	86859	1	0	0	0	0	0
M00001452A:D08	1120	44	41	5	11	5	0
M00001452A:F05	85064	1	0	0	0	0	0
M00001452C:B06	16970	4	0	0	0	3	4
M00001453A:E11	16130	3	1	0	0	0	1
M00001453C:F06	16653	3	1	0	0	0	0
M00001454A:A09	83103	1	0	0	0	0	0
M00001454B:C12	7005	8	2	0	0	0	0
M00001454D:G03	689	58	95	17	36	66	95
M00001455A:E09	13238	4	1	0	0	0	0
M00001455B:E12	13072	4	1	0	0	0	0
M00001455D:F09	9283	4	1	0	1	0	1

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001455D:F09	9283	4	1	0	1	0	1
M00001460A:F06	2448	23	22	2	3	3	1
M00001460A:F12	39498	2	0	0	0	0	0
M00001461A:D06	1531	20	23	32	17	14	14
M00001463C:B11	19	1415	1203	1364	525	479	774
M00001465A:B11	10145	2	0	2	0	0	0
M00001466A:E07	4275	11	2	5	0	4	2
M00001467A:B07	38759	2	0	0	0	1	1
M00001467A:D04	39508	2	0	0	0	0	0
M00001467A:D08	16283	3	0	0	0	0	0
M00001467A:D08	16283	3	0	0	0	0	0
M00001467A:E10	39442	2	0	0	0	0	0
M00001468A:F05	7589	6	2	1	1	1	0
M00001469A:C10	12081	4	0	0	0	0	0
M00001469A:H12	19105	2	0	2	0	1	0
M00001470A:B10	1037	53	48	4	22	0	0
M00001470A:C04	39425	2	0	0	0	0	0
M00001471A:B01	39478	2	0	0	0	0	0
M00001481D:A05	7985	3	1	4	0	1	0
M00001490B:C04	18699	2	1	0	0	0	3
M00001494D:F06	7206	4	3	3	1	2	0
M00001497A:G02	2623	12	4	31	4	6	1
M00001499B:A11	10539	2	1	1	0	1	0
M00001500A:C05	5336	9	2	4	8	3	15
M00001500A:E11	2623	12	4	31	4	6	1
M00001500C:E04	9443	4	2	1	1	0	0
M00001501D:C02	9685	3	2	0	7	2	3
M00001504C:A07	10185	5	1	0	0	2	4
M00001504C:H06	6974	7	3	0	1	0	0
M00001504D:G06	6420	8	0	2	0	1	0
M00001507A:H05	39168	2	0	0	0	0	0
M00001511A:H06	39412	2	0	0	0	0	0
M00001512A:A09	39186	2	0	0	0	0	0
M00001512D:G09	3956	9	9	5	2	0	0
M00001513A:B06	4568	10	4	0	9	2	0
M00001513C:E08	14364	1	0	0	0	0	0
M00001514C:D11	40044	2	0	0	0	0	0
M00001517A:B07	4313	13	6	1	0	1	0
M00001518C:B11	8952	3	4	0	4	2	0
M00001528A:C04	7337	4	4	3	16	12	21
M00001528A:F09	18957	3	0	0	0	0	0
M00001528B:H04	8358	3	3	2	0	0	0
M00001531A:D01	38085	2	0	0	0	0	0
M00001532B:A06	3990	6	12	4	1	3	1
M00001533A:C11	2428	14	14	13	9	2	19
M00001534A:C04	16921	4	0	0	1	2	1
M00001534A:D09	5097	6	5	1	1	3	2
M00001534A:F09	5321	11	7	1	5	10	26

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001534C:A01	4119	9	4	2	2	5	3
M00001535A:B01	7665	3	1	5	0	0	0
M00001535A:C06	20212	2	0	1	1	0	0
M00001535A:F10	39423	2	0	0	0	0	0
M00001536A:B07	2696	23	11	9	18	10	21
M00001536A:C08	39392	2	0	0	0	0	0
M00001537A:F12	39420	2	0	0	0	0	0
M00001537B:G07	3389	4	11	13	2	0	0
M00001540A:D06	8286	6	1	0	3	4	0
M00001541A:D02	3765	19	6	0	0	0	0
M00001541A:F07	22085	3	0	0	0	0	1
M00001541A:H03	39174	2	0	0	0	0	0
M00001542A:A09	22113	3	0	0	0	0	0
M00001542A:E06	39453	2	0	0	0	0	0
M00001544A:E03	12170	2	1	2	0	0	0
M00001544A:G02	19829	2	0	1	0	0	0
M00001544B:B07	6974	7	3	0	1	0	0
M00001545A:C03	19255	2	0	0	0	0	0
M00001545A:D08	13864	3	0	2	1	2	4
M00001546A:G11	1267	43	55	5	0	0	0
M00001548A:E10	5892	5	1	4	4	1	3
M00001548A:H09	1058	40	44	37	47	39	59
M00001549A:B02	4015	10	5	8	15	2	0
M00001549A:D08	10944	3	0	3	1	0	7
M00001549B:F06	4193	12	7	2	2	0	1
M00001549C:E06	16347	4	0	0	0	0	0
M00001550A:A03	7239	5	2	1	0	2	0
M00001550A:G01	5175	8	1	3	2	0	0
M00001551A:B10	6268	6	4	3	18	5	0
M00001551A:F05	39180	2	0	0	0	0	0
M00001551A:G06	22390	2	1	0	0	0	1
M00001551C:G09	3266	12	14	0	1	0	6
M00001552A:B12	307	73	60	196	75	79	27
M00001552A:D11	39458	2	0	0	0	0	0
M00001552B:D04	5708	5	4	4	3	1	4
M00001553A:H06	8298	4	3	1	3	0	0
M00001553B:F12	4573	5	7	2	5	0	1
M00001553D:D10	22814	3	0	0	0	0	0
M00001555A:B02	39539	2	0	0	0	1	0
M00001555A:C01	39195	2	0	0	0	0	0
M00001555D:G10	4561	8	4	4	8	0	0
M00001556A:C09	9244	2	0	3	2	10	17
M00001556A:F11	1577	12	40	25	3	4	0
M00001556A:H01	15855	2	1	1	2	12	213
M00001556B:C08	4386	7	8	3	1	3	21
M00001556B:G02	11294	4	0	2	0	0	1
M00001557A:D02	7065	5	3	2	1	0	0
M00001557A:D02	7065	5	3	2	1	0	0

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001557A:F01	9635	3	0	2	1	0	0
M00001557A:F03	39490	2	0	0	0	1	0
M00001557B:H10	5192	8	5	0	5	0	0
M00001557D:D09	8761	3	4	0	1	0	1
M00001558B:H11	7514	5	3	0	0	0	0
M00001560D:F10	6558	4	3	4	0	0	5
M00001561A:C05	39486	2	0	0	0	0	0
M00001563B:F06	102	289	233	278	116	123	184
M00001564A:B12	5053	11	4	2	2	1	1
M00001571C:H06	5749	4	1	9	0	0	0
M00001578B:E04	23001	2	1	0	2	0	0
M00001579D:C03	6539	8	3	0	0	0	1
M00001583D:A10	6293	3	5	2	6	0	0
M00001586C:C05	4623	3	4	12	2	1	1
M00001587A:B11	39380	2	0	0	0	0	0
M00001594B:H04	260	189	188	27	2	15	0
M00001597C:H02	4837	6	2	10	0	3	1
M00001597D:C05	10470	5	1	0	2	0	1
M00001598A:G03	16999	4	0	0	0	0	0
M00001601A:D08	22794	2	0	0	0	0	0
M00001604A:B10	1399	49	27	19	7	10	23
M00001604A:F05	39391	2	0	0	0	0	0
M00001607A:E11	11465	5	0	0	0	0	0
M00001608A:B03	7802	5	4	0	1	0	0
M00001608B:E03	22155	3	0	0	0	0	0
M00001614C:F10	13157	4	1	0	3	1	0
M00001617C:E02	17004	4	0	1	0	1	0
M00001619C:F12	40314	2	0	0	0	1	0
M00001621C:C08	40044	2	0	0	0	0	0
M00001623D:F10	13913	2	1	2	0	0	1
M00001624A:B06	3277	10	11	8	3	5	1
M00001624C:F01	4309	4	13	3	10	0	0
M00001630B:H09	5214	10	2	2	2	4	3
M00001644C:B07	39171	2	0	0	0	0	0
M00001645A:C12	19267	2	0	0	0	0	1
M00001648C:A01	4665	5	9	0	0	0	0
M00001657D:C03	23201	3	0	0	0	3	0
M00001657D:F08	76760	1	0	2	2	0	5
M00001662C:A09	23218	3	0	0	0	0	0
M00001663A:E04	35702	2	0	0	0	0	0
M00001669B:F02	6468	4	3	3	8	1	0
M00001670C:H02	14367	3	0	0	0	0	0
M00001673C:H02	7015	6	3	1	2	1	1
M00001675A:C09	8773	4	1	4	4	4	6
M00001676B:F05	11460	4	2	0	0	0	0
M00001677C:E10	14627	1	2	1	0	1	0
M00001677D:A07	7570	5	3	0	0	0	0
M00001678D:F12	4416	9	5	2	6	1	3

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00001679A:A06	6660	7	0	4	2	1	0
M00001679A:F10	26875	1	0	0	0	1	0
M00001679B:F01	6298	2	4	5	3	1	0
M00001679C:F01	78091	1	0	0	0	0	0
M00001679D:D03	10751	3	2	0	1	0	1
M00001679D:D03	10751	3	2	0	1	0	1
M00001680D:F08	10539	2	1	1	0	1	0
M00001682C:B12	17055	4	0	0	0	0	0
M00001686A:E06	4622	7	6	4	2	3	0
M00001688C:F09	5382	6	2	6	2	0	3
M00001693C:G01	4393	10	6	2	4	1	1
M00001716D:H05	67252	1	0	0	1	0	0
M00003741D:C09	40108	2	0	0	0	0	0
M00003747D:C05	11476	6	0	0	0	0	0
M00003759B:B09	697	76	52	30	72	21	30
M00003762C:B08	17076	4	0	0	0	0	0
M00003763A:F06	3108	14	11	7	5	0	1
M00003774C:A03	67907	1	0	0	0	0	0
M00003796C:D05	5619	3	5	3	3	0	4
M00003826B:A06	11350	3	3	0	0	1	0
M00003833A:E05	21877	2	1	0	0	0	1
M00003837D:A01	7899	5	4	0	2	1	0
M00003839A:D08	7798	5	2	2	0	0	1
M00003844C:B11	6539	8	3	0	0	0	1
M00003846B:D06	6874	6	3	0	0	0	0
M00003851B:D10	13595	4	0	1	0	0	1
M00003853A:D04	5619	3	5	3	3	0	4
M00003853A:F12	10515	5	1	0	1	1	2
M00003856B:C02	4622	7	6	4	2	3	0
M00003857A:G10	3389	4	11	13	2	0	0
M00003857A:H03	4718	4	5	5	2	4	6
M00003871C:E02	4573	5	7	2	5	0	1
M00003875B:F04	12977	5	0	0	0	0	0
M00003875B:F04	12977	5	0	0	0	0	0
M00003875C:G07	8479	4	3	1	1	2	4
M00003876D:E12	7798	5	2	2	0	0	1
M00003879B:C11	5345	7	1	7	4	6	27
M00003879B:D10	31587	1	1	0	0	1	0
M00003879D:A02	14507	3	1	0	0	3	1
M00003885C:A02	13576	5	0	0	0	12	11
M00003885C:A02	13576	5	0	0	0	12	11
M00003906C:E10	9285	4	3	0	0	1	2
M00003907D:A09	39809	1	0	0	0	2	1
M00003907D:H04	16317	3	0	0	0	0	0
M00003909D:C03	8672	4	4	0	0	0	0
M00003912B:D01	12532	4	1	0	1	0	1
M00003914C:F05	3900	9	6	8	1	7	13
M00003922A:E06	23255	3	0	1	1	0	0

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00003958A:H02	18957	3	0	0	0	0	0
M00003958A:H02	18957	3	0	0	0	0	0
M00003958C:G10	40455	2	0	0	0	0	0
M00003958C:G10	40455	2	0	0	0	0	0
M00003968B:F06	24488	2	0	1	4	0	0
M00003970C:B09	40122	2	0	0	0	0	0
M00003974D:E07	23210	3	0	0	0	0	0
M00003974D:H02	23358	3	0	0	0	1	0
M00003975A:G11	12439	4	0	0	0	0	0
M00003978B:G05	5693	7	4	1	3	1	1
M00003981A:E10	3430	9	10	7	3	0	0
M00003982C:C02	2433	10	13	21	18	8	8
M00003983A:A05	9105	5	1	1	1	0	0
M00004028D:A06	6124	4	8	1	9	1	0
M00004028D:C05	40073	2	0	1	0	0	1
M00004031A:A12	9061	5	2	0	0	0	0
M00004031A:A12	9061	5	2	0	0	0	0
M00004035C:A07	37285	2	0	0	1	0	1
M00004035D:B06	17036	4	0	0	0	0	0
M00004059A:D06	5417	10	4	0	9	2	0
M00004068B:A01	3706	7	14	4	22	1	0
M00004072B:B05	17036	4	0	0	0	0	0
M00004081C:D10	15069	3	0	0	1	0	0
M00004081C:D12	14391	3	1	0	0	0	0
M00004086D:G06	9285	4	3	0	0	1	2
M00004087D:A01	6880	2	6	1	1	0	0
M00004093D:B12	5325	5	5	2	0	2	1
M00004093D:B12	5325	5	5	2	0	2	1
M00004105C:A04	7221	5	2	2	2	0	0
M00004108A:E06	4937	4	9	3	1	3	1
M00004111D:A08	6874	6	3	0	0	0	0
M00004114C:F11	13183	2	3	0	7	0	1
M00004138B:H02	13272	3	2	0	3	0	0
M00004146C:C11	5257	2	8	5	5	5	25
M00004151D:B08	16977	4	0	0	0	0	0
M00004157C:A09	6455	3	1	6	0	0	0
M00004169C:C12	5319	6	2	8	2	2	3
M00004171D:B03	4908	6	7	2	2	2	0
M00004172C:D08	11494	4	0	0	0	0	0
M00004183C:D07	16392	3	0	0	0	0	0
M00004185C:C03	11443	5	1	0	0	0	0
M00004197D:H01	8210	2	6	0	0	0	0
M00004203B:C12	14311	4	0	0	0	1	2
M00004212B:C07	2379	26	13	4	2	2	3
M00004214C:H05	11451	3	2	1	2	1	1
M00004223A:G10	16918	4	0	0	0	0	0
M00004223B:D09	7899	5	4	0	2	1	0
M00004223D:E04	12971	4	0	0	0	1	0

Table 5 All Differential Data for Libs 1-4 and 8-9

Clone Name	Cluster ID	Clones in Lib1	Clones in Lib2	Clones in Lib3	Clones in Lib4	Clones in Lib8	Clones in Lib9
M00004229B:F08	6455	3	1	6	0	0	0
M00004230B:C07	7212	3	5	2	1	3	0
M00004269D:D06	4905	7	6	3	1	3	1
M00004275C:C11	16914	3	0	0	1	0	0
M00004283B:A04	14286	3	1	0	1	1	1
M00004285B:E08	56020	1	0	0	0	0	0
M00004295D:F12	16921	4	0	0	1	2	1
M00004296C:H07	13046	4	1	0	1	0	0
M00004307C:A06	9457	2	0	5	0	3	0
M00004312A:G03	26295	2	0	0	0	0	0
M00004318C:D10	21847	2	1	0	0	0	0
M00004372A:A03	2030	13	10	32	4	0	0
M00004377C:F05	2102	12	20	23	21	6	5

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001340B:A06	17062	0	0	0	0	0	0
M00001340D:F10	11589	0	0	0	0	0	0
M00001341A:E12	4443	0	0	0	1	0	0
M00001342B:E06	39805	0	0	0	0	0	0
M00001343C:F10	2790	0	0	0	0	0	0
M00001343D:H07	23255	0	0	0	0	0	0
M00001345A:E01	6420	0	0	0	0	0	0
M00001346A:F09	5007	0	0	0	0	0	0
M00001346D:E03	6806	0	0	0	0	0	0
M00001346D:G06	5779	0	0	0	0	0	0
M00001346D:G06	5779	0	0	0	0	0	0
M00001347A:B10	13576	0	0	0	0	0	0
M00001348B:B04	16927	0	0	0	0	0	0
M00001348B:G06	16985	0	0	0	0	0	0
M00001349B:B08	3584	0	0	0	0	0	0
M00001350A:H01	7187	0	0	0	0	0	0
M00001351B:A08	3162	0	1	0	0	1	0
M00001351B:A08	3162	0	1	0	0	1	0
M00001352A:E02	16245	0	0	0	0	0	0
M00001353A:G12	8078	0	0	0	0	0	0
M00001353D:D10	14929	0	3	1	0	5	0
M00001355B:G10	14391	0	0	0	0	0	0
M00001357D:D11	4059	0	0	0	0	0	0
M00001361A:A05	4141	0	0	0	0	0	0
M00001361D:F08	2379	0	0	0	0	0	0
M00001362B:D10	5622	0	0	0	0	0	0
M00001362C:H11	945	0	0	0	0	0	1
M00001365C:C10	40132	0	0	0	0	0	0
M00001370A:C09	6867	0	0	0	0	0	0
M00001371C:E09	7172	0	0	0	0	0	0
M00001376B:G06	17732	0	0	0	0	0	1
M00001378B:B02	39833	0	0	0	0	0	0
M00001379A:A05	1334	0	0	0	0	0	1
M00001380D:B09	39886	0	0	0	0	0	0
M00001382C:A02	22979	0	0	0	0	0	0
M00001383A:C03	39648	0	0	0	0	0	0
M00001383A:C03	39648	0	0	0	0	0	0
M00001386C:B12	5178	0	0	0	0	0	0
M00001387A:C05	2464	0	0	0	0	0	0
M00001387B:G03	7587	0	0	0	0	0	0
M00001388D:G05	5832	0	0	0	0	0	0
M00001389A:C08	16269	0	1	0	0	0	0
M00001394A:F01	6583	1	4	1	0	0	0
M00001395A:C03	4016	0	0	0	0	0	0
M00001396A:C03	4009	0	0	0	0	0	0
M00001402A:E08	39563	0	0	0	0	0	0
M00001407B:D11	5556	0	0	0	0	0	0
M00001409C:D12	9577	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001410A:D07	7005	0	0	0	0	0	0
M00001412B:B10	8551	0	0	0	0	0	0
M00001415A:H06	13538	0	0	0	0	0	0
M00001416A:H01	7674	0	0	0	0	0	0
M00001416B:H11	8847	0	0	0	0	0	0
M00001417A:E02	36393	0	0	0	0	0	0
M00001418B:F03	9952	0	0	0	0	0	0
M00001418D:B06	8526	0	0	0	0	0	0
M00001421C:F01	9577	0	0	0	0	0	0
M00001423B:E07	15066	0	0	0	0	0	0
M00001424B:G09	10470	0	0	0	0	0	0
M00001425B:H08	22195	0	0	0	0	0	0
M00001426D:C08	4261	0	0	1	0	0	1
M00001428A:H10	84182	0	0	0	0	0	0
M00001429A:H04	2797	0	0	0	0	0	0
M00001429B:A11	4635	0	0	0	0	0	0
M00001429D:D07	40392	0	0	0	0	0	0
M00001439C:F08	40054	0	0	0	0	0	0
M00001442C:D07	16731	0	0	0	0	0	0
M00001445A:F05	13532	0	0	0	0	0	0
M00001446A:F05	7801	0	0	0	0	0	0
M00001447A:G03	10717	0	0	0	0	0	0
M00001448D:C09	8	1	6	6	1	14	1
M00001448D:H01	36313	0	3	0	0	3	0
M00001449A:A12	5857	0	0	0	0	0	0
M00001449A:B12	41633	0	0	0	0	0	0
M00001449A:D12	3681	0	0	0	0	0	0
M00001449A:G10	36535	0	0	0	0	0	0
M00001449C:D06	86110	0	0	0	0	0	0
M00001450A:A02	39304	0	0	0	0	0	0
M00001450A:A11	32663	0	0	0	0	0	0
M00001450A:B12	82498	0	0	0	0	0	0
M00001450A:D08	27250	0	0	0	0	0	0
M00001452A:B04	84328	0	0	0	0	0	0
M00001452A:B12	86859	0	0	0	0	0	0
M00001452A:D08	1120	0	0	0	0	0	0
M00001452A:F05	85064	0	0	0	0	0	0
M00001452C:B06	16970	0	0	2	0	1	0
M00001453A:E11	16130	0	0	0	0	0	0
M00001453C:F06	16653	0	0	0	0	0	0
M00001454A:A09	83103	0	0	0	0	0	0
M00001454B:C12	7005	0	0	0	0	0	0
M00001454D:G03	689	0	2	2	0	4	2
M00001455A:E09	13238	0	0	0	0	0	0
M00001455B:E12	13072	0	0	0	0	0	0
M00001455D:F09	9283	0	0	0	0	0	0
M00001455D:F09	9283	0	0	0	0	0	0
M00001460A:F06	2448	0	0	0	0	0	0
M00001460A:F12	39498	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001461A:D06	1531	0	0	0	0	0	0
M00001463C:B11	19	2	13	13	0	69	10
M00001465A:B11	10145	0	0	0	0	0	0
M00001466A:E07	4275	0	0	0	0	0	0
M00001467A:B07	38759	0	0	0	0	0	0
M00001467A:D04	39508	0	0	0	0	0	0
M00001467A:D08	16283	0	0	0	0	0	0
M00001467A:D08	16283	0	0	0	0	0	0
M00001467A:E10	39442	0	0	0	0	0	0
M00001468A:F05	7589	0	0	0	0	0	0
M00001469A:C10	12081	0	0	0	0	0	0
M00001469A:H12	19105	0	0	0	0	0	0
M00001470A:B10	1037	0	0	0	0	0	0
M00001470A:C04	39425	0	0	0	0	0	0
M00001471A:B01	39478	0	0	0	0	0	0
M00001481D:A05	7985	0	0	0	0	0	0
M00001490B:C04	18699	0	0	0	0	0	0
M00001494D:F06	7206	0	0	0	0	0	0
M00001497A:G02	2623	0	0	0	0	0	0
M00001499B:A11	10539	0	0	0	0	0	0
M00001500A:C05	5336	0	0	0	0	0	0
M00001500A:E11	2623	0	0	0	0	0	0
M00001500C:E04	9443	0	0	0	0	0	0
M00001501D:C02	9685	0	0	0	0	0	0
M00001504C:A07	10185	0	0	0	0	0	0
M00001504C:H06	6974	0	0	0	0	0	0
M00001504D:G06	6420	0	0	0	0	0	0
M00001507A:H05	39168	0	0	0	0	0	0
M00001511A:H06	39412	0	0	0	0	0	0
M00001512A:A09	39186	0	0	0	0	0	0
M00001512D:G09	3956	0	0	1	0	0	0
M00001513A:B06	4568	0	0	0	0	0	0
M00001513C:E08	14364	0	0	0	0	0	0
M00001514C:D11	40044	0	1	0	0	0	0
M00001517A:B07	4313	0	0	0	0	0	0
M00001518C:B11	8952	0	0	0	0	0	0
M00001528A:C04	7337	0	0	0	0	0	0
M00001528A:F09	18957	0	0	0	0	0	0
M00001528B:H04	8358	0	0	0	0	0	0
M00001531A:D01	38085	0	0	0	0	0	0
M00001532B:A06	3990	1	1	0	0	0	0
M00001533A:C11	2428	0	0	1	0	0	0
M00001534A:C04	16921	0	0	0	0	0	0
M00001534A:D09	5097	0	0	0	0	0	0
M00001534A:F09	5321	0	1	0	0	2	0
M00001534C:A01	4119	0	0	0	0	0	0
M00001535A:B01	7665	0	0	0	0	0	0
M00001535A:C06	20212	0	0	0	0	0	0
M00001535A:F10	39423	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001536A:B07	2696	0	0	0	0	3	0
M00001536A:C08	39392	0	0	0	0	0	0
M00001537A:F12	39420	0	0	0	0	0	0
M00001537B:G07	3389	0	0	0	0	0	0
M00001540A:D06	8286	0	0	0	0	0	0
M00001541A:D02	3765	0	0	0	0	0	0
M00001541A:F07	22085	0	0	0	0	0	0
M00001541A:H03	39174	0	0	0	0	0	0
M00001542A:A09	22113	0	0	0	0	0	0
M00001542A:E06	39453	0	0	0	0	0	0
M00001544A:E03	12170	0	0	0	0	0	0
M00001544A:G02	19829	0	0	0	0	0	0
M00001544B:B07	6974	0	0	0	0	0	0
M00001545A:C03	19255	0	0	0	0	0	0
M00001545A:D08	13864	0	0	0	0	0	0
M00001546A:G11	1267	1	0	0	0	7	0
M00001548A:E10	5892	0	0	0	0	0	0
M00001548A:H09	1058	0	0	1	0	0	0
M00001549A:B02	4015	0	0	0	0	0	0
M00001549A:D08	10944	0	0	0	0	0	0
M00001549B:F06	4193	0	0	0	0	0	0
M00001549C:E06	16347	0	0	0	0	0	0
M00001550A:A03	7239	0	0	0	0	0	0
M00001550A:G01	5175	0	0	0	0	0	0
M00001551A:B10	6268	0	0	0	0	0	0
M00001551A:F05	39180	0	0	0	0	0	0
M00001551A:G06	22390	0	0	0	0	0	0
M00001551C:G09	3266	0	0	1	0	0	0
M00001552A:B12	307	0	0	0	0	3	0
M00001552A:D11	39458	0	0	0	0	0	0
M00001552B:D04	5708	0	1	0	0	0	0
M00001553A:H06	8298	0	0	0	0	0	0
M00001553B:F12	4573	0	0	0	0	0	0
M00001553D:D10	22814	0	0	0	0	0	0
M00001555A:B02	39539	0	0	0	0	0	0
M00001555A:C01	39195	0	0	0	0	0	0
M00001555D:G10	4561	0	0	0	0	0	0
M00001556A:C09	9244	0	0	0	0	0	0
M00001556A:F11	1577	0	0	0	0	0	0
M00001556A:H01	15855	3	5	5	0	3	1
M00001556B:C08	4386	1	2	0	0	0	0
M00001556B:G02	11294	0	0	0	0	0	0
M00001557A:D02	7065	0	0	0	0	0	0
M00001557A:D02	7065	0	0	0	0	0	0
M00001557A:F01	9635	0	0	0	0	0	0
M00001557A:F03	39490	0	0	0	0	0	0
M00001557B:H10	5192	0	0	0	0	0	0
M00001557D:D09	8761	0	0	0	0	0	0
M00001558B:H11	7514	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001560D:F10	6558	0	0	0	0	0	0
M00001561A:C05	39486	0	0	0	0	0	0
M00001563B:F06	102	22	38	65	7	43	10
M00001564A:B12	5053	0	0	1	0	0	0
M00001571C:H06	5749	0	0	0	0	0	0
M00001578B:E04	23001	0	0	0	0	0	0
M00001579D:C03	6539	0	0	0	0	0	0
M00001583D:A10	6293	0	0	0	0	0	0
M00001586C:C05	4623	0	0	0	0	1	0
M00001587A:B11	39380	0	0	0	0	0	0
M00001594B:H04	260	0	0	0	0	1	0
M00001597C:H02	4837	0	0	0	0	0	0
M00001597D:C05	10470	0	0	0	0	0	0
M00001598A:G03	16999	1	1	1	0	0	0
M00001601A:D08	22794	0	0	0	0	0	0
M00001604A:B10	1399	0	0	0	0	0	0
M00001604A:F05	39391	0	0	0	0	0	0
M00001607A:E11	11465	0	0	0	0	0	0
M00001608A:B03	7802	0	0	0	0	0	0
M00001608B:E03	22155	0	0	0	0	0	0
M00001614C:F10	13157	0	0	0	0	0	0
M00001617C:E02	17004	0	0	0	0	1	0
M00001619C:F12	40314	0	0	0	0	0	0
M00001621C:C08	40044	0	1	0	0	0	0
M00001623D:F10	13913	0	0	0	0	0	0
M00001624A:B06	3277	0	0	0	0	0	0
M00001624C:F01	4309	0	0	0	0	0	0
M00001630B:H09	5214	1	0	0	1	1	0
M00001644C:B07	39171	0	0	0	0	0	0
M00001645A:C12	19267	0	0	0	0	1	0
M00001648C:A01	4665	0	0	0	0	0	0
M00001657D:C03	23201	0	0	0	0	0	0
M00001657D:F08	76760	0	0	0	0	0	0
M00001662C:A09	23218	0	0	0	0	0	0
M00001663A:E04	35702	0	0	0	0	0	0
M00001669B:F02	6468	0	0	0	0	0	0
M00001670C:H02	14367	0	0	0	0	0	0
M00001673C:H02	7015	0	0	0	0	0	0
M00001675A:C09	8773	0	0	0	0	0	0
M00001676B:F05	11460	0	0	0	0	0	0
M00001677C:E10	14627	0	1	0	0	0	0
M00001677D:A07	7570	0	0	0	0	0	0
M00001678D:F12	4416	0	0	0	0	0	0
M00001679A:A06	6660	0	0	0	0	0	0
M00001679A:F10	26875	0	0	0	0	0	0
M00001679B:F01	6298	0	0	0	0	0	0
M00001679C:F01	78091	0	0	0	0	0	0
M00001679D:D03	10751	0	0	0	0	0	0
M00001679D:D03	10751	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00001680D:F08	10539	0	0	0	0	0	0
M00001682C:B12	17055	0	0	0	0	0	0
M00001686A:E06	4622	0	0	0	0	0	0
M00001688C:F09	5382	0	0	0	0	0	0
M00001693C:G01	4393	0	0	0	0	0	0
M00001716D:H05	67252	0	0	0	0	0	0
M00003741D:C09	40108	0	0	0	0	0	0
M00003747D:C05	11476	0	0	0	0	0	0
M00003759B:B09	697	0	0	0	0	1	0
M00003762C:B08	17076	0	0	0	0	0	0
M00003763A:F06	3108	0	0	0	0	0	0
M00003774C:A03	67907	0	0	0	0	0	0
M00003796C:D05	5619	0	0	0	0	0	0
M00003826B:A06	11350	0	0	0	0	0	0
M00003833A:E05	21877	0	0	0	0	0	0
M00003837D:A01	7899	0	0	0	0	0	0
M00003839A:D08	7798	0	0	0	0	0	0
M00003844C:B11	6539	0	0	0	0	0	0
M00003846B:D06	6874	0	0	1	0	0	0
M00003851B:D10	13595	0	0	0	0	0	0
M00003853A:D04	5619	0	0	0	0	0	0
M00003853A:F12	10515	0	0	0	0	0	0
M00003856B:C02	4622	0	0	0	0	0	0
M00003857A:G10	3389	0	0	0	0	0	0
M00003857A:H03	4718	0	0	0	0	0	0
M00003871C:E02	4573	0	0	0	0	0	0
M00003875B:F04	12977	0	0	0	0	0	0
M00003875B:F04	12977	0	0	0	0	0	0
M00003875C:G07	8479	0	0	0	0	0	1
M00003876D:E12	7798	0	0	0	0	0	0
M00003879B:C11	5345	0	0	0	2	0	1
M00003879B:D10	31587	0	0	0	0	0	0
M00003879D:A02	14507	0	0	0	0	0	0
M00003885C:A02	13576	0	0	0	0	0	0
M00003885C:A02	13576	0	0	0	0	0	0
M00003906C:E10	9285	0	0	0	0	0	0
M00003907D:A09	39809	0	0	0	0	0	0
M00003907D:H04	16317	0	0	0	0	0	0
M00003909D:C03	8672	0	0	0	0	0	0
M00003912B:D01	12532	0	0	0	0	0	0
M00003914C:F05	3900	0	0	0	0	1	0
M00003922A:E06	23255	0	0	0	0	0	0
M00003958A:H02	18957	0	0	0	0	0	0
M00003958A:H02	18957	0	0	0	0	0	0
M00003958C:G10	40455	0	0	0	0	0	0
M00003958C:G10	40455	0	0	0	0	0	0
M00003968B:F06	24488	0	0	0	0	0	0
M00003970C:B09	40122	0	0	0	0	0	0
M00003974D:E07	23210	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00003974D:H02	23358	0	0	0	0	0	0
M00003975A:G11	12439	0	0	0	0	0	0
M00003978B:G05	5693	0	0	0	0	0	0
M00003981A:E10	3430	0	0	0	0	1	0
M00003982C:C02	2433	0	0	0	0	0	0
M00003983A:A05	9105	0	0	0	0	0	0
M00004028D:A06	6124	0	0	0	0	0	0
M00004028D:C05	40073	0	0	0	0	0	0
M00004031A:A12	9061	0	0	0	0	0	0
M00004031A:A12	9061	0	0	0	0	0	0
M00004035C:A07	37285	0	0	0	0	0	0
M00004035D:B06	17036	0	0	0	0	0	0
M00004059A:D06	5417	0	0	0	0	0	0
M00004068B:A01	3706	0	0	0	0	0	0
M00004072B:B05	17036	0	0	0	0	0	0
M00004081C:D10	15069	0	0	0	0	0	0
M00004081C:D12	14391	0	0	0	0	0	0
M00004086D:G06	9285	0	0	0	0	0	0
M00004087D:A01	6880	0	0	0	0	0	0
M00004093D:B12	5325	1	1	0	1	0	1
M00004093D:B12	5325	1	1	0	1	0	1
M00004105C:A04	7221	0	0	0	0	0	0
M00004108A:E06	4937	0	0	0	0	0	0
M00004111D:A08	6874	0	0	1	0	0	0
M00004114C:F11	13183	0	0	0	0	0	0
M00004138B:H02	13272	0	0	0	0	0	0
M00004146C:C11	5257	0	1	0	0	0	0
M00004151D:B08	16977	0	0	0	0	0	0
M00004157C:A09	6455	0	0	0	0	0	0
M00004169C:C12	5319	0	0	0	0	0	0
M00004171D:B03	4908	0	0	0	0	0	0
M00004172C:D08	11494	0	0	0	0	0	0
M00004183C:D07	16392	0	0	0	0	0	0
M00004185C:C03	11443	0	0	0	0	0	0
M00004197D:H01	8210	0	0	0	0	0	0
M00004203B:C12	14311	0	0	0	0	0	0
M00004212B:C07	2379	0	0	0	0	0	0
M00004214C:H05	11451	0	0	0	0	0	0
M00004223A:G10	16918	0	0	0	0	0	0
M00004223B:D09	7899	0	0	0	0	0	0
M00004223D:E04	12971	0	0	0	0	0	0
M00004229B:F08	6455	0	0	0	0	0	0
M00004230B:C07	7212	0	0	0	0	0	0
M00004269D:D06	4905	0	0	0	0	0	0
M00004275C:C11	16914	0	0	0	0	0	0
M00004283B:A04	14286	0	0	0	0	0	0
M00004285B:E08	56020	0	0	0	0	0	0
M00004295D:F12	16921	0	0	0	0	0	0
M00004296C:H07	13046	0	0	0	0	0	0

Table 6 All Differential Data for Libs 15-20

Clone Name	Cluster ID	Clones in Lib15	Clones in Lib16b	Clones in Lib17	Clones in Lib18	Clones in Lib19	Clones in Lib20
M00004307C:A06	9457	0	0	0	0	0	0
M00004312A:G03	26295	0	0	0	0	0	0
M00004318C:D10	21847	0	0	0	0	0	0
M00004372A:A03	2030	0	0	0	0	0	0
M00004377C:F05	2102	0	0	0	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001340B:A06	17062	0	0	0
M00001340D:F10	11589	0	0	0
M00001341A:E12	4443	4	2	0
M00001342B:E06	39805	0	0	0
M00001343C:F10	2790	0	0	0
M00001343D:H07	23255	0	0	0
M00001345A:E01	6420	0	0	0
M00001346A:F09	5007	0	0	0
M00001346D:E03	6806	0	1	1
M00001346D:G06	5779	0	0	0
M00001346D:G06	5779	0	0	0
M00001347A:B10	13576	0	0	0
M00001348B:B04	16927	0	0	0
M00001348B:G06	16985	0	0	0
M00001349B:B08	3584	0	0	0
M00001350A:H01	7187	0	0	0
M00001351B:A08	3162	0	0	1
M00001351B:A08	3162	0	0	1
M00001352A:E02	16245	0	0	0
M00001353A:G12	8078	0	0	0
M00001353D:D10	14929	0	1	0
M00001355B:G10	14391	0	0	0
M00001357D:D11	4059	0	0	0
M00001361A:A05	4141	1	2	1
M00001361D:F08	2379	0	0	0
M00001362B:D10	5622	0	2	1
M00001362C:H11	945	0	0	0
M00001365C:C10	40132	0	0	0
M00001370A:C09	6867	0	0	0
M00001371C:E09	7172	0	0	1
M00001376B:G06	17732	2	0	0
M00001378B:B02	39833	0	0	0
M00001379A:A05	1334	0	0	0
M00001380D:B09	39886	0	0	0
M00001382C:A02	22979	1	0	0
M00001383A:C03	39648	0	0	0
M00001383A:C03	39648	0	0	0
M00001386C:B12	5178	0	0	0
M00001387A:C05	2464	0	0	0
M00001387B:G03	7587	0	0	0
M00001388D:G05	5832	0	0	0
M00001389A:C08	16269	2	0	0
M00001394A:F01	6583	0	0	0
M00001395A:C03	4016	0	0	0
M00001396A:C03	4009	2	0	0
M00001402A:E08	39563	0	0	0
M00001407B:D11	5556	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001409C:D12	9577	0	0	0
M00001410A:D07	7005	0	0	0
M00001412B:B10	8551	0	0	0
M00001415A:H06	13538	0	0	0
M00001416A:H01	7674	0	0	0
M00001416B:H11	8847	1	0	0
M00001417A:E02	36393	0	0	0
M00001418B:F03	9952	0	0	0
M00001418D:B06	8526	0	0	0
M00001421C:F01	9577	0	0	0
M00001423B:E07	15066	0	0	0
M00001424B:G09	10470	0	0	0
M00001425B:H08	22195	0	0	0
M00001426D:C08	4261	0	0	0
M00001428A:H10	84182	0	0	0
M00001429A:H04	2797	0	0	0
M00001429B:A11	4635	0	0	0
M00001429D:D07	40392	0	0	0
M00001439C:F08	40054	0	0	0
M00001442C:D07	16731	0	0	0
M00001445A:F05	13532	0	0	0
M00001446A:F05	7801	0	1	0
M00001447A:G03	10717	0	0	0
M00001448D:C09	8	7	6	9
M00001448D:H01	36313	1	0	0
M00001449A:A12	5857	0	0	0
M00001449A:B12	41633	0	0	0
M00001449A:D12	3681	1	0	0
M00001449A:G10	36535	0	0	0
M00001449C:D06	86110	0	0	0
M00001450A:A02	39304	0	1	0
M00001450A:A11	32663	0	0	0
M00001450A:B12	82498	0	0	0
M00001450A:D08	27250	0	0	0
M00001452A:B04	84328	0	0	0
M00001452A:B12	86859	0	0	0
M00001452A:D08	1120	0	0	0
M00001452A:F05	85064	0	0	0
M00001452C:B06	16970	1	0	0
M00001453A:E11	16130	0	0	0
M00001453C:F06	16653	0	0	0
M00001454A:A09	83103	0	0	0
M00001454B:C12	7005	0	0	0
M00001454D:G03	689	0	0	1
M00001455A:E09	13238	0	0	0
M00001455B:E12	13072	0	0	0
M00001455D:F09	9283	0	0	0
M00001455D:F09	9283	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001460A:F06	2448	0	0	0
M00001460A:F12	39498	0	0	0
M00001461A:D06	1531	0	0	1
M00001463C:B11	19	17	32	31
M00001465A:B11	10145	0	0	0
M00001466A:E07	4275	0	0	0
M00001467A:B07	38759	0	0	0
M00001467A:D04	39508	0	0	0
M00001467A:D08	16283	0	0	0
M00001467A:D08	16283	0	0	0
M00001467A:E10	39442	0	0	0
M00001468A:F05	7589	0	0	0
M00001469A:C10	12081	0	0	0
M00001469A:H12	19105	0	0	0
M00001470A:B10	1037	0	0	0
M00001470A:C04	39425	0	0	0
M00001471A:B01	39478	0	0	0
M00001481D:A05	7985	0	0	0
M00001490B:C04	18699	0	0	0
M00001494D:F06	7206	0	0	0
M00001497A:G02	2623	1	0	0
M00001499B:A11	10539	0	1	0
M00001500A:C05	5336	0	0	0
M00001500A:E11	2623	1	0	0
M00001500C:E04	9443	0	0	0
M00001501D:C02	9685	0	0	0
M00001504C:A07	10185	0	0	0
M00001504C:H06	6974	0	0	0
M00001504D:G06	6420	0	0	0
M00001507A:H05	39168	0	0	0
M00001511A:H06	39412	0	0	0
M00001512A:A09	39186	0	0	0
M00001512D:G09	3956	0	0	0
M00001513A:B06	4568	0	0	0
M00001513C:E08	14364	0	0	0
M00001514C:D11	40044	0	0	0
M00001517A:B07	4313	0	0	0
M00001518C:B11	8952	0	0	0
M00001528A:C04	7337	1	2	2
M00001528A:F09	18957	0	0	0
M00001528B:H04	8358	0	0	0
M00001531A:D01	38085	0	0	0
M00001532B:A06	3990	0	0	0
M00001533A:C11	2428	0	0	0
M00001534A:C04	16921	0	0	0
M00001534A:D09	5097	0	0	0
M00001534A:F09	5321	4	7	6
M00001534C:A01	4119	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001535A:B01	7665	0	2	4
M00001535A:C06	20212	0	0	0
M00001535A:F10	39423	0	0	0
M00001536A:B07	2696	0	0	0
M00001536A:C08	39392	0	0	0
M00001537A:F12	39420	0	0	0
M00001537B:G07	3389	0	0	0
M00001540A:D06	8286	0	0	0
M00001541A:D02	3765	0	0	0
M00001541A:F07	22085	0	0	0
M00001541A:H03	39174	0	0	0
M00001542A:A09	22113	0	0	0
M00001542A:E06	39453	0	0	0
M00001544A:E03	12170	0	0	0
M00001544A:G02	19829	0	0	0
M00001544B:B07	6974	0	0	0
M00001545A:C03	19255	0	0	0
M00001545A:D08	13864	0	0	0
M00001546A:G11	1267	0	0	0
M00001548A:E10	5892	0	1	0
M00001548A:H09	1058	1	3	0
M00001549A:B02	4015	0	1	0
M00001549A:D08	10944	1	0	0
M00001549B:F06	4193	0	0	0
M00001549C:E06	16347	0	0	0
M00001550A:A03	7239	0	1	0
M00001550A:G01	5175	1	0	0
M00001551A:B10	6268	0	0	1
M00001551A:F05	39180	0	0	0
M00001551A:G06	22390	0	0	1
M00001551C:G09	3266	0	0	0
M00001552A:B12	307	6	11	4
M00001552A:D11	39458	0	0	0
M00001552B:D04	5708	0	0	0
M00001553A:H06	8298	0	0	0
M00001553B:F12	4573	0	0	0
M00001553D:D10	22814	0	0	0
M00001555A:B02	39539	0	0	0
M00001555A:C01	39195	0	0	0
M00001555D:G10	4561	0	0	0
M00001556A:C09	9244	0	1	0
M00001556A:F11	1577	0	0	2
M00001556A:H01	15855	1	1	0
M00001556B:C08	4386	3	0	1
M00001556B:G02	11294	0	0	0
M00001557A:D02	7065	0	0	0
M00001557A:D02	7065	0	0	0
M00001557A:F01	9635	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001557A:F03	39490	0	0	0
M00001557B:H10	5192	0	0	0
M00001557D:D09	8761	0	0	0
M00001558B:H11	7514	0	0	0
M00001560D:F10	6558	0	0	0
M00001561A:C05	39486	0	0	0
M00001563B:F06	102	2	1	2
M00001564A:B12	5053	0	0	0
M00001571C:H06	5749	0	0	0
M00001578B:E04	23001	0	0	0
M00001579D:C03	6539	0	0	0
M00001583D:A10	6293	0	0	0
M00001586C:C05	4623	0	0	0
M00001587A:B11	39380	0	0	0
M00001594B:H04	260	1	0	0
M00001597C:H02	4837	1	0	0
M00001597D:C05	10470	0	0	0
M00001598A:G03	16999	4	2	6
M00001601A:D08	22794	0	0	0
M00001604A:B10	1399	6	3	3
M00001604A:F05	39391	0	0	0
M00001607A:E11	11465	0	0	0
M00001608A:B03	7802	0	0	0
M00001608B:E03	22155	0	0	0
M00001614C:F10	13157	0	0	0
M00001617C:E02	17004	0	0	0
M00001619C:F12	40314	0	0	0
M00001621C:C08	40044	0	0	0
M00001623D:F10	13913	0	0	0
M00001624A:B06	3277	0	0	0
M00001624C:F01	4309	0	0	0
M00001630B:H09	5214	0	1	2
M00001644C:B07	39171	0	0	0
M00001645A:C12	19267	0	0	0
M00001648C:A01	4665	0	0	0
M00001657D:C03	23201	0	0	0
M00001657D:F08	76760	0	0	0
M00001662C:A09	23218	0	0	0
M00001663A:E04	35702	0	0	0
M00001669B:F02	6468	0	0	0
M00001670C:H02	14367	0	0	0
M00001673C:H02	7015	0	0	0
M00001675A:C09	8773	0	0	0
M00001676B:F05	11460	2	0	0
M00001677C:E10	14627	0	0	0
M00001677D:A07	7570	0	0	0
M00001678D:F12	4416	1	2	0
M00001679A:A06	6660	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00001679A:F10	26875	0	0	0
M00001679B:F01	6298	0	0	0
M00001679C:F01	78091	0	0	0
M00001679D:D03	10751	0	0	0
M00001679D:D03	10751	0	0	0
M00001680D:F08	10539	0	1	0
M00001682C:B12	17055	0	0	0
M00001686A:E06	4622	0	0	0
M00001688C:F09	5382	0	0	0
M00001693C:G01	4393	0	0	0
M00001716D:H05	67252	0	0	0
M00003741D:C09	40108	0	0	0
M00003747D:C05	11476	0	0	0
M00003759B:B09	697	0	0	0
M00003762C:B08	17076	0	0	0
M00003763A:F06	3108	0	0	0
M00003774C:A03	67907	0	0	0
M00003796C:D05	5619	0	1	0
M00003826B:A06	11350	0	0	0
M00003833A:E05	21877	0	0	0
M00003837D:A01	7899	0	0	0
M00003839A:D08	7798	0	0	0
M00003844C:B11	6539	0	0	0
M00003846B:D06	6874	0	0	0
M00003851B:D10	13595	0	0	0
M00003853A:D04	5619	0	1	0
M00003853A:F12	10515	0	0	1
M00003856B:C02	4622	0	0	0
M00003857A:G10	3389	0	0	0
M00003857A:H03	4718	0	0	0
M00003871C:E02	4573	0	0	0
M00003875B:F04	12977	0	0	0
M00003875B:F04	12977	0	0	0
M00003875C:G07	8479	1	0	0
M00003876D:E12	7798	0	0	0
M00003879B:C11	5345	4	8	3
M00003879B:D10	31587	0	0	0
M00003879D:A02	14507	0	0	0
M00003885C:A02	13576	0	0	0
M00003885C:A02	13576	0	0	0
M00003906C:E10	9285	0	0	0
M00003907D:A09	39809	0	0	0
M00003907D:H04	16317	0	0	0
M00003909D:C03	8672	0	0	0
M00003912B:D01	12532	0	0	0
M00003914C:F05	3900	0	1	0
M00003922A:E06	23255	0	0	0
M00003958A:H02	18957	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00003958A:H02	18957	0	0	0
M00003958C:G10	40455	0	0	0
M00003958C:G10	40455	0	0	0
M00003968B:F06	24488	0	0	0
M00003970C:B09	40122	0	0	0
M00003974D:E07	23210	0	0	0
M00003974D:H02	23358	0	0	0
M00003975A:G11	12439	0	0	0
M00003978B:G05	5693	0	0	0
M00003981A:E10	3430	0	0	0
M00003982C:C02	2433	2	4	0
M00003983A:A05	9105	0	0	0
M00004028D:A06	6124	0	0	0
M00004028D:C05	40073	0	1	0
M00004031A:A12	9061	0	0	0
M00004031A:A12	9061	0	0	0
M00004035C:A07	37285	0	0	0
M00004035D:B06	17036	0	0	0
M00004059A:D06	5417	0	0	0
M00004068B:A01	3706	0	0	0
M00004072B:B05	17036	0	0	0
M00004081C:D10	15069	0	0	0
M00004081C:D12	14391	0	0	0
M00004086D:G06	9285	0	0	0
M00004087D:A01	6880	0	0	0
M00004093D:B12	5325	0	0	0
M00004093D:B12	5325	0	0	0
M00004105C:A04	7221	0	0	0
M00004108A:E06	4937	0	0	0
M00004111D:A08	6874	0	0	0
M00004114C:F11	13183	0	0	0
M00004138B:H02	13272	0	0	0
M00004146C:C11	5257	0	0	1
M00004151D:B08	16977	0	0	0
M00004157C:A09	6455	0	0	0
M00004169C:C12	5319	0	0	0
M00004171D:B03	4908	0	0	0
M00004172C:D08	11494	0	0	0
M00004183C:D07	16392	0	0	0
M00004185C:C03	11443	2	0	0
M00004197D:H01	8210	0	0	0
M00004203B:C12	14311	0	0	0
M00004212B:C07	2379	0	0	0
M00004214C:H05	11451	0	0	0
M00004223A:G10	16918	0	0	0
M00004223B:D09	7899	0	0	0
M00004223D:E04	12971	0	0	0
M00004229B:F08	6455	0	0	0

Table 7 All Differential Data for Libs 12-14

Clone Name	Cluster ID	Clones in Lib12	Clones in Lib13	Clones in Lib14
M00004230B:C07	7212	0	0	1
M00004269D:D06	4905	0	0	0
M00004275C:C11	16914	0	0	0
M00004283B:A04	14286	0	0	0
M00004285B:E08	56020	0	0	0
M00004295D:F12	16921	0	0	0
M00004296C:H07	13046	0	0	0
M00004307C:A06	9457	1	0	0
M00004312A:G03	26295	0	0	0
M00004318C:D10	21847	0	0	0
M00004372A:A03	2030	0	0	0
M00004377C:F05	2102	0	0	0

We Claim:

1. A library of polynucleotides, the library comprising the sequence information of at least one of SEQ ID NOS:1-844.

2. The library of claim 1, wherein the library is provided on a nucleic acid array.

3. The library of claim 1, wherein the library is provided in a computer-readable format.

4. The library of claim 1, wherein the library comprises a differentially expressed polynucleotide comprising a sequence selected from the group consisting of SEQ ID NOS:9, 39, 42, 52, 62, 74, 119, 172, 317, and 379.

5. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human breast cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388.

6. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human colon cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374.

7. The library of claim 1, wherein the library comprises a polynucleotide differentially expressed in a human lung cancer cell, where the polynucleotide comprises a sequence selected from the group consisting of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

8. An isolated polynucleotide comprising a nucleotide sequence having at least 90% sequence identity to an identifying sequence of SEQ ID NOS:1-844 or a degenerate variant thereof.

9. An isolated polynucleotide according to claim 8, wherein the polynucleotide comprises a seqeuence encoding a polypeptide of a protein family selected from the group consisting of: 4 transmembrane segments integral membrane proteins, 7 transmembrane receptors, ATPases associated with various cellular activities (AAA), eukaryotic aspartyl proteases, GATA family of transcription factors, G-protein alpha subunit, phorbol esters/diacylglycerol binding proteins, protein kinase, protein phosphatase 2C, protein tyrosine phosphatase, trypsin, wnt family of developmental signaling proteins, and WW/rsp5/WWP domain containing proteins.

10. The polynucleotide of claim 9, wherein the polynucleotide comprises a sequence of one of SEQ ID NOS: 24, 41, 101, 157, 291, 305, 315, 341, 63, 116, 134, 136, 151, 384, 404, 308, 213, 367, 188, 251, 202, 315, 367, 397, 256, 382, 169, 23, 291, 324, 330, 341, 353, 188, 379 , and 395.

11. The polynucleotide of claim 8, wherein the polynucleotide comprises a seqeuence encoding a polypeptide having a functional domain selected from the group consisting of: Ank repeat, basic region plus leucine zipper transcription factors, bromodomain, EF-hand, SH3 domain, WD domain/G-beta repeats, zinc finger (C2H2 type), zinc finger (CCHC class), and zinc-binding metalloprotease domain.

12. The polynucleotide of claim 11, wherein the polynucleotide comprises a sequence of one of SEQ ID NOS: 116, 251, 374, 97, 136, 242, 379, 306, 386, 18, 335, 61, 306, 386, 322, 306, and 395.

13. A recombinant host cell containing the polynucleotide of claim 8.

14. An isolated polypeptide encoded by the polynucleotide of claim 8.

15. An antibody that specifically binds a polypeptide of claim 14.

16. A vector comprising the polynucleotide of claim 8.

17. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as ATCC accession number xx, xx, xx, xx, xx, xx, xx, xx, or xx.

18. A method of detecting differentially expressed genes correlated with a cancerous state of a mammalian cell, the method comprising the step of:

detecting at least one differentially expressed gene product in a test sample derived from a cell suspected of being cancerous, where the gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS:4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, 388, 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, 374, 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400;

wherein detection of the differentially expressed gene product is correlated with a cancerous state of the cell from which the test sample was derived.

19. The method of claim 18, wherein said detecting step is by hybridization of the test sample to a reference array, wherein the reference array comprises an identifying sequence of at least one of SEQ ID NOS:1-844.

20. The method of claim 18, wherein the cell is a breast tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 4, 9, 39, 42, 52, 62, 65, 66, 68, 74, 81, 114, 123, 144, 130, 157, 162, 172, 178, 183, 202, 214, 219, 223, 258, 298, 317, 338, 379, 384, 386, and 388.

21. The method of claim 18, wherein the cell is a colon tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 1, 39, 52, 97, 119, 134, 172, 176, 241, 288, 317, 357, 362, and 374.

22. The method of claim 18, wherein the cell is a lung tissue derived cell, and the differentially expressed gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 9, 34, 42, 62, 74, 106, 119, 135, 154, 160, 260, 308, 323, 349, 361, 369, 371, 379, 395, 381, and 400.

SEQUENCE LISTING

<110> Lewis T. Williams
Jaime Escobedo
Michael A. Innis
Pablo Dominiguez Garcia
Julie Sudduth-Klinger
Christoph Reinhard
Klause Giese
Filippo Randazzo
Giulia C. Kennedy
David Pot
Altaf Kassan
George Lamson
Radoje Drmanac
Radomir Crkvenjakov
Mark Dickson
Snezana Drmanac
Ivan Labat
Dena Leshkowitz
David Kita
Veronica Garcia
William Lee Jones
Birjit Stache-Crain

<120> Novel Human Genes and Gene Expression
Products I

<130> 2300-1480P

<140> 09/
<141> 1998-12-21

<150> 60/068,755
<151> 1997-12-23

<150> 60/080,664
<151> 1998-04-03

<150> 60/105,234
<151> 1998-10-21

<160> 844

<170> FastSEQ for Windows Version 3.0

<210> 1
<211> 300
<212> DNA
<213> Homo sapiens

<400> 1
tctcccctga gctgcaggcc tgcatatcca gtaggtctac tggacatctg tactggttgt 60
tgnggaggaa cctctggctt gctcattaag tcctactgat tttcactatc ccctgaattt 120
ccccacttat ttttgtcttt cactatcgca ggccttagaa gaggtctacc tgcctccagt 180
cttacctagt ccagtctacc ccctggagtt agaatggcca tcctgaagtg aaaagtaatg 240
tcacattact cccttcagtg atttcttgta gaagtgccaa tccctgaatg ccaccaagat 300

<210> 2
<211> 299
<212> DNA
<213> Homo sapiens

<400> 2
cccagctgct caggaggctg aggcaggaga attgcttgaa cccaagaggc ggaggttgtg 60
gtgagccgag attgcacctt tgtactccag cctgggcaac gagcaaaaaa ctctgtctca 120
aacaaaaaga agaaaaaaaa aaaaaaaann nnnnnnnnnn nnnnnnnnnn nnnttnttct 180
ggcgncnagt cccaaantcn taccttgtaa gacctttann tnncctgngg tntttntnna 240
cncttanata nnnntntttn ctatcaanta tagggagant tttcntttng gggcaactt 299

<210> 3
<211> 300
<212> DNA
<213> Homo sapiens

<400> 3
atacgattcg aacnnggaca agacgagtat ggaataatat cccactnnnt ttacaatact 60
ganattatgc ngngatagng cttgttccat tcnaccagcg aatnatgcat tnacncnaca 120
cnngagttac tatccaaaca cacgttttca cgntacctga ngctggtnga naattatgcg 180
accatgaggc tttccangat ntttctannt ancagacngn gnacaatgnt gaanaagcng 240
tacacaccgc nctngncnnc cnncactgan cangtnacnn ngctcactgn ngcctctttc 300

<210> 4
<211> 287
<212> DNA
<213> Homo sapiens

<400> 4
aaancngcac gangccacgt ncgnnnngnt nntactnnnc natngccncn tcantggcng 60
ncagctagac gcctaacagc cganganacca nccntnntgt ganccngtcn tgacngnnag 120
cntgccggtc ttgctcnttt tgtctaccnn gagganannn ntntgggaca tcccagactg 180
agtgaggaga tctgcngctg cnnctgtact tggttacanc ncacacgang actntncctt 240
ggactanana cactagccta anattcngca ctacctantc ctctggc 287

<210> 5
<211> 300
<212> DNA
<213> Homo sapiens

<400> 5
gtccttttga accaccccaa agaactcaac atggcaaagc aaatggtaaa agcttcccga 60
ctgttctact ttgggtccgc gcgaagccca ctcacgtgtg atctgtgttg cccctgggag 120

gcccggggcg accggaaaag ggctctctca agttctgaaa agagaatctg ccaccagatc 180
gaatttcgac ccctgagctt gttcggacgt atggtccaaa ttcagattaa ggtggtcacc 240
caacccgaga tgtcaggaaa ggccttctgc agagaaaatg tccccccacc cgccatctgc 300

<210> 6
<211> 284
<212> DNA
<213> Homo sapiens

<400> 6
tntccccttt gacgccttan tgccctnncg ctacnngtcc nttaggcctt atcccatcgn 60
ccntcgtttn gcattctgcc nnagantgac tttncnatca tgcntnatnn gtnnttacna 120
ggggctnggg tgaattntta caccctgcna ntccatanca cantgccntg cnagctncac 180
cctcntgaat aaatgcaata aantttcngt tgatcttata caccttatgc nccntantta 240
atcagccctn tnttacnana tcnanttatg cnggtattaa aaca 284

<210> 7
<211> 277
<212> DNA
<213> Homo sapiens

<400> 7
gtgctgcaga caacacacct tcctgatgga ggtgtccggc tgatggagaa gtctgtgggc 60
ttgtaaatca tctttgatgt taaccaggcc gacgctgtgg ccacattccg aaagattaac 120
cctgtcaaac cctannnnnn nnnnnnnnnn nnnggatttg atnagcctgt nccanacctc 180
tgcagcctcn ancggtngtn ntaccatagt ggggatgacc ctctgatact ttgncctggt 240
ngancatgnt gacanntgct tctacagctt nngggac 277

<210> 8
<211> 292
<212> DNA
<213> Homo sapiens

<400> 8
cttgggaggc tgagtcagga gaattgcttg agcccaggag atggaggttg cagtgagcca 60
agatcatgcc actgcactcc agactgggca acagagggag actccgtctc aaaaactaaa 120
aaaaaaaata catttagtat agcggggggt gggcgggaga aataatgtta tttcctatgc 180
aaatgacgnn nnnnnnnnnn cccatggtaa atgtnaatat actgcgtctn ttttgggana 240
gccttttant aaangagtct tanatgaatc tctanntnat gantttaact tg 292

<210> 9
<211> 300
<212> DNA
<213> Homo sapiens

<400> 9
ccaggttagc tgctgaatca aagcttcaaa cagaagttaa agaaggaaaa gaaacttcaa 60
gcaaattgga aaaagaaact tgtaagaaat cacaccctat tctatatgtg tcttctaaat 120
ctactccaga gacccagtgc cctcaacagt aaagactttt ctttaataag agtacggtgc 180
cacttgcctc aaaagttact atggtgctta agattgtctt gatctgacat atatcacctt 240
ctgggttatt tactcattgt gccaggacct ggcattttca tgtgcctttg accaagtgtt 300

<210> 10
<211> 300
<212> DNA
<213> Homo sapiens

<400> 10
aggaggcgga gcttgcagtg agctgagatc gcgccactgc actccagcct gggcaacaga 60
gtgagactct gtctcaaaaa aaaaaaaaaa nnnnnnnnnn nnnnnnnnaa nctcgtnttn 120
gnaaggaaan ggggnaangg accggtntta tncctatgtn gtntttgcag gcaaangaaa 180
nggacccntt tttgtaaaaa aaagtctttt gnncaantaa acggggtntg ngggtncagg 240
ccctggnggg gcncncantt gcctggnggc ttntgnnaaa tcggnaaagg gaggaaaggc 300

<210> 11
<211> 300
<212> DNA
<213> Homo sapiens

<400> 11
cgtctgtaat cccagctgct tgggaggctg aggcaggaga atcacttgaa ccctggaggt 60
ggcggtttca gtgagcacag atcatgccac tgcactccag cctgggcaac aaaacgagac 120
ttcgtctcaa aaaaaaaaan nnnnnnnnnn nnnnnnnnnn nncgggttct cccaaattnt 180
ttnnaggggn ccatggncaa ctgnttnacn tttgtttngg naaccccntg cccnaagncg 240
cananaggct gtnnttnncc ttgttnccaa ggntgaggan caaaaagtac cctntgtttt 300

<210> 12
<211> 300
<212> DNA
<213> Homo sapiens

<400> 12
caaagatggt cgtattacta aaggtgaata accagcgcgg ggggcacgtg gagtcactgg 60
aacatttgtg caatgctggt gggaatgtca acccgtgcgg ccctctggaa taagcctggc 120
agctcctcca agagttaccg tgtgacccag caattccact cctagctcca cccacaggaa 180
ttgaaagcaa agacgcaaac agatgcctgt gcaccaaagt tcacggcagc atccttcgcc 240
atagtggcag catccgtcgt cacagcggca tcatccttca tcatagcggc agcatccgtc 300

<210> 13
<211> 278
<212> DNA
<213> Homo sapiens

<400> 13
cctgcagcca ctaatgcatt gtgtatgata acaaaaactc tggtatgaca cattttctgt 60
gatcattgtt aattagtgac atagtaacat ctgtagcagc tggttagtaa acctcatgtg 120
ggggaggtgt gggaggtttt nncgnnannn nnngcnnnnn annccccggn nngnnngaag 180
ctgnnnnttn naannngcnn nnnannatga naannnccnn ngactggnnn nangaggcct 240
ancccntgnt ttananaaac nnncnncagn ntctctca 278

<210> 14
<211> 300

<212> DNA
<213> Homo sapiens

<400> 14
gtgtcttcat cttacccagt ggaacctaag aaattaaatt ctccagaaga aactgctttt
cagacaccaa aatctagcca gatgcctcgg ccttcagtgc caccattagt taaaacatca 60
ctgttttctt caaaattatc tacacctgat gttgtgagcc catttgggac cccatttggc 120
tctagtgtaa tgaatcggat ggctggaatt tttgatgtaa acacctgcta tgggtcaccg 180
caaagtcctc agctaataag aagggggcca agattgtgga catcagcttc tgatcagcaa 240
300

<210> 15
<211> 300
<212> DNA
<213> Homo sapiens

<400> 15
gttatattaa attattcttt gtttttcttt ttcttttaat aaagcctgca agttactaaa
ttgtagtttc ataaattctg tagtaaagta tcatcttggc agtgtgccaa aggtgaaaat 60
gatgctttct ctaacagaga aattcttagt gactccagtc gtagaaaaac gtctttacaa 120
cctgaataag attgaagaat tgtgaacata ccatggccta ttggatgaat catttgccgt 180
aggctaaatc agactgtagg gtttgcgatg gatttatgga gtatgtgggt atagaaatca 240
300

<210> 16
<211> 276
<212> DNA
<213> Homo sapiens

<400> 16
gtttcattta agaagaatga gctagataaa tgtgctcttc tggttacccc accctgacag 60
agtgcatttt tacacggcta gcaggggttg agactgcagc ctggcctnnn nnnnnnnnnn 120
ngnnnnnngc nnacttnact tcccngaanc actataattg gnanacnttn ctaanngtn 180
atctngccga cctgnnagat anactcnnga taaaanccnn tgcagaaagc gcccttccat 240
gtcangcncn tnaganacnn ncntaccncc tangna
276

<210> 17
<211> 300
<212> DNA
<213> Homo sapiens

<400> 17
ggtgcccatc accacaccca gctaactttt gtatttttag tagagacggg gtttcaccat 60
gttggccagg ctggtcttga actcctgacc tcgtgatccg cccgccttgg ccccgcaaag 120
tgctgggatt acaagcatga gcccagcgcc tggctgtatc tttcatttta cccaagtcac 180
tttacccaag taagtaatta ggggaaagcc tgagtcttgt accacctgtt catttgggga 240
actgtgggaa acggagccaa cggacctaag tgccctttga cagtgagttt cataccattt 300

<210> 18
<211> 273
<212> DNA
<213> Homo sapiens

<400> 18
ctcagctgag gcaattaaac tggaaaagaa atagattgaa aagatactac agaagaagca 60
gtacagaagt tgggggactg aaggagaggg agccactgca ggtgctagct gcttaagggg 120
ataccagtcc ttttacagat ataatagata cagcttctga ggtggagggt gataggagtg 180
tgtagagaaa ttgcagttca gaactggagc atgcagttag gcaagaggca tcccatgtga 240
agatgtcaag caagtactgg aaaatgctga act 273

<210> 19
<211> 300
<212> DNA
<213> Homo sapiens

<400> 19
gggtcctggt gggagttcca tccagcagtg agtgcatttt ttccccagag cagttaaggg 60
tcttattaaa agccaccact ttgctgaggc ctgtacaggc cttgggggtt tggggaagag 120
aaataaggca ggcacttgtc ccttcaggga gggacttgtc cctcactggg aggtttgggg 180
ttgaccttgg ctccagcaga gatacccagc ctggcgtgga aggggcaggt ctgagcttac 240
gcttgactgc agggcaagct gcaggcctct tctgccttcc cctgcattca ccaaggacag 300

<210> 20
<211> 300
<212> DNA
<213> Homo sapiens

<400> 20
atggcatgca ctgacctctt cttggagccc agaactttat agagttgcct accagggtta 60
ctgtaatgga atttatgatc ttaagaaatt actagttgta ttatttatcc tatgattcat 120
tcattcaata agcttttact gcataaactt tacatccagc actgtagtta agtacccaaa 180
attgaataga aataatggct tttgaaaatc gcacaaagca ggccaggcac ggtggctcac 240
gcctgtaatc ccagcatttt gggaggccga ggcaggcgga tcacgaggtc aagagatcca 300

<210> 21
<211> 293
<212> DNA
<213> Homo sapiens

<400> 21
cgtctgtaat cccagctgct tgggaggctg aggcaggaga atcacttgaa ccctggaggt 60
ggcggttgca gtgagcacag atcatgccac tgcactccag cctgggcaac aaaacgagac 120
ttcgtctcaa aaaaaaaaan nnnnnnnnnn nnnnccttng gncgggttnt cccaaattnt 180
tttgaggngn ccatggncaa ctgcttnanc tttgttttgg caacccentg cccnaagtcg 240
catataggct gtncttcacc ttgtttccaa ggctgnggaa canaaagtaa cct 293

<210> 22
<211> 300
<212> DNA
<213> Homo sapiens

<400> 22
ctggtctcga acacctgacc tcaggtgatc cattcgtctt ggcctctcga agtgctggga 60
ttccaggcgt gagccactgc ggccagcaca tttccacttt tagatcctac tccataccac 120

aggtttcatt taagaagaaa gagctagata aatgtgctct tctggttacc ccaccctgac 180
agagtgcatt tttacacggc tagcaggggt tgagactgca gcctggcctg ccagccattg 240
gaggtgttta aggaagggca gataatgtga ctctttgcgg ggtgccatct gcttacccat 300

<210> 23
<211> 300
<212> DNA
<213> Homo sapiens

<400> 23
gaaccaaaga cgtgtatgga gtgttctctt gtccttatcg acttgctctg ctcccagctt 60
tccaagcgac cggatctgag tgatgcttct agaacatttg ggtgttgggg ggttcccaat 120
agtagaaagg gtccccattc ctgctcagca ccgcacctct ctaccccccc acagacacac 180
atgcagacac acacatgcag acaacacgca gacacacaca tgcaggcact cacatgcagg 240
cccatgcaca cacacgtgca cacacatgca gagacatgca gacacgcagg cacacatgca 300

<210> 24
<211> 300
<212> DNA
<213> Homo sapiens

<400> 24
cctcccacaa cacgtgggaa ttcaagatga gatttggttg gggacacagc caacccatat 60
cacccatgcc tggatgccct tctcatgctt gggttctgtc atctgcacca ggccttctgc 120
tgcccgtctg tcttacccac caggactctg actctccacg ctgggccacc tctcttctcc 180
aacactgcta tggattgaat gtttatgtta tccccaaatt tgcatgttgc aatcccaatc 240
tccaatgcca tagtattagg aggtgggggc ctttgggagg tgatttggtc atgaaggtgg 300

<210> 25
<211> 300
<212> DNA
<213> Homo sapiens

<400> 25
ggaaaatgaa atctgactat ctgctagttg ccaaaaccca gaaacattcc tgtgtaatgg 60
ttagttggga aagaaggcag cacttgaaaa aatttaccag gttcctcact gggagatgtg 120
ggaaggggcg tgggacgcac gcggtcactc cctctcagcc ccccacattt ctagaacaca 180
ctgtagctgt gcctctacag actcccgctg cctggcctcc acagatcctg ctcagattca 240
ccagtaggca aagcttggcc ctattagctt tttctctcca tggctctgtg ggaatgtgcg 300

<210> 26
<211> 300
<212> DNA
<213> Homo sapiens

<400> 26
ctgcagtgag attctctgca atgactggcc tcagcaaggg ggcagcttag gaccctgaca 60
tcccaggtca ctaagccaca taggataagt aatgggtgga cagaagcggg aaaggagaag 120
ggcagggcac atgtttaaaa cttgaacttt ctgaggctaa gactggaaaa ggaatggttt 180
cagctgatat atttggatac cagttgacta tttttaggaa aaaaacacaa atggctttta 240

aacatcacag tgtgatacag tctaactcag aattagagac aggcaaaaca gaactccatc 300

<210> 27
<211> 300
<212> DNA
<213> Homo sapiens

<400> 27
gtactgcttc tgtggctctt cacagacctc acggatgtga ccggagatga gtgccgatga 60
ccacgtttta aaggagaaag agagctcctg gtggggccct cggggtggtc tcaggtccca 120
tttgcagtct gcaacagtga cgcgcagccc ggtccggagc gtggtgagct ttgtttgcct 180
tctgggtcag ctttcgctgt gtctcctgtg tgtgttagaa tccagagccc agaggaagtg 240
caagcgggtc ctccgccaac ggggagagcc tcttcgcggc gctgttggcg acagcacgct 300

<210> 28
<211> 298
<212> DNA
<213> Homo sapiens

<400> 28
aangnaannn nggggngttg antcnacctn ngaaccgtgt anaaacccat ggaaacagct 60
antagannttt gggcagganc agagngaggc caagntacgg gggaggcnag gagcngagan 120
tggggnnnnn nnangnnaan tnnngaaggg gngnganngа gggggggana naaggggga 180
ngagggcgaa ngncaggann nagaaaannn ggggacgana nggngaacag ggnnnaaacg 240
gaannnngga gnnnnnanag atgncgggca gngncngngn aggnganann ngagacgg 298

<210> 29
<211> 300
<212> DNA
<213> Homo sapiens

<400> 29
cctcagcccc acaccagctc tatttcaggg gtgagagtca gagagcactg caatatgtgc 60
ttcatgggat ttcgattcga agatcctaga ccagggagac actgtgagcc agggatacaa 120
caaaatacta ggtaagtcac tgcagaccga cctccctgca gtttgggaaa gaagctgggt 180
ttgtggagaa tcagagcatc ttgacatgac tgctgaccta aagatccctg gcattggcca 240
gggatcctgt ggaacctctt ctagttcagg ggtgtgagca ttagactgcc agttgtctag 300

<210> 30
<211> 300
<212> DNA
<213> Homo sapiens

<400> 30
gtttgtttcc ccgagatgtg aacttgctga aggaaaacag tgtaaagagg aaggccatac 60
agagaactgt cagctcttca ggatgtgaag gcaagaggaa tgaagacaag gaagcagtga 120
gcatgttggt taactgccct gcctactaca gtgtgtctgc tcccaaggct gagctactga 180
acaaaatcaa agagatgcca nnnnnnnnnn nntgaggaag aggaacaggc anatgtcaat 240
gaaaagaagg ctgatctcat tggaagtctc acccacaagc tggagaccct ccaggaggcg 300

<210> 31

<211> 300
<212> DNA
<213> Homo sapiens

<400> 31
tttaaactga gctccaaatg acgttcaaac acccctctcg ggtagagttt tcatggtgga 60
acggttgcgc ccaccaaaca gaagcttatg tttttggcac agaaggcctg ggccattttc 120
atggacacct ggctggacct cggtggaagt gaactccgta ggttgttgcg ttcactgcag 180
cacctcacat gataccgtcc cctctcatgg aacggagcct cccccatgca gcccccactc 240
aaatggagtt ttaaaggctg ggttcaggtt acgggggcgt ttctcaccgt ctgaatgcgg 300

<210> 32
<211> 300
<212> DNA
<213> Homo sapiens

<400> 32
gtgaaacaga aagtggagat gctttccttg acctgaagaa gcctcctgcc tccaaatgcc 60
cccatcgcta tacaaaagaa gaactcttgg atataaaaga actcccccat tccaaacaga 120
ggccttcatg cctttctgaa aaatatgaca gtgatggtgt ctgggaccct gagaagtggc 180
atgcctctct ctacccagct tcagggcgga gctcaccagt ggaaagtctg aagaaagagt 240
tggatacaga ccggccttcc ctggtgcgca ggatagtaga tccacgagag cgtgtgaaag 300

<210> 33
<211> 300
<212> DNA
<213> Homo sapiens

<400> 33
gtctgattga agctgttcag gtttatcatg caaatcctcg cctctggcta cggctggctg 60
aatgctgcat tgctgccaat aaggggactt ctgaacaaga aactaaaggc cttcccagca 120
aaaaaggaat tgtacagtct attgttggtc aaggctatca tcgtaaaata gttttggcat 180
cacagtctat acagaatact gtttataatg atgggcagtc ttcggccatt cctgtagcca 240
gtatggagtt tgcagccata tgtctcagaa atgccttgtt gctgctacct gaagaacagc 300

<210> 34
<211> 300
<212> DNA
<213> Homo sapiens

<400> 34
tgacagagct gttcagcgta caccagatcg atgagctggc caagtgcaca tcagacactg 60
tgttcctgga gaagaccagt aagatctcgg accttatcag cagcatcacg caggactacc 120
acctggatga gcaggatgct gagggccgcc tggtacgcgg catcattcgc attattaccc 180
gaaagagccg tgctcgccca cagacctcgg agggtcgttc aactcgggct gctgccccaa 240
ccgctgctgc ccctgacagt ggccatgaga ccatggtggg ctcaggtctc agccaggatg 300

<210> 35
<211> 300
<212> DNA
<213> Homo sapiens

<400> 35
ctttttttaag caaagcagtt tctagttaat gtagcatctt ggactttggg gcgtcattct 60
taagcttgtt gtgcccggta accatggtcc tcttgctctg attaaccctt ccttcaatgg 120
gcttcttcac ccagacacca aggtatgaga tggccctgcc aagtgtcggc ctctcctgtt 180
aaacaaaaac attctaaagc cattgttctt gcttcatgga caagaggcag ccggagagag 240
tgccagggtg ccctggtctg agctggcatc cccatgtctt ctgtgtccga gggcagcatg 300

<210> 36
<211> 300
<212> DNA
<213> Homo sapiens

<400> 36
gctggccaaa gccaaatctc ctaagtccac cgcccaggag ggaaccctga agcctgaagg 60
agttacggag gccaaacatc cagctgcagt tcgcctccaa gaaggggtcc atggccctag 120
tcgagtccat gtgggctctg gggaccatga ctattgtgtc cggagcagga cccccccaaa 180
aaagatgcct gccctagtca ttccagaggt gggctcccga tggaatgtca agcgccatca 240
ggacatcacc atcaaacctg tcttgtcctt gggcccagct gcccttcgcc ccatgcatag 300

<210> 37
<211> 300
<212> DNA
<213> Homo sapiens

<400> 37
gtccaaggac aacttcgaga catttctttt tgccaccgta tctaacaggg agcaggaaga 60
tctctgccga ggaattgtcc agctctgctt caatgagcaa agccaacagc tgctagcaga 120
ggtccagccc tctgactctt tcctcatggt agagacaact gcatactttg aggcctacag 180
gcacgtcctg gaaggactcc aggaggtcca ggaggaagat gttcccttcc agaggaatat 240
cgtggagtgt aactctcatg tgaaggagcc aaggtacttg ctaatggggg gcagatatga 300

<210> 38
<211> 300
<212> DNA
<213> Homo sapiens

<400> 38
catccaggga gaacctcggg gctgggacac ctcctggccc tcaccctggg tcatgtttac 60
agtcctcagt gcccccacacc ggtggccccc tgaggacacc tccaccctga ccttgatttt 120
cccaaacgct gcctcttggt gacagactca gcccaaaacc ccttccttct gtctctggag 180
acccttgagc ttggggaaat atggaggggt gtgtgtctgc aatcaaggcc tctgcagctc 240
acggctggcc cggtgggctg ggacttccgt atgaattnta aatacttagg gttcattttt 300

<210> 39
<211> 300
<212> DNA
<213> Homo sapiens

<400> 39
gggaaggagc gggcgtgagg ccagctgagg catggtgacc cctgggaagg agcgggcgtg 60
aggccagctg aggcatggcg acccctggga aggagcgggc gtgaggccag ctgaggcatg 120

gtgacccctg ggaaggagcg ggcgtgaggc cagctgaggc atggtgaccc ctgggtacgg 180
gggacttggg ggccgcacct tggtttgccc agggcccctc ctgcaccacg ggccacatgc 240
ggaggacggc gtgggatagg ctccctgggt ccacagcttc tgcccgtgta tggggaaccc 300

<210> 40
<211> 300
<212> DNA
<213> Homo sapiens

<400> 40
ccaaaagctt gtggcaaatt tgaaatttct gccattaggg accttacaac tggctatgat 60
gatagccaac ctgataaaaa agctgttctt cccactagta aaagcagcca aatgatcacc 120
ttcacctttg ctaatggagg cgtggccacc atgcgcacca gtgggacaga gcccaaaatc 180
aagtactatg cagagctgtg tgccccacct gggaacagtg atcctgagca gctgaagaag 240
gaactgaatg aactggtcag tgctattgaa gaacattttt tccagccaca gaagtacaat 300

<210> 41
<211> 300
<212> DNA
<213> Homo sapiens

<400> 41
aaaaggtccc ccttctggga aagaccgagt gaagaaaggt ggatcctaca tgtgccatag 60
gtcttattgt tacaggtatc gctgtgctgc tcggagccag aacacacctg atagctctgc 120
ttcgaatctg ggattccgct gtgcagccga ccgcctgccc actatggact gacaaccaag 180
gaaagtcttc cccagtccaa ggagcagtcg tgtctgacct acattgggct tttctcagaa 240
ctttgaacga tcccatgcaa agaattccca ccctgaggtg ggttacatac ctgcccaatg 300

<210> 42
<211> 300
<212> DNA
<213> Homo sapiens

<400> 42
ttctaagtca ggagtacagt acaaaggaca tgtggagatc cccaatttgt ctgatgaaaa 60
cagcgtggat gaagtggaga ttagtgtgag ccttgccaaa gatgagcctg acacaaatct 120
cgtggcctta atgaaggaag aaggggtgaa acttctaaga gaagcaatgg gaatttacat 180
cagcaccctc aaaacagagt tcacccaggg catgatctta cctacaatga atggagagtc 240
agtagaccca gtggggcagc cagcactgaa aactgaggag cgcaaggcta agcctgctcc 300

<210> 43
<211> 300
<212> DNA
<213> Homo sapiens

<400> 43
gccaccgaag cttcaggatg acatcttaga ctctcttggt caggggatca atgagttaaa 60
gactgcagaa caaatcaacg agcatgtttc aggccccttt gtgcagttct ttgtcaagat 120
tgtgggccat tatgcttcct atatcaagcg ggaagcaaat gggcaaggcc acttccaaga 180
aagatccttc tgtaaggctc tgacctccaa gaccaaccgc cgatttgtga agaagtttgt 240
gaagacacag ctcttctcac ttttcatcca ggaagccgag aagagcaaga atcctcctgc 300

<210> 44
<211> 300
<212> DNA
<213> Homo sapiens

<400> 44
ggcttataca acatagtggg gaacgcatgg gaatggactt cagactggtg gactgttcat 60
cattctgttg aagaaacgct taacccaaaa ggtccccctt ctgggaaaga ccgagtgaag 120
aaaggtggat cctacatgtg ccataggtct tattgttaca ggtatcgctg tgctgctcgg 180
agccagaaca cacctgatag ctctgcttcg aatctgggat tccgctgtgc agccgaccgg 240
ctgcccacta tggactgaca accaaggaaa gtcttcccca gtccaaggag cagccgtgtc 300

<210> 45
<211> 300
<212> DNA
<213> Homo sapiens

<400> 45
gtggaagaaa attttttgct gcttctggtt cccagaaaag ggagccattt taacagacac 60
atctgtcaaa agaaatgact tgtcgattat ttctggctaa tttttcttta tagcagagtt 120
tctcacacct ggcgagctgt ggcatgcttt taaacagagt tcatttccag taccctccat 180
cagtgcaccc tgctttaaga aaatgaactt atgcaaatag acatccacag cgtcggtaaa 240
ttaaggggtg atcaccaagt ttcataatat tttcccttta taaaaggatt tgttggccag 300

<210> 46
<211> 300
<212> DNA
<213> Homo sapiens

<400> 46
gtggaagaaa attttttgct gcttctggtt cccagaaaag ggagccattt tangngacac 60
atctgtcaaa agaaatgact tgtcgattat ttctggctaa tttttcttta tagcagagtt 120.
tctcacacct ggcgagctgt ggcatgcttt taaacagagt tcatttccag taccctccat 180
cagtgcaccc tgctttaaga aaatgaactt atgcaaatag acatccacag cgtcggtaaa 240
ttaaggggtg atcaccaagt ttcataatat tttcccttta taaaaggatt tgttggccag 300

<210> 47
<211> 300
<212> DNA
<213> Homo sapiens

<400> 47
acacagataa ttttaataca atgtgaaaaa gtgtatgggt gtgtagaaga ggggttctta 60
gagtttctgg agagaatgat tctgagctcg gttttgacaa aagaggagct gctgaggcta 120
aaagtggatg aaaagggcct tataattaaa agaaacaaga caggactcag aggtgtgaaa 180
caaatattat gcatggtgaa ttacaatgag ttgggggtat tctgtagccc taaagtacaa 240
ggtataaaga gacagaaaat gatcctggaa tatagacaga ggatacttca tctctcatga 300

<210> 48
<211> 300
<212> DNA

<213> Homo sapiens

<400> 48
gatggaacat gagtggaagt gggcagtctt tttctttccc tatcagctga gtgaatgaag 60
atttagaggg cagcagagtc atgacatgga tgacgttggg tctctggatg gctaaatgga 120
agacccgccc cccaacgcca ctctaccccc ctgctttgaa ctatgctttg agaaatgagc 180
ttatgagacc actgagactt gggggctgtt tgttcagcag ttcacctaca cttattagga 240
aaggttgact tcttgtaact acgcctttcc ttaaatcatc ttttgtataa ttctcagaag 300

<210> 49
<211> 300
<212> DNA
<213> Homo sapiens

<400> 49
ccctccccgg cttccccccgg agtgggtcac cacactgttt tttatcatca tgggaatcat 60
ttcattgact gtcacatgtg gtttgctggt ggcttcccac tggcgaagag aagctacaaa 120
atatgctcga tggatagcat tcactggaac cactatgaga agattatagg aaaaacacca 180
agactagagg actctgggtt ccttttatgc aaagtcaact cttctgggtc acagttaccc 240
agcaacaaaa ataaagagag gaccaggacg atgccagcac cccgtttatc ctgagtgaac 300

<210> 50
<211> 300
<212> DNA
<213> Homo sapiens

<400> 50
ctcctgtctc agcctcctgg gtagctggga ctacaggtgc atgccaccat gcctggctaa 60
cttttgtatt tttagtacag acagggtttc accacattgg tcaggctggt ctcgaactcc 120
taacctcagg tgatccacct gccttggcct cccaaagtgc tgagattaca ggcgtgagcc 180
accgcgcctg gcctgattgg ttttttaaca tgatttttct ctaagcttaa ataccacaag 240
gccaaagaga aatggtcata atttaaacca ttattatatt ggtgaggtat ccctagctat 300

<210> 51
<211> 300
<212> DNA
<213> Homo sapiens

<400> 51
ggaggctaga ctcaagctgt ctggagagtg tgaaacaaaa gtgtgtgaag agttgtaact 60
gtgtgactga gcttgatggc caagttgaaa atcttcattt ggatctgtgc tgccttgctg 120
gtaaccagga agaccttagt aaggactctc taggtcctac caaatcaagc aaaattgaag 180
gagctggtac cagtatctca gagcctccgt ctcctatcag tccgtatgct tcagaaagct 240
gtggaacgct acctcttcct ttgagacctt gtggagaagg gtctgaaatg gtaggcaaag 300

<210> 52
<211> 300
<212> DNA
<213> Homo sapiens

<400> 52
atatggtata gttggaaata ggttattgtg agttatttgt agtcatgtct ttaatggccc 60
ttgcatggtg tctaacttct gcaataaatg atctgccagt cctagtgtct ggctttatgc 120
aatttgtttt cctttgtgga tgaagtggga gtaagacttg ttgctgtgag gattagatga 180
agtggctagg atatggacac actttacttg aattggaaaa caagccatgt atccctaatc 240
tgcaaaatgt ggcatgtcac acgtgtaatc tctgaggttt agtttttgct caagattgca 300

<210> 53
<211> 300
<212> DNA
<213> Homo sapiens

<400> 53
aagaagctct gcttggtact actattatga acaacattgt tatttggaat ttaaaaactg 60
gtcaactcct gaaaaagatg cacattgatg attcttacca agcttcagtc tgtcacaaag 120
cctattctga aatggggctt ctctttattg tcctgagtca tccctgtgcc aaagagagtg 180
agtcgttgcg aagccctgtg tttcagctca ttgtgattaa ccctaagacg actctcagcg 240
tgggtgtgat gctgtactgt cttcctccag ggcaggctgg caggttcctg gaaggtgacg 300

<210> 54
<211> 300
<212> DNA
<213> Homo sapiens

<400> 54
ccaagatgcc aatttccatg aagtcttgat ttatatatat gtacacatgt tatgcacata 60
catgtttgtt ttctaacagt tattttttaa gcttttgaga taattttaga cttacagaag 120
agttgtaaaa gtagtagagt tcttgtatac tctgcaccca ccttgccctt atgttaacat 180
cttacgtaac aatagaacat ttgtcaaaat taagaaatta accttgatat aatactaact 240
aaagtagaaa gtttaaaaag tagagatttt agtcttttca ctaatgtcct tttactgttc 300

<210> 55
<211> 300
<212> DNA
<213> Homo sapiens

<400> 55
gggagggacc cttgggggca ggttgtgggt agccagttgc agtctgtggc ctccctcaga 60
ggtttggagt cgggcgtggc atgctgctgt tggcctcttt ccgagggagt gccatccact 120
ccctgtccca ccgctgtccg cggtgaggac agtgagggca gtgctacgtg gtggggaggt 180
gtgtgagaag ccacggaagg gcttcacagg gcagatgcca aggccagtgg gccccggaca 240
gagtcaggct ccctgggcgg ccttgtgtct tggtggccct gatcatcctg ccaatgcaaa 300

<210> 56
<211> 300
<212> DNA
<213> Homo sapiens

<400> 56
ctttgctctc tccattccaa gttgttctct gttctagaaa gcagatgtag tagacatcta 60
ctgtttttgc ctaaacagaa tccctttttc cttttttgt taaaagtact catccctaat 120

attacattgt tctggaagga ctgaaaataa cagaactcag caccatgatc ggaccgggac 180
aatcagatta tttcattcct cagcaaacgg agatcgatcc gaaaagtgga aatatgagct 240
cttctttggt gttggcatat ggaccctgag agaaagaact ttaatttttt ctcttggact 300

<210> 57
<211> 276
<212> DNA
<213> Homo sapiens

<400> 57
cctccctgga tgtgcagaca tggaggagga cagaaggccc agctcagtgg cccccgctcc 60
ccaccccccca cgcccgaaca gcaggggcag agccagnnnn nnntcgaagt gtgtccnngt 120
tgtcttttga nccttgttnt ggngccttgc ctanatgtat ntnntntnnn tntnntnatt 180
tnnnnnntnn ntnnnttnct nttnntaaat tgnttnnaan ttntnntann ttnttnnatt 240
nnnannnnnn ntantgtnnt gnattgntat nnatca 276

<210> 58
<211> 300
<212> DNA
<213> Homo sapiens

<400> 58
ctgtaagtct ctttcttgcc catcaccaca tccctagtac tgggtatcag tctggccact 60
tggctttctg gtttgcccca atgtggtcta ttcttgatgc agctaccaaa gtaatgtttt 120
aaaaccatta taccaagtta ctatccttgt caaaaccccc agtaactgcc aatctcactt 180
agaataaaat ccggactcct gtgaagcaca gcataaactg gccactgcct atgcagcaac 240
ctcatcttta ccgtttcctg ccttgctcac tcccttccag cgccgttatt cttcctgatg 300

<210> 59
<211> 300
<212> DNA
<213> Homo sapiens

<400> 59
gacccaggta gaccagctca agagttcatg ttctttgtca tcctngtgtg agctctctgt 60
aagtctcttt cttgcccatc accacatccc tagtactggg tatcagtctg gccacttggc 120
tttctggttt gccccaatgt ggtctattct tgatgcagct accaaagtaa tgttttaaaa 180
ccattatacc aagttactat ccttgtcaaa acccccagta actgccaatc tcacttagaa 240
taaaatccgg actcctgtga agcacagcat aaactggcca ctgcctatgc agcaacctca 300

<210> 60
<211> 300
<212> DNA
<213> Homo sapiens

<400> 60
gggtcctggt gggagttcca tccagcagtg agtgcatttt ttccccagag cagggtaagg 60
gtcttattaa aagccaccac tttgctgagg cctgtacagg ccttgggggt ttggggaaga 120
gaaataaggc aggcacttgt cccttcaggg agggacttgt ccctcactgg gaggtttggg 180
gttgaccttg gctccagcag agatacccag cctggcgtgg aaggggcagg tctgagctta 240
cgcttgactg cagggcaagc tgcaggcctc ttctgccttc ccctgcattc accaaggaca 300

<210> 61
<211> 292
<212> DNA
<213> Homo sapiens

<400> 61
caaggccccga ggtgccatcc cctctgggaa gcagaagcct ggnggcaccc agagtgggta 60
ctgtngnggt aaagngntca ccctctcaca gcaccaccag cggcgagaca gaccccacca 120
ccatcttccc ctgcaaggag tgnggcaaag tcttcttcaa gatcaaaagc cgaaatgcac 180
acatgaaaac tcacaggcag caggaggaac aacagaggcn aaaggctcag aaggcggctt 240
tngcagctga gatggcagcc acgattgaga ggactacggg gcccgtgggg gc 292

<210> 62
<211> 300
<212> DNA
<213> Homo sapiens

<400> 62
agcaaatcaa gatcttcagg tacagttgga ccaggcactc cagcaagcct tggatcccaa 60
tagtaaaggc aactctttgt ttgcagaggt ggaagatcga agggcagcaa tggaacgtca 120
gcttatcagt atgaaagtca agtatcagtc actaaagaag caaaatgtat ttaacagaga 180
acagatgcac agaatgaagt tacaaattgc cacgttgcta cagatgaaag ggtctcaaac 240
tgaatttgag cagcaggaac ggttgcttgc catgttggag cataataatg gtgaaataaa 300

<210> 63
<211> 300
<212> DNA
<213> Homo sapiens

<400> 63
caggcctgga cttcgccccc aggcctagga ccgcggaggg tggaaccctg ctactgcccc 60
aacagggact ccaatcaatc ggagttctcc ccttgccgga gctgcccttc acctttgggg 120
cccgagacag tcataaggga tggacttagt tttcttgcag ggaaaaaggt ggacagccgt 180
gtttcttaag gatgctgagg gcatggggcc aggaccaggg gagaggcaca gctccttcct 240
gagcagcctc tcaccactgc cacaaggctc cctaatgctg gtctctgctc cactccccgg 300

<210> 64
<211> 294
<212> DNA
<213> Homo sapiens

<400> 64
gctgcatctg caatgaggat gccaccctac gctgcgctgg ctgcgatggg gacctcttct 60
gtgcccgctg cttccggtgg gtgcaggtgg aatgttctgt gcgagagctc aagggctgcc 120
tggatccctg acttgtatcc ctttgttcca cagagagggc catgatgcct ttgagcttaa 180
agagcaccag acatctgcct actctcctcc acgtgcaggc caagagcact gaagacaccc 240
tggtcctccc ggaagggcag tcccacaggc agcggcaccc atttctgggc cccg 294

<210> 65
<211> 300

<212> DNA
<213> Homo sapiens

<400> 65
aattgatgag ccttattaac tatcttttca ttatgagaca aaggttctga ttatgcctac 60
tggttgaaat tttttaatct agtcaagaag gaaaatttga tgaggaagga aggaatggat 120
atcttcagaa gggcttcgcc taagctggaa catggataga ttccattcta acataaagat 180
ctttaagttc aaatatagat gagttgactg gtagatttgg tggtagttgc tttctcggga 240
tataagaagc aaaatcaact gctacaagta aagaggggat ggggaaggtg ttgcacattt 300

<210> 66
<211> 300
<212> DNA
<213> Homo sapiens

<400> 66
agcagatttg tgataaactt gctgtagaag aaaccaaagg ggaacttctg ttgcaactat 60
gtcgtttgga agatgctgca gatgtttata gaggattgca agagagaaat cctgaaaact 120
gggcctatta caaaggcttg gaaaaagcac tcaagccagc taatatgtta gaacggctaa 180
aaatttatga ggaagcctgg actaaatatc ccaggggact ggtgccaaga aggctgccgt 240
taaacttttt atctggtgag aagtttaaag aatgtttgga taagttccta aggatgaatt 300

<210> 67
<211> 300
<212> DNA
<213> Homo sapiens

<400> 67
tgttcttgta gtgtttgttg ctattgttag aaagattatt agtgatatgt ggggtgtctt 60
anctaaacaa cagacacatg taagaaaaca ccagtttgat catggagagc tggtttacca 120
tgcattgcaa ttgttagcat atacagccct tggtatttta attatgagac taaaactctt 180
cttgacacca cacatgtgtg ttatggcatc actgatctgc tcaagacagc tatttggatg 240
gctcttttgc aaagtacatc ctggtgctat tgagtttgct atattagcag caatgtcaat 300

<210> 68
<211> 300
<212> DNA
<213> Homo sapiens

<400> 68
agacaaagaa aaggtggcaa tcatagaaga gttagtagta ggttatgaaa cctctctaaa 60
aagctgccgg ttatttaacc ccaatgatga tggaaaggag gaaccaccaa ccacattact 120
ttgggtccag tactacttgg cacaacatta tgacaaaatt ggtcagccat ctattgcttt 180
ggagtacata aatactgcta ttgaaagtac acctacatta atagaactct ttctcgtgaa 240
agctaaaatc tataagcatg ctggaaatat taaagaagct gcaaggtgga tggatgaggc 300

<210> 69
<211> 300
<212> DNA
<213> Homo sapiens

<400> 69
aattcnacac gaggtggccc ataagtttta ccttttaaac atccggctgc ctgtgaatga 60
gaagaataaa atcaatgtgg gaattgggga gataaaggat atccggttgg tggggatcca 120
ccacaatgga ggcttcacca aggcgtggtt tgccatgaag acctttctta cgcccagcat 180
cttcatcatt atggtgtggt attggaggag gatcaccatg atgtcccgac cccagtgct 240
tctggaaaaa gtcatctttg cccttgggat ttccatgacc tttatcaata tcccagtagg 300

<210> 70
<211> 300
<212> DNA
<213> Homo sapiens

<400> 70
cccaaggcaa gctgttaaca aaatcaacct gggccaatca tcaaagggtt ggacctaagg 60
ttgctatact caatagaaca agcattttaa ataaatttct cgtaagttgt tgctttcttt 120
atgtggtggg tgtggcttta aagagcacaa aaccacaaca aatcaaagag tagctcgggc 180
ttgtcttttg ctttatggct gagggtttga aggatgattc atggacttgt gaatgccagc 240
cccagtcccg gcttaggtct atctgccaat accaccaggg ccaacaaatt cacgcaacaa 300

<210> 71
<211> 300
<212> DNA
<213> Homo sapiens

<400> 71
ggaaatgcaa gtcaaaacag ctttgtaggt ctcagagttt gcttttaaga agtagtacaa 60
gaaggaatag ttatatcaat acaccagtgg ctgaaattat catgaaacca aatgttggac 120
aaggcagcac aagtgtgcaa acagctatgg aaagtgaact cggagagtct agtgccacaa 180
tcaataaaag actctgcaaa agtacaatag aactttcaga aaattcttta cttccagctt 240
cttctatgtt gactggcaca caaagcttgc tgcaacctca tttagagagg gttgccatcg 300

<210> 72
<211> 300
<212> DNA
<213> Homo sapiens

<400> 72
ggattctttc actgagcaca aagagttgtt ggggctttag catctgactg attttgttac 60
ggggttgatt ctgaccatag gaagtatgca atgtgaatca ctatttacag agaaacctac 120
aacagatgct tgatgttgta gaaactggga catatagata ccaagcaaaa ttataagaaa 180
cctataaggt gttcaatacg cttgtgtttc caaaattcac tgtacatgat cagtttggtg 240
ttcttgtacc acagttttta actgaaggaa ccagttgtaa cagtctcaat tttaactaaa 300

<210> 73
<211> 300
<212> DNA
<213> Homo sapiens

<400> 73
ataacacaca tcacagtatg ctctcagaaa tttctttatt tgaaccctat accaatatct 60
gttgatcaat gaccattttt gctcagcatg gagaaacagt gccctgcatg aagggtagtg 120

agaataaaaa ggatcttacc acctttatca tgagggtggc tttgctctct ccattccaag
ttgttctctg ttctagaaag cagatgtagt agacatctac tgtttttgcc taaacagaat 180
cccttttttcc tttttttgtt aaaagtactc atccctaata ttacattgtt ctggaaggac 240
300

<210> 74
<211> 300
<212> DNA
<213> Homo sapiens

<400> 74
cagagtcaac atggagcatc tcactgtgaa atgatccatg gattgaagga tatggtaaaa
tgtttatagg ttactttgaa agtaaaatat actatgtctt ggttttgagg atattggata 60
caaaactctc ttcctttagg gctactgaga cttgattcct gatcatcaga aatttcacca 120
gaaacaactt gcttccaata tacccaattc tatatgaaga attcatggag agtgtactgg 180
cactgnnnnn nnnnnnngan ncntgctgct ncgaanntnt nntattnact gannntgaat 240
300

<210> 75
<211> 300
<212> DNA
<213> Homo sapiens

<400> 75
caagagagag tgatagaatt ggcagtgaaa tatacgaacc accctcctgc cctctgggtt
cacaatacgt gtacacttga ctgtgaagtg gctgtgagag tgggtggaga gttcttcttt 60
gaccctcagc ctgcggatgc ctctagaaac ctcgtgttga ttgcaggagg agtcggaatt 120
aaccctctgc tttccatcct gcggcacgca gcagatctcc tcagagagca ggcaaacaaa 180
agaaatggat atgagatagg aacaataaaa ctattctaca gtgcaaaaaa taccagcgaa 240
300

<210> 76
<211> 300
<212> DNA
<213> Homo sapiens

<400> 76
gctagacgaa gtggtgaagc ccaaggactt atttttgagc tcgctgtaag actgagaaat
cacgtactcc ttcctgaaac cactaagagg aaaaatgtct gtgacactgc atacagatgt 60
aggtgatatt aaaattgaag tcttctgtga gaggacaccc agaacatgtg agatggagtc 120
tcgctgtgtc ccccaggctg gagtacaatg gcgcgatctc ggctcactgc aacctccgcc 180
tactgggttc aagcaagtct tctgcctcag cctcccgaga actgcaagag gaggcaactg 240
300

<210> 77
<211> 300
<212> DNA
<213> Homo sapiens

<400> 77
agagactttt gtttgtgttt aattagggct atgagagatt tcaggtgaga agttaaacct
gagacagaga gcaagtaagc tgtccctttt aactgttttt ctttggtctt tagtcaccca 60
gttgcacact ggcattttct tgctgcaagc ttttttaaat ttctgaactc aaggcagtgg 120
cagaagatgt cagtcacctc tgataactgg aaaaatgggt ctcttgggcc ctggcactgg 180
240

ttctccatgg cctcagccac agggtcccct tggacccccct ctcttccctc cagatcccag 300

<210> 78
<211> 300
<212> DNA
<213> Homo sapiens

<400> 78
caggagcaat caattcctgt cgaagtgaat accatgcagc ttttaacagt atgatgatgg 60
aacgcatgac cacagatatc aatgcactga agcggcagta ctctcgaatt aaaaagaagc 120
aacagcagca ggttcatcag gtgtacatca gggcagacaa agggccagtg accagcattc 180
tcccgtctca ggtaaacagt tctccagtta taaaccacct tcttttagga aagaagatga 240
aaatgactaa cagagctgcc aagaatgctg tcatccacat ccctggtcac acaggaggga 300

<210> 79
<211> 278
<212> DNA
<213> Homo sapiens

<400> 79
gtgctgcaga ggaagacagc ctgtcaggat actgacgagg aggaggaaga ggaagatgat 60
gatcaggctg aatacgacgc catgttgctg gagcacgctg gagaggccat ccctgccctg 120
gcagccgcgg ctgggggaga ctcctttgcc ccattctttg ccggtttcct gccattattg 180
gtgtgcaaga caaaacaggg ctgcacagtg gcagagaagt cctttgcagt ggggaccttg 240
gcagagacta ttcagggcct gggtgctgct cagcccag 278

<210> 80
<211> 300
<212> DNA
<213> Homo sapiens

<400> 80
ggaacttctg agtaattggt atcatttcct agtgactcgg ctcttgtact ccaatcccac 60
agtaaaaccc attgatctgc actactatgc ccagtccagc ctggacctgt ttctgggagg 120
tgagagcagc ccagaacccc tggacaacat cttgttggca gcctttgagt ttgacatcca 180
tcaagtaatc aaagagtgca gcatcgccct gagcaactgg tggtttgtgg cccacctgac 240
agacctgctg gaccactgca agctcctcca gtcacacaac ctctatttcg gttccaacat 300

<210> 81
<211> 300
<212> DNA
<213> Homo sapiens

<400> 81
acctgtaccg cctggccact ggctgtcacc ggcgtgatga gctgccggtg ttngaacgca 60
acctatgctg gactctcccg gcagactgcc tggatatggt cgccatgcag gaagccgccc 120
agcacctcct cggcacacac gacttcagcg ccttccagtc cgctggcagc ccggtgccga 180
gccccgtgcg aacgctgcgc cgggtctccg tttccccagg ccaagccagc cccttggtca 240
cccccgagga gagcaggaag ctgcggttct ggaacctgga gtttgagagc cagtctttcc 300

<210> 82

<211> 300
<212> DNA
<213> Homo sapiens

<400> 82
cccagctgga cctggtggcc ctttcctagt gcctctgctg ggggaggaga acctgggtcc 60
acgtggaggc taggaggtct caggtgctgc cctggcagca ccagagtgtg ggccgggccc 120
gagtgtctgc ccctcggccc tcagggtggg gcacttagca cccagaaggg accaaaagca 180
gggcatggcg gtgcagagga gtttgggagg tgtaaacagc cccatgcacg tggaggagga 240
gctggctttc agccccagac cccacgctag cactttccac gctgcttgcc cgctgttgat 300

<210> 83
<211> 272
<212> DNA
<213> Homo sapiens

<400> 83
tctagatatt gcccaatcgc tgcccacagt gcacatacct ttccaccagt cacatgtgag 60
agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata attttggcca 120
gttaggaaat ggcatctcat tgttttcatc ttaatttgcg tcagcctgat tactcattga 180
aacttgtgag gttgagaaac ttttcttaag cttattggcc attcaagttt cctcctttat 240
gaaatggttg ttcatgtcat ttgctcattt tt 272

<210> 84
<211> 300
<212> DNA
<213> Homo sapiens

<400> 84
cccactgccc ccggtcaaca aacccacttt tatgacagtt ttcttccgca gcttggctct 60
taaattttac tggcaggtgt atggttgttg gagggttcct agtgagttgg gggacctggc 120
aatagagctg cttggttgga ggaagtgaag ctggcttagt accagcagct gatctcttcc 180
acgtgctgct gctttttttg ccactctgat actaaaccag agaaagctgc aggtggataa 240
agaagctgtg gctgtttttt gcttttgggt ggcaatgaga aagagtcaca gtgtgggtta 300

<210> 85
<211> 300
<212> DNA
<213> Homo sapiens

<400> 85
ctgggagcca ccaacatagc agattaccat gtgaagttgc cactgctgca tctcctgaaa 60
cctggctgat gggagaggtc tcattttgtg tctgagaatg tccaggttgt ctgcagacca 120
cagcactgat ttcccattag cagttattat ttcctggcca tttcttcctg aaggttttgt 180
ggttaaactc cctgtcctca atattttatc agcagtaggg ctgtcattct tctggttatc 240
aacctctaca ttatgaagta aggttcaacc cttctgcttt tctcaggccc ccaaaacggt 300

<210> 86
<211> 300
<212> DNA
<213> Homo sapiens

<400> 86
agaacattgg tgtgtgagtg ttttttgatg gtgcaggacc cggaggtgct ttccttgcca 60
agaatagaaa catccagaat gctcctcccc atccccccaat cccagacagc aattatgtca 120
gccctgtaag gcattgcctg ctcttgaccc tttggcccat ctttttattt ttaaaaaatt 180
cccatgtcac agatgccctg tctatgcaga gggtggcgtg ggatgggtga ccactaagtt 240
taggctggtg aaggtggtga gcccttctga ggccctgata gaactttcca ggagttcatg 300

<210> 87
<211> 300
<212> DNA
<213> Homo sapiens

<400> 87
ctccaaggaa aatccacctc gcagcttgta aatctacagc ctgattacat caaccccaga 60
gccgtgcagc tgggctccct tctcgtccgc ggcctcacca ctctggtttt agtcaacagc 120
gcatgtggct tcccctggaa gacgagtgat ttcatgccct ggaatgtatt tgacgggaag 180
ctttttcatc agaagtactt gcaatctgaa aagggttatg ctgtggaggt tcttttagaa 240
caaaatagat ctcggctcac caaattccac aacctgaagg cagtcgtctg caaggcctgc 300

<210> 88
<211> 300
<212> DNA
<213> Homo sapiens

<400> 88
ctgaaacaaa agatgtattt caattaaaag acttggagaa gattgctccc aaagagaaag 60
gcattactgc tatgtcagta aaagaagtcc ttcaaagctt agttgatgat ggtatggttg 120
actgtgagag gatcggaact tctaattatt attgggcttt tccaagtaaa gctcttcatg 180
caaggaaaca taagttggag gttctggaat ctcagttgtc tgagggaagt caaaagcatg 240
caagcctaca gaaaagcatt gagaaagcta aaattggccg atgtgaaacg gaagagcgaa 300

<210> 89
<211> 300
<212> DNA
<213> Homo sapiens

<400> 89
ggggacatgt gtccctcagc tcagcagagg ctgtggtaca acatggtcct tggtgaagac 60
ctgcacccct ggaacctccc accatcgtca caactgtagt ctcatttgca gtggagaaaa 120
gaacccgatg tcccacagcc agatatacac ccagctccat gccagccctt catgtttacc 180
ttttgctttg ttaattacat gtcagactcc tagagggcct ccagactaat aggaagcatt 240
tctgtaacca acctgccacc cactgattca gaaatggaaa tcacattcca caatctatgg 300

<210> 90
<211> 300
<212> DNA
<213> Homo sapiens

<400> 90
ctcatacaga aagtcagatc aacaaagagt ccaagaaaaa tgcgacccag ctagaccatt 60

tgatcccagg cttagcacac gattgcatgg catccccttt agccacttca accactgcag 120
acatccagga agctggactc tctcctcagt ccctccagac ttctggccac cacagaatga 180
aaaccccatt ttcaactgag ctatctttgc tccagcctga tactccagac tgtgctggag 240
atagtcatac cccactggct ttttccttca ccgaggactt ggaaagttct tgtttgctag 300

<210> 91
<211> 300
<212> DNA
<213> Homo sapiens

<400> 91
aatgcaaagg gctgcagttc tcattcaggc tactttcagg atgcacagaa catatattac 60
atttcagact tggaaacatg cttcaattct aattcagcaa cattatcgaa catatagagc 120
tgcaaaattg caaagagaaa attatatcag acaatggcat tctgctgtgg ttattcaggc 180
tgcatataaa ggaatgaaag caagacaact tttaagggaa aaacacaaag cttctattgt 240
aatacaaggc acctacagaa tgtataggca gtattgtttc taccaaaagc ttcagtgggc 300

<210> 92
<211> 300
<212> DNA
<213> Homo sapiens

<400> 92
aagatatgca gagatattcc aggatctttt agctttggtg cggtctcctg gagacagtgt 60
tattcgccaa cagtgtgttg aatatgtcac atccattttg cagtctctct gtgatcagga 120
cattgcactt atcttaccaa gctcttctga aggttctatt tctgaactgg agcagctctc 180
caattctcta ccaaataaag aattgatgac ctcaatctgt gactgtctgt tggctacgct 240
agctaactct gagagcagtt acaactgttt actgacatgt gtcagaacaa tgatgtttct 300

<210> 93
<211> 300
<212> DNA
<213> Homo sapiens

<400> 93
cgattcgcca gttctccatt ctgagagtca atcacgttcc tgataggttg tcattgattt 60
ttttcttcgt tggttttaac cttctaaaca tctccaggcc actttcttag ccttttttcta 120
ggtactaaaa agaggtccta cccacacctg cctcacactt ctcctttcca aggctgcctg 180
agtttggagg ggcttgggtg tgtgtgaaca agggccctgc attgtctagg cctgcagttc 240
ccaggcttgg gttcactttc accatgcatt ggcaaaacta gaaaagtaag cttgtgacaa 300

<210> 94
<211> 300
<212> DNA
<213> Homo sapiens

<400> 94
tttgtgcctg agcacccaca atttcaggat ttagactgtg tggcacctca gctttcctct 60
ggatgtaacc actccttggt gagagaggga actcctcacc aatcccattt gacaaaggct 120
aggcaatctt cattctgctt ggctttagtc attcttgtca ttgggctgca gaagaaaaac 180
aactttgctg ggtgatccca ctgccttgat ttcacctcgg agcgaggctg ggccatgtcc 240

aagtcttatg aggtcaccct gactagaaaa aattgaactc acctacaaat agtctgaaag 300

<210> 95
<211> 300
<212> DNA
<213> Homo sapiens

<400> 95
gtgagtccga gcatcagtgg cttctggagc agaccagcca cgtggaagag aagccttaca 60
gagatgggtc ggcagagccc tgctgatggc tgggccttgt gggcagccac tctgtgtgag 120
cagggtgttg ggcccataca cttcaaagac cagagccctg cactgggaga gtgctcctgg 180
cccaggctgg gaatcacctt tcgaggccct tcagactctg gcggggcttg ctgtggcctc 240
cctccagcta gtggtgtggc tgagcagact ccagggccag ggccagttcc cttctcccct 300

<210> 96
<211> 300
<212> DNA
<213> Homo sapiens

<400> 96
acaactccag acataattaa agactggccc aggaggaaga gggcggtggg ctgtggcgcc 60
ggctcctctt ccgggagggg cgaggtcggt gcagaccttc ctgggagcct gtcactgctt 120
gagacagagg gcaaggacca cggccttgaa ctcagcatcc acaggacgcc catcttggag 180
gattttgagc tcgagggagt gtgccagctc ccagaccagt cgcctcccag gaacagcatg 240
cctaaggccg aggaagcctc ttcctgggga cagtttgggt tgagttccag gaagagagtc 300

<210> 97
<211> 286
<212> DNA
<213> Homo sapiens

<400> 97
gtccagggcc cangttttaa tttnttttta aaaagcttta ggtcttgccg ggacggtggt 60
tcacncnnnn nnnnnnnnnn nnnnnnnagg cctaggcggg tggatcacaa ggtcagcagt 120
tcaagaccag cctgaccagc atggtgagac cctgtctcta ctggaaatac aaaaaaattg 180
gctgggcgag gtggcaggca cctgtggtcc cagctacctg ggaggctgag gcgggagagt 240
ctcttgaaac tggaaggcag aggttgcggt gagccgagat tgcgcc 286

<210> 98
<211> 300
<212> DNA
<213> Homo sapiens

<400> 98
caccattttt attttgatgc ttacactcat ttattctgtt tttgtaaaac agtttcggga 60
atttaaaaat ccttccagtt aatagagctt ttgttattat attataattt tgtaaaccca 120
ctttgttttt cccactttaa agccacaggg tcgactcatg gatgatacct ctattgctgc 180
tgcatgatgt tcaagaccgg cccttggctg ttgttacaga gatgttgggc agagctatgc 240
aggtgtttca ttgtgaactc tagctttgat catggtaaaa agttaaccct ttctattttt 300

<210> 99

<211> 300
<212> DNA
<213> Homo sapiens

<400> 99
agcctcgcct gggccggcct gtggctccca ttttcctttc agcgggacaa aggggacttg 60
ttaccaggcc attttctgga tggcctgtga gatctctgcc cctccaagac cctccaagtc 120
tgagcctgac ccacagctgg gacactgaat tcagccctgg gaaccatggg ggcttctatc 180
tggcaccagg ctgcagcctc cccaatccca gcccactttg ctgtgtctct ggcgggctgt 240
cctccttggt gggagctgtc ctgcacactg taggatgctt aaaggtatcc ctggcctcca 300

<210> 100
<211> 300
<212> DNA
<213> Homo sapiens

<400> 100
tccaaccctg gcgatgtcac cagcatggtg gctcaggtta gagctctctg aggacccagc 60
atagagcact ggtgccaggg accaaactga gaccccacca ccgtcatcaa cacttacata 120
ccataaaggt cttcagagtg ccttggccct agacctccct tcattctttg tagagatgga 180
atctaagaat gaaacatctc cactcagtcc tgcaaatatg gaagttcttg agatacсttt 240
ttttggtaga tacttgtgct ggtattctga gagtcacttt actctgatgg tttgcaagat 300

<210> 101
<211> 300
<212> DNA
<213> Homo sapiens

<400> 101
gtgtttcttc tacctcccct gcacaacatt gtttatatgc cccctaaaat gtaacttctt 60
tagattctgt tgttacgtgc aacactgtat atctctccat agcacttaat cagagtttgt 120
aattaggcat ctttttgtgt gattatttgg taaatgtcca tatcccctac tagcctataa 180
gctccatgac ttctaggtac cctgtctgac tacgtgtatc actggttcta ccgcctaaca 240
ttgcctagca cattcattgc ttcacaggca tctgaatatg ggtttataaa atacattgct 300

<210> 102
<211> 270
<212> DNA
<213> Homo sapiens

<400> 102
cctggccctg ctgcccctcc tgaatctcgt atgatggtca cagtccggtg gccgtggggg 60
tgctctgcct tccctggtcc ccactgccca tatctgtgga ctgccccttc caaagacccc 120
tggaggaggt gtnnnnnnnn nnnttnntgn ncccactacc ntgcactgaa ctggccntgt 180
tacancaann actgnncccn nttgttatna cacctntnac aaacacctgc tgctgtacat 240
gncnctactt taaggactnn anacctgtgc 270

<210> 103
<211> 300
<212> DNA
<213> Homo sapiens

<400> 103
gctggagcac gctggagagg ccatccctgc cctggcagcc gcggctgggg gagactcctt 60
tgccccattc tttgccggtt tcctgccatt attggtgtgc aagacaaaac agggctgcac 120
agtggcagag aagtcctttg cagtggggac cttggcagag actattcagg gcctgggtgc 180
tgcctcagcc cagtttgtgt ctcggctgct ccctgtgctg ttgagcaccg cccaagaggc 240
agaccccgag gtgcgaagca atgccatctt cgggatgggc gtgctggcag agcatggggg 300

<210> 104
<211> 300
<212> DNA
<213> Homo sapiens

<400> 104
ctcgcgtctc ttcactgcac attgcaatgc atttgcgatt cccatttctc tgctaggagc 60
cagcctgggt ggcgctgctc ccagagccgt gggtcccaga ccttgcgttc cttttgttcc 120
tgtccgttta tcaggacacg ggccccacct gtcacgtgcc cgaggccacc caagcccagc 180
ctgcggggcg ttcccactgc ctggatgccg gcttgagttc tgcgcacgca ggattcagtg 240
tggggacggc ccctgccgga taggcctagc cctggcccag gtggtgagcg gtttgcagtg 300

<210> 105
<211> 300
<212> DNA
<213> Homo sapiens

<400> 105
gggcactgtg gggctctccc cgcctctcct gccttgtttg cccctcagcg tgccaggcag 60
actgggggca ggacagccgg aagctgagac caaggctcct cacagaaggg cccaggaagt 120
ccccgccctt gggacagcct cctccgtagc ccctgcacgg caccagttcc ccgagggacg 180
cagcaggccg cctcccgcag cggccgtggg tctgcacagc ccagcccagc ccaaggcccc 240
caggagctgg gactctgcta cacccagtga aatgctgtgt cccttctccc ccgtgcccct 300

<210> 106
<211> 300
<212> DNA
<213> Homo sapiens

<400> 106
gctcaacgcc tatgtgaccc atctccatgc cgaatacaat cgacagaagg acatctacct 60
agcacatcgt gtggcccaag cttgggaatt ggcccagttc atccaccaca catccaagaa 120
ggcagacgtg gttctgttgt gtggagacct caacatgcac ccagaagacc tgggctgctg 180
cctgctgaag gagtggacag ggcttcatga tgcctatctt gaaactcggg acttcaaggg 240
ctctgaggaa ggcaacacaa tggtacccaa gaactgctac gtcagccagc aggagctgaa 300

<210> 107
<211> 300
<212> DNA
<213> Homo sapiens

<400> 107
tgtgagtttc ctatctgttc cagactagta tcgccaatct ctcccagctc tcttctttcc 60
tccctggcct ttgtcctgca ggaggtagca tcacctcttg gcattttgta catgctttta 120

aacaattgga ggagctgccc aggcagtttt atggcctcct ggttgtgtgc cttcacaccc 180
gcctacagcc ccacctcacc atcaagcgct gagccaatgc gggtgtggct ggccctgagt 240
tcctgagtca gctccttgcc agggccagag ctggtaacag cggggcagca gggtgggtag 300

<210> 108
<211> 300
<212> DNA
<213> Homo sapiens

<400> 108
aggttgctca cctgaaggag cacaggaggg ttttccaggc catgtggctc aggttcctca 60
agcacaagct gcccctcagc ctctacaaga aggtgctgct gattgtgcat gacgccatcc 120
tgccgcagct ggcgcagccc acgctcatga tcgacttcct caccccgcgcc tgcgacctcg 180
ggggggccct cagcctcttg gccttgaacg ggctgttcat cttgattcac aaacacaacc 240
tggagtaccc tgacttctac cggaagctct acggcctctt ggacccctct gtctttcacg 300

<210> 109
<211> 300
<212> DNA
<213> Homo sapiens

<400> 109
cacaaggaga agaaagttaa ttaacattga aagatgagaa gacatcttgg aagaacttga 60
attgggcctt ggaagaagaa cagccattca aatagataga attgtggtag caaaggcata 120
gaggtaggaa agtatagatc tccagggaca gtagtcatgg ggttggggca ctgttggaat 180
ttaaggttgg aaggatatat tggagcccct tgaatacggt aacaaggcac accttgggca 240
gtggagagtt atcagagtgt ttgaaaagga gggttattga gtaaataaat agactggtac 300

<210> 110
<211> 300
<212> DNA
<213> Homo sapiens

<400> 110
gacaccccag atgcagccac caccagcaga agcgatcagc tgaccccaca agggcacgtg 60
gctgtggccg tgggctcagg tggcagctat ggagccgagg atgaggtgga ggaggagagt 120
gacaaggccg cgctcctgca ggagcagcag cagcagcagc agccgggatt ctggaccttc 180
agctactatc agagcttctt tgacgtggac acctcacagg tcctggaccg gatcaaaggc 240
tcactgctgc cccggcctgg ccacaacttt gtgcggcacc atctgcggaa tcggccggat 300

<210> 111
<211> 271
<212> DNA
<213> Homo sapiens

<400> 111
cctggccctg ctgcccctcc tgaatctcgt atgatggtca cagtccggtg gccgtggggg 60
tgctctgcct tccctggtcc ccactgccca tatctgtgga ctgccccttc caaagacccc 120
tgggggggt ggggnnttcc ttctanncccn ntacnctatg tgtttaatnn ncntantnct 180
ttantantat ttnccantgn tnntnatatn nttnnanana nncntnctta nnnacattat 240
tttanntang ngatnntacc ttnntgnaan g 271

<210> 112
<211> 300
<212> DNA
<213> Homo sapiens

<400> 112
gttccctcac cttattcctc caagttcccc cttgggaacc tctgagatta acttgataag 60
ctccttgggc aagctcttta tcctaagatt cctcagtgag ccttatagag ttgctgcgag 120
aattacattt gttcatgatg tcaagtgtct ggtatgtagc taatgcttat tgaacacata 180
gtaatttatt gaataattgt catgatcact ggatgagata tagccactgt ggaggtaggc 240
acaccagggt tttagaggct tgggatcttg caacaggatt ttcctcttgc ctctccaaac 300

<210> 113
<211> 300
<212> DNA
<213> Homo sapiens

<400> 113
cccacatgta ccaggttgag tttgaagatg gatcccagat agcaatgaag agagaggaca 60
tctacacttt agatgaagag ttacccaaga gagtgaaagc tcgattttcc acagcctctg 120
acatgcgatt tgaagacacg ttttatggag cagacattat ccaaggggag agaaagagac 180
aaagagtgct gagctccagg tttaagaatg aatatgtggc cgaccctgta taccgcactt 240
ttttgaagag ctctttccag aagaagtgcc agaagagaca gtagtctgca tacatcgctg 300

<210> 114
<211> 300
<212> DNA
<213> Homo sapiens

<400> 114
acagttagtg taaaggatct gaatggcata gacttaactc ctgtgcaaga tactcctgtg 60
gcttcaagaa aagaagatac atatgtacat tttaatgtgg acattgagct ccagaagcat 120
gttgaaaaat taaccaaagg tgcagctatc ttctttgaat tcaaacacta caagcctaaa 180
aaaaggttta ccagcaccaa gtgttttgct ttcatggaga tggatgaaat taaacctggg 240
ccaattgtaa tagaactata cacgaaaccc actgacttta aaagaaagaa attgcaatta 300

<210> 115
<211> 288
<212> DNA
<213> Homo sapiens

<400> 115
gtgatctgcc tgccttggtc tcccaaagtg ctgggaatac aggcatgagc caccgcactc 60
ggccaggagc tagttttatc agcatcctgc tccactgcct tcctctagtg cagcctggaa 120
gacatggcag cgggtagctc ctggggctga gccagaagca tcactgcagt gaaagtctct 180
gcttacctgt ctggctcagc ttgggcaagg gctgggccat atgtgctcag ggacgtgctt 240
ctcttgtaag gcaggaggat anaanaggac cannaanggn gggagctg 288

<210> 116
<211> 300

<212> DNA
<213> Homo sapiens

<400> 116
tcaattagta acatctgaaa aaacagcttt gtcctgggtg aaaaaggatg ccaaaattgc 60
ctggaaaaga gcagtgagag gagtccggga gatgtgtgat gcatgtgaag caacattgtt 120
taacattcac tgggtctgcc aaaaatgtgg atttgtggtc tgcttagatt gttacaaggc 180
aaaggaaagg aagagttcta gagataaaga actatatgct tggatgaagt gtgtgaaggg 240
acagcctcat gatcacaaac atttaatgcc aacccaaatt atacctggtt ctgttttgac 300

<210> 117
<211> 300
<212> DNA
<213> Homo sapiens

<400> 117
gcactttcca gaattctctc atatttgtgg gctgggatca agcctgcagc ttgaggaaag 60
cacaaggaaa ggaaagaaga tctggtggaa agctcaggtg gcagcggact ctgactccac 120
tgaggaactg cctcagaagc tgcgatcaca actttggctg aagcccctgc ctcactctag 180
ggcacctgac ctggcctctt gcctaaacca caaggctaag ggctatagac aatggtttcc 240
ttaggaacag taaaccagtt tttctaggga tggcccttgg ctgggggatg acagtgtggg 300

<210> 118
<211> 300
<212> DNA
<213> Homo sapiens

<400> 118
agaacgttct caggttgacc agctgctgaa tatttcttta agggaggaag aacttagtaa 60
gtcattgcag tgcatggata acaatcttct gcaagcccgt gcagcccttc agacagctta 120
tgtggaagtt cagaggctac ttatgctcaa gcagcagata actatggaga tgagtgcact 180
gaggacccat agaatacaga ttctacaggg attacaagaa acatatgaac cttctgagca 240
cccaggtttg gcatagaaat ggtacccctt gttcaaaatg aacaagaagc cttagatttg 300

<210> 119
<211> 300
<212> DNA
<213> Homo sapiens

<400> 119
gaacaaagaa ggaatgtctt cctcatgttt gggtctatag aagacgttaa agaaaacttc 60
cagaaagtgg gtttgaggca tgagccacca cgcctggcca aaggatttaa tgaattaatg 120
gatgtacagt gctggggctg gtattctagg gcctgcattg agactcacat tttgccatca 180
aaagcctttt aagaggtgga ggttgcggtg agctgacatg gtgccactgc actccggcct 240
gagtgacaga gtgagactct gtctcacaaa aaaaataatg ccctttaaat aatgaataat 300

<210> 120
<211> 273
<212> DNA
<213> Homo sapiens

<400> 120
cctcagcctt ctaaaaagct ggggctacac ccagctgaag aaattgtaac taaagataga 60
ttgtttaaag caaagcaaga aacttctgaa gaaatggaac aaagtggaga agcctcagga 120
aagcccaaca gagagtgtgc accccagatt ccttgtagta ctcctattgc tactgaaagg 180
acagttgcac atttgaacac tctgaaggac cgtcacccag gtgatttgtg ggcccgcatg 240
cacatctcat cccttggaat atgctgcagg aga 273

<210> 121
<211> 300
<212> DNA
<213> Homo sapiens

<400> 121
agaacgttct caggttgacc agctgctgaa tatttcttta agggaggaag aacttagtaa 60
gtcattgcag tgcatggata acaatcttct gcaagcccgt gcagcccttc agacagctta 120
tgtggaagtt cagaggctac ttatgctcaa gcagcagata actatggaga tgagtgcact 180
gaggacccat agaatacaga ttctacaggg attacaagaa acatatgaac cttctgagca 240
cccaggtttg gcatagaaat ggtacccctt gttcaaaatg aacaagaagc cttagatttg 300

<210> 122
<211> 300
<212> DNA
<213> Homo sapiens

<400> 122
gttgcaagca gccttggaat agtaactctt ctcatttgtt tgggatctgg ccaccaagtt 60
ccagaatgat acacggatca gtgcagaagt tcatcaggct ctcggacctt agggctgttg 120
gagaaggctt cagcagcaga actgatggtg aaggctcgtg ttctccatcc tcaactttct 180
ttgcttcgat catacacaag aatacatttg gaagggcaaa aaaatgaaca ctgtcgttca 240
ttgcagccgt gttttgtgac acagatgcac agtctgctgt gaagaccttc tctcaagtgg 300

<210> 123
<211> 300
<212> DNA
<213> Homo sapiens

<400> 123
gtgatttcag cttccaaact ggtatacatt ccaaactgat agtacattgc catctccagg 60
aagacttgac ggctttggga ttttgtttaa acttttataa taaggatcct aagactgttg 120
cctttaaata gcaaagcagc ctacctggag gctaagtctg ggcagtgggc tggcccctgg 180
tgtgagcatt agaccagcca cagtgcctga ttggtatagc cttatgtgct ttcctacaaa 240
atggaattgg aggccgggcg cagtggctca cgcctgtaat cccagcactt tgggaggcca 300

<210> 124
<211> 300
<212> DNA
<213> Homo sapiens

<400> 124
catgctggcc agcatccctg cctgtgcaag ctctggatga gctgtgagcc cctgccaccc 60
acacccccac tccctgccag cctggcctca gggcctctga tccatgtgca ctggagagga 120

gatgactgac agggccactg gggcatttcc acgttaacag cagctgccac tggcaaaaga 180
agtgactcgc caatggaggc atctcagatg tgggcccagg agtctgggga gctactttga 240
acagggctat ccattcattg tcccaccaaa ggctatggag cccacccacc atgtgctgga 300

<210> 125
<211> 300
<212> DNA
<213> Homo sapiens

<400> 125
ggtaaattgg ttgaattatt gtattgaagc ttgagctgta gctaaaagta atttaggttt 60
cccctaagat gttattatgt tagggacata acacttttgg gaggttgttg tgggagatgg 120
ttgatttagg ttttcaaaag ctagaaataa aatttacatg ccttagattt cataaaattc 180
tgctctaatt gggtggaagg tgctgtatct aacttgtgtt cctcctaagg ttatgtccta 240
ataactattc ttttaggagt atacttctac tttatagaag gttgcttttc tttttaattt 300

<210> 126
<211> 300
<212> DNA
<213> Homo sapiens

<400> 126
tgaagaggag atcggtgacc tgggctcctt atgtgcctga aagagtttga gtttcctgtt 60
aactccaaat caacagtatt ttcaacaaga aatgtgcaat tgaaatcaag tgctgtttaa 120
gtgcagctag gatttccaca ggaagacact tgcagtgaac agagttatgg agcagcaaaa 180
acacagatct atttggaaaa agagaaaaca tatgcgttgt attttgcttc aattataaaa 240
taccatcctc tcaaaggtgg ttctaaatta caaaggactt tgatttctag gtagattctg 300

<210> 127
<211> 300
<212> DNA
<213> Homo sapiens

<400> 127
ggtgattccc atgctgaaca gtttgatctc ctgccagagt gtcgggccac aaactgggca 60
gcacatcagg atcacctggg ggccttcaaa aatcaaaaat ccaccccccag gccatgccct 120
ggacccactg caccaggaca agaaatccac cccaggcctc tccccagacc cactgcacca 180
ggacaagaaa tccaccccca ggccacgccc cagacccact gccctaggat gtgggggtgg 240
gaaccaggtg gtgctttgta aagacgtgca ggtggtaacc ccaggccccc acgctcggaa 300

<210> 128
<211> 300
<212> DNA
<213> Homo sapiens

<400> 128
tgagctggga gaaggggaga aagtttgtga agaggagatc ggtgacctgg gctccttatg 60
tgcctgaaag agtttgagtt tcctgttaac tccaaatcaa cagtattttc aacaagaaat 120
gtgcaattga aatcaagtgc tgtttaagtg cagctaggat ttccacagga agacacttgc 180
agtgaacaga gttatggagc agcaaaaaca cagatctatt tggaaaaaga gaaaacatat 240
gcgttgtatt ttgcttcaat tataaaatac catcctctca aaggtggttc taaattacaa 300

<210> 129
<211> 285
<212> DNA
<213> Homo sapiens

<400> 129
ggaaagcaca aggaaaggaa agaagatctg gtggaaagct caggtggcag cggactctga 60
ctccactgag gaactgcctc agaagctgcg atcacaactt tggctgaagc ccctgcctca 120
ctctagggca cctgacctgg cctcttgcct aaaccacaag gctaagggct atagacaatg 180
gtttccttag gaacagtaaa ccagtttttc tagggatggc ccttggctgg gggatnnnnn 240
nnnnnnnnnn nnnnnnnnnn nnaggaagat accatttctt gacgg 285

<210> 130
<211> 300
<212> DNA
<213> Homo sapiens

<400> 130
ccggacgcag gccctcgggc aggagcatct ggcagagtgg ggggcgtggc aggcaccctc 60
ctttgcaggg cgaggtgggg cctctgcagc catcctggac aggccggggt ggcggcagct 120
ttgcccacgt ggaagcgggg tgggtctcac ttgcgtggtg gcccctggcc ccatcttgcc 180
tgctgcggcc tggggagcag gcgctgggtg gtggttctgc ctgcttgctg ctcgttcccc 240
gggcatgcgt gggcagcggg gggcatgcgt gggcagcagg gggccgtggg cagcgggggc 300

<210> 131
<211> 300
<212> DNA
<213> Homo sapiens

<400> 131
gatctctata ctagtgaaca gtgccagttc cacactttgg acttagaact gttctctagt 60
tattgtaaca cagaatactg tcaatcccta atttacttaa tgttacttat tggaagtggg 120
gctgatgaaa tacgcacagg agggaaatct actgtgttta ggcacaggca gccccagtgt 180
ataaggagat catattccaa aaggttgtca gttggttgtt tgcaacctgg aatgtatttt 240
cctttagaga ccaggttatc catggtggtt aggcccctag agcagctgga aaagatgatc 300

<210> 132
<211> 300
<212> DNA
<213> Homo sapiens

<400> 132
ctcccatgga ggtggtggga atggcaccga gaagtttgat gacagttatc taatggacta 60
gaggttggca aactttctgt aaatggccag gtagtaaata gttctgcttt tgaaggcata 120
tggtctcttg cacctactcg aggctgaaag cagctataga caatacataa atgaatgagc 180
gtgagtgtgt tccaataaga aaaaaacatg gctgtttgct tcggccccag ggttgtagct 240
taccagtcct gtaacagatc acagtttgct cttttggtca caaatacttg aacccctccc 300

<210> 133
<211> 269
<212> DNA

<213> Homo sapiens

<400> 133
atgctatgcc aaagcctgct gccagctcca tagcctggac ctacagcact gcatggtgga 60
gtccacagct gtggtgagct tcttggagga ggcagggtcc cgaatgcgca agttgtggct 120
gacctacagc tcccagacga cagccatcct gggcgcactg ctgggcagct gctgccccca 180
gctccaggtc ctggaggtga gcaccggcat caaccgtaat agcattcccc ttcagctgcc 240
tgtccaggct ntgcaaaaag gctgccctc 269

<210> 134
<211> 300
<212> DNA
<213> Homo sapiens

<400> 134
gatggatgag actgttgctg agttcatcaa gaggaccatc ttgaaaatcc ccatgaatga 60
actgacaaca atcctgaagg cctgggattt tttgtctgaa aatcaactgc agactgtaaa 120
tttccgacag agaaaggaat ctgtagttca gcacttgatc catctgtgtg aggaaaagcg 180
tgcaagtatc agtgatgctg ccctgttaga catcatttat atgcaatttc atcagcacca 240
gaaagtttgg gatgtttttc agatgagtaa aggaccaggt gaagatgttg accttttttga 300

<210> 135
<211> 300
<212> DNA
<213> Homo sapiens

<400> 135
ggcgagcggg aacagctctt gaggagtgag actgcaggag atgtgggccg tgccaaagag 60
atggatgaga ctgttgctga gttcatcaag aggaccatct tgaaaatccc catgaatgaa 120
ctgacaacaa tcctgaaggc ctgggatttt ttgtctgaaa atcaactgca gactgtaaat 180
ttccgacaga gaaaggaatc tgtagttcag cacttgatcc atctgtgtga ggaaaagcgt 240
gcaagtatca gtgatgctgc cctgttagac atcatttata tgcaatttca tcagcaccag 300

<210> 136
<211> 300
<212> DNA
<213> Homo sapiens

<400> 136
gacttctaaa tatatcttgg atataatagg tgataagttc tgtcaattag taacatctga 60
aaaaacagct ttgtcctggg tgaaaaagga tgccaaaatt gcctggaaaa gagcagtgag 120
aggagtccgg gagatgtgtg atgcatgtga agcaacattg tttaacattc actgggtctg 180
ccaaaaatgt ggatttgtgg tctgcttaga ttgttacaag gcaaaggaaa ggaagagttc 240
tagagataaa gaactatatg cttggatgaa gtgtgtgaag ggacagcctc atgatcacaa 300

<210> 137
<211> 300
<212> DNA
<213> Homo sapiens

<400> 137

ttgacaaatt gctggaacac acttattgtg gtttacccgg ttttaattat gtcagagatt 60
gcatcatcct tatgcttgtt tacatctata atcttctatg aaatggtggt accaaggggc 120
gcccaacagc ttttatcccc attcttagag catattcttt attataatga ttatccaaca 180
tatttcttta attttaatac aaaaaataca tcatttaatt tttgttacat atgaacattc 240
atttttaaat gctcagcctc aagtgcaggc atttttgagt ggcctgatta catattcctc 300

<210> 138
<211> 300
<212> DNA
<213> Homo sapiens

<400> 138
ggaaggggag ggttggtgag tcccagacct taaaaataca aggttaagag ggaccccaaa 60
gcaaaaaatt ccaacccttt tcctcccagt cattgaaaca ccaaaactat tataccggag 120
ggtgtaatag ttttgctgcc cagttgtggt aggccagtag tggcctccca agatgcccat 180
gtcctaatcc caggaacctg tcaaaattac cttgtatggc caaaggggct ttgcagatgt 240
aatgaagtta aggatctttc gccaggaaga ttatcccagc ttgttcagga gggcttgatg 300

<210> 139
<211> 300
<212> DNA
<213> Homo sapiens

<400> 139
gacatcattt tcttattcta gtaagagaaa gtacacagat tcaactttag agaggacttt 60
tttttttctg gagctaaatc aaggaaggat tatcacgtgg cctcccttga atataatttt 120
gaagctgtga acagtaccat cagtaacatt ttatggacag ctctgatggt ttttatacca 180
cggcactctt cttacctttg ggggaagcta tctggagtta tgactgatgt gtaaagtggt 240
ttactgttag aatcctggtg tgctaggatt ctgggagagt cactttcagg aagttacctg 300

<210> 140
<211> 300
<212> DNA
<213> Homo sapiens

<400> 140
gctgcccagg cagttttatg gcctcctggt tgtgtgcctt cacacccgcc tacagcccca 60
cctcaccatc aagcgctgag ccaatgcggg tgtggctggc cctgagttcc tgagtcagct 120
ccttgccagg gccagagctg gtaacagcgg ggcagcaggg tgggtagcct ctaccagcca 180
gggcagtccc tgaggggcca gcagggggc tgactgccta gtggctcaac ctcctgaacc 240
cacccactcc cagcgatgct acccagaacc ccaacggcat gaatcctgca cagtgccggg 300

<210> 141
<211> 300
<212> DNA
<213> Homo sapiens

<400> 141
cccaaactta tcgggggtgc cagaggcaga gtagacaagc cttagtggcc gccatttgtt 60
gaatatctac tgtgcgccaa gcagtgcgtc acaactttat gaagtaggta ttattatcat 120
ccccatttta caggtgaaga aactgagtct ctgagagacc aacttttcca aggtcacaca 180

gaggtgggat ccagcccact tccgtctgac cccaagcccc tgctgttaac ccctgcccca 240
ttgtggggag gttccggccc actctggagt tctctggtct gcgtcagtcc tcaggagaag 300

<210> 142
<211> 300
<212> DNA
<213> Homo sapiens

<400> 142
gaaaggtggc gcgcttctca cggctgagtt gctgcgcctg cagacggaag ctccccacag 60
gcagagctgc ttggatgtgt gagtcatgaa gccagagaag ccccgctcca tgagcagtga 120
ctccccaggc cctgtgacct ccctcctgtc ttgcagctcc tcctggcacc agtccccagg 180
gctctcctgt tggtagttcc tgcttttctt cttggaaatt cctcgtggac ctcgagatct 240
ttaccctaaa atagttctgt tgaatttcac cctggcaatg taaattgata gcttatcttc 300

<210> 143
<211> 300
<212> DNA
<213> Homo sapiens

<400> 143
cttggccttg cttctctgag aaaactttgg tcacacctcc agagccaggg tgggtgcctc 60
cctggaggag gggctttcc tggttggtgg cacagcagga gtccaggctt tgtaccgtgg 120
acaccatggg ctatggcaac accttcctca ccatccttcc atgaggacct cgggagagag 180
tggacatgaa accctttgtg ctctgaagca ttcaacagaa gctttctggt tctgtgccta 240
tttctttggc acttgagcgt gtttgcaggt tcattacaca catgatgaaa gctctggccc 300

<210> 144
<211> 300
<212> DNA
<213> Homo sapiens

<400> 144
cctgactgag tgcctgacgg tggacccccct cagtgccagc gtctgaaggc agctgtaccc 60
taagcacctg tcacagtcca gccttctgct ggagcacttg ctcagctcct gggagcagat 120
tcccaagaag gtacagaagt ctttgcaaga aaccattcag tccctcaagc ttaccaacca 180
ggagctgctg aggaagggta gcagtaacaa ccaggatgtc gtcacctgtg acatggcctg 240
caagggcctg ttgcagcagg ttcagggtcc tcggctgccc tggacgcggc tcctcctgtt 300

<210> 145
<211> 300
<212> DNA
<213> Homo sapiens

<400> 145
gccagagcct agaggagaga tcaaagaccc tggccgaagt gaagcccatt ctgcaagcaa 60
ctgggttccc atggcatgtg gtggccttag aggaggtgtt cagcctgcca ccgtcggtgc 120
tttggtgctc tgcccaggag ctggtgggat ccgagggggc ctacaaggcg gccgtggaca 180
gcttcctcca gcagcagcat gtgctggggg ccgggggtgg tcctggnccg actcaagggg 240
annnnnnnnn nnncncaacc cccgctggac ccccngaanc tggcaagacc ngctgcccct 300

<210> 146
<211> 300
<212> DNA
<213> Homo sapiens

<400> 146
tgactttgta cctggtccaa gctgttgggg aattgctgct gttgacccag gcaggagtct 60
gactagagaa caaactaagg ttgctgcaac aaacaaggac ctcttccaag aagggctccc 120
aggcctggcg cagtgactca tgcctgtgat cccagcactt gggaggccga ggcgggtgga 180
tcatttgagg ccaggagttc gagaccagct tggccaacat gatgagaccc cgtctctatt 240
aaaaatacaa aaattagcca ggcgtggtgg cgcctgtagt cccagctact caggaggttg 300

<210> 147
<211> 295
<212> DNA
<213> Homo sapiens

<400> 147
ggnaangcna nngnaggaga nagagaagna ncagtnnagn cccangaaac ccnntgaaac 60
ccttagaagn cagaggagng aaaggangaa aaananggnn ggangagaac nnannnnggn 120
caaannaagg anganngnta ggngngaaaa anaanaacaa anggggaaaa ngggaaaaaa 180
ggcganaaag gnaananag nanaaggngg aananannnn annagaaagg ncaanaaaag 240
aagnacaaag aaaaangana anaagnaann annananga cagagacaag aagga 295

<210> 148
<211> 300
<212> DNA
<213> Homo sapiens

<400> 148
cgctgtgctt gagaccaacc tgacgggtac cttctacatg tgcaaagcag tttacagctc 60
ctggatgaaa gagcatggag gatctatcgt caatatcatt gtccctacta aagctggatt 120
tccattagct gtgcattctg gagctgcaag agcaggtgtt tacaacctca ccaaatcttt 180
agctttggaa tgggcctgca gtggaatacg gatcaattgt gttgcccctg gagttattta 240
ttcccagact gctgtggaga actatggttc ctggggacaa agcttctttg aagggtcttt 300

<210> 149
<211> 300
<212> DNA
<213> Homo sapiens

<400> 149
agtgtcagtt ttcctaatct cagtccaggt aggaattaag aaatatctca agtgttgatg 60
ctatccaagc atgttggggt ggaagggaat tggtgcccag aaaatgggac tggagtgagg 120
aatatctttt cttttgagag tacccccagt ttatttctac tgtgctttat tgctactgtt 180
ctttattgtg aatgttgtaa cattttaaaa atgttttgcc atagcttttt aggacttggt 240
gttaaaggag ccagtggtct ctctgggtgg gtactataat gagttattgt gacccacagc 300

<210> 150
<211> 300
<212> DNA

<213> Homo sapiens

<400> 150
tgtagacttt atgtcagttc tgtgtagact ttatgtcagt ttttgtcatt atttgaaaat 60
ctattctgac aactttttaa ttcctttgat cttataagtt aaagctgtaa caactgaaat 120
tgcatggatc aagtaagcat agttttatcc agggagaaaa ataaaaggaa gccatagaat 180
tgctctggtc aaaaccaagc acaccatagc cttaactgaa tatttaggaa atctgcctaa 240
tctgcttata tttggtgttt gtttttttgac tgttgggctt tgggaagatg ttatttatga 300

<210> 151
<211> 300
<212> DNA
<213> Homo sapiens

<400> 151
gcgggcccgg ccagcggaag cccctgcgcc cgcgccatgt caaagaaaaa aggactgagt 60
gcagaagaaa agagaactcg catgatggaa atatttctg aaacaaaaga tgtatttcaa 120
ttaaaagact tggagaagat tgctcccaaa gagaaaggca ttactgctat gtcagtaaaa 180
gaagtccttc aaagcttagt tgatgatggt atggttgact gtgagaggat cggaacttct 240
aattattatt gggcttttcc aagtaaagct cttcatgcaa ggaaacataa gttggaggtt 300

<210> 152
<211> 300
<212> DNA
<213> Homo sapiens

<400> 152
gatattcaca cagtatgtat tatattaacc atatcacact taagttatta aattcagact 60
atttgtaact tattgttata gggcctgccg tatggcttag gatatttgag taatcatata 120
tttaaagtaa aaactttggg ctgggcacag tggctcacac ctgtaatccc agcacttggg 180
gaagctgagg tgggcagatc agttgaggtc aggagttcta gaccagcctg gtcaacatgg 240
cgaaacccca tctctactaa aaatacaaaa attagctggg cgtggtggca cacacctgta 300

<210> 153
<211> 300
<212> DNA
<213> Homo sapiens

<400> 153
cagagaccag ccttctccag aggctgtcac tgcaggagcc gtgggcctgg gaagacttgg 60
aagcggcctc tctcaactgg tttctgtctc cgtggagctg gaactgcctg cacttgcctt 120
cagagggagg cacagtccac ccagatccac ctttccagca agacccccag tggctgccca 180
gcctgggagc acctctttgc ttttcacacc aaaccaaaac tggcgagagc ccctcctagc 240
caccagtgat ccccaagcat ccagtacaga accaggcatc gagctagctc cctgcacggc 300

<210> 154
<211> 300
<212> DNA
<213> Homo sapiens

<400> 154
cttgacctct gtactttaaa gaaatcacta accaaatttt caaagtttcc ttttaaatgc 60
gtttagctag aaatctatgt atttatccct ttcctatttt gcattcttct cccactattt 120
ttaaaaactc atttacagta gaaaccattc ttctttctcc caacagtatc ctttgccaag 180
accatgagaa cagtatggga gcatgttgtt ggtcagggtt tcagaatacg cgtgatgtca 240
ctgagaatgt ttgctcacag tcaataattg tctttgtgga tgtgataatt ttggagatac 300

<210> 155
<211> 81
<212> DNA
<213> Homo sapiens

<400> 155
gatcattgtt aattagtgac atagtaacat ctgtagcagc tggttagtaa acctcatgtg 60
ggggaggtgt gggaggtttt a 81

<210> 156
<211> 300
<212> DNA
<213> Homo sapiens

<400> 156
ggcagcacaa gtgtgcaaac agctatggaa agtgaactcg gagagtctag tgccacaatc 60
aataaaagac tctgcaaaag tacaatagaa ctttcagaaa attctttact tccagcttct 120
tctatgttga ctggcacaca aagcttgctg caacctcatt tagagagggt tgccatcgat 180
gctctacagt tatgttgttt gttacttccc ccaccaaatc gtagaaagct tcaactttta 240
atgcgtatga tttcccgaat gagtcaaaat gttgatatgc ccaaacttca tgatgcaatg 300

<210> 157
<211> 300
<212> DNA
<213> Homo sapiens

<400> 157
ctggtgagga gtctttgcga gagcgaggag cagcggttac tggaacaggt gcatggcgaa 60
gaggagcggg cccaccagag catcctgaca cagcgggtgc actgggccga ggcgctgcag 120
aaacttgaca ccatccgcac tggcctggtg ggcatgctta ctcacctgga tgacctccag 180
ctgattcaga aggagcaaga gattttcgag aggaccgaag aagcagaggg cattttggat 240
ccccaggagt cggaaatgtt aaactttaat gagaagtgca ctcggagccc actactgacc 300

<210> 158
<211> 300
<212> DNA
<213> Homo sapiens

<400> 158
cgacagctct ccaatactca ggttaatgct gaaaaatcat ccaagacagt tattgcaaga 60
gtttaatttt tgaaaactgg ctactgctct gtgtttacag acgtgtgcag ttgtaggcat 120
gtagctacag gacattttta agggcccagg atcgtttttt cccagggcaa gcagaagaga 180
aaatgttgta tatgtctttt acccggcaca ttccccttgc ctaaatacaa gggctggagt 240
ctgcacggga cctattagag tattttccac aatgatgatg atttcagcag ggatgacgtc 300

<210> 159
<211> 300
<212> DNA
<213> Homo sapiens

<400> 159
agtacccaga gttgcgagga gtttttaac tgatttagcc aggtggcaat catgagtgaa 60
tggatgaaga aaggcccctt agaatggcaa gattacattt acaaagaggt ccgagtgaca 120
gccagtgaga agaatgagta taaaggatgg gttttaacta cagacccagt ctctgccaat 180
attgtccttg tgaacttcct tgaagatggc agcatgtctg tgaccggaat tatgggacat 240
gctgtgcaga ctgttgaaac tatgaatgaa ggggaccata gagtgaggga gaagctgatg 300

<210> 160
<211> 294
<212> DNA
<213> Homo sapiens

<400> 160
ctttgagcta ggataaaaat tgggtaaagg acatttgctt acctgcaaat gaatcactgt 60
ggaaatgtga tcttcccata tcatcaagaa acttgttttc tggatgaata ctgggagaat 120
aaaatgagaa ctctggagtg agctaaattg atcccaatta agtttttctg cttagcagac 180
agaaggtata attttttgac acccttttccc acctggtgcc tatgctaggc ttgtnctgat 240
aacatccctc actnactnga tnntcacatn gnncttncnc tgangtccca tttt 294

<210> 161
<211> 300
<212> DNA
<213> Homo sapiens

<400> 161
cttcctcaaa gcatggttgc tgagtaccca gagttgcgag gagtttttta actgatttag 60
ccaggtggca atcatgagtg aatggatgaa gaaaggcccc ttagaatggc aagattacat 120
ttacaaagag gtccgagtga cagccagtga gaagaatgag tataaaggat gggttttaac 180
tacagaccca gtctctgcca atattgtcct tgtgaacttc cttgaagatg gcagcatgtc 240
tgtgaccgga attatgggac atgctgtgca gactgttgaa actatgaatg aaggggacca 300

<210> 162
<211> 300
<212> DNA
<213> Homo sapiens

<400> 162
gccccgtgtg gggagacgga cagcaccctc ctcatctggc aggtgccctt gatgctatag 60
cgcctcccct ctcccctcag agggcacagc tgcaggcctg accaaggcca cgcccggctc 120
tcgtgctcta ggacctgcac gggacttgtg gatgggcctg gactctccag aaactacttg 180
ggccagagca aaggaaaacc tcttgtttta aaaaaatttt tttcagagtg ttttggggag 240
gagttttagg gcttggggag agggaggaca catctggagg aaatggcctt ctttttaaaa 300

<210> 163
<211> 300
<212> DNA

<213> Homo sapiens

<400> 163
gaccggctgg gcctacaaaa agatcgagct ggaggatctc aggtttcctc tggtctgtgg 60
ggagggcaaa aaggctcggg tgatggccac cattggggtg acccgaggct tgggagacca 120
cagccttaag gtctgcagtt ccaccctgcc catcaagccc tttctctcct gcttccctga 180
ggtacgagtg tatgacctga cacaatatga gcactgccca gatgatgtgc tagtcctggg 240
aacagatggc ctgtgggatg tcactactga ctgtgaggta tctgccactg tggacagggt 300

<210> 164
<211> 300
<212> DNA
<213> Homo sapiens

<400> 164
aaaatttata ngtaatgaca aatgacttat cagtgttcat catctgaaag ctaagtggtt 60
cgttcaatca ctttttcaaa gttgatagta gattgcatgg tttcatgttt cctcatattg 120
gtttattaat tctatttaat caaggaaaat aacttcagat tccataaagt ttcagtttat 180
ttttagttta ctactaggtg agatagcaca ttacatactt ttactatcaa atattatttt 240
agcagcttcc catagtacca aatgatttga ttccctactc tcatttttta aagcatataa 300

<210> 165
<211> 300
<212> DNA
<213> Homo sapiens

<400> 165
ctggactctg agtcgtcttg gtcccaggag ccagtagtga aggcaacagt ctgcccacct 60
gtggacacca gatcctggga gctcctggtt agcaagtgag atctctggga tgtcagtgag 120
gctggttgaa gaccagaggt aaactgcaga ggtcaccacc cccaccatgt cccaggtgat 180
gtccagccca ctgctggcag gaggccatgc tgtcagcttg gcgccttgtg atgagcccag 240
gaggaccctg cacccagcac ccagccccag cctgccaccc cagtgttctt actacaccac 300

<210> 166
<211> 300
<212> DNA
<213> Homo sapiens

<400> 166
cttctgttga ttggtttgtt taaagtacct aagtactacc ctttgactcc ctaccaaaag 60
ttcttttgtt ttttaaacaa cttttatttg tgacttactt tcttgagaag tgttcttaat 120
gaattgcata aaatagtggt agcagcttat ttcttaagta ctttattatt tgtgctttac 180
catttcaggt tcttatcttt aacccttatt tactcagttt tccatctgaa tgatcctatc 240
tctaaattaa ggatttaata aatgctgcaa attgtccact ttgcaaattg tccaaaagct 300

<210> 167
<211> 300
<212> DNA
<213> Homo sapiens

<400> 167

gcgagatgaa gctacactgt gaggtggagg tgatcagccg gcacttgccc gccttggggc 60
ttaggaaccg gggcaagggc gtccgagccg tgttgagcct ctgtcagcag acttccagga 120
gtcagccgcc ggtccgagcc ttcctgctca tctccaccct gaaggacaag cgcgggaccc 180
gctatgagct aagggagaac attgagcaat tcttcaccaa atttgtagat gaggggaaag 240
ccactgttcg gttaaaggag cctcctgtgg atatctgtct aagtaaggat tccatatggc 300

<210> 168
<211> 300
<212> DNA
<213> Homo sapiens

<400> 168
gtctgggcag cctacgcttt ccggataaaa atggcagaat gaaagaatta tgagtggaac 60
tagagaatag gaaagacatg aaccaacgcc caaaatgaga aagaaggaca tataaagaaa 120
aagacaaata caagtgaaaa aaatatacta atggattaac gtccctgtcg agtgacattt 180
tctgactatg gaaatgatat tagacaaaaa gcaacttcaa gtgggtttct tatttgagtt 240
caaaatgggt cataacgcag catagataac ttgaaacatg aacagcgcat ttggcccagg 300

<210> 169
<211> 296
<212> DNA
<213> Homo sapiens

<400> 169
gagatctctg ggatgtcagt gaggctggtt gaagaccaga ggtaaactgc ggaggtcacc 60
accctcacca tgtcccaggt gatgtccagc ccactgctgg caggaggcca tgctgtcagc 120
ttggcgcctt gtgatgagcc caggaggacc ctgcacccag cacccagccc cagcctgcca 180
ccccagtgtt cttactacac cacggaaggc tggggagccc aagccctgat ggccccgtgc 240
cctncattgg gncccctggc tanttcancn agncccncag gtngagncca aagcca 296

<210> 170
<211> 300
<212> DNA
<213> Homo sapiens

<400> 170
gggtgttgga gcagattgta gttgatccac agcaaagagc atcaccaaag ccattccagg 60
aggaactaga tccaccactt cctctgctgg gcatgctcca aaaatggttg tggcttccag 120
agaggactcc aaaagaaagc acaaaaacta gacagtggga gggcataccc aaaagccctg 180
agtttctgaa aaaatattga aagtttctat ggtgaaatag gaagttaatg tgcttaggaa 240
gaaaaaagtg gtaatgattc aaggaaacat aatcacacac ggttttagtt ttaatggaca 300

<210> 171
<211> 300
<212> DNA
<213> Homo sapiens

<400> 171
atggaggcac cagcaggtag tggcccctgt aagcagggcc agagtcggga caaagagcag 60
gagtgaagca gccaagagac agaggaccag gctggagcca gtgggcacgc aggagcctgc 120
ctgggaaaag ccgggggcca aggctggcat gggaatgaac acctgctggt gacacctctc 180

tgagcttcag ttcccttaac tagaaaaata gaacaggccc ggtgcggtgg ctcatacctg 240
taatcccagc actttgggag gctgaggcgg gtggatcatg aggtcaggag atcaagacca 300

<210> 172
<211> 300
<212> DNA
<213> Homo sapiens

<400> 172
ggcggaggag cagaagctca agctggagcg gctcatgaag aacccggaca aagcagttcc 60
aattccagag aaaatgagtg aatgggcacc tcgacctccc ccagaatttg tccgagatgt 120
catgggttca agtgctgggg ccggcagtgg agagttccac gtgtacagac atctgcgccg 180
gagagaatat cagcgacagg actacatgga tgccatggct gagaagcaaa aattggatgc 240
agagtttcag aaaagactgg aaaagaataa aattgctgca gaggagcaga ccgcaaagcg 300

<210> 173
<211> 300
<212> DNA
<213> Homo sapiens

<400> 173
gtctttccca ttcacttctc tagaaagctg ccaagacaga ggcagaaaga aatggatgat 60
agttctgtca agcacacttc tgttctctta gaacttagaa gtgtttctaa gagaacagaa 120
gtaataagag aaacagttac gtgtggaatt caacatcttt ggttggaacg cattggcttt 180
tttttcttg ttttgataga aatggaatta agcaaaagta gtttttgtct tttctgttgt 240
cttcaaattt caggccatct atttttaatt taatcccgtt caagtacttg attgttatac 300

<210> 174
<211> 300
<212> DNA
<213> Homo sapiens

<400> 174
attatttcca aagcagccta cagtagaaaa tagtcattat ggcagcagct tctgatgttt 60
ttgtttggta ggttttctga tttcaatata tagaatcata ttcatagagt atcttctttt 120
aacgaattgc acaaagtacc catttaaaat ttacatgcac agttcattgc caccttttctt 180
aggcctatgc atagttaata aggttataat ctactcaaca tggaaaatgg agcctatttg 240
caaacacaca agtaattaaa gtaccaattc tctcttagtt tcttttttta tagttggttt 300

<210> 175
<211> 300
<212> DNA
<213> Homo sapiens

<400> 175
tgganactct ttantatgga aggtgaattt cctgtcaaca tagtccagga caaagcagtt 60
ccaattccag agaaaatgag tgaatgggca cctcgacctc cccagaatt tgtccgagat 120
gtcatgggtt caagtgctgg ggccggcagt ggagagttcc acgtgtacag acatctgcgc 180
cggagagaat atcagcgaca ggactacatg gatgccatgg ctgagaagca aaaattggat 240
gcagagtttc agaaaagact ggaaaagaat aaaattgctg cagaggagca gaccgcaaag 300

<210> 176
<211> 300
<212> DNA
<213> Homo sapiens

<400> 176
tataaacttt attttattct cttctggggt agagttacat gacaagaaat tgaattaatt 60
caataaaatt ttagttcggg ttgcttaggt ttttactgct cccattcttg cttttactaa 120
tttatccaag attagatgtg attactattt aataataatt tagtcctcac acttacaaac 180
cacttacaat accagcatgc ttctatcact gtaattctat tcaattctca ggcccatgag 240
gcatgccagc cagacgacca gacagcattt atagagaggg cactcaatac cagccacaaa 300

<210> 177
<211> 300
<212> DNA
<213> Homo sapiens

<400> 177
gactggagaa gtcagaagta gaaaagcaga ttgctaggag agacaggatg acagattttg 60
gtcagaaaat gggatattgg agtttaaagt atcaaataca gaatagttcc agatgttcag 120
agatccagca tgggattagg tactgaaatg gattagaact aaaagtcact agaatttaga 180
aattgagaac catgagagtg gatgcaatga cttgttgctt gattgaaaaa taaattaata 240
ataataaagg accatgagac tagcctgtta tagggggtat ctccatgann nttgtttttc 300

<210> 178
<211> 300
<212> DNA
<213> Homo sapiens

<400> 178
tcctggtgtc aaacactata aacctttgac cagctgagct gtgactgctg tcacatatct 60
gagtcctgtg tgcacagtaa tatcctgggt caggtaaaat ccaggtcttc aagttttaag 120
gattttttga agaattcggg cttctttaag acgatccatg cccaaatcca caagcttgtt 180
gacagtggat tacagtttgt gtggcaaagt ccaagttgtt acactgtgct ttaaaaaaaa 240
tcttatctgc atgtattgtt aacttagaga ccatgagatc tatttatcag gaccaggaag 300

<210> 179
<211> 300
<212> DNA
<213> Homo sapiens

<400> 179
ctcatgcctg taatcccagc actttgggaa gcagaggtgg caggatcatt ccagcccagg 60
agttcaagac cagcctgggc aacacagtga gtgagaccct gtctctattt aagaaaaaat 120
aattaagaaa ttttattaaa aaagaagaat caggaaacca agtccaaccc aactaaacct 180
caaatgaacc agcccctaac acagatgagg ggatttggga ctgataagct ctgtgctgtg 240
tccatggccc gtcatttatc aaggctgcag ctttgtaaat gtggctattt ttatgttgtg 300

<210> 180
<211> 300
<212> DNA

<213> Homo sapiens

<400> 180
gtgatctgcc tgccttggtc tcccaaagtg ctgggaatac aggcatgagc caccgcactc 60
ggccaggagc tagttttatc agcatcctgc tccactgcct tcctctagtg cagcctggaa 120
gacatggcag cgggtagctc ctggggctga gccagaagca tcactgcagt gaaagtctct 180
gcttacctgt ctggctcagc ttgggcaagg gctgggccat atgtgctcag ggacgtgctt 240
ctcttgtaag gcaggaggat agaagaggac caagaaggga gggagctgcc ctgtggtgca 300

<210> 181
<211> 300
<212> DNA
<213> Homo sapiens

<400> 181
cccatgccgg gatcttccca cacccgtcct cacagatcca gccccagccc cttgcttccc 60
aggccatctc tcagcagcac ctgcaggatg cgggcacccg ggagtggagc cctcagaacg 120
catccatgtc ggagtctctc tccatcccag cttccctgaa cgacgcggct ttggctcaga 180
tgaacagtga ggtgcagctc ctgactgaaa aggccctgat ggagcttggg ggtgggaagc 240
cgcttccgca cccccgggcg tggttcgtct ccttggatgg caggtccaac gctcacgtta 300

<210> 182
<211> 300
<212> DNA
<213> Homo sapiens

<400> 182
tttgcagtgt tgtcagaaac aaataataaa gccccaaaag attaactagt tgaaaaaact 60
ggcaaaatct gtatacgtgg aaatttacca ggacagagac tgaagaataa agaaaatgag 120
tttcattgcc agatcatgaa atccaaagaa actttaaaga agatgagttg tgtaaatgga 180
actgaaggga gggaagagct gccttcgcct gggacaaaga aaacatgtgt atacacatgg 240
gtcaagcagt gctggtctgt ggctgcctgt ccagaggaat ggaaatatcc cttgtcttta 300

<210> 183
<211> 300
<212> DNA
<213> Homo sapiens

<400> 183
cggacccatc ggagcgtaac ctggatctcc gcaggcctgg cggaggccgg ccacctggag 60
gggcattgct tggttcgcgt ggtagcagag gagcttgaga atgttcgcat cttaccacat 120
acagttcttt acatggctga ttcagaaact ttcattagtc tggaagagtg tcgtggccat 180
aagagagcaa ggaaaagaac tagtatggaa acagcacttg cccttgagaa gctattcccc 240
aaacaatgcc aagtccttgg gattgtgacc ccaggaattg tagtgactcc aatgggatca 300

<210> 184
<211> 300
<212> DNA
<213> Homo sapiens

<400> 184

ctgttttgca gatgaggaaa ctgaggtaca gaattcttag ggaacttacc caaaatggct 60
tttctgcact ctgccctttg gtattgtccc atgtgaattg tttaaaactt atgtgtatag 120
tggcatgagt aggtgatttc agaaacagaa ctcacttttg ttgtttggtc ttaaaattag 180
gaacttttct tcatctgggc ttcatttccc tgcaccttcc cagctttcta gtcatgcaag 240
ccacatgtct ccacgtgagg ggttcattgg aaagcagcca cagagccacc ccctggctgg 300

<210> 185
<211> 260
<212> DNA
<213> Homo sapiens

<400> 185
attatagaga ttaatctcct ttgctcgaag tctatttaaa tattagtcac atctaaaaca 60
tacttttaca gcaacatcta gactggtgtt tgaccaaaca actgggcatc atagctgaca 120
cataaaatta accatcacaa ccatgttcta ggcactgttc ctcactgcct gagaagacac 180
cgttatgttt attagggttt ttgagtttta tccacagctt ttggttatct gcaaccatgt 240
ctcccacctt taacatagtt 260

<210> 186
<211> 300
<212> DNA
<213> Homo sapiens

<400> 186
gataaactct tcagtgacga atattagaaa aagttagtta tacatttgag gaaaactata 60
aaagtaccaa taatgagtag gaaatcactt ctgcagtatt tttggagcat tttccttaag 120
catgacataa aagccaaagg tcacaaggga aaaaactgat agatttgtct gtgatattga 180
gagatgtatg cacatataca tacaacagtc atagtaagac accgttagac aaaaggtgat 240
gtatgaaaaa gaggcaaaac aacaagaaga aaagattgaa aaaatgagag ctgaagacgg 300

<210> 187
<211> 300
<212> DNA
<213> Homo sapiens

<400> 187
aaaaagtaaa gcttttcatg agcacaaatc ccttgcattg tttgatgtta ctgatattcg 60
taaaatgaat attttttgtt ttgttttgtt ttattttttt gagacaagtc ttgctttgtt 120
gcccaggctg gagtgcaatg gcatgatctt ggctcactgc aacccctgcc ttgcgagttc 180
aagtgattct tctgcctcag cctcctgagt agctgggatt acaggcgctc accaccacac 240
ccagctaatt tctgtatttt tagtagacac agggttttac catgttggcc angctggtct 300

<210> 188
<211> 300
<212> DNA
<213> Homo sapiens

<400> 188
gagcattcct cctttgttaa cgaagcaaca tttacacaag atggacatta cattattagt 60
gcatgctctg atggcactgt aaagatctgg aatatgaaga ccacagaatg ttcaaatacc 120
tttaaatccc tgggcagcac cgcagggaca gatattaccg tcaacagtgt gattctactt 180

cctaaaaacc ctgagcactt tgtggtgtgc aacagatcaa acacggtggt catcatgaac 240
atgcaggggc agattgtcag aagcttcagt tctggtaaaa gagaaggtgg ggactttgtt 300

<210> 189
<211> 300
<212> DNA
<213> Homo sapiens

<400> 189
ctaatatcca gaatctacaa agaactcaac aagaaaaaaa ccaaccccac aagcgggcaa 60
aggacatgaa cagacatttc ccaaaagaag acatacaagc aacctaaaat aatctaaaat 120
aatttttaaa aagaaaaaat gcttgacaga gttttgatag tacttagtaa aaagttatat 180
ctagtggctt tttgtttgtt tgtttttgtt ttgtttttaa gaaatagtct ctgtttccca 240
agctggagta cagtggcgca atcttggctc actgcaacct cgaactcctg ggctcaagcg 300

<210> 190
<211> 300
<212> DNA
<213> Homo sapiens

<400> 190
aaccactatg gaggcatgat tggtggccac tacactgcct gtgcacgcct gcccaatgat 60
cgtagcagtc agcgcagtga cgtgggctgg cgcttgtttg atgacagcac agtgacaacg 120
gtagacgaga gccaggttgt gacgcgttat gcctatgtac tcttctaccg ccggcggaac 180
tctcctgtgg agaggccccc cagggcaggt cactctgagc accacccaga cctaggccct 240
gcagctgagg ctgctgccag ccagggacta ggccctggcc aggcccccga ggtggcccca 300

<210> 191
<211> 300
<212> DNA
<213> Homo sapiens

<400> 191
gcggcgctga cccggccggc cccacacccg ctcttcctct tctttgccgc ggactccctt 60
tcctgcctcc aagacctggt gtctcccact gtgagcccag ctgtcccaca ggcagtcccc 120
atggacctag actcaccttc cccttgcctc tatgaacctc tgctgggccc agcccctgtc 180
ccagctcccg acctgcactt cctgctggac tcaggcctcc agctccctgc ccagcgagcg 240
gcctcagcca ccgcctcccc tttcttccgg gccctgctgt caggcagctt tgcagaagcc 300

<210> 192
<211> 300
<212> DNA
<213> Homo sapiens

<400> 192
gacagaccgt tgagaggacg tggaggcccg agagggggta tgcgcggcag aggcagaggt 60
ggccctggga acagagtttt tgacgctttt gaccagagag gaaagcgaga atttgaaaga 120
tatggtggga atgacaaaat agcagtcaga actgaagaca acatgggtgg atgtggagtt 180
cgaacctggg gatcgggtaa agataccagt gatgtggagc caactgcacc gatggaggaa 240
cccacagtgg tggaggagtc ccagggcacc ccggaagagg agtctccagc caaagttcct 300

<210> 193
<211> 300
<212> DNA
<213> Homo sapiens

<400> 193
ctcaagaaag gagaagtttt tttgtatgaa attggaggaa atattgggga acgctgcctt 60
gatgatgaca cttacatgaa ggatttatat cagcttaacc caaatgctga gtgggttata 120
aagtcaaagc cattgtagaa gacttaacaa gctgcagata accatgtgga cttctgtcat 180
aattcttgct gagtcaagag tgtaaataaa agaaatggca ggactcatat tattcagttg 240
tacccaagta tttaaaaatg actctcttaa gccttaaaaa gtcatagatt tgtgctgctg 300

<210> 194
<211> 300
<212> DNA
<213> Homo sapiens

<400> 194
cagaagctta gtcatatttc aaaatgatca aatatcaaga aaaattctga gctgcataac 60
ttgtataaag taattttcag tgattttttt catggttatg ataaaagaac tggattagca 120
gaaactttta ccctgaatca agatttaatt tttctttgag ctcatcttaa ggatatcgga 180
acatagggag caaacgatgg tgtggctgcc tcagtgcttg atttttaacg gttttgaaga 240
gaatagttac atttcttctc ctagtaagaa ctaataaata cattaacaga aatgaattcc 300

<210> 195
<211> 300
<212> DNA
<213> Homo sapiens

<400> 195
ctctactaaa aatacaaaaa ttagctgggc gtggtggcac acacctgtaa tcccagttac 60
ttgggaggct gaggcacaag aatcgcttga acccgggagg cggaggttgc agttagccaa 120
gatcgccctg ctgcactcca gcctgggcaa cagagggaga ctctgtctcc aaaaacaaaa 180
acaaaaactg ttagtgaagg ttccctggga cttttgatat tttaaaaatt gatcttatga 240
ctaagtagat aaattcattg ccataatgag gctagctccc agataaacag cgtattttct 300

<210> 196
<211> 300
<212> DNA
<213> Homo sapiens

<400> 196
tggatactga caatggtggc aggcatttca agccttttaa attagtactt tttgtcgtct 60
tgcttattaa aattttgtta attttagcaa agaccaattg ttgtgataaa ctggtgtttt 120
ttggatgctt caagcacacg ttaaccaatt ttttaattcc ccttttggtt cctcccattg 180
ttctaaaata ggactttcat attattaaaa cctcaaaaga tgatccaccc aggatgaaca 240
aagatcacca aggggaaaga aaacattttt tatctttaca gaaaacatgt taagattata 300

<210> 197
<211> 300
<212> DNA

<213> Homo sapiens

<400> 197
atccagatgg gatacctcta aacacgaaaa gaaagaagat tccattagtg aatttttaag 60
tttggctaga tcaaaagccg agccacctaa acaacagtcc agccccttag taaacaaaga 120
ggaagagcat gcaccagaat catccgcaaa tcagacagtc aacaaagatg tggacgcaca 180
ggctgaagga gaagggagcc gcccatccat ggacttattc agggccatct ttgccagttc 240
ctcagatgaa aagtcctcat cctccgagga tgagcaaggt gacagtgaag atgatcaggc 300

<210> 198
<211> 300
<212> DNA
<213> Homo sapiens

<400> 198
gcaacatttg tctacaactc tactgtaaaa ttggaaatgc ttttccacag aaaaacctct 60
caaaatgctg aatgcaaaag ttgggatcac agaaacattg tgcctatttt tggtctgctg 120
gaaactgtat ttttacaagg taatccctgt tttcaatata gttcctgtct tgccactggc 180
ggttttcttg tagcattttt ctagttctga gattgctact acccaaagta ttcatttctt 240
tcttactggg gtgtcctctg tcttcacagc ctgcttctgg attgtaggtt ttttcctttc 300

<210> 199
<211> 300
<212> DNA
<213> Homo sapiens

<400> 199
gcaacatttg tctacaactc tactgtaaaa ttggaaatgc ttttccacag aaaaacctct 60
caaaatgctg aatgcaaaag ttgggatcac agaaacattg tgcctatttt tggtctgctg 120
gaaactgtat ttttacaagg taatccctgt tttcaatata gttcctgtct tgccactggc 180
ggttttcttg tagcattttt ctagttctga gattgctact acccaaagta ttcatttctt 240
tcttactggg gtgtcctctg tcttcacagc ctgcttctgg attgtaggtt ttttcctttc 300

<210> 200
<211> 300
<212> DNA
<213> Homo sapiens

<400> 200
agtagaaaaa tacaaagact gtgatccgca agttgtggaa gaaatacgcc aagcaaataa 60
agtagccaaa gaagctgcta acagatggac tgataacata ttcgcaataa aatcttgggc 120
caaaagaaaa tttgggtttg aagaaaataa aattgataga acttttggaa ttccagaaga 180
ctttgactac atagactaaa atattccatg gtggtgaagg atgtacaagc ttgtgaatat 240
gtaaatttta aactattatc taactaagtg tactgaattg tcgtttgccc tgtaactgtg 300

<210> 201
<211> 300
<212> DNA
<213> Homo sapiens

<400> 201

ttctactttg ggtccgcgcg aagcccactc acgtgtgatc tgtgttgccc ctctcggtgg 60
tcccaggcga tccagccatg ccccctgccc ctctgcccag atgcttcagg ggcccggctt 120
ttcaggcttg ccctcaccag cggccgtcag ccgacactca gggatgtagc taacaccact 180
ccgccagtgc tttcagtagg aagagctgag gctgcctggg aggcccgggg cgaccggaaa 240
agggctctct caagttctga aaagagaatc tgccaccaga tcgaatttcg acccctgagc 300

<210> 202
<211> 281
<212> DNA
<213> Homo sapiens

<400> 202
ggccatggga cagttgcaac agcagttaaa tggactgtca gtcagtgaag gtcatgattc 60
tgaagatatt ttgagcaaaa gtaacctgaa cccagatgcc aaggagttta ttccaggaga 120
gaagtactga gccgagaaag ctttgaggaa gacttgtctg tcccccacatc tggggatagt 180
aatgcccaaa atggtggagc tgaagagggg gatggggcgg gcgaggggtg cacagcggga 240
aggggagtgg tggtctcacg atactgtgac tctgagtaac t 281

<210> 203
<211> 300
<212> DNA
<213> Homo sapiens

<400> 203
gccctcagcc acccccatcc ctgccccttc tgagactcac agcacccctt tccttcctct 60
cctcccacct cctccctcag cccctcattc tccttgggaa tctgcagagg gctctgggac 120
tcactgccgg atgtgaaatc caggcgtcag ctgtttccta ggcaagggca ggaaagtggt 180
ctccagccct tgctccactc atgcctgggg gcctggggct gagtggtatc cctacctggc 240
ctccccctgg cctctgggcc tccagcgctg ggtttgtcga gtgagagaga gagaggagct 300

<210> 204
<211> 269
<212> DNA
<213> Homo sapiens

<400> 204
gcggactctc aggacgaaaa gagccaaacc tttttgggaa aatcagagga agtaactgga 60
aagcaagaag atcatggtat aaaggagaaa ggggtcccag tcagcgggca ggaggcgaaa 120
gagccagaga gttgggatgg gggcaggctg ggggcattgg gaagagcgag gagcagggaa 180
gaggagaatg agcatcatgg gccttcaatg cccgctctga tagcccctga ggactctcct 240
cactgtgacc tgtttcagga gcctcatat 269

<210> 205
<211> 300
<212> DNA
<213> Homo sapiens

<400> 205
ttctactttg ggtccgcgcg aagcccactc acgtgtgatc tgtgttgccc ctctcggtgg 60
tcccaggcga tccagccatg ccccctgccc ctctgcccag atgcttcagg ggcccggctt 120
ttcaggcttg ccctcaccag cggccgtcag ccgacactca gggatgtagc taacaccact 180

ccgccagtgc tttcagtagg aagagctgag gctgcctggg aggcccgggg cgaccggaaa 240
agggctctct caagttctga aaagagaatc tgccaccaga tcgaatttcg acccctgagc 300

<210> 206
<211> 300
<212> DNA
<213> Homo sapiens

<400> 206
gggattacag gcatgaccca ccgcgcccag cctgtaattt cttatacttg gtattttgta 60
cttggattat gcttctgata cgctataatt atttatgtac atgttatttt tcttcaatag 120
actgtgaact cttcgaatgt aggactccta gagctagata ctcaattatt ttttattaaa 180
ttgaatgact tgaaactaca gatcctttat ttaaacttcc caaatttctg ctttatctag 240
gcaactcttt aaattctttg atctcatgta gattccaaag gctgaaataa ttgagatttt 300

<210> 207
<211> 300
<212> DNA
<213> Homo sapiens

<400> 207
tcctgaagct cggggggctg caggtcctga ggaccctggt gcaggagaag ggcacggagg 60
tgctcgccgt gcgcgtggtc acactgctct acgacctggt cacggagaag atgttcgccg 120
aggaggaggc tgagctgacc caggagatgt ccccagagaa gctgcagcag tatcgccagg 180
tacacctcct gccaggcctg tgggaacagg gctggtgcga gatcacggcc cacctcctgg 240
cgctgcccga gcatgatgcc cgtgagaagg tgctgcagac actgggcgtc ctcctgacca 300

<210> 208
<211> 300
<212> DNA
<213> Homo sapiens

<400> 208
attccaaagg tttcaaagaa cttggtcata aatatgataa tgagaagaca aagtatttat 60
attaaaacag tttagtagcc ttcagttttg tgaaaatagt tttcagcaca gaaactgact 120
tctttagaca aagttttaac caatgatggt gtttgcttct aggatataca ctttaaaaga 180
actcactgtc ccagtggtgg tcattgatgg cctttagtaa attggagctg cttaatcata 240
ttgatatcta atttctttta accacaatga attgtcctta attaccaaca gtgaagcact 300

<210> 209
<211> 300
<212> DNA
<213> Homo sapiens

<400> 209
gagacagcag cccccaggga atgaagctga tgccagagtc agacccgagg aggaagagga 60
gccactgatg gagatgcggc tccgggatgc gcctcagcac ttctatgcag cactgctgca 120
gctgggcctc aagtacctct ttatccttgg tattcagatt ctggcctgtg ccttggcagc 180
ctccatcctt cgcaggcatc tcatggtctg gaaagtgttt gcccctaagt tcatatttga 240
ggctgtgggc ttcattgtga gcagcgtggg acttctcctg ggcatagctt tggtgatgag 300

<210> 210
<211> 300
<212> DNA
<213> Homo sapiens

<400> 210
gtaacgtgac acgtatttta cttcttttag taggcggaca cactttctta aagtggtaat 60
acgtcatggc cctgctataa ggtagtagtt ctagaagact gtttatctaa taattcagac 120
taaagctatt tatattgctg tgacaccacg tggaaaactt ttataattcc atcttatttc 180
tgatgtatat gttttatttt ctctgccttc ataagaacta aaaaccaaag ttatttacgt 240
gaaaacaaga tttttgtttg agttcattta cttgagatat gtttaaaaaa tccaccttct 300

<210> 211
<211> 300
<212> DNA
<213> Homo sapiens

<400> 211
gtccgtcagc tggtagcttt cattcgtaaa agagataaaa gagtgcaggc gcatcgaaaa 60
cttgtggaag aacagaatgc agagaaggcg aggaaagccg aagagatgag gcggcagcag 120
aagctaaagc aggccaaact ggtggagcag tacagagaac agagctggat gactatggcc 180
aatttggaga aagagctcca ggagatggag gcacggtacg agaaggagtt tggagatgga 240
tcggatgaaa atgaaatgga agaacatgaa ctcaaagatg aggaggatgg taaagacagt 300

<210> 212
<211> 300
<212> DNA
<213> Homo sapiens

<400> 212
gcctgctgct tcatgccgcc ggcgtcctgc tccacgtctc tgtgctgctg ggccctgcac 60
tgtcggccct gctgcgagcc cacacgcccc tccacatggc tgccctcctc ctgcttccct 120
ggctcatgtt gctcacaggc agagtgtctc tggcacagtt tgccttggcc ttcgtgacgg 180
acacgtgcgt ggcgggtgcg ctgctgtgcg gggctgggct gctcttccat gggatgctgc 240
tgctgcgggg ccagaccaca tgggagtggg ctcggggcca gcactcctat gacctgggtc 300

<210> 213
<211> 300
<212> DNA
<213> Homo sapiens

<400> 213
ggtatggttg gagtgtagga atgaatattc atgaaatgtt tcttattgct tttccttccc 60
taattcatac aatgaatgta tttggaatac ttacatatta taaaataaac tatacctctt 120
caagaggtat cctgttctgt aagatcagat gtttttattg caggtcaata taatactgcc 180
agagacagaa aataccccct tatcagtccc ttagtgcctc tttctgtttg tggcatggtg 240
agaaaaccca tgctgaaaag attgtacttt gtgatcccaa tcagagggag gagctaatct 300

<210> 214
<211> 300
<212> DNA

<213> Homo sapiens

<400> 214
ggaaagggcc ctaaaagaga tgaacaatac ccgtatcatg tggaatgaat tagaaaccct 60
tgtcagagcc catatcaaca actcagagaa acatcaaaga gtcttggaat gtctgatggc 120
atgcaggagc aaaccccccag aagaggaaga acgaaagaaa cgaggaagaa agagggaaga 180
caaagaggac aagtcagaga aagcagtgaa agattatgaa caggaaaagt cttggcaaga 240
ctcagagaga ttaaaaggaa tcttagaacg tggaaaagaa gaattggctg aagctgagat 300

<210> 215
<211> 300
<212> DNA
<213> Homo sapiens

<400> 215
atacttttta aacctttttt ggcagctcag atggtgtaaa ttttaaaatt ttgtataggt 60
atttcataac aaaaatatgt atttcttttt tgttatttta tcttgaaaac ggtacatatt 120
ttagtatttg tgcagaaaaa caagtcctaa agtatttgtt tttatttgta ccatccactt 180
gtgccttact gtatcctgtg tcatgtccaa tcagttgtaa acaatggcat ctttgaacag 240
tgtgatgaga ataggaatgt ggtgttttaa agcagtgttg cattttaatc agtaatctac 300

<210> 216
<211> 300
<212> DNA
<213> Homo sapiens

<400> 216
gcagatattt actgaaggaa tctaggttgt attttcagtg gacaatggga ataaagcatt 60
tctaaagcac cgactggaga ggaaggcaac agagacaagg agagaagccg agagacatgt 120
ctgcgtgctg ccacgcatct gagcgattgc tctgtgaaga gttgtacact gaacattttc 180
aggggaggct gtttacccag gcaatgtcct caaacaagcc tgtgccgggg agtcctggaa 240
tctgtgccag gactgtgttt ttagcccttc acctctcagc tttagcagga catgaaccag 300

<210> 217
<211> 300
<212> DNA
<213> Homo sapiens

<400> 217
cccccatctt cactggttat tccacttatt taaaatgtcc agaataagca aatctccata 60
tagaggaagt agattagtgg ttgcttcggg atgggaggaa tgggaagatt gaggtctttc 120
ttttgcagtg ataaaaatgt cctaaaattg actgtagcga tggtcacaca actctgaata 180
tgcttaagac cattgaatta cacactttac gttggtgaat tgtatggtat gtaaattata 240
gttcaataac atagttacaa aagataatca aaagcatgaa agcactgttg atgtggtttg 300

<210> 218
<211> 300
<212> DNA
<213> Homo sapiens

<400> 218

acggcctggt ggagcagctg tacgacctca ccctggagta cctgcacagc caggcacact 60
gcatcggctt cccggagctg gtgctgcctg tggtcctgca gctgaagtcg ttcctccggg 120
agtgcaaggt ggccaactac tgccggcagg tgcagcagct gcttgggaag gttcaggaga 180
actcggcata catctgcagc cgccgccaga gggtttcctt cggcgtctct gagcagcagg 240
cagtggaagc ctgggagaag ctgacccggg aagaggggac acccttgacc ttgtactaca 300

<210> 219
<211> 300
<212> DNA
<213> Homo sapiens

<400> 219
caactagaga agattggaca gcaggtcgac agagaacctg gagatgtagc tactccacca 60
cggaagagaa agaagatagt ggttgaagcc ccagcaaagg aaatggagaa ggtagaggag 120
atgccacata aaccacagaa agatgaagat ctgacacagg attatgaaga atggaaaaga 180
aaaattttgg aaaatgctgc cagtgctcaa aaggctacag cagagtgatt tcagcttcca 240
aactggtata cattccaaac tgatagtaca ttgccatctc caggaagact tgacggcttt 300

<210> 220
<211> 260
<212> DNA
<213> Homo sapiens

<400> 220
ggtaagtcag gtgattgaat cccggaaagg ttcattgtct tcaagctcac aatactattt 60
tgggacaaac agttgtctag tgtttggact catgaaccct gattcttgag ggtggtattt 120
tactgctttt gtgatttggt ttcaacatat atagtctttt ctccggagtt accttaggtc 180
agtggccagt gtttcagccc ctggaaaggg catgggctgc cactgaggtt ggtcacaggc 240
ctctcagctc atggtgggag 260

<210> 221
<211> 300
<212> DNA
<213> Homo sapiens

<400> 221
gggttccatc ccttccaccc aggaaatgga ggcacgactt gcagcgttgc agggcagagt 60
tctaccttct caaacccccc agccggcaca tcacacaccg gacaccagga cccaagccca 120
gcagacacag gatctgctaa cgcagctggc agctgaggtg gctatcgatg aaagctggaa 180
aggaggaggc ccagtgaccc tccaggacta tcgcctccca gacagtgatg acgacgagga 240
tgaggagaca gccatccaaa gagtcctgca gcagctcact gaagaagctg ccctgatgag 300

<210> 222
<211> 300
<212> DNA
<213> Homo sapiens

<400> 222
gcggtgaccc acgtgtcctg catgattgcc ctactgctgt ggagacctcg tgctgaccat 60
ctggcagtgt tcttcgtatt ctctggcctg tggggcgtgg cagatgccgt ctggcagaca 120
caaaacaatg ctctctacgg cgttctgttt gagaagagca aggaagctgc cttcgccaat 180

taccgcctgt gggaggccct gggcttcgtc attgccttcg ggtacagcac gtttttgtgc 240
gtgcacgtca agctctacat tctgctgggg gtcctgagcc tgaccatggt ggccgtatgg 300

<210> 223
<211> 300
<212> DNA
<213> Homo sapiens

<400> 223
gccccctctg gatcctgagc tccctgctct agacagtgat ggtgattcag atgatggcga 60
agatggtcga ggtgatgaga aacggaaaaa taaaggcact tcggacagct cctctggcaa 120
tgtatctgaa gggggaaagc cctcctgaca gccaggagga ctctttccag ggaagacaga 180
aatcaaaaga caaagctgcc actccaagaa aagatggtcc caaacgttct gtactgtcca 240
agtcagttcc tgggtacaag ccaaaggtca ttccaaatgc tatatgtgga atttgtctga 300

<210> 224
<211> 300
<212> DNA
<213> Homo sapiens

<400> 224
ctgcggccgc aggagctgtg gcggttttcc taatcctgcg aatatgggta gtgcttcgtt 60
ccatggacgt tacgccccgg gagtctctca gtatcttggt agtggctgag tccggtgggc 120
ataccactga gatcctgagg ctgcttggga gcttgaccaa tgcctactca cctagacatt 180
atgtcattgc tgacactgat gaaatgagtg ccaataaaat aaattctttt gaactatgat 240
cgagctgata gagaccctag taacatgtat accaaatact acattcaccg aattccaaga 300

<210> 225
<211> 300
<212> DNA
<213> Homo sapiens

<400> 225
gccccgctcc atgagcagtg actccccagc tcctcctggc accagtcccc agggctctcc 60
tgttggtagt tcctgctttt cttcttggaa attcctcgtg gacctcgaga tctttaccct 120
aaaatagttc tgttgaattt caccctggca atgtaaattg atagcttatc ttcacagatg 180
ccagacaatg gacaactcac catcagtcct ctgctcacct gagacaaatg catgtctgat 240
tgcttcctct gccctattgt ttatgtgaaa atgcagattc actgagccag actaaggcat 300

<210> 226
<211> 300
<212> DNA
<213> Homo sapiens

<400> 226
tatataacaa cttttgcttt caaagttggg tgggactaga acacacaatg gaaggatgga 60
gtcaggagac ctggattctt gtgcccgctc tggcttttac agtctgccta actctatgca 120
gtcacttcct gccagcctgt ttccttacct acaagaggga gagacactcc ctggccagcc 180
tagttctcag ggtgaacgaa aggtcattat cactgcatcc tctagtcatt tgcttcttcg 240
ctaattaaca catcttgagc acctgcgatg ttccaggaac aggagatggc agcgtgcaag 300

<210> 227
<211> 300
<212> DNA
<213> Homo sapiens

<400> 227
ttgctgaaat gggcacttct gctgtgatgc tagtgttgat tttgctctca gatgaacaca 60
atgtctcata ctaaccaaga agcaagaaaa gccccatgca ttcatttttc acttggagtg 120
acaatgggag aggtcaggaa tcaagttcac tttcaagatc taagggagtc cactatctgt 180
gcaattgtat ttggcttttt tttgcactgt ttcaatgctg gtaattgaaa ccattttaat 240
atatttggtt gtattcactt tatatgtcct tccaaaaatg ttgttgtgta cataccatgc 300

<210> 228
<211> 300
<212> DNA
<213> Homo sapiens

<400> 228
gctatgtatt gtgtcctacc atgaattcac tccatgctag ccacattggc ctgtatggct 60
attccttgga cacacctagg atgttcttgc ctcttagctt gcctaccttt ctctcatcat 120
ttgggcctca gcgaggatat catctcctca gagaagcctt ctgtgaccat gctatctaaa 180
atactccagc acttcagtca ccctttatcc cattactctg ctttttcaga aacattggtg 240
ctccctgaaa catatttgtt tacttgctta gtgtcttttc tcccgcacta ccatgtaagc 300

<210> 229
<211> 300
<212> DNA
<213> Homo sapiens

<400> 229
gattttcgaa actcttcagc tacttgccct tttttatctg aaaccatcat accttctgaa 60
agaaaaaagc atatcttcat tgacataaca gaagtgagat ggcccagtct tgatacagat 120
ggtaccatga tatatatgga gagtggcatt gtgaagataa catctttaga tggtcatgca 180
tacctctgcc tgcccagatc tcagcatgaa tttacagtac atttttgtg taaagttagc 240
cagaagtcag actcatctgc agtgttgtca gaaacaaata ataaagcccc aaaagataaa 300

<210> 230
<211> 300
<212> DNA
<213> Homo sapiens

<400> 230
acttcttgtt tgcctttttt ataaggaaat gttggagagt tacatcattg ctaatgtaga 60
aatgttaagt ggaaaaatat acagtttggt aaaataaact agattctaca tttatttgtg 120
ggtttttttc ccctcctttc tttccacagc acttttgata tcaagcaagt ggcttccttt 180
ttgagatatt aaaaaaaaaa agaaaaggaa aaaagtaaat gannnnnnnn nnnnnaaccc 240
tttctnattn gnattngttt nagnattgng aagttgngtt aaanagtnct agntagaaat 300

<210> 231
<211> 300
<212> DNA

<213> Homo sapiens

<400> 231
tgattctttt tgttnttttt tttgatattg acaaaagctt anncnttncn attaaaaang 60
ccactaatta gactttttan ntaaaaaang taggggggttt taaaactact ttcctactac 120
caaaaaatca naaagtatct agctttctaa atngggaaag caagcaatgt tataaaaacn 180
ctgaaggaat ctctttcttc gggacctttt gttaaactcg gttnaagctg taaaccttat 240
ttaaaataaa atttaccaca naacaggaaa tanaacctgg ggaanactcn aaatacncct 300

<210> 232
<211> 300
<212> DNA
<213> Homo sapiens

<400> 232
ggaagccaag gcctggagct gcaggtcccc cggcatctct ctctgtcccg gcagcccagg 60
atggcctggt gcccccacct gctgcagcag gagccccaag gagtgctagc tgagggtggt 120
tgctggggtg gtcctcatgg acagtgaggt gtgcaagggt gcactgaggg tggtgggagg 180
ggatcacctg ggttccaggc catccttgct gagcatcttt gagcctgcct tccggtggga 240
gcagaaaagg ccagaccctg ctgagttaga ggctgctggg atccactgtt tccacacagc 300

<210> 233
<211> 300
<212> DNA
<213> Homo sapiens

<400> 233
gaggaagagg cctgctccac ttgtctggga acctgggcag gaggcacaga ggaagccaag 60
gcctggagct gcaggtcccc cggcatctct ctctgtcccg gcagcccagg atggcctggt 120
gcccccacct gctgcagcag gagccccaag gagtgctagc tgagggtggt tgctggggtg 180
gtcctcatgg acagtgaggt gtgcaagggt gcactgaggg tggtgggagg ggatcacctg 240
ggttccaggc catccttgct gagcatcttt gagcctgcct tccggtggga gcagaaaagg 300

<210> 234
<211> 300
<212> DNA
<213> Homo sapiens

<400> 234
ggaacataat tagcttactg atttgatggt tctgtgtagt tcctgaaact cttggctctt 60
gtttgccttt ctttaactct ggctccttct ccttcttctg tttgtgtatc tgtttaattc 120
attgagtgag gaggacaggc agaactgtgt ctgccaagga ccggatgtac ttctttcctt 180
gctcttggtt ttttgctcac ttttatatgt aaggtattag tacaaaccta aaggagagaa 240
agtagaggat cagatcattg ggacttgttc tggtttcaag aaagaattaa caaattgccg 300

<210> 235
<211> 300
<212> DNA
<213> Homo sapiens

<400> 235

gttggctcaa gggccaccag aagcatttct ttattattat tattttttaa cctggacatg 60
cattaaaggg tctattagct ttctttccgt ctgtctcaac agctgagatg gggccgccaa 120
ggagtgcctt ccttttgctc cctcctagct gggagtgacg ggtgggagtg tgtgtgccca 180
ggtgggggtg tctcctggct gggaaggagg gaaagggagg gagagttttg cgggggttgg 240
cagtggagag caggctggag aggagatggc taatagctgt ttaatggaaa cctgctgggc 300

<210> 236
<211> 300
<212> DNA
<213> Homo sapiens

<400> 236
gaatcatcga aggttgagac cgtgtctagt tacatagtta taaataccca tctatgtact 60
gatgccttct aaatgtctat ctccagtatg gtcttttcct ttaagctcta gatccattga 120
caccctcacc atctctaaaa ggcatttcaa actgaacaca tctgatacag aacttttcat 180
ttccttccca actttgccca cgccagcctg ctcctccttc acgctttcca cttagtatat 240
gatcccacta ttcactcagt ctctgaagct taaaacctag gattcatcct tgactactgt 300

<210> 237
<211> 300
<212> DNA
<213> Homo sapiens

<400> 237
caggacatgg agcagtacct gtccactggc tacctgcaga ttgcagagcg gcgagagccc 60
ataggcagca tgtcatccat ggaagtgaac gtggacatgc tggagcagat ggacctgatg 120
gacatatcgg accaggaggc cctggacgtc ttcctgaact ctggaggaga agagaacact 180
gtgctgtccc ccgccttagg gcctgaatcc agtacctgtc agaatgagat taccctccag 240
gttccaaatc cctcagaatt aagagccaag ccaccttctt cttcctccac ctgcaccgac 300

<210> 238
<211> 300
<212> DNA
<213> Homo sapiens

<400> 238
cactggctac ctgcagattg cagagcggcg agagcccata ggcagcatgt catccatgga 60
agtgaacgtg gacatgctgg agcagatgga cctgatggac atatcggacc aggaggccct 120
ggacgtcttc ctgaactctg gaggagaaga gaacactgtg ctgtcccccg ccttagggcc 180
tgaatccagt acctgtcaga atgagattac cctccaggtt ccaaatccct cagaattaag 240
agccaagcca ccttcttctt cctccacctg caccgactcg gccacccggg acatcagtga 300

<210> 239
<211> 300
<212> DNA
<213> Homo sapiens

<400> 239
atttcctcca gtcctgggcc ccatccttga gggccttccc agccagccag caggagaggc 60
aagaactggg ggaacacagg aacctagggg aggaggggag cgctgggcat cctcaggctg 120
gcggccaagg cctgcccctg gaggcactag aggagggcat ctgtctgtgg gagcccagag 180

gctgcaggga ggaggaggag ggaggtatct ggtgtgagcg ttgcccctgc gacatttggg 240
accacacagg tgggcttcct tattccctga caaagcctct gtttccagct cttccgccct 300

<210> 240
<211> 274
<212> DNA
<213> Homo sapiens

<400> 240
catgagtgat attttggtct gggtttcctc ttaagatttt agtttgtctg aattaaggaa 60
aaatgttttt aatatacatt cttattttgt cccacccctc cagaaataag ctggaaatct 120
taacttttttg gggggtcttt tttggtgttt taatgggccc agaactgtgg tttaaatttt 180
tatgtatgta ttttcttttt tgtggagtat aaatttaaaa actggatttg ggacctaaaa 240
tactcctcag gttgatgtat tcatgaaagt ttta 274

<210> 241
<211> 300
<212> DNA
<213> Homo sapiens

<400> 241
ctgttgcctg ccaagctcag ggcccattta tcatgcatct tcccatcctt gtctccccca 60
actgtccctt acctgagtca caatttcgcc aaagccaaag ggattgtcct aagccaatgt 120
tgatttatca ctcttcctgc tcaaaagccc ccaagatcac ctatcaatca cctacttgag 180
tgcaagcttt gactctgtca cctgacattc aagtcccccct ctgcccccat gccagtctta 240
tcccctcccc tacatatgcc ctatgcctca gtttgccttc cctccacttt aaaaagcctc 300

<210> 242
<211> 300
<212> DNA
<213> Homo sapiens

<400> 242
ccgctggcta tgtggacgct ggggcagagc caggccggag tcgaatgatc agccaggaag 60
agtttgccag gcagctacag ctctctgatc ctcagacggt ggctggtgcc tttggctact 120
tccagcagga taccaagggt ttggtggact tccgagatgt ggcccttgca ctagcagctc 180
tggatggggg caggagcctg gaagagctaa ctcgtctggc ctttgaggta atggggggtg 240
gcggtggtgg ggggtgctta gtggctatgc tcaccccgct ccaggaggcc tattttggta 300

<210> 243
<211> 300
<212> DNA
<213> Homo sapiens

<400> 243
caagatctgg aggaatgcag agaggaactt gatacagatg aatatgaaga aaccaaaaag 60
gaaactctgg agcaactaag tgaatttaat gattcactaa agaaaattat gtctggaaat 120
atgactttgg tagatgaact aagtggaatg cagctggcta ttcaggcagc tatcagccag 180
gcctttaaaa ccccagaggt catcagattg tttgcaaaga aacaaccagg tcagcttcgg 240
acaaggttag cagagatgga tagagatctg atggtaggaa agctggaaag agacctgtac 300

<210> 244
<211> 300
<212> DNA
<213> Homo sapiens

<400> 244
agtaaatttt ttatgcatat tttattgcaa taaaaaatga aaacagtttc aatctaggag 60
gattttggat gcatctatgc cttgagaaat gaatggtttg atgtaaatgc atggtagcaa 120
gaataaataa ttatgttaat tcatataata tgttatatat agttttaaag aaaattctat 180
cactgtcttc ctatgggtag ggctataatg tccagttctt tcagggatta agagggtagg 240
gtctgaagtt aatccttgtt tgtcgtaatg ttattaattt attcaaccaa gacttaattg 300

<210> 245
<211> 300
<212> DNA
<213> Homo sapiens

<400> 245
tagacataga aaacatacag taagaatatg gtattataat cttacgggac cactgtcaaa 60
tacgcggtct gtctttgaaa agttgtaatg cggcgcatga ctataaatac ctagctggtt 120
agcatttaca ttccttgcca gggagtttga aatttatact atagaaataa ctttaggttt 180
taggtagagt taaagaggta aagcacatgt tgccacaacc caggaaagta tttttaagaa 240
agattggatt ttcctacctt tagagatcta aaaaaaattt aatataaaaa atcattttgt 300

<210> 246
<211> 300
<212> DNA
<213> Homo sapiens

<400> 246
tggaatattt gctgtgaagg gagaaaggga gagaaaactc ttctgaggat catttgtctt 60
ggtagtatag taaaaccaac cagctgaacc tttcaggcta caagagaacc cgggtcggta 120
atgtcttttt aagaataatt tttaattgct tataacaagc atattttgtg gcatttgaac 180
tatatttact gctccaatat ccgttatttt ccaaaggatt ttgtatcttt ttgaaaatgt 240
ttacatcatc agatgatcca cagaattcac tttatgtgag atctcccgag agtttccatc 300

<210> 247
<211> 300
<212> DNA
<213> Homo sapiens

<400> 247
gtgttgctca gtgagcagac ccgactccag aaggacatca gtgaatgggc aaataggttt 60
gaagactgtc agaaagaaga ggagacaaaa caacaacaac ttcaagtgct tcagaatgag 120
attgaagaaa acaagctcaa actagtccaa caagaaatga tgtttcagag actccagaaa 180
gagagagaaa gtgaagaaag caaattagaa accagtaaag tgacactgaa ggagcaacag 240
caccagctgg aaaaggaatt aacagaccag aaaagcaaac tggaccaagt gctctcaaag 300

<210> 248
<211> 300
<212> DNA

<213> Homo sapiens

<400> 248
gagaggatca cttgagctta ggagttcaaa tccagcctga gccaacataa caagactttg 60
tctctaaaca aaacagttat tgtttaaaga atctgaaatc ttcatcttta attcaggtag 120
caatgaatcg agcccaagtt tgtttgatat ccagttccaa gtctggagag aggcatcttt 180
atcttattaa agtatcgaga gacaaaatat cagacagcaa tgaccaagag tcagcaaatt 240
gtgatgcaaa agggctatca aagggaggct ttttacagag aactaaggaa gagaaggagg 300

<210> 249
<211> 300
<212> DNA
<213> Homo sapiens

<400> 249
ctagcctggg caatatagta cgaccctgtc tttactaaaa atgcaaaaat taaccacgta 60
tggtggctca cacctgtagt cctggctact gaggaggctg atgcaggaga atcatttgaa 120
cccaggaggt caaggctgca gtgagctatg attgcaccac tgcaatccag cctggacaac 180
acagtgagac cctgcctcac aaaaattata ttctgatttt ctgagtccat gaacacattg 240
tccaaatgga tttttctagc tcctccaagt tacagatagt tccacgcaca cacagaactc 300

<210> 250
<211> 300
<212> DNA
<213> Homo sapiens

<400> 250
aggaaggtgg aggggcagga acaggacgga caggccccgg gctctggcac atcctgggga 60
acaagggacc acaaggacgg gggcagtctc cagacttccc ctgggcgctt gaccccaggc 120
cttgcagggg agagagccag ggcctccctc aggtctttgt tcatgctgtt ttccctgccg 180
tggacaccct ttcccgctct ccgattctct aaatcctgcc ccatctccca gatcttgttc 240
atgtccaagc ttttccagga agtcttagca gctcccacac cgcagagctc gagatgtctc 300

<210> 251
<211> 300
<212> DNA
<213> Homo sapiens

<400> 251
gaaggcagaa gtgtaaatga acatacagaa gaaggagaaa gcctgctgtg tttggcttgt 60
tcagcagggt attatgaatt agcacaagta ttgcttgcta tgcatgctaa tgttgaagat 120
cgagggaata aaggagacat aactcccctg atggcagctt ccagtggagg ttacttagat 180
attgtgaaat tattacttct tcatgatgct gatgtcaact cccagtctgc aacaggaaac 240
actgcgctaa cttatgcatg tgctggagga tttgttgaca ttgttaaagt gctccttaat 300

<210> 252
<211> 300
<212> DNA
<213> Homo sapiens

<400> 252

gcacttctct ctcactggaa agagaactgt tctcctttct ctttcttctg cctattaagc 60
ctctgctcct aaactcctca tgtgtgtctg tgtcctaaat tttcctggca tggcaggaca 120
aaccccgggt atttaccaca gacaacaaaa ccgcttcact atgatgtatg catgctgcaa 180
aggaagagac agaatcttgc tctatcaccc agctggagtg cagtggcacc attgcagctt 240
actgcagcct caaactcctg gctcaaggga tccttcagct tcagcctcct ggttaactag 300

<210> 253
<211> 300
<212> DNA
<213> Homo sapiens

<400> 253
gtctgatgca ggagaattgc taaaacccag gagggagagg ttacattgag ccgagattgc 60
gccactgcac tctagcctgg gcgacagagc aagactccgt ctcgaaagaa agaaagagaa 120
aggaaattcc ccagggaagt acctcggctt atttcataaa caggtactga aggaagcaga 180
ggcatgtgga ggacttcccc acctcgtgca gctatttggg ccgtggcatc tgaaatttct 240
tatttcagag tcacccccttt gatgaccttg gcagtgaact gcagtcatct gtttaggcct 300

<210> 254
<211> 300
<212> DNA
<213> Homo sapiens

<400> 254
atgttacaga catgaaatat gaacagaatg ctaaaagaac ataaaagaat aagagctcct 60
taaagattat aaataaatgg tgatgttaaa gtaatagcac cattggacga agctagggaa 120
tcaacacttg acagaaagat acatattttt tttatacaaa ctacatatat ttgagcaatc 180
aagtagtaga catagagaat tttcttttta tggaagtact ctaataagta aagggctgat 240
agaattatat cagcattttc tagctcctgg ggaattatgc attgggcatc catggctgct 300

<210> 255
<211> 300
<212> DNA
<213> Homo sapiens

<400> 255
gctgcctgtg gcatagccac tgctgtacgt ttttggttgt tnttaagaaa ctcgatgaag 60
aggggtgtca ttctgggctc ggggtggttg ccaatttttc accagaaagg gagccacccc 120
ttgcaaccac ttctgtctcc gttagccccc cctctgccct cctccaagcc aaagcgtggc 180
ctggcttttg tcttcccatt tagttttcct cttttaccct tccttttgtg cttaatttat 240
taaaatagtt gctgtataat ttattttcat aaactataaa aaaatactaa atggttaaaa 300

<210> 256
<211> 300
<212> DNA
<213> Homo sapiens

<400> 256
acagtctcgg gtttcatatt ttgctgtttt tgatggacat ggaggaattc gagcctcaaa 60
atttgctgca cagaatttgc atcaaaactt aatcagaaaa tttcctaaag gagatgtaat 120
cagtgtagag aaaaccgtga agagatgcct tttggacact ttcaagcata ctgatgaaga 180

gttccttaaa caagcttcca gccagaagcc tgcctggaaa gatgggtcca ctgccacgtg 240
tgttctggct gtagacaaca ttctttatat tgccaacctc ggagatagtc gggcaatctt 300

<210> 257
<211> 300
<212> DNA
<213> Homo sapiens

<400> 257
atagaactag gcactgattt gtttatattt atcctgctcg agacacatga tgtttcatgt 60
atctgtggct ttttatagtt taaaataatt tctggaaaag tcatagtcat tatctcttta 120
accgctccct ctcttccatt ctctttgttc tctcttcctc gaactcctgt tagtcatttg 180
atcctccata tctctgaata tttttgtatt tcttttatta tttatttctt gtctctgcta 240
cattttacat tgagtaaaag tgggatgtga cagtgggaaa tcattagtga cttagaaatt 300

<210> 258
<211> 285
<212> DNA
<213> Homo sapiens

<400> 258
tactctatta tattgtgcat gctcctgatt tagctgctct tggcatcatt ggtcgcagtg 60
gaaccttgaa atgcatctgg ctagatttat gctcaaatca ttctcagtta gcctttttagt 120
gcctcttcaa aggttttttt ttgtatgttt tctattctta ataaaagctt aggattaatt 180
agaaagaatc tgatatggtt atgtttcccc ttgtgtacgc tgacctcatt catacgtttt 240
tcatagtcca gtggtctaaa cgctttcaag agcccagctc cttgg 285

<210> 259
<211> 300
<212> DNA
<213> Homo sapiens

<400> 259
gccttctctg gcctcaccaa ttaggtcaaa tgttccttag aatgtgttgt ggggcatggt 60
ctctccctgt gaggacctgt ccagctggac ctccgccttc ctgcgactgt attggtgtct 120
ttccctctca agcctatgag ctctgcaagg gcagggaccc tgtatgattt tgcctatcgt 180
atgtcctcca gcccccagca cagcgcctgg tgtccagtga gagctcagca aatactttgt 240
gagttaagga caggcggctg ggtagatgga tcgtctgcct agacagggca gttattcgct 300

<210> 260
<211> 300
<212> DNA
<213> Homo sapiens

<400> 260
gaaaagggag ccgcgcagcg cctacgggag tccggcggca gcagccggta ccggcaacca 60
cgggcagctc tcagggaatc tccgtcgtga ggccagaggc tccagtcccc gcgagtccag 120
atgcctgtcc agcctccaag caaagacaca gaagagatgg aagcagaggg tgattctgct 180
gctgagatga atggggagga ggaagagagt gaggaggagc ggagcggcag ccagacagag 240
tcagaagagg agagctccga gatggatgat gaggactatg agcgacgccg cagcgagtgt 300

<210> 261
<211> 300
<212> DNA
<213> Homo sapiens

<400> 261
tttgctttca gtggttggct ttcactgaaa gaaagtgtaa aaaaagtcag aatttatagc 60
tttcactatg tccaagacta ggactgggtt ataaagattt tcttttgtga aggaaaataa 120
aagaaaattt gccactactg catttacttt actattgtaa acttaagatt cattccttag 180
tctttggaat tttgatgtct caaaaccaga tgagtggaag tgctgaattt gcaaaataaa 240
gctaagaatg cttaactctg cactttaagt tctactctga ccaaattgaa gatgagcaga 300

<210> 262
<211> 300
<212> DNA
<213> Homo sapiens

<400> 262
tttttaaga gataaggtct tgctatgtta tctaggctgg cctaaacttc tgggctgaag 60
tgatcctcct gtgtagctgg gactacaagc atgtgccacc aatgcctggc ttctcacact 120
gttttgtaac atagatatgt gaagatgtgt attatagaat tgtttgtaat actgtagtgt 180
tgtaggcaat gtgactgtct atagggaagt ggacaggtta tttgtggtaa atactcatgg 240
aaaacggtca agcagttaaa agcaatcaat tatggtcacc cagcaatgca gataaatctt 300

<210> 263
<211> 300
<212> DNA
<213> Homo sapiens

<400> 263
agaacaggga gaagagagga agagggagct gcaggtgcca gaagagaaca gggcggactc 60
tcaggacgaa aagagtcaaa cctttttggg aaaatcagag gaagtaactg gaaagcaaga 120
agatcatggt ataaaggaga aaggggtccc agtcagcggg caggaggcga aagagccaga 180
gagttgggat gggggcaggc tgggggcagt gggaagagcg aggagcaggg aagaggagaa 240
tgagcatcat gggccttcaa tgcccgctct gatagcccct gaggactctc ctcactgtga 300

<210> 264
<211> 300
<212> DNA
<213> Homo sapiens

<400> 264
ttaaaggtag ttttagaagg aagtacaaat tggctttcat cttgcaaaca atcgtttttt 60
acttcattat cttaatttgc tttgtcactc ataaaaagga aaccatacct gagttgtaga 120
caatgaggaa acacttgagg cttctgctgt gtgttctttt gttattgttg ttattgttgt 180
tactcagtaa cttgaatatt gtttaatgtg ttgtaagacg tagagtttat ctcaagctgt 240
taaaaatggt aatgtacaaa tgtgaataga cacttatcta tataatatgg gtaagttttg 300

<210> 265
<211> 300
<212> DNA

<213> Homo sapiens

<400> 265
caggaaagtc ttcctagagg taatttttaa gctgattgtt ttagaattag tagaagcttg 60
ccagatggaa aagtccaggc aaagtgtaac atgaatggga aaggccacag tctagaaatg 120
gcagagtgtg ttcctagttt gtttgtttgt ttgtttgtac ctgccttgtt ccaggaagga 180
tttaatgtgg tttatattcc agtcctttaa tgctggaagg gctgagatga gactgaaaga 240
tgggcaggaa gtatatcatc acaagctttg tgtttgatgt taatgtgtat gatttttata 300

<210> 266
<211> 300
<212> DNA
<213> Homo sapiens

<400> 266
tgtgccacca cacccagctc attattatta ttattattat tattattttg agacgaagtt 60
tcactcttat cccccaggct ggagtgcaat ggtgcgatac tggctcactg caacctctgc 120
ctcctgggtt caagcggttc tcctgccttg gcaggcacct gtagtgtcag ctactcgaag 180
gctgaggtgg gagaatcgct tgaacctggg gggcggagat tgcaatggtg tggtctcggc 240
tcactgcact cgagcctggc gacagagcaa gactctgtct caaaaaaaaa aaaaaaaaan 300

<210> 267
<211> 300
<212> DNA
<213> Homo sapiens

<400> 267
atataactct ggaggtcagg acataggaga tattgattca ggacttgcca gagtatggtc 60
ttggggtgtg ccctgatatt acaaacaggg atcttagtgg ctaggtgatg aggccatggc 120
aaatgtagat ggaccaagat caatttgcct ttctagatga ggttttctag gtgaaatgtt 180
tttgaaacta ttttgtagcc tagtataatt tataaaagta gagagaaact ataaatataa 240
atttggaagg ggttagctaa aaggagaaaa cagcagaatc ttcatatata tagaaatgga 300

<210> 268
<211> 300
<212> DNA
<213> Homo sapiens

<400> 268
cctacttatt ggatgttggc tctttggtgt catggagatg gctttactgt aggtttgtgt 60
gtgttgcatt acttttcatt gggattgaac tgagaaataa caaacaagct ttaagtggga 120
aattaaaaaa aagaagtaac ctatgtagat ccaaacttaa aatgtgagaa attattgaaa 180
tttcattttc tacaaacttg aaattagcct gctaattgta aagttgtttt aataatgctg 240
acaaatgtca gttacgtttg caaaggagtg tatggttcta ggtatttgcc tactgttacc 300

<210> 269
<211> 300
<212> DNA
<213> Homo sapiens

<400> 269

cctacttatt ggatgttggc tctttggtgt catggagatg gctttactgt aggtttgttg 60
tgttgcatta cttttcattg ggattgaact gagaaataac aaacaagctt taagtgggaa 120
attaaaaaaa agaagtaacc tatgtagatc caaacttaaa atgtgagaaa ttattgaaat 180
ttcattttct acaaacttga aattagcctg ctaattgtaa agttgtttta ataatgctga 240
caaatgtcag ttacgtttgc aaaggagtgt atggttctag gtatttgcct actgttaacc 300

<210> 270
<211> 300
<212> DNA
<213> Homo sapiens

<400> 270
cctacttatt ggatgttggc tctttggtgt catggagatg gctttactgt aggtttgttg 60
tgttgcatta cttttcattg ggattgaact gagaaataac aaacaagctt taagtgggaa 120
attaaaaaaa agaagtaacc tatgtagatc caaacttaaa atgtgagaaa ttattgaaat 180
ttcattttct acaaacttga aattagcctg ctaattgtaa agttgtttta ataatgctga 240
caaatgtcag ttacgtttgc aaaggagtgt atggttctag gtatttgcct actgttaacc 300

<210> 271
<211> 300
<212> DNA
<213> Homo sapiens

<400> 271
ccacatttaa gtgagatatg ggaaggagga gcagattgtt tttgaaggga ggaagagcag 60
ttacttaggg tcaaattaag ttgtaaaatc ccccccggga ttttgtatgt aagtcaaagt 120
gaattgtatt tggaagaaga actggggagc ccacctctgg tatttttttt atgtccctca 180
tatggacaaa taaacctctg gtattaaatg aattttcttt tgggggattc tatatattcg 240
ggatttcaac caccaaccta tctggttttt cccgctgaaa tgttgggtga tggaatcagg 300

<210> 272
<211> 300
<212> DNA
<213> Homo sapiens

<400> 272
gaacgcttcc attttatacc tgtgtctagt tagtttctgc ctatctatcc aagaagcttt 60
tatcaagggt ccaccatgtg ccagccactg aagtagatat aaatacaagg atgtgtaagg 120
tatggatgat ggtatacgaa ctgtcatctt actggatttg tccgctctgt taaagatacg 180
gttccgaaaa ctttttaaag ccctagagag ggctttaagg caatgtagca tcatatatag 240
aggcatcaac ctgttcatat ctttctattt aacagaactg tgcacctggg cacaagggtg 300

<210> 273
<211> 300
<212> DNA
<213> Homo sapiens

<400> 273
gaatggcgtg aacccgggag gcagatggtc ttaaagtggg gagacccggg ttacaggcct 60
gactgcatca ctaactcgct gtgtgtccct gggcaagtca gtgcagtgca gtagcctctc 120
cgtctccgac tgaggagcaa agccctcggc tcaagatcct cacctacttc acagggattt 180

gaaatagtgc agtcaacagg aaaagaaaag cgctatagaa atgctcgacg ctatcacttg 240
gggcccacgt ggaagtatca acgtataaat tggcccaggc agacagaagg atgcagggga 300

<210> 274
<211> 300
<212> DNA
<213> Homo sapiens

<400> 274
ggaaccaggg gctgcagaac cagcccctcc ccaatgagga ccccctctgg acgcccctcc 60
ccatggagaa caccaggagc cacagacccc agaccacagg agcacacagg ggagggcacg 120
gggcggccgg ggcagggtgt ctgctgcctc gtttatggga tttgctccgc gtctagcaca 180
ctgctgcctg cagtgctcct gtcccctgca gtggctactc tgggcctacg ggcctaatcc 240
tggttggcat gaaaatgtcc tgaggctact gtgacaaatt tccacaagct gagtggctta 300

<210> 275
<211> 300
<212> DNA
<213> Homo sapiens

<400> 275
ctttgggaag cagaggtggc aggatcattc cagcccagga gttcaagacc agcctgggca 60
acacagtgag tgagaccctg tctctattta agaaaaaata attaagaaat tttattaaaa 120
aagaagaatc aggaaaccaa gtccaaccca actaaacctc aaatgaacca gcccctaaca 180
cagatgaggg gatttgggac tgataagctc tgtgctgtgt ccatggcccg tcatttatca 240
aggctgcagc tttgtaaatg tggctatttt tatgttgtgt atagtttcta tcatttattt 300

<210> 276
<211> 300
<212> DNA
<213> Homo sapiens

<400> 276
tttgtatttt tagtagagac agggtttctt catgttggtc aggctggtct caaactccta 60
acctcgtgat ccgcctgcct cgacctccca aagtgctggg attacaggca tgagccacca 120
tgcccagcca aagatcattt ttttatatag acttcagccc tttgtaaata ttgtaactgg 180
ggagtataga gtagaaaaaa agtatagtta aaacatttgt tctacaaatt aacctttaaa 240
aatataatta ctgctaaaaa tagagtgctg ttacacttaa ggaaaattag tgccattttg 300

<210> 277
<211> 300
<212> DNA
<213> Homo sapiens

<400> 277
ctcacacagc atgtgtcaga tccatggggt aggagtcggc cagagacttg gtaacagaca 60
gattgctgga tcccacccct agactctctg attcagttag tttggggtaa ggcgcaagac 120
tgaatttttc acaagtttcc cagtggtgct gatacttctg gtccaggaac ttagtgggag 180
agaacgacta atctagacca tttcacttca cattctgagc ttcttgtaca ctgtcacact 240
gcatcctttt aacaatgcat tccctatcct attgcaatac tgacatctca tcaatatttt 300

<210> 278
<211> 300
<212> DNA
<213> Homo sapiens

<400> 278
ctgacaactt gattgggttc tccttcaggt ttgaagcgcc ctcgagaagt gtctaaagga 60
gacagttgat agccaaacaa cagttttgga ttcactgact gattatgaaa gaagcagtag 120
actggtatca agaatcagtc agcaaggagg ccctcaccag acgccagtgc catgttcttg 180
gacttctcag cctccatatt catgaactaa gtttttggaa tccttaggct tccacgtgtg 240
gaaagcctga gctaacctac tggaggatga gccatcacct ggagcagatt caggccatcc 300

<210> 279
<211> 300
<212> DNA
<213> Homo sapiens

<400> 279
ggtaaaccta tttatataat agaaggatga ttataaacat ttaataaatt atatcaaata 60
gatattatat attaaatggg cagataatag aaatctgtcc aagcaaaact ctggataatt 120
tttatgttgc cttatttttt gttttctgtg aactccaaga aaaatgagat accagtttgg 180
aacagatgta atattgctga tttaacagtt tagggatact ccccaagttc aataattttg 240
ccaagataca aatttaaatg gaacctttta tgaagcttca tagtgtgtga agaacttacc 300

<210> 280
<211> 300
<212> DNA
<213> Homo sapiens

<400> 280
ataactgctt gcgaagatgt agtttctctt tggaaagcta cacacacgag attatacaca 60
tcaggcactg gaactatctg taatactgga acctctgcga agtgccaggt ataaagtttt 120
tcccactgcc aagcatccag agctttggga aatttggaaa tcagagagat cagggcattg 180
ttttgttcct ctgatgatga aagtgaaaag caagtactac tgaagtctgg aaatataaaa 240
gctgtgcttg gcctgacaaa gaggaggcta gttagtagca gtgggaccct ttctgatcaa 300

<210> 281
<211> 300
<212> DNA
<213> Homo sapiens

<400> 281
caccatcgaa tatttttatt tattttgaga gacagactct gtcacccagg ctagtcttaa 60
actgttggtg aatcttaagt gattctccca cctcagcctc ccaaagtgct gggattacag 120
gcatgagcca ctacccttgg ctgtgatcaa gtatttagtc tgttgttaaa tgtttactaa 180
atagtctgaa gtagagaaaa tagcacccaa tctaaaataa ggtgaggtct agtcacttat 240
ttaaatctac attttaagct atagtttact attagtttaa actttaagac aggtaatgtt 300

<210> 282
<211> 300
<212> DNA

<213> Homo sapiens

<400> 282
gcaaccttcg cctcctgggt tcaagtgatt ctcctccctc agcatcccaa gtagctggga 60
ctacaggcac gtgccaccac acccagctaa tttttgcatt tttagtagag gcagggtttc 120
atcatgttgg ccaggctggt ctcaaactcc tgatctcaag taatctgccc actttggcct 180
cccaaagtgc tggcattaca ggaatggagc caccgcgccc agcctgattt cttttttag 240
gtcttgtcag gaaagatatt gattcttttg attcgtgaac atggtttttg gtcgtcttta 300

<210> 283
<211> 300
<212> DNA
<213> Homo sapiens

<400> 283
cccaggtagc tgagactacc cacaccttgg tcccagctac ttgggaggct gaggtgggaa 60
aatcactttg cccaggaatt caaggccgca gtgagctatg attgcaccac tgcactccag 120
gcaacagagt gagaccctgt cttaaaaaaa gaagggagaa agtgtcagat ggtgatgagg 180
tctggggggg aaatagagaa tggggatcag gagtgtggat ggtggtattc cctcaccaag 240
aggtgacatg tgagcaggga gctgggaggt gagggtgtga cccgtgtgga aatcagggaa 300

<210> 284
<211> 300
<212> DNA
<213> Homo sapiens

<400> 284
ggtgtcctcc ccagtgcgcc gcgatttttg tgtccaagcc ccagagtccc tctgagacca 60
acccccagcc agcacagact tcctgccttc ccagctcgga agcgccctcg agaagtgtct 120
aaaggagaca gttgatagcc aaacaacagt tttggattca ctgactgatt atgaaagaag 180
cagtagactg gtatcaagaa tcagtcaggt ttttggaatc cttaggcttc cacgtgtgga 240
aagcctgagc taacctactg gaggatgagc catcacctgg agcagattca ggccatccta 300

<210> 285
<211> 300
<212> DNA
<213> Homo sapiens

<400> 285
aattccgttg ctgtcgggcc gccatgtcat tctggagaga gacagagtaa aacaaagaag 60
gtgatgggta aagcgcagtc gcctgctata tattgtctat ttttggtttt tcacttacct 120
tttatattta tgtcttttat gtacaacagg attataagta gcttgagtcc agtgaatata 180
ccatttcatt ttgctatcct tcactgcact tagcttagag gaaataatca cagcttatta 240
ttgattaatt aattaattaa tagatgaatg gtgaacacat gactatcatc ccaagaaatg 300

<210> 286
<211> 300
<212> DNA
<213> Homo sapiens

<400> 286

agccaatgag gcttttgcct gccagcagtg gacccaagcc attcagcttt acagcaaggc 60
tgtgcagagg gcccctcaca atgccatgct ttatggaaac cgagcagcag cctacatgaa 120
gcgcaagtgg gatggtgacc actatgatgc cctgagggac tgcctcaagg ccatctccct 180
aaacccatgc cacctgaagg cacactttcg cctggcccgc tgcctctttg agctcaagta 240
tgtggctgaa gccctggagt gcctggacga cttcaaaggg aaatttccgg agcaggccca 300

<210> 287
<211> 300
<212> DNA
<213> Homo sapiens

<400> 287
gggtgacaga gtgaaactcg tatctccaaa caaacaaaca aaaagtcctt aaacatatgt 60
gaacaaaaat tttgtgatgg aaggattcta gttaatgagt attgcatcaa gatttacatc 120
tttcttacta aggaaaagag ttaataaaaa ttgttcttta ttttacaggc agttactgag 180
gctcttccca gatctcagta aacagccact cagccttgaa aatggagtgt tgttgtttct 240
aaacatatat ttatgtcatt tattaagtac agttcactta aataacataa gtagattttc 300

<210> 288
<211> 300
<212> DNA
<213> Homo sapiens

<400> 288
accactaaca gcatctactt gactactgat actttgatca tggagttagg gcatgccact 60
tgatagaaat ttgaagagca attatatttt tcaaaaagag ttttgaataa tgttaagata 120
gattgcaaca tgactatcaa ttcttccctt cccatcaaag gagagagtcc gtttatccag 180
cctttgaatc ttgattattc aagtgacttg cttcacccaa tgtaacatta ataagcacaa 240
tacaagcaga ggcttgccaa gaacttggtt tgtttctaat gcttagaaga agaatggtgt 300

<210> 289
<211> 300
<212> DNA
<213> Homo sapiens

<400> 289
tgtccttatc tgaaattcag cgatcttcat gaataagcat ttctctgatt gtggnatatg 60
cctttaattt tatttctaga gtgacaaatt tttggttttg acagtttttt tctagcttta 120
tagtttcttc ttggggagag aatatgtcaa cctcactcca tcatgctgaa gtaaatcttc 180
atctcttaat tttatctctc aaaaatatcc taaggattcc ctctggagcc tgataagtaa 240
ttgcagtatc tggtttctat ggttggatga ttcaggattc caggaataat agttactttt 300

<210> 290
<211> 300
<212> DNA
<213> Homo sapiens

<400> 290
ggaaccatga gaaccgaagc tagaattgct attgaattac tttattttct cttcccttat 60
tgggtagaga tacatcatta ctggcctcag ggtttaccc aaagaaaggg tatttttgag 120
caaataatgt gatttcctgg ctattttgtt gggggcttaa gattttttttt tttcaaatgc 180

atttttagtc actaaaaatt aactgtcgta ccatctagaa ctatactgtc cagtaccata 240
gcctctagcc gtatgtagct atttgtatta agattaatgg aaattttaaa tccagttcct 300

<210> 291
<211> 300
<212> DNA
<213> Homo sapiens

<400> 291
tatgatttta tttttggcct aatataggaa tgtttaaaaa aggcttttct atgaaaatta 60
gaaatttata cttgaaatta aaagtctaca agggggagga ccttaaagct aagctaccag 120
taagacaatg aataattcag aagagaacac tattctttta ctgactgagt gcccaagatg 180
ccaatttcca tgaagtcttg atttatatat atgtacacat gttatgcaca tacatgtttg 240
ttttctaaca gttattcttt aagcttttga gataatttta gacttacaga agagttggaa 300

<210> 292
<211> 278
<212> DNA
<213> Homo sapiens

<400> 292
cccagaccta tggagtcaga cagtaggttt gaggcccagc aatctatggt ttaacaagcc 60
atccaggtgt ttctgatgca cagtgaaatt ggggtaccac tggtattagg tttggtatgg 120
caacttttc atcacttgtt ttatgtagtt gtctgatcaa ttgtgaaaac ataatgaatg 180
ttggaaatgg aacagtaaaa taacgaaagc caactttttt tttttttttn nnnnnnnnnn 240
nntgntttnn cccccaggnt gnanngcagg gncccaat 278

<210> 293
<211> 297
<212> DNA
<213> Homo sapiens

<400> 293
ggaaggcagt gggaggagag gaccaagtct caaactccag aagcccccacc tccctgagct 60
cagctcctct gccaagcccc ctcagcgcga agtcctcgtc cagagaaggc aacggcgaga 120
aacaaatcca acatcctggg ctgctttttc cttcccccac tttttaaaag tttggtgtcc 180
aagtcacttg acaaacccag accctaacaa tgatattttg tgtagaattc tgggatcaaa 240
atataatttc aaaaataata tattttctga catcccccaa aaaaaaaaaa aaaaaa 297

<210> 294
<211> 300
<212> DNA
<213> Homo sapiens

<400> 294
ggaacagttt gagcaaaggc tctcaagtaa tagggtgtct gacttgttca tttttgaaag 60
tagaactaat aggatttctt attggaacgt agggtgtaag agaaaagagg agtcaaaaag 120
agccacaaga tttttggtct cagcaattag aaggatagaa ttgacattta ctgagatttt 180
tgtttttgtt tttgagacgg agtttcgcta ttgttgccca agctggcgtg caatggcgtg 240
atctcggctc agtgcaacct ccacctccca gattcaagcg attctcctgc ctcagcctcc 300

<210> 295
<211> 299
<212> DNA
<213> Homo sapiens

<400> 295
gtaatattga tgtgattgtt gtcgcttgag aaaaaaaggc aacagctgat tctttcaaca 60
actgtcacag aatggctggg ctgagaacgc tgcccagggc cctgcagctg gcgggagnnn 120
nnnnnnnnnn nnnnngtgcn tgctgcaaca tntggttana tngtatcctt ccctanagnt 180
gctacnnctt nnatccccctt gtnaatatgt tgagntnnct tngcnttcnn gntnntccng 240
ntnnttgaca cntatgnaan ttntntngtc tngctctgct ngatnncttn nangctgcc 299

<210> 296
<211> 300
<212> DNA
<213> Homo sapiens

<400> 296
gcagaacctt ttcccctcta ctcttgtcta aaagttctgt gtggcacaca gagatgcgac 60
ctactcaatc tgacttagta aaaccatgct gaaaaatttt ggtctaaaaa ggacccatac 120
ccagcaccca tgaaataaaa gattcatctg taattgggat tcaaagggat taaattcctt 180
tggtcatact cataaatagc actaaagtgt tataacattt tcatttacct atttttagtt 240
ccttcatttt aacttaataa aaatcttgga ttgatattct tttttttttt ttttgggacg 300

<210> 297
<211> 300
<212> DNA
<213> Homo sapiens

<400> 297
gctaggatta caggtgtgag ccaccatgcc cagccactta tctttaaagg attaagttta 60
tgtttcctac tatgggaaac catcccaccc caaacttgat gaccgcatta tgtgctttta 120
tagaacatgg cacttctcca ggatagcatt tattctgttt tgtaagtgtg aatgtaatta 180
ccctacacac agcatacaca taatcttcat attctttgcc ttgtcttgtg aaggcaaggg 240
ccatgtctat cttattcgtc attagattcc cacatccaac atagtcctgg ggacagcacc 300

<210> 298
<211> 300
<212> DNA
<213> Homo sapiens

<400> 298
ccaaatctgc ctagagattg agttcacagt gtatgttctg gggcgctgg tgcagtcagc 60
ggtccagtct ccagcctgca ggcgtgcaca ctggggtgga cgatgggtgg ccccgcaggt 120
gtacacattt gggtggcccc ggcccctata ccccagtgtt ctctttgatc cagtcccgaa 180
acagagggag ccttgtgtac acgcctccaa agtggagctg ggaggtagaa ggggaggaca 240
ctggtggttc tactgaccca actgggggca aaggtttgaa gacacagcct cccccgccag 300

<210> 299
<211> 300
<212> DNA

<213> Homo sapiens

<400> 299
ctccattgtg aagatccagg cattttccg agccaggaaa gcccaagatg actacaggat 60
attagtgcat gcacccccacc ctcctctcag tgtggtacgc agatttgccc atctcttgaa 120
tcaaagccag caagacttct ctgctgctgt gatctgcaca ccctccaacc tgggcaggga 180
ctggggggat gcagtgtgtg ttagtgccca tgtggcattg tggcactgtt gccccccatg 240
gcggcatggg caagatgacc ttccattagc ttcaagtctt gttctcttgt ctgtggtctg 300

<210> 300
<211> 300
<212> DNA
<213> Homo sapiens

<400> 300
agcaattcca ctcctagctc cacccacagg aattgaaagc aaagacgcaa acagatgcct 60
gtgcaccaaa gttcacggca gcatccttcg ccatagtggc agcatccgtc gtcacagcgg 120
catcatcctt catcatagcg gcagcatccg tcgtcacagc ggcagcatcc ttcgccacag 180
cggcagcatc tgtcgtcaca gcggcagcat ccttcgccaa agcggcagca tccttcgtca 240
tagcggcagc atcctttgcc atagcggcaa ggtggaaacc ctgtccatcc actgaggcgt 300

<210> 301
<211> 300
<212> DNA
<213> Homo sapiens

<400> 301
tcacagatat gaaagttcag tcagaggggc tgggccgaca tctgtgcttt tccctgcagg 60
atttttagga tcagtgagac ggtgtgtatt tggaagcatt tcaaatgtgt taccatcgtg 120
ttacttccgt gggcacctgg tgttattggt tggactagtc aggattctcc agagcagcag 180
aagcaatggg atgtgtgtgc atgtgtttgt gcagagacag aaagagagat tttaaggaac 240
tggcttatgc agttgtgggg gctagcaagt ctgaaatttg cagggcgggc cagcaagctg 300

<210> 302
<211> 300
<212> DNA
<213> Homo sapiens

<400> 302
tcaccaggaa tacagtgaca ttaaaagtgt gatatggttt agctgtgccc ccacccacat 60
ttcaacttga actgtatcta tctcccagaa ttcccacatg ttgtgggagg gacccagggg 120
gaggtaactg aatcatgggg gctggtcttt cccgtgctat tctcgtgatg gtgaagtctc 180
acgagatctg atgggtttat caggggtttc cacttttgtt tcttcatttt ctcttgccac 240
cagcatgtaa gaagtgcctt tggtctccta ccatgattct gaggcctccc tagccatggg 300

<210> 303
<211> 300
<212> DNA
<213> Homo sapiens

<400> 303

gccctctcca ttttctgagg aggtgatatt tgggcagatt acaaactgag gaagcatact 60
ggatagacat caggatgaag agaataggca gttgaaaagt cccagaaagg ggagtgtgct 120
tagagtgttt gaggaacagc aaggaagcaa gcccttgttg aaacagattg agcaaggtag 180
aaagtggtaa aagatgaagt taaagaggta gctgagagcc agatcatgta aagccttggt 240
aaggactgac ttttatttta agagggttag gaagacattg gtaggttttg actctggctt 300

<210> 304
<211> 300
<212> DNA
<213> Homo sapiens

<400> 304
aacaggaata tggaaagaaa ctcagagccg agttagtgga aaagtggaaa gcagagagag 60
aggctcggct ggcaagagga gaaaaggaag aggaggagga agaggaggaa gagatcaaca 120
tctatgcagt caccgaggag gagtcggacg aggaaggcag ccaggagaaa ggaggggacg 180
acagccagca gaagttcatt gctcacgtcc ctgttccctc gcagcaagag attgaggagg 240
cactggtgcg aaggaagaaa atggaactcc tccagaagta tgcaagcgag accctgcagg 300

<210> 305
<211> 300
<212> DNA
<213> Homo sapiens

<400> 305
aatagtagaa agggtcccca ttcctgctca gcaccgcacc tctctacccc cccacagaca 60
cacatgcaga cacacacatg cagacaacac gcagacacac acatgcaggc actcacatgc 120
aggcccatgc acacacacgt gcacacacat gcagagacat gcagacacgc aggcacacat 180
gcacacatgc aaagacacgc atgcaggcac acgcagacgc acacagagac acacatgcag 240
atacacatgc acacacacat acacacactg gcccctgttt ttctgtggtg tcactgggtg 300

<210> 306
<211> 300
<212> DNA
<213> Homo sapiens

<400> 306
cagcaaagac tttatttttg tacagaagat ggtgaagtcc aagacggtgg ctcagtgcgt 60
ggagtactac tacacgtgga aaaagatcat gcggctgggg cggaaacacc ggacacgcct 120
ggcagaaatc atcgacgatt gtgtgacaag tgaagaagaa gaagagttag aggaggagga 180
ggaggaggac ccggaagaag ataggaaatc cacaaaagaa gaagggagtg aggtgccgaa 240
gtccccggag ccaccacccg tccccgtcct ggctcccacg gaggggccgc ccctgcaggc 300

<210> 307
<211> 300
<212> DNA
<213> Homo sapiens

<400> 307
gctgcttctg gctgggggt ccttggcctt catcctgctg agggtgagga ggaggaggaa 60
gagccctgga ggagcaggag gaggagccag tggcgacggg ggattctacg atccgaaagc 120
tcaggtgttg ggaaatgggg accccgtctt ctggacacca gtagtccctg gtcccatgga 180

accagatggc aaggatgagg aggaggagga ggaggannnn nnnnnnnnna ntggccttnt 240
gtggcctcca ccagcagctn tnnannatga catggagtcc caactgnacg nctccctcat 300

<210> 308
<211> 300
<212> DNA
<213> Homo sapiens

<400> 308
agttaagagt gtgaacccta gatttgccat ctgaaagtca tgtgtccttc agtgatgcat 60
ttaacctctc tgtgcctcaa atttctccct ctggggtatg ttaggagtat acaaattaac 120
acatgtaaag tgcttagaat agattggtac tgttaaatat gagctaacgt cacatttgat 180
attttttaa aaagaaaaaa tcattatgga gtctcagtcc tagagattct gattcattaa 240
ttctgcttct cggcaaggag cgatttgctg gtgtagacat tccgggtccg tgtaaagggt 300

<210> 309
<211> 300
<212> DNA
<213> Homo sapiens

<400> 309
ccaacaccca gttctcactc tgtcatccag gctggtgtgc agtggtgcaa tgtgggctta 60
ctgcagcctt gacctccagg acaagtgatc tcccacctca gcctccggaa tagctgggac 120
tacagctcaa caacgcccct ctgaaagtag gactcttgga aatgaacctt gttgggagta 180
aagctgaacc ttcacctctc ctttccagga ttctactcca ttcatacggc ctcacactga 240
attaatggtt ctagcagcca catcactttg ttacccaatt gatctagtag taaagtcttc 300

<210> 310
<211> 300
<212> DNA
<213> Homo sapiens

<400> 310
aggaaacacc cccttataaa accatcatat caggctgggt gatctgacag agctagacac 60
tgtcaaacaa acaaacaaac aaacaaaaaa accccatcac atctcatgag acttatttac 120
tatcatgaga gcagctcagg aaacacccac tcccgtgatt cagttacatc ccactgggtc 180
tgtcccacaa attgtgggag ctacaattca agatgaggtt tgggtgggga cacagccaaa 240
ccctatcacc atgtaaaata atatctaatt tgtagagatt aaagaacaag ataacttaaa 300

<210> 311
<211> 300
<212> DNA
<213> Homo sapiens

<400> 311
ttntgcagat ctccagcaca agcctctgct agttgatctc acggtagaag aaggtcaaag 60
attaaaggtt atgtttggtt cacacactgg tttccatgta attgatgttg attcaggaaa 120
ctcttatgat atctacatac catctcatat tcagggcaat atcactcctc atgctattgt 180
catcttgcct aaaacagatg gaatggaaat gcntgtttgc tatgaggatg anggggtgna 240
tgtaaacacc tatggccgga taacnaagga tgtggtgctc caatggggag aaatgcccac 300

<210> 312
<211> 275
<212> DNA
<213> Homo sapiens

<400> 312
cctccctgga tgtgcagaca tggaggagga cagaaggccc agctcagtgg cccccgctcc 60
ccacccccca cgcccgaaca gcaggggcag aggcagnnnn nnnnnntaag ngtgtnnaan 120
tntnnatttn ttcctntttt ttttnnnttn aaatatnntg nnnttttttn ntantantta 180
ttatnntntn nttattannn tntttttcnt ntnttacttt gttnttgatt ttanncnttt 240
natntttttt ttgttcttct nttntattnn atctt 275

<210> 313
<211> 300
<212> DNA
<213> Homo sapiens

<400> 313
tcctgtcttc ttgcccaaat gttgcatttt ccaagaccac tctggcctgc catgccaccc 60
attctgtgcc tataaaaacc ctgagacccc agcgggcaca cacacaagcg gctggacgtc 120
aagaggaaca cactggcaga agaacacatc gaaagacgct ggcaggccat tgatggtgga 180
acgattcgga cgccaaggga aattcggcca aggacagtag gagatcccgg ctgctgagca 240
gccagactcc agaggaagac taccttccca tgctatcccc cttctggctc cccagccatc 300

<210> 314
<211> 300
<212> DNA
<213> Homo sapiens

<400> 314
ataagggtgg ggccttaatt cagtagaatt ggtggcctcc taagcagagg aagagagatt 60
tttctttctc tctctgccat gtgaagacag tgaggagtcg gccgtctgca agccaagaag 120
agcccttatc aggaacagac ttggctagca ccttcatcgt ggacctccag cctccagaat 180
tgcaagaaaa tacatttccg tcgttgaaac cacccagtct gtggtatttt gttatggcag 240
cccaggcaga ctaatacgtg aagcctgctc taaatagata aaataagaaa ttactacaga 300

<210> 315
<211> 300
<212> DNA
<213> Homo sapiens

<400> 315
gtctcagtgt ggcctgtggg gctggtgggc ggcctgcgat tcgagggccc tcaggtacag 60
gacggccggg tagtgggctt ccacacagca tgggagccca gcaggccctt ccctgtggat 120
atggctggat ttgccgtggc cctgcccttg ctgttagata agcccaatgc ccaatttgat 180
tccaccgctc cccggggcca cctggagagc agtcttctga gccaccttgt ggatcccaag 240
gacctggagc cacgggctgc caactgcact cgggtactgg tgtggcatac tcggacagag 300

<210> 316
<211> 300
<212> DNA

<213> Homo sapiens

<400> 316
gaaatgcctc tatgtaggtg aagtgttctc tctgcatgca acaggaaaaa ttaatataat 60
attttcccca caaaagaaac acttaacaga ggcaagtgca atttataaat ttatatctaa 120
aggggaatca tgattataag tccttcagcc cttggactct aaattgaggg gattaaaaag 180
aatttaaaat aattttgaac gaatttattt tcccctcagt ttttgagggc attaaaaagg 240
cattaaatca agacaaatca tgtgcttgag aaaaataaaa ttaatgaaaa cacagcactt 300

<210> 317
<211> 295
<212> DNA
<213> Homo sapiens

<400> 317
acactgtccc actccatcac ccaggctgga gtccagtggt gtgatcatag ctcgctgcat 60
cctccagttc ctgggttcaa gccatccctc ctgcctcagc ctcccccagta gctggaacta 120
caggtgtgtg ccatcacacc tggctttaca tttttctgtg gggacttact atgttgccca 180
ggccggcctc aaactcctga gctcaagtga tcctctgcct cagcctccag agtatctggg 240
attacatatg tcggctaccg tgtctggccg ttcacatctt tggccactat ttgct 295

<210> 318
<211> 261
<212> DNA
<213> Homo sapiens

<400> 318
cctgaatata aagaggagga ggaagaccaa gacatacagg gagaaatcag tcatcctgat 60
ggaaaggtgg aaaaggttta taagaatggg tgccgtgtta tactgtttcc caatggaact 120
cgaaaggaag tgagtgcaga tgggaagacc atcactgtca ctttctttaa tggtgacgtg 180
aagcaggtca tgccgaccca agaannnnnn nnnnnnnnnn nnntngccnn aacnnttcac 240
caaatncccc gggggggctt g 261

<210> 319
<211> 300
<212> DNA
<213> Homo sapiens

<400> 319
gggacctctg cccaagaaag cctgggtatt gaccaaggtt tcccccccac tgagacagcc 60
tgagatatgg cctcatggga agggaaagac ctgactgtcc cccagcccga cacctgtaaa 120
gggtcggtgc tgaggaggaa tagtgaagga gggaggcctc tttgcagttg agataagagg 180
aaggcttctg tctcctgctt gtccctggta atggaatgtc tcggtgtaaa gctgaccatt 240
cccattcgtt ctattctgag ataggagaaa accgccctgt ggctggaggt gagatatgct 300

<210> 320
<211> 289
<212> DNA
<213> Homo sapiens

<400> 320

caccttgcct ggccaagggg ctagacctcc caggctaagc ctcagattca gtgcaggaca 60
caagctcatg ccccgtctt gccagtgaca cttgaagcct cccgacttcc acagagtgct 120
tcaggacaca ttttgagtgg tattttcttt tcttttttc ttcttttttt ttttnnnnnn 180
nnnnnntngt tntgtnnccc aggctgnann gcaggggcct gatntnggnt aantgnaacc 240
ttngcctccn aggttaaagc natttttng cctaanctc naaagtacc 289

<210> 321
<211> 300
<212> DNA
<213> Homo sapiens

<400> 321
gaaagaccga gatagagaga gagacagaga cagagagcga gaccgtgatc gggacagaga 60
aagagaacgc accagagaga gagagaggga gcgtgatcac agtcctacac caagtgtttt 120
caacagcgat gaagaacgat acagatacag ggaatatgca gaaagaggtt atgagcgtca 180
cagagcaagt cgagaaaaag aagaacgaca tagagaaaga cgacacaggg agaaagagga 240
aaccagacat aagtcttctc gaagtaatag tagacgtcgc catgaaagtg aagaaggaga 300

<210> 322
<211> 300
<212> DNA
<213> Homo sapiens

<400> 322
cgcccttaa ctgcagttct gctctatttt cttttctctc tctggagctg agagtcagag 60
ggcccttctc ctcctccttt cagccccaa cactaagctg atggattgat aaatacctca 120
gcccctcgcc ttcctcaacc cacctggcaa gtcttcttag gatctgatcc cagttttctg 180
gaagcaatcc taccccagcc caagcttccc aagagtcgag ccttaatcct tctcacttct 240
cagtgtcaga gcagaaatga atcctggggt tgactgtgtc cattcgggtt attagcagct 300

<210> 323
<211> 300
<212> DNA
<213> Homo sapiens

<400> 323
agattatgag catgtagaag atgaaacttt tcctcctttc ccacctccag cctctccaga 60
gagacaagat ggtgaaggaa ctgagcctga tgaagagtca ggaaatggag cacctgttcc 120
tgtacctcca aagagaacag ttaaaagaaa tatacccaag ctggatgctc agagattaat 180
ttcagagaga ggacttccag ccttaaggca tgtatttgat aaggcaaaat tcaaaggtaa 240
aggtcatgag gctgaagact tgaagatgct aatcagacac atggagcact gggcacatag 300

<210> 324
<211> 300
<212> DNA
<213> Homo sapiens

<400> 324
gtctgagaag tcaaggatcg gggtgctggc ctattcagtt cctggtaagg gctgtcttcc 60
tggcttgcag ttgaactact tcttgctgtg tcttcacaag catgcccca tcctgtgccg 120
ataagaactc cagaccccaa actcagctca tacacacacg gaagagagaa gcatctgaac 180

atcaagaaga gaagaagctg ctggacatca gaaactgtga aaggagagga gtttggctga 240
gctccagggg aagactgcct gcacattcta tccccttttc agttccccat cctgctgtca 300

<210> 325
<211> 283
<212> DNA
<213> Homo sapiens

<400> 325
gtccgaagaa aaagactgtg gtggcggaga tgctctctcc aatggcatca agaaacacag 60
aacaagtttg ccttctccta tgttttccag aaatgacttc agtatctgga gcatcctcag 120
aaaatgtatt ggaatggaac tatccaagat cacgatgcca gttatattta atgagcctct 180
gagcttccta cagcgcctaa ctgaatacat ggagcatact tacctcgtcc acaaggccag 240
ttcactctct gatcctgtgg aaaggatgcn ngtgtgtagc tgc 283

<210> 326
<211> 300
<212> DNA
<213> Homo sapiens

<400> 326
atgacatcct cattatccac actgcaaagc caaccatccc tatgatgggt tcattgtgga 60
tcatgactta gtgggtcaag agtttggaag tggctcagct gggcggttct tctgctccat 120
gtggctgcca gatggtaccc tgctggtggg cagtctggtc tagagggtcc atgatggctt 180
tactcacatg cctggcatct tgacagggac agctggaagg caaggttcag ctgggactgt 240
ccacagagct cctccctgtg gcctttccag catggtggtc tcagggtagc tggacttcct 300

<210> 327
<211> 300
<212> DNA
<213> Homo sapiens

<400> 327
ggtagactgg ctagggatcc tggacccagg gttccacgta gcaacacctg ctgagttctc 60
tgggttttct tcctgcctca tgtagcccag acttggagct gaagaagctg gaaacatgga 120
aacaccaaca gctacagacc aaaaaaagtc ccaacaaagg cctgtcagtc tgccagcctg 180
ttctgtggat ttccaactca agattgcagc atcaactcac acctgaagtt ctggcttccc 240
tacaaacttt gaacttgcca gtccccacaa tggcataagc caattcctta aaatgaatgt 300

<210> 328
<211> 300
<212> DNA
<213> Homo sapiens

<400> 328
gtcacaggca ggtttaatgg ccagtttaaa acttatgcta tctgcggggc cattcgtagg 60
atggtgagtg tttccctggg ctttgctcat cacttcggga catcgtggac tttaccgtgc 120
gcattggagt gtgtgatggt gcctgagtag atctgctggc agagtagttt gagccagctg 180
gactgggctg gccgcctgcc gcttcttgag ggtggaagag gggtgctctg agaagacact 240
caggcagcag actctgcctc tcacttaagg tgcccccccg accccgctcc accatagtca 300

<210> 329
<211> 300
<212> DNA
<213> Homo sapiens

<400> 329
ttttggtcgt ctttaatttg tctcatcagt gcctccatgt gtttttgatg cctttgaact 60
ggtattttta aaatttcaat ttctaattgt tcattataga aacacaattg ggttttatat 120
attggcattg tattttgcaa ctttcctaaa ctcactagta attctagtag ctttttttgg 180
tagattctta aggattttct gtgtaaatag tcatgtcatt tgtgaataaa gccatttttt 240
tttccttttc aaattttgtg ccttttattt cttattctta ccatatcaca ttggcaaaga 300

<210> 330
<211> 300
<212> DNA
<213> Homo sapiens

<400> 330
tcaaggatcg gggtgctggc ctattcagtt cctggtaagg gctgtcttcc tggcttgcag 60
ttgaactact tcttgctgtg tcttcacaag catgccccca tcctgtgccg ataagaactc 120
cagaccccaa actcagctca tacacacacg gaagagagaa gcatctgaac atcaagaaga 180
gaagaagctg ctggacatca gaaactgtga aaggagagga gtttggctga gctccagggg 240
aagactgcct gcacattcta tccccttttc agttccccat cctgctgtca gccacattta 300

<210> 331
<211> 300
<212> DNA
<213> Homo sapiens

<400> 331
accgccctgt ggctggaggt gagatatgct ggcagcaata ctgctctgtt actccttgct 60
acactgagat gtttgggtaa agagaaacat aaatctagcc tacgtgcaca tctgggcaca 120
gtacctttcc ttgaacttat tcgtgataca gattcctttg ctcacatgtt tccctgctga 180
ccttcttccc acctgttgcc ctgctacact cccctcgcta agacagtaaa aataatgatc 240
aataaatact gagggaactc agaggccagc gccggtgcgg gtcccccccca tgctgagcgc 300

<210> 332
<211> 300
<212> DNA
<213> Homo sapiens

<400> 332
ggaaaaacaa caggtttgag tcctataaag ccataattta actccagtag ctgatgtcag 60
acaagcttgt cctatgtcct atttgagtgg cagcagcgcc agcccagcaa gaaggctggg 120
ggttgtcaag gttgtcccca gaccttgctt gcagtggttg gagaacccag ggggctgcct 180
tgggccctct ggccagaggg aagcgggcag ctctagccct ggagattgtg gtcacattgg 240
ggcttgttta ggattggagg gccaggtcac ctccccagcc accctccctt ctctcctctg 300

<210> 333
<211> 300
<212> DNA

<213> Homo sapiens

<400> 333
cctcctactc ccaaacaaat ctttggggaa aaaaaaacta ccaactgtca gccatgggcc 60
tgacggcgct aagctctggg gctccgtgca ctgacgtggg gccagccaca gggaggcggg 120
gatcaagtag cggaggccag gattttggcc acctcccggg caagttgcag ggcagtggcg 180
ccgggagcaa aagcagcatg atgcagctca tgcacctgga gtccttttat gaaaaaacct 240
cctcctgggc ttatcaagga agatgacact aagccagaag actgcatacc agatgtacca 300

<210> 334
<211> 262
<212> DNA
<213> Homo sapiens

<400> 334
gccatgccca tttgtttact cattgtctat ggttgctttc atgccctcac agcaaaggcg 60
agtagttgtg atggatcaaa tggcccacaa agcctgaaat atttactctt tgacccttta 120
cagaaaaaaa ccttgttgac ccctgcttta gagaatgaga agccatgcag ggatcagtga 180
tgccagagga agggaaggaa ctgcttccag ctattgtgac aataataata ataataatat 240
tgggtctttg actagaacgt gt 262

<210> 335
<211> 300
<212> DNA
<213> Homo sapiens

<400> 335
tcntntctcn ntattnttgn gtagtncctc ntttccttgt ncnntnntcn nctnttgnct 60
tttgcggacc ctcgattcta tctcatatga gtgagaacgc ttaccagtgc agcgaatgtg 120
ggaaagcctt ccgagggcac tcggactttt ctaggcatca gagtcaccac agcagtgaga 180
ggccttatat gtgtaatgaa tgtggaaaag ccttcagcca gaactcgagc cttaaaaagc 240
accaaaagtc tcacatgagt gagaagccct atgaatgcaa tgaatgtggg aaggctttta 300

<210> 336
<211> 300
<212> DNA
<213> Homo sapiens

<400> 336
gaggacccac tccccccagga ctcctttgaa ggcgtggacg aggacgagtg ggactagcct 60
gcgcccccgt cacctccacc tcacctgtgc tgccacttcc tagtgcacac ctcacggctc 120
atcctcaagc tggaagatac ctctctggcc ccggcacatg tcacccctgc actcctgcct 180
tcccgtgggc acttccacat cctctgggcc tctggcagtt cccagggact gttttcacct 240
ctgctgtctc tggggtcagc tgctgctcat cagctgcccg ctagcatgtg gccaggggtg 300

<210> 337
<211> 300
<212> DNA
<213> Homo sapiens

<400> 337

agacaaccca gaaacaaatt catacatcta tggtgaccac ttttgacaaa ggaatgaaga 60
acatacactg gggaaaagat aatgtcttta ataaatggtg ctgggaaaac tggatatcca 120
tatgcagaag aatgaaacta gaccccccatc tcttagcata tacaaaaatc aaaattaatt 180
aaaaagttaa atctaagacc tcaaactatg aaacagctaa aagaaaacat cggggaatct 240
ctccaggaca ttggagtggg caaagatttc ttgtgtaata cctgacaaac aggcaaccaa 300

<210> 338
<211> 292
<212> DNA
<213> Homo sapiens

<400> 338
tcaataacca tgaagatgca tcctaccacc gtcagggcaa tcattagata gctgatcttc 60
actcgcatct tcatggttat tgagggcaag aaggctgccc aaagacacga gactttaaca 120
agcttgaact tagaaaagaa agctcgtctg aaagaggaag cagctatgaa ggccaaaaca 180
gagtagcaga ggtatccgtg ttggctggat tttgaaaatc caggaattat gttataacgt 240
gcttgtatta aaaaggatgt ggtacgagga tccatttcat aaagtatgat tt 292

<210> 339
<211> 300
<212> DNA
<213> Homo sapiens

<400> 339
gaaatttgca ctgatggctc agaaggctta cgtcatggag agtatgacct acctcagagc 60
aggggggct ggaccaacct ggctttcccg actgctccat cgaggcagcc atggtgaagg 120
tgttcagctc cgaggccgcc tggcagtgtg tgagtgaggc gctgcagatc ctcggggggct 180
tgggctacac aagggactat ccgtacgagc gcatactgcg tgacacccgc atcctcctca 240
tcttcgaggg aaccaatgag attctccgga tgtacatcgc cctgacgggt ctgcagcatg 300

<210> 340
<211> 300
<212> DNA
<213> Homo sapiens

<400> 340
ctcagngcan cgatcatggc tcagtgcagc ctcaaactct tgggctcaan canagcgggn 60
acctcaacct cctgagtagc taggactata ggcacacagc accatgcccc ggctattttt 120
ttattttgta gagatggggt ctcactatgt tgcccaggct agtcttgaac tcctggcctc 180
aagcaatcct cccacctcgg cctcccaaag tgctgggatt aaaggcgtga gccaccgtac 240
ctggcccttg gtggaatctt tagggttttc tattcataca tataaaatca tatcattggc 300

<210> 341
<211> 296
<212> DNA
<213> Homo sapiens

<400> 341
atccaggtgt ttctgatgca cagtgaaatt ggggtaccac tggtattagg ttgggtatgg 60
caactttttc atcacttgtt ttatgtagtt gtctgatcaa ttgtgaaaac ataatgaatg 120
ttggaaatgg aacagtaaaa taacgaaagc caactttttt tttttttttt ttnnnnnnnn 180

nnnnnnnnnt tnncccccng ncngnanngc aggggcccaa nntnggntnn ntgnanccnc 240
cnccnccggg ntnnncccct ttntcnngcc taacccnccc nagnacnngg aactac 296

<210> 342
<211> 300
<212> DNA
<213> Homo sapiens

<400> 342
ggcacgatca tggctcattg cagcctctaa ctccggggct caagcaatcc tcccacctca 60
gcctaccaag tagctgtgac cacagctgcc cctcaccatg ctaagctaat ttttttaatt 120
agatagtaca taaacgtccc aaaattagaa gataaaaaga catgagggat ccattctaat 180
ttgtgtttgg agtgtaatgg tccagctcca ttcttctgca catggatatc cagttttaca 240
caacactgtg aatgtaatga atgccactga atcatacact caaaaatagc taaaatggca 300

<210> 343
<211> 300
<212> DNA
<213> Homo sapiens

<400> 343
gttttcatca ctacatattc tacacacact gggaagctct gacaacttat tccctgctat 60
tatcaactaa agatcaccct ttctactgct gtctctggag caggagctgg caaactatgg 120
cctgctgtct gtttttgtac agttttactg aaacacagcc atgcccattt gtttactcat 180
tgtctatggt tgctttcatg ccctcacagc aaaggcgagt agttgtgatg gatcaaatgg 240
cccacaaagc ctgaaatatt tactctttga ccctttacag aaaaaaacct tgttgacccc 300

<210> 344
<211> 300
<212> DNA
<213> Homo sapiens

<400> 344
ccccaacctg cactctaccc acccccatca cctactccag ctcccaactt ttgtggactg 60
agcggccgca gagactgggt cgccttggat tccctctgcc tccgaggacc ccaaaagaca 120
cccccaaccc caggccagcc ggccctgctc tggcgcgtcc aaaatactac ctagcacagg 180
cctctgctcg aggcaccccc aaactaccta tgtatccagc cccagagggc ctccattccc 240
aggaagtccc tatgtatccc aacactggca gacacccagc accaccctcc cagacccgca 300

<210> 345
<211> 300
<212> DNA
<213> Homo sapiens

<400> 345
cccccatcac ctactccagc tcccaacttt tgtggactga gcggccgcag agactgggtc 60
gccttggatt ccctctgcct ccgaggaccc caaaagacac ccccaacccc aggccagccg 120
gccctgctct ggcgcgtcca aaatactacc tagcacaggc ctctgctcga ggcaccccca 180
aactacctat gtatccagcc ccagagggcc tccattccca ggaagtccct atgtatccca 240
acactggcag acacccagca ccaccctccc agacccgcaa gaaagtgaat ctcactacta 300

<210> 346
<211> 300
<212> DNA
<213> Homo sapiens

<400> 346
gtccacggtg ctgaacatca tcatctttga agactgtagg aaccagtggt ctatgtcccg 60
accactactt ggcttgatat tgcttaatga aaagtatttt tctgacctaa gaaacagtat 120
tgtgaacagc cagccaccgg agaagcagca ggccatgcac ctgtgttttg agaacctgat 180
ggaaggcatc gagcgaaatc ttcttacgaa aaacagagac aggttcaccc agaacctgtc 240
agcattccgt cgagaagtca acgactcaat gaagaattcc acttatggcg tgaatagcaa 300

<210> 347
<211> 300
<212> DNA
<213> Homo sapiens

<400> 347
gctctgagcc caggcgaggc cagggacatg gccatggacc tgtgtcggca ggaccccgag 60
tgtgagttct acttcagcct ggacgccgac gctgtcctca ccaacctgca gaccctgcgt 120
atcctcattg aggagaacag gaaggtgatc agaccccatg ctgtcccgcc acggcaagct 180
gtggtccaac ttctggggcg ccctgagccc cgatgagtac tacgcccgct ccgaggacta 240
cgtggagctg gtgcagcgga agcgagtggg tgtgtggaat gtaccataca tctcccaggc 300

<210> 348
<211> 300
<212> DNA
<213> Homo sapiens

<400> 348
gttctgtggc tggcatggtc tgcctgctac tggagagatc tcctgagaat tcaggtttgg 60
attggtgctg tcatcttcct gggaatgctt gagaaagctg tcttctatgc ggaatttcag 120
aatatccgat acaaaggaga atctgtccag ggtgctttga tccttgcaga gctgctttca 180
gcagtgaaac gctcactggc tcgaaccctg gtcatcatag tcagtctggg atatggcatc 240
gtcaagccac gccttggagt cactcttcat aaggttgtag tagcaggagc cctctatctt 300

<210> 349
<211> 300
<212> DNA
<213> Homo sapiens

<400> 349
gtcagctttt gatgaagcta tgtcatactg tcgatatcat ccttccaaag ggnattggtg 60
gcacttcaaa gatcatgaag agcaagataa agtcagacct aaagccaaaa ggaaagaaga 120
accaagctct atttttcaga gacaacgtgt ggatgcttta cttttagacc tcagacaaaa 180
atttccaccc aaatttgtgc agctaaagcc tggagaaaag cctgttccag tggatcaaac 240
aaagaaagag gcagaaccta taccagaaac tgtaaaacct gaggagaagg agaccacaaa 300

<210> 350
<211> 270
<212> DNA

<213> Homo sapiens

<400> 350
ccatgctgnt aacgggtttc aaggggactc ttgaggaant gccccctaaa atagaacaca 60
gcaatanggn gggcttcctg tccccaggnc caccccacag tgctntntgg cactggnaac 120
tctgctangg agngantgna nnnnaccant aannnnnnan nnatcnacan nnnnnnnncn 180
nnnnnncntn tnnccnannn ntannctncc ntannnnanc cnnccannan cactcncnat 240
naacgnnnnn ttantgagan nttctcaact 270

<210> 351
<211> 300
<212> DNA
<213> Homo sapiens

<400> 351
aaatgactcc ctgcaaaacc caacccatgc tgctggctgt gggatttttg gtgtaagcct 60
atctatgcac tctatcagcc agaatttggc atttagctct tagttaaatc tagtaaagga 120
cagtctattg tttaaagaga aggtgcattt gttcctcaat caagcaagag cacctgtgtt 180
gtactgcttt atatctcatg tatatttata gtaatgaaaa gactttttaa attgtacacg 240
tttcagtgcc tttcttgtgt tatgaaaggc aggtagatat tatagccata ggtaaaaatc 300

<210> 352
<211> 300
<212> DNA
<213> Homo sapiens

<400> 352
aagaaatgcc tctatgtagg tgaagtgttc tctctgcatg caacagtaaa aattaatata 60
atattttccc cacaaaagaa acacttaaca gaggcaagtg caatttataa atttatatct 120
aaaggggaat catgattata agtccttcag cccttggact ctaaattgag gggattaaaa 180
agaatttaaa ataattttga acgaatttat tttcccctca gtttttgagg gcattaaaaa 240
ggcattaaat caagacaaat catgtgcttg agaaaaataa aattaatgaa aacacagcac 300

<210> 353
<211> 300
<212> DNA
<213> Homo sapiens

<400> 353
cccacactcg gacactgtgg aattctacca gcgcctgtcg accgagacac tcttcttcat 60
cttctactat ctggagggca ctaaggcaca gtatctggca gccaaggccc taaagaagca 120
gtcatggcga ttccacacca agtacatgat gtggttccag aggcacgagg agcccaagac 180
catcactgac gagtttgagc agggcaccta catctacttt gactacgaga agtggggcca 240
gcggaagaag gaaggcttca cctttgagta ccgctacctg gaggaccggg acctccagtg 300

<210> 354
<211> 299
<212> DNA
<213> Homo sapiens

<400> 354

gaaggaggac ctaggcacac acatatggtg gccacaccca ggagggtagt ggggagttag 60
atttcagagt ccaggcccta ggttgggacc cactccaaat aatctcctcg gtgtgggtgg 120
tggttctata gagggataaa tgaataataa acattgttaa aatatacgaa aaaaaaaaaa 180
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 240
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaacnncn ncnananaaa aaaaaaaaa 299

<210> 355
<211> 300
<212> DNA
<213> Homo sapiens

<400> 355
actgttcatc ctaagttcca ctataaacag gctcatgact cgggcacaga cacttcttgc 60
gtgacttttt cctatgatgg taatgtcctt gcctctcgtg gaggtgacga ttcattaaaa 120
ttatgggaca tccgacaatt taataaacca ctttttcag cctcgggtct tcccaccatg 180
ttcccaatga ctgactgctg tttcagtcca gatgataagc tcatagtcac tggtacatct 240
attcaaagag gatgtggcag cggcaaactt gttttctttg agcgtaggac tttccaaagg 300

<210> 356
<211> 300
<212> DNA
<213> Homo sapiens

<400> 356
ttcagaaaga aacatttaat agggacttac aaacaaatta atgtctgagt ctcaggtggc 60
agcaagacaa gatggtggat ccccatgcca ttacctgcta gactcagggt ttatatactg 120
tagtggagag gtgattccga aggaatgttg taagacaatt gaagagcagt aacatcaaag 180
ttatttgacc taagggcagg agttacagta agtatccact tttatacaag aaacaataga 240
taaactggaa atcttggagc ccttcctgga actggggtta atgagaagtc aacatggtgg 300

<210> 357
<211> 300
<212> DNA
<213> Homo sapiens

<400> 357
acaaaaccta cagatggaga taaaaattac tactgttatt caacatgtgt tccagaacct 60
tattttgggg agtaaagtca attgggcaga ggatcctgcc cttaaggaaa ttgttctgca 120
gcttgagaag aatgttgaca tgatgtaata agaattcatt tctgacatat tttacatttc 180
tggcaatctc aactcttatt tggaatactt ctgtgcattt gtctgtccac cgtaatttta 240
gaaaagcata tccataacgt ttacagttgt agtacagttg tggttagtta tttgtagtgg 300

<210> 358
<211> 300
<212> DNA
<213> Homo sapiens

<400> 358
ggtgattaca gaagcccaga aggttgatac cagagccaag aacgctgggg ttacaatcca 60
agacacactc aacacattag acggcctcct gcatctgatg gaccctgcac ttgatggacc 120
agctggcacc acccagatca ataaactggc ttatttgaat ttgcggcccc ccacccagga 180

actgactcag tgcaagaaga cagcttcgac tccctgtgat ttcatctctg accaatccgc 240
actcctggct cactggcttc cccaacccat gaagttttcc ttaaaaactc tgctcccgaa 300

<210> 359
<211> 300
<212> DNA
<213> Homo sapiens

<400> 359
atcaggtgtt cctcccatgg caggagggaa gaaacccagc aaacggccag cctgggactt 60
aaagggtcag ttatgtgacc taaatgcaga actaaaacgg tgccgtgaga ggactcaaac 120
gttggaccaa gagaaccagc agcttcagga ccagctcaga gatgcccagc agcaggtcaa 180
ggccctgggg acagagcgca caacactgga ggggcattta gccaaggtac aggcccaggc 240
tgagcagggc caacaggagc tgaagaactt gcgtgcttgn gtcctggagc tggaagagcg 300

<210> 360
<211> 300
<212> DNA
<213> Homo sapiens

<400> 360
tctgtctggt gatttttatt ttaagtgaac ctttggatct atctttaact ctctttattg 60
tgagtggtaa attccaattc tgcagcagat cagtaaactc acagtatttt tcctgtggaa 120
atctattcaa taaggaaacc aagacaggat aataaaattt aaaaaaaaac aactttgaat 180
tcccctgcct aggtcttcca gttgttttcc agcgcatacc tcaggtatga ctttgctagc 240
cggggacaaa attagcacct tccgattctc tagtccaaat gaactttgtg ctaaataaaa 300

<210> 361
<211> 300
<212> DNA
<213> Homo sapiens

<400> 361
gtagaacaga aaatgagcat ccgatttctt cactaaagga gaccaaactg ttccttgcgg 60
tctagtattg aagaactgga acttgaaagt cctccttcta ccaactccac ctccaccccc 120
tcattcccct tctcccaaag tactactgct gttgcatgac aaccccaaat atgttctgtc 180
aacacaaacc tgcctttggt gtataaacag ggcattacag aatggtacac cctatatatt 240
tctgttcagt atccattcac tagttcttca tttataaata tcatcttccc cattctgctg 300

<210> 362
<211> 300
<212> DNA
<213> Homo sapiens

<400> 362
actaccccgg ctacggttcc cccatgcctg gcagcttggc catgggcccg gtcacgaaca 60
aaacgggcct ggacgcctcg cccctggccg cagatacctc ctactaccag gggggtgtact 120
cccggcccat tatgaactcc tcttaagaag acgacggctt caggcccggc taactctggc 180
accccggatc gaggacaagt gagagagcaa gtgggggtcg agactttggg gagacggtgt 240
tgcagagacg caagggagaa gaaatccata acaccccccac cccaacaccc ccaagacagc 300

<210> 363
<211> 271
<212> DNA
<213> Homo sapiens

<400> 363
ggcaattagc ctcgcttaag ttgccttttt tacacaccaa aactttttac atgaagggct 60
ggtttcacat gaatactata ctgaaatctg tgctctcaag atctagcagt gaccagggct 120
gcccggcggg ggctctcctg gcaagtcagg aaggtnnnnn nnnnnnnnnn nnnnnnnnnn 180
canattantn nctgatcntc tntnangaan nnngantngc tctnttggnc nttgtnnnnn 240
gncntnnnnt naantntttn ntnatgtngc t 271

<210> 364
<211> 300
<212> DNA
<213> Homo sapiens

<400> 364
agaggacccct gcagttaggg ggtgttactt tgtcgcccag gatggcctgg accccccaggt 60
tcagggattc tcccgccgct gcttcctgag tagctgggac ctcaggcttc cgcctcgtgc 120
ccgcatccct gctgtgttta ggcagcaggt ggtgacctca ctcctccctg gcctgagctc 180
tccgtcccgc atcccaggcg gaggccctag ggaacacttt gaagctgagc acggggtgga 240
ccctccctcc tgagtgaatg gagaatagaa agggagagga tttctgttct gttctgtggg 300

<210> 365
<211> 300
<212> DNA
<213> Homo sapiens

<400> 365
gttcttcaaa gccaaccaag acaggcttag cagttttaga gcttcagaac aaattgccaa 60
aagccagagt tgtttatgct agtgcaactg gtgcttctga accacgcaac atggcctata 120
tgaaccgtct tggcatatgg ggtgagggta ctccatttag agaattcagt gattttattc 180
aagcagtaga acggagagga gttggtgcca tggaaatagt tgctatggat atgaagctta 240
gaggaatgta cattgctcga caactgagct ttactggagt gaccttcaaa attgaggaag 300

<210> 366
<211> 300
<212> DNA
<213> Homo sapiens

<400> 366
gccagtcctc accttcccta gtcctcgtgt gtattttagg agatgcgtgg gtgtggaaca 60
gcctcctgcc tccggtccag gtgtactggg gtctgtgtgt tgtgtttctg cgtgttctcg 120
gcagaaagtg gcatgctgtc ccgcctgggt gatttgctct tttacactat tgctgaagga 180
caggaacgaa tccctatcca caagttcacc actgcactaa aggccactgg actgcagaca 240
tcagatcctc ggctccgaga ctgcatgagc gagatgcacc gcgtggtcca agagtccagt 300

<210> 367
<211> 300
<212> DNA

<213> Homo sapiens

<400> 367
cattgccaga gagcggtttc agcaagctgc agatctgatt gatgctgagc aacgaatgaa 60
gaagtccatg tggggtcagt tctggtctgc tcaccagagg ttcttcaaat acttatgcat 120
agcatccaaa gttaaaaggg ttgtgcaact agctcgagag gaaatcaaga atggaaaatg 180
tgttgtaatt ggtctgcagt ctacaggaga agctagaaca ttagaagctt tggaagaggg 240
cgggggagaa ttgaatgatt ttgtttcaac tgccaaaggt gtgttgcagt cactcattga 300

<210> 368
<211> 300
<212> DNA
<213> Homo sapiens

<400> 368
gcccggcccg gcgacgctgg cgacgctttc gcccctgagg tagtttggcg accgcgaaga 60
aggaaaaagg gcgggcgggc ggctgtcctc tcaccgtcct caccccgcga ggcccggccc 120
gctcctccgt cgtggatttc gcggcgatcc ccccggcagc tctttgcaaa gctgcttgaa 180
acttctccca aactcggcat ggatacgact gcggcggcgg cgctgcctgc ttttgtggcg 240
ctcttgctcc tctctccttg gcctctcctg ggatcggccc aaggccagtt ctccgcaggt 300

<210> 369
<211> 300
<212> DNA
<213> Homo sapiens

<400> 369
gtggggtgtg cctcgtgtgc gtggattcgt gtgtgtgtgt gtgtcttgta tatgtgtgcg 60
cagagtgcat cattttcaga ctctactatt tccgtcaagt attctgtttg atttggatca 120
tctcaggatc ggattctgtt ttagagtgtt tctgggccag gatccgggcc cctgccctcc 180
tctgcacctg accacactcc ctactcaggg ctagtctgtt cttcccggac atcttctggt 240
agccgtgcag gagagggctg ggtggggcag aggccacaga ggggacctgg tgtgtcacct 300

<210> 370
<211> 273
<212> DNA
<213> Homo sapiens

<400> 370
cagaggctgg ttcagaaaag gaggaagagg cccggctggc agccctggaa gagcagagga 60
tggaggggaa gaagcccagg gtgatggcag gcaccttgaa gctggaggat aagcagcggc 120
tggcccagga tgaggagagt gaggcctagc gcctggccat tatgatgatg aagaagctnn 180
nnnnnnnnnn nnnnnnnnnc atcatgtccn ntgcatggct acctatccca tatttnatnt 240
ccctnncgtt gnttcnaatt ncacattntc ttt 273

<210> 371
<211> 300
<212> DNA
<213> Homo sapiens

<400> 371

gatgaggagt gtttaatcat tgatacagaa tgtaaaaata atagtgatgg aaagacagct 60
gttgtgggtt ctaacttaag ttccagacca gctagtccaa attcttcctc aggacaggct 120
tctgtaggaa accagactaa tactgcttgt agtcctgaag agtcatgtgt tttaaaaaaa 180
cctatcaaac gagtatataa aaaatttgat ccagttggag agattttaaa aatgcaggat 240
gagctcttaa agccaatttc cagaaaagta ccagaattgc ccttaatgaa tttagaaaat 300

<210> 372
<211> 300
<212> DNA
<213> Homo sapiens

<400> 372
gggccccaat gcagctgccc tctccagata cctggcagcc tcatatatca gccaaagcct 60
ggctcggcgg caggggcctg ggggaggggc ccccgcagcc tcccggggct cctggtcctc 120
tgctcccacg tcacgggcat cttcgccgcc cccccagccc cagccaccac ctcccgcagc 180
caggcggctc agctatgcca cgacggttaa catccacgtg ggcgggggtg ggcggctgcg 240
gccagccaag gcccaggtcc ggttgaacca ccctgctctc ttggcctcca cacaggaatc 300

<210> 373
<211> 300
<212> DNA
<213> Homo sapiens

<400> 373
accctttctg ccttctgttt gggacccagc tggtgttctt tggtttgctt tcttcaggct 60
ctagggctgt gctatccaat acagtaacca catgcggctg tttaaagtta agccaattaa 120
aatcacataa gattaaaaat tccttcctca gttgcactaa ccacgtttct agaggcgtca 180
ctgtatgtag ttcatggcta ctgtactgac agcgagagca tgtccatctg ttggacagca 240
ctattctaga gaactaaact ggcttaacga gtcacagcct cagctgtgct gggacgaccc 300

<210> 374
<211> 300
<212> DNA
<213> Homo sapiens

<400> 374
tcaaggccta cgaacaggtg atgcactacc ccggctacgg ttcccccatg cctggcagct 60
tggccatggg cccggtcacg aacaaaacgg gcctggacgc ctcgcccctg gccgcagata 120
cctcctacta ccagggggtg tactcccggc ccattatgaa ctcctcttaa gaagacgacg 180
gcttcaggcc cggctaactc tggcaccccg gatcgaggac aagtgagaga gcaagtgggg 240
gtcgagactt tggggagacg gtgttgcaga gacgcaaggg agaagaaatc cataacaccc 300

<210> 375
<211> 300
<212> DNA
<213> Homo sapiens

<400> 375
cttcagtgca cacaacagga gagaggagaa agaagaaacg ctagtaattc caagcactgg 60
aattaagttg ccttcatcag tgtttgcttc agagtttgag gaagatgttg tgattgttaa 120
ataaagcagc tccagtttca ggacctcgac tggattttga tcctgacatt gttgcagctc 180

ttgatgatga ttttgacttt gatgatccag ataatctgct tgaggatgac tttattcttc 240
aggccaataa ggcaacagga gaggaagagg gaatggatat acagaaatct gagaatgaag 300

<210> 376
<211> 300
<212> DNA
<213> Homo sapiens

<400> 376
gggagactgg ggtctatttc acccctgcag tctcgaccat aagagatggc tacacccagg 60
ggggccagtt cagagaccca ctcccaggtg tgcattctct ttctcaagga tgttccttgc 120
tgagaaaaag aattcagtga tatttctccc atttgcttgt gaaagaagag aaatgtggct 180
ttgttccacc tggctcaccg gcggtcagaa tttaaggtta tctctcttgt ttcctaaaca 240
ttgctgttat cctgttcttt tttcaaggtg cccagatttc atattgctca aacacacatg 300

<210> 377
<211> 300
<212> DNA
<213> Homo sapiens

<400> 377
gatcagccca cctcggcctc acaaagtgct gggattacag gcgtgagcca ccttgcccag 60
cccacatcat acagtttgaa atgaaacttt gccacaacca gcctttgctg tagcacacac 120
atatatcact gaacctgttt gaaataaagt tttttttctt tttcctctgg tattctgggt 180
tctgaagtct ggtattctgg tattctgggt tcaaaagtat gacttgagag tgttgctctg 240
gtattctgag agttgctctg tattctgggt tctgaagatt atttgaaaaa taactcctac 300

<210> 378
<211> 300
<212> DNA
<213> Homo sapiens

<400> 378
tcgctgtgat ccaaggataa aaaagttcaa ggaagaagaa aaagccaaga aagaagcaga 60
aaagaaagca aaagcagaag ctaaacggaa ggagcaagaa gctaaagaaa aacaaagaca 120
agctgaatta gaagctgctc ggttagctaa ggagaaagaa gaggaggaag tcagacagca 180
agcattgctg gcaaagaagg aaaaagatat ccagaaaaaa gccattaaga aggaaaggca 240
aaaacttcga aactcatgca agacctggaa tcatttttct gataatgagg cagagcgggt 300

<210> 379
<211> 300
<212> DNA
<213> Homo sapiens

<400> 379
acactataga atacaagcta cttgttcttt ttgcaggatc ccatcgattc gaattcggca 60
cgaggcagct tcgagccaat ggtgagctcc ttctggatca gctccttcag ctccttcttg 120
ctcaggatgc tgaaattgca aggctgatgg aagacttgga ccggaacaag gaccaggagg 180
tgaacttcca ggagtatgtc accttcctgg gggccttggc tttgatctac aatgaagccc 240
tcaagggctg aaaataaata gggaagatgg agacaccctc tgggggtcct ctctgagtca 300

<210> 380
<211> 296
<212> DNA
<213> Homo sapiens

<400> 380
acctggacag ggccagctgc tgggggagcg gcactgggga ctggaggctg gaagcgggtg 60
gtgtgtgtcc cctgtttact tttagctgag ctggggttgg gtgtacgggt tctgttcctc 120
tgagccctgc ggcccacctg atgtttacgt gtgtgtgtga gggggggcnn nnnnnnnnnn 180
nnnnnnnnnn ngtnatangc ttaacanatg nanagncnac tnactnctga ttntttatnc 240
atttgtgcat tnnaactatg cttttncgat cttnctgntg nnatnacngg catgat 296

<210> 381
<211> 300
<212> DNA
<213> Homo sapiens

<400> 381
cagaaaagag tatagtaggg atgaccaagg tcaaagtggg taaagaagac tcatcatcca 60
ctgagtttgt agaaaaacgg agagcagctc ttgaaaggta tcttcaaaga acagtaaaac 120
atccaacttt actacaggat cctgatttaa ggcagttctt ggaaagttca gagctgccta 180
gagcagttaa tacacaggct ctgagtggag caggaatatt gaggatggtg aacaaggctg 240
ccgacgctgt caacaaaatg acaatcaaga tgaatgaatc ggatgcatgg tttgaagaaa 300

<210> 382
<211> 300
<212> DNA
<213> Homo sapiens

<400> 382
gccaccggtc tcttcctaat ctgcacagac tattttgggt atttctgggc gggcagttcc 60
tttgcatgtt tcgggagagg tttgctgatt tggggcttat atgtcaggcc tttggtttgc 120
gtcttatttt aggggttgtt tgggggcctg ggtggtcggc ctcacatggg aaggggatgg 180
gtagtggatg gggtttctgt tgtatcttgt gggcgggtga ttttgctttt gtttttgttt 240
cacattcttc cccctccaca agccaaagtc gtttcatttg gtttccactg tgtggactgt 300

<210> 383
<211> 273
<212> DNA
<213> Homo sapiens

<400> 383
gagatttgat attcgagtgc tgggcttagg tctgttgata aatctagtgg agtatagtgc 60
tcggaatcgg cactgtcttg tcaacatgga aacatcgtgc tcttttgatt cttccatctg 120
tagtggagaa ggggatgata gtttaaggat aggtggnnnn nnnnnnnngc cngcnttnac 180
ttnatngcnn ctttttcttg atcnacgncn gnnatncnna nnngtntata ntaatncnga 240
ananttnttt gnnntgcttt atcaantntt cnt 273

<210> 384
<211> 259

<212> DNA
<213> Homo sapiens

<400> 384
aagagaagga cctagagatt gagaggctta agacgaagca aaaagaactg gaggccaaga 60
tgttggccca gaaggctgag gaaaaggaga accattgtcc cacaatgctc cggcccсttt 120
cacatcgcac agtcacaggg gcaaagcccc tgaaaaaggc tgtggtgatg cccctacagc 180
taattcagga gcaggcagca tccccaaatg ccgagatcca catcctgaag aataaaggcc 240
cgaagagaaa gctggagtc 259

<210> 385
<211> 296
<212> DNA
<213> Homo sapiens

<400> 385
agagcctgca agtgacaaag gaagtgaggc agaggcccac atgcccccac cgttcacacc 60
ctacgtgcct cggattctga acggcttggc ctcggagagg acagcactgt ctccgcagca 120
gcagcagcag cagacctatg gtgccatcca caacatcagc gggactatcc ctggacagtg 180
cttggcgcat agcgccacgg gcagtgtggc ttgctgcccc ccaggaggcc tgaggctggg 240
tctcactgct ctgaaaaaga cccnnccaaa atgggccttg gggctnnagg cccttg 296

<210> 386
<211> 300
<212> DNA
<213> Homo sapiens

<400> 386
gaagaggagg ctgtgtatga ggaacctcca gagcaggaga ccttctacga gcagccccca 60
ctggtgcagc agcaaggtgc tggctctgag cacattgacc accacattca gggccagggg 120
ctcagtgggc aagggctctg tgcccgtgcc ctgtacgact accaggcagc cgacgacaca 180
gagatctcct ttgaccccga gaacctcatc acgggcatcg aggtgatcga cgaaggctgg 240
tggcgtggct atgggccgga tggccatttt ggcatgttcc ctgccaacta cgtggagctc 300

<210> 387
<211> 300
<212> DNA
<213> Homo sapiens

<400> 387
ccgcagaggg cctggaagag gtgctcacca cgccagagac tgtgctcaca ggccacacgg 60
agaagatctg ctccctgcgc ttccacccac tggcagccaa tgtgctggcc tcgtcctcct 120
atgacctcac tgttcgcatc tgggaccttc aggctggagc tgatcggctg aagctgcagg 180
gccaccaaga ccagatcttc agcctggcct ggagtcctga tgggcagcag ctggccactg 240
tctgcaagga tgggcgtgtg cgggtctaca ggccccggag tggccctgag cccctgcagg 300

<210> 388
<211> 300
<212> DNA
<213> Homo sapiens

<400> 388
tggaggtctc ctttcgcccc agcccaggtg gccaagccca tcctggcctc agaacatgct 60
gagcacattt tgtagggtgg caccttttta tccaagttac tagctacaca tcagtgttta 120
aagagaaaaa agtgaccttt catttttttt tcttgaaact tgaggaaaca agatacatac 180
tactgatttt ttttttctta aaactaaatg catgactgca gagcggtaga ggtgtatatt 240
tttcatactg tggggcaaag tatttgtgct gctttttgga gatggactgg aacgtctggt 300

<210> 389
<211> 293
<212> DNA
<213> Homo sapiens

<400> 389
gtcaagctgg ccctggatgt ggagatcgcc acctaccgca agctgctgga gggcgaggag 60
tgcaggctga atggcgaagg cgttggacaa gtcaacatct ctgtagtgca gtccaccgtc 120
tccagtggct atggcggtgc cagcggtgtc ggcannnnnn nnnnnnnnnn nnnatgaanc 180
agntactcct atggnnttag cnttntanct atnacctgcn cnaactannc tnangtgcta 240
gnncttgccc caacccctac ttttgtattt atattgtgtg tgcgtgtgtg cgt 293

<210> 390
<211> 300
<212> DNA
<213> Homo sapiens

<400> 390
ctcacacctg ctttggatgc ttcaagcacc tcagccctct gaactacaaa acagangagc 60
ctgcaagtga caaaggaagt gaggcagagg cccacatgcc cccaccgttc acaccctacg 120
tgcctcggat tctgaacggc ttggcctcgg agaggacagc actgtctccg cagcagcagc 180
agcagcagac ctatggtgcc atccacaaca tcagcgggac tatccctgga cagtgcttgg 240
cgcagagcgc cacgggcagt gtggctgctg ccccccagga ggcctgaggc tgggtctcac 300

<210> 391
<211> 257
<212> DNA
<213> Homo sapiens

<400> 391
acccgtccgg ggccggccaa tttgcatatt tggaatgcgc cgctataaac ccggctgggg 60
ttttgcagcg atttcttaga tgtaaaaatg agatctcaat agcagcgggc tgggcacatc 120
ctctcctctc tccttctctc tctgcccgga gctggtttcc gtctctcggc tcggggctgg 180
aactccggcc caacctaggc gcgcagccgc cacgagatgg cgcacttccg atcaatgtca 240
aagccgccgg ggagccc 257

<210> 392
<211> 300
<212> DNA
<213> Homo sapiens

<400> 392
gcgcgagcgt cggctccgcc tgggcccttg cggtgcgctg cgggcaggcg gtgaggctca 60
cgcatgtgct tacgggcaag aacctgcaca cgcaccactt cccgtcgccg ctgtccaaca 120

accaggaggt gagtgccttt ggggaagacg gcgagggcga cgacctggac ctatggacag 180
tgcgctgctc tggacagcac tgggagcgtg aggctgctgt gcgcttccag catgtgggca 240
cctctgtgtt cctgtcagtc acgggtgagc agtatggaag ccccatccgt gggcagcatg 300

<210> 393
<211> 300
<212> DNA
<213> Homo sapiens

<400> 393
gcgcgagcgt cggctccgcc tgggcccttg cggtgcgctg cgggcaggcg gtgaggctca 60
cgcatgtgct tacgggcaag aacctgcaca cgcaccactt cccgtcgccg ctgtccaaca 120
accaggaggt gagtgccttt ggggaagacg gcgagggcga cgacctggac ctatggacag 180
tgcgctgctc tggacagcac tgggagcgtg aggctgctgt gcgcttccag catgtgggca 240
cctctgtgtt cctgtcagtc acgggtgagc agtatggaag ccccatccgt gggcagcatg 300

<210> 394
<211> 300
<212> DNA
<213> Homo sapiens

<400> 394
gtccatacat ggagctccct ggagcccgtg tgctctcgtg tgactgaacg ttttgtgatg 60
aaaggaggag aggctgtctg cctttatgag gagccagtgt ctgaattgct gaggagatgt 120
gggaattgca cacgggaaag ctgtgtggtt tccttttacc tttcagctga ccatgaactc 180
ctgagcccga ccaactacca cttcctgtcc tcaccgaagg aggccgtggg gctctgcaag 240
gcgcagatca ctgccatcat ctctcacnag gngaccatat tggtttttga cctggagacc 300

<210> 395
<211> 300
<212> DNA
<213> Homo sapiens

<400> 395
gcaaaatcaa tgtggactga acataaatca cctgatggaa ggacttacta ctacaacact 60
gaaaccaaac agtctacctg ggagaaacca gatgatctta aaacacctgc tgagcaactc 120
ttatctaaat gcccctggaa ggaatacaaa tcagattctg gaaagcctta ctattataat 180
tctcaaacaa aagaatctcg ctgggccaaa cctaaagaac ttgaggatct tgaagcaatg 240
atcaaagctg aagaaagcag taagcaagaa gagtgcacca caacatcaac agccccagtc 300

<210> 396
<211> 300
<212> DNA
<213> Homo sapiens

<400> 396
aagagcacaa gaggaagaga gagaccctca ctgctgggga gtccctgcca cactcagtcc 60
cccaccacac tgaatctccc ctcctcacag ttgccatgta gaccccttga agaggggagg 120
ggcctaggga gccgcacctt gtcatgtacc atcaataaag taccctgtgc tcaaccaaaa 180
aaaaaaaaaa aaaaacnnnn nnnnnnnnnn nntntngggn gnctnntnnc nnaaanccan 240

ncttnataaa anccttngnt natttggaac aacccncann taaanngcag ggaaaaaaag 300

<210> 397
<211> 300
<212> DNA
<213> Homo sapiens

<400> 397
gataaatacc tcagcccctc gccttcctca acccacctgg caagtcttct taggatctga 60
tcccagtttt ctggaagcaa tcctacccca gcccaagctt cccagagtcg agccttaatc 120
cttctcactt ctcagtgtca gagcagaaat gaatcctggg gttgactgtg tccattcggg 180
ttattagcag ctaagaagcc cagacgagta gtgtgagctg ccttgggagc ctcagtgagg 240
gcactgggac tggcctcact ctcttgcccc cagcctagtg ggctttctcc tctgtctctc 300

<210> 398
<211> 300
<212> DNA
<213> Homo sapiens

<400> 398
ctgaacccta aaggaaagcc agcaaaccag ctgcttgctc tcaggacttt ttgcaattgt 60
tttgttggcc aggcaggaca aaaactcatg atgtcccaga gggaatcact gatgtcccat 120
gcaatagaac tgaaatcagg gagcaataag aacattcaca ttgctctggc tacattggcc 180
ctgaactatt ctgtttgttt tcataaagac cataacattg aagggaaagc ccaatgtttg 240
tcactaatta gcacaatctt ggaagtagta caagacctag aagccacttt tagacttctt 300

<210> 399
<211> 300
<212> DNA
<213> Homo sapiens

<400> 399
gctgacctac agcagaagct gctggatgca gaaagtgaag acagaccaaa acaacgctgg 60
gagaatattg ccaccattct ggaagccaag tgtgccctga aatatttgat tggagagctg 120
gtctcctcca aaatacaggt cagcaaactt gaaagcagcc tgaaacagag caagaccagc 180
tgtgctgaca tgcataagat gctgtttgag gaacgaaatc attttgccga gatagagaca 240
gagttacaag ctgagctggt cacaatggag caacagcacc aagagaaggt gctgtacctt 300

<210> 400
<211> 300
<212> DNA
<213> Homo sapiens

<400> 400
ggctagcgat ttctacctgc gctactacgt agggcacaag ggcaagtttg ggcaccgagt 60
ttctggagtt cgaatttcgg ccggacggaa agcttagata tgccaacaac agcaattaca 120
aaaatgatgt gatgatcaga aaagaggctt atgtgcacaa gagtgtaatg gaagaactga 180
agagaattat tgatgacagt gaaattacaa aagaagatga tgctttgtgg cctccccctg 240
atagggttgg ccgacaggag cttgaaattg taattggaga tgagcacata tcttttacca 300

<210> 401

<211> 300
<212> DNA
<213> Homo sapiens

<400> 401
acccccttca tggacagatc ccccacagcc tggggcagaa gaggcgtcga gggcgccaga 60
agtggcggca gcagcagccg cagcagccaa agagaggcaa gagaaagaga aagcgggcgg 120
tggaggggtc ccggaagagc tggtccccgt ggttgagctg gtccccgtgg ttgaattgga 180
agaggccata gccccaggct cagaggccca gggcgctggg tctggtgggg acgcgggggt 240
gcccccaatg gtgcagctgc agcagtcacc actagggggt gatggagagg aagggggcca 300

<210> 402
<211> 300
<212> DNA
<213> Homo sapiens

<400> 402
ggatcctttc cagacagaag acccсttcaa atctgaccca tttaaaggag ctgacccctt 60
caaaggcgac ccgttccaga atgacccctt tgcagaacag cagacaactt caacagatcc 120
atttggaggg gaccctttca aagaaagtga cccattccgt ggctctgcca ctgacgactt 180
cttcaagaaa cagacaaaga atgacccatt tacctcggat ccattcacga aaaacccttc 240
cttaccttcg aagctcgacc cctttgaatc cagtgatccc ttttcatcct ccagtgtctc 300

<210> 403
<211> 300
<212> DNA
<213> Homo sapiens

<400> 403
aattccgttg ctgtcggaca gattgcccta gtacccaccc acctatcagg gttatgcaat 60
ggaacatcct cgcccaagct cttggagaag gcaaagacaa ctttgtacag tgccctgttg 120
aagcactcaa atgggaagaa aggaaatgtc tcatcctgga agaaatcctg gcctaccagc 180
ctgatatatt gtgcctccaa gaggtggacc actattttga caccttccag ccactcctca 240
gtagactagg ctatcaaggc acgtttttcc ccaaaccctg gtcaccttgt ctagatgtag 300

<210> 404
<211> 300
<212> DNA
<213> Homo sapiens

<400> 404
agtgggataa aatgagacga gccctggaat ataccattta caatcaggaa cttaacgaga 60
ctcgtgccaa acttgatgag ctttctgcta agcgagagac tagtggagaa aaatccagac 120
aattaagaga tgctcagcag gatgcaagag ataaaatgga ggatatcgaa cgccaagtta 180
gagaattgaa aacaaaaatt tcagctatga aagaagaaaa agaacagctt agtgctgaaa 240
gataagagca gattaagcag aggactaagt tggagcttaa agccaaggat ttacaagatg 300

<210> 405
<211> 856
<212> DNA
<213> Homo sapiens

<400> 405
tggtgccngt tcctattccg tgctntcgtn ctncnccagg ancnangcgt ntcgaattcg 60
gcacgaggaa ggaggaccta ggcacacaca tatggtggcc acacccagga gggtagtggg 120
gagttagatt tcagagtcca ggccctaggt tgggacccac tccaaataat ctcctcggtg 180
tgggtggtgg ttctatagag ggataaatga ataataaaca ttgttaaaat atacgaaaaa 240
aaaaaaaaaa aaaaaaaaaa aaaaaaaaan aaaaaaaana aaaaaaaaaa anaanaaaaa 300
aaaananaaa aatnaaaaan annanaaaaa aaaaaaaaaa aanncccctn cnccctaaaa 360
nattcngggg ggntttttcc tccanncenn ntntttaata nnctncttnt tgnntcttng 420
nctcaccnnt tcttttggtn ggcnntaana naaaatnttn nttttttttn ggntanaaat 480
ncnntnncng tttttntntnn ttttttttcn aaaccctcct nttntanctc ncgtntcnaa 540
aaanntnttt ntccncnncn nttnnntnnt nctntttcta tttttnnttc ttntncaann 600
ttccnangtg nnnngngtnt nntgnggctt gtttnttttt ncnncctngc gtcatccnnc 660
caataatttc ttnncncccc nanncenat tttttntnnc ctctatntnn gnngngnnat 720
atnantcccc tttattnttn atnantagtc ntntnttttn ttntccntng tnatannatt 780
ttntntcccn ntntaanttc ctcannnnat ttnntnnncn ncgngntata tttnangnta 840
nntcnncggg gttnct 856

<210> 406
<211> 843
<212> DNA
<213> Homo sapiens

<400> 406
tnntnnnnnc gnangctggn nnnttctncc cntttctaat ngttnctaat actanggatn 60
gtcacgaggn tcccangtag gcatagcgca ctgctgtacg tttttggttg tttttaagaa 120
actcgatgaa gaggggtgtc attctgggct cggggtggtt gccaattttt caccagaaag 180
ggagccaccc cttgcaacca cttctgtctc cgttagcccc ccctctgccc tcctccaagc 240
caaagcgtgg cctggctttt gtcttcccat ttagttttcc tcttttaccc ttccttttgt 300
gcttaattta ttaaaatagt tgctgtataa tttattttca taaactataa aaaaatacta 360
aatggttaaa atagacttgc aggccaatct taaatggggt gggaggggtc tgagggtggg 420
atggggaaag ggaaagaggt tttgatntaa acaaaacaaa tgcactttgg gtgtgtnnng 480
gnattttnct ggggatanan ggggtggggg nnnnngnann nnnnnnnnnn nnnnnnnnnn 540
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 840
ncn 843

<210> 407
<211> 743
<212> DNA
<213> Homo sapiens

<400> 407
tgggcnggnn ctantngngg gctctcgact tcntacganc ttccaatggt tnggnggcac 60
gagccccccat cttcactggt tattccactt atttaaaatg tccagaataa gcaaatctcc 120
atatagagga agtagattag tggttgcttc gggatgggag gaatgggaag attgaggtct 180
ttcttttgca gtgataaaaa tgtcctaaaa ttgactgtag cgatggtcac acaactctga 240
atatgcttaa gaccattgaa ttacacactt tacgttggtg aattgtatgg tatgtaaatt 300
atagttcaat aacatagtta caaaagataa tcaaaagcat gaaagcactg ttgatgtggt 360

ttggatctgt gtcctcaccg agtctcatgt tgaaatgtaa gccccctggt gggaggcgat 420
gggattatgg ggcagagtcc tcacaaacgg tttacaccac ccgctcagtg ctggtctcct 480
gatattgagt cctcatcaca tctggttgct tcaaagtgtg tggtgcctcc cctctatctc 540
cctnctgctc tggccatata agatgtgcct gcttctcttc gccttctaac atgattgnaa 600
gtttcctgag gcctncctag aacaaaactg ctgtgctttc tgnncccatc tacaggaccc 660
ggagccaatt naacccсttt tctttataaa aaaaaannnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnnnnn nnt 743

<210> 408
<211> 746
<212> DNA
<213> Homo sapiens

<400> 408
tgtccgnttc ttangntgng ctctngcttc ctaggagtnt cnaatcgctt ggtgcagacc 60
tccagcacaa gcctctgcta gtngatctca cggtagaaga aggtcaaaga ttaaaggtna 120
tttttggttc acacactggt ttccatgtaa tngatgttga ttcaggaaac tcttatgata 180
tctacatacc atctcatatt cagggcaata tcactcctca tgctattgtc atcttgccta 240
aaacagatgg aatggaaatg cttgtttgct atgaggatga gggggtgtat gtaaacacct 300
atggccggat aactaaggat gtggtgctcc aatggggaga aatgcccacg tctgtggcct 360
acattcattc caatcagata atggctgggg cgagaaagct attgagatcc ggcagtggaa 420
caggacattt ggatggagta ttnatgcata agcgagctca aaggttaaag tttctatgtg 480
aaagaaatga taaggnattt tttgcattcc gtgcgatctg gaggaagtag cccaagtgtt 540
tttcatgacc ctcaacagaa attccatgat gaacctggta accagaagaa ccccttggca 600
cttatcttca tggcgttatt ctaatttaaa aagaacataa ctcatgngga cttatgccca 660
gtctagaggc agaatcagaa ggcttgggtg gaacatatcg ntttcctttt tcctttcctt 720
cggccctncc agnccagtcc atnttt 746

<210> 409
<211> 761
<212> DNA
<213> Homo sapiens

<400> 409
ggatccggtt tccaatgctc gggcnctcga gctncctaag annttgctaa tgcttggngg 60
ngtgcctcgt gtgcgtggat tcgtgtgtgt gtgtgtgtct ngtatatgtg tgcgcagagt 120
gcatcatttt cagactctac tatttccgtc aagtttctgt ttgatttgga tcatctcagg 180
atcggattct gttttagagt gtttctgggc caggatccgg gcccctgccc tcctctgcac 240
ctgaccacac tccctactca gggctagtct gttcttcccg gacatcttct ggtagccgtg 300
caggagaggg ctgggtgggg cagagccagg aggggacctg gtgtgtcacc tgcccaccac 360
ctggctcatc cctcangccc accctgaccc tacattacat aggttacgtc agcctactgt 420
ggctgttgag caaagcattt ctcctttctn gggcctcatt gcactagatg ggcctgtggt 480
cccaaagtag gtcagtaggt tggggttgct gacacccctt gggtgcaact ttgggacaag 540
atgaantggc tctgtcctgt cactggcctc tccttgcctg gggctatgt gcacttcaaa 600
accctggcca agctcaagcc catgaagnat tggagaacac cctgggcccc caagaactgg 660
angcacccgg ccanttcccc tgggattcca nctttgccan ggtgaaccct tcttttaccc 720
naaacttntg tccccctgnt tccacttcca aaaanaactg g 761

<210> 410
<211> 748
<212> DNA

<213> Homo sapiens

<400> 410
gatgccggtt cctatgatgn gctctcggct tcctaggagt tccaanactn ggctngcncg 60
aggncttnta aatatatctn ggntttanta ggtgataagt nctgtcantt agtancatct 120
gaaaaancag ctttgtcctg ggtgaaaaag gatgccaaaa ttgcctggaa aagagcagtg 180
anaggagtcc gggagatgtg tgatgcntgt gaagcancat tgtttancat tcactgggtc 240
tgccaaaaat gtggatttgt ggtctgctta gattgttnca aggcaaagga aaggaagagt 300
tctagagata aagaactata tgcttggatg aagtgtgtga agggacagcc tcatgatcac 360
aaacntttaa tgccaaccca aattatacct ggttctgttt tgacagatct tctagatgcc 420
atgcacactc ttagggaaaa atatggtatt aaatcccatt gncattgtct aacaaacaga 480
atttacaagt tggaaatttt cctncatgaa tggtgtatct caagtttaca gaatgtctta 540
atcacagtat aaaattctct gngcatgcct gagtctcagc gccaaaatcc tcctccgaag 600
tctgagaaaa atggtggcag cnnccccana aagtgatgtt nggcnccaga ttaccaggtt 660
aacttcctcc agaatnccag tcaccactgn actggntagc anatcttgcc gagccaaaaa 720
gcccnaagng ggaaaaaaaa aaaaaaaa 748

<210> 411
<211> 773
<212> DNA
<213> Homo sapiens

<400> 411
gnangnnngn ttcntagtgc ccgtgggagt cttagatncc ctaaaaaatt gntaatgctn 60
ggtcggcacg agtcaaggcc tacgaaacag gtgatgcact accccggcta cggttccccc 120
atgcctggca gctnggccat gggcccggtc acgaacaaaa cgggcctgga cgcctcgccc 180
ntggccgcag atacctccta ctaccagggg gtgtactccc ggcccattat gaactcctct 240
taagaagacg acggcttcag gcccggctaa ctttggcacc ccggatcgag gacaagtgag 300
agagcaagtg ggggtcgaga ctttggggag acggtgttgc agagacgcaa gggagaagaa 360
atccataaca cccccacccc aacaccccca agacagcaat cttcttcacc cgcttgcaac 420
ccgttccgtc ccaaacagag ggccacacag ataccccacg ttctatataa ggaggaaacc 480
gggaaaagaa tataaagtta aaaaaaaagc ctccggtttc cactactgng tagacttcct 540
gcttcttcaa cacctgcaga ttctgatttt tttgttgttg gttgttctct ccattgctgn 600
tggtgcangg aagtcttact taaaaaaaaa aaaatttgn gagtgactcg gtgtaaaacc 660
atgttanttt taacagaacc nanaagggtt gncctattgg ttaaaaaaaa aaaaaaaaaa 720
aaacttngng cctttagaac tattanngag nccnatttac nttaatccan nct 773

<210> 412
<211> 774
<212> DNA
<213> Homo sapiens

<400> 412
gnannccgga ttcntagcgn tcgtggaagt gcatcggctg ntaacaattt gctaatgctt 60
ggagttccaa ttccagagaa aatgagtgaa tgggcacctc gacctccccc agaaatttgt 120
ccgagatgtc atgggttcaa gtgctggggc cggcagtgga gagttccacg tgtacagaca 180
tctgcgccgg agagaatatc agcgacagga ctacatggat gccatggctg agaagcaaaa 240
attggatgca gagtttcaga aaagactgga aaagaataaa attgctgcag aggagcagac 300
cgcaaagcgc cggaagaagc gccagaagtt aaaagagaag aaattactgg caaagaagat 360
gaaacttgaa cagaagaaac aagaaggacc cggtcagccc aaggagcagg ggtccagcag 420
ctctgcggag gcatctggaa cagaggagga ggaggaagtg cccagtttca ccatggggcg 480

atgacaatgt ttgccacagc ctctgcctgg aacctggctc gtgctgtgac cagaagggaa 540
aggcggctgt ttggctcttt cttccccgca aggaccccgc ttacccgctg gatggagagc 600
aaaggagacc cccttccgag cccgntcaca gtcctgtatt tggcaaggtt tgggaacctg 660
aaggggccaa tntnccttga cacttanang cacttgcctt tcagacacca ttccgngcnt 720
ctggtaaaag gggacaagaa aagccttaac cttggcnnca tattttgaca gggg 774

<210> 413
<211> 773
<212> DNA
<213> Homo sapiens

<400> 413
gnngnnnnnn tttctaatgc ttgggnnnnn ngtcnatgcn taagagccan gcggntcgaa 60
ttcggcacga ggcgggcccg gccagcggaa gcccctgcgc ccgcgccatg tcaaagaaaa 120
aaaggactga gtgcagaaga aaagagaact cgcntgatgg aaatattttc tgaaacaaaa 180
gatgtatttc anttaaaaga cttggagaag attgctccca aagagaaagg ctttactgct 240
atgtcagtaa aagaagtcct tcaaagctta gttgatgatg gtatggttga ctgtgagagg 300
atcggaactt ctaattatta ttgggctttt ccaagtaaag ctcttcatgc aaggaaacat 360
aagttggagg ttctggaatc tcagttgtct gagggaagtc aaaagcatgc aagcctacag 420
aaaagcattg agaaagctaa aattggccga tgttgaaacg gaagagcgac caggcttagc 480
aaaagacttt cttcacttcg agaccaaang ggaacagcta aaggcagaag tagaaaaaat 540
ncaaagactg tgatcccgca agttgtngga agaaatcgcc aagcaaatna agtagcccaa 600
ggaactgctt acagatggac tgattacata ttcgcaataa aatcttnggc ccaaagaaaa 660
atttngggtt tgaaggaaaa ttaaattggt tngaaccttt tggaatttcc cgaaagactt 720
ttgcctncnt ngacttaaaa tatttccatg gnggtgaaag gttgtccaan ctt 773

<210> 414
<211> 755
<212> DNA
<213> Homo sapiens

<400> 414
gnagnnnnnn nttctaatgc ttggggnnnn nngtcaatnc ctnnganena ggcggntcgc 60
tcatccagaa angtcagatc ancaaagaag tccangaaaa antgcgaccc agctngaccn 120
tttgatccca ggcttagcac acgattgcat ggcntcccct ttagccactt naaccactgc 180
agacntccag gaagctggac tctctcctca gtccntccag acttctggcc accacagant 240
gaaaacccca ttttcaactg agctatcttt gctccagcct gatactccag actgtgctgg 300
agatagtcat accccactgg ctttttcctt caccgaggac ttggaaagtt cttgtttgct 360
agaccgaaag gaagaaaaag ggattctgc caggaaatgg gaatggcttc atgagtctaa 420
gaagactatc agagtatgga gaaacacacc aaactacctg ggacaaatg ctgtcagccc 480
ttaggcaaga ctaaattgga aagaaaggtg tctgccaaag aaaacaggca ggcccctgtc 540
ctccttcaaa catacaggga atcctggaat ggagaaaaca tagaatcagt gaaacaaacc 600
cgtagtccag ttctgngttt tcctgggata tgaaaagaat gaccanggac tnctggagtc 660
aactttcac ttgaagaatc tcaaggccac cggtcattgg ccacacactn gaactccttt 720
ttaagatgta cccattactg gaattggct taggg 755

<210> 415
<211> 852
<212> DNA
<213> Homo sapiens

<400> 415
gnagnaannn ttctaatgct tgggnnnnnn ngtcaaacct tannaacctg gcntgncgaa 60
ttcggcacga ggtcacaggc aggtttantg gccagtttaa aacttatgct ntctgcgggg 120
ccnttcgtag gatggtgagt gtttccctgg gctttgctca tcacttcggg acatcgtgga 180
ctttaccgtg cgcnttggag tgtgtgatgg tgcctgagta gatctgctgg cagagtagtt 240
tgagccagct ggactgggct ggccgcctgc cgcttcttga gggtggaaga ggggtgctct 300
gagaagacac tcaggcagca gactctgcct ctcactagga ggtgcccccc cgaccccgtt 360
ccaccatagt caaggctgca ggctgccccg ggagaagtgg ctccccttct tgcgcctgtc 420
ttccattcgc ttcaccgggg gganaagacn ttgggcttgg ttggcacagc ntgacccttc 480
tgcccatctt naaggcagnc ccggaantgg gaaaaatatt tctttaaatg gtggcctttn 540
nttttttttt nctttnaaag gggttgaagt tccannaatg natttcccaa tttccttccc 600
gaattgggnc ccaaagggcc ccaatggggc antcggtcct ttaaaaagna accttttttgg 660
acctgggaag aagaaaatca cccagattgt tgggaaatat tttggncatt aaaataaant 720
aatggaaaac ctnaaaaaaa aaaaaaaaaa aaaactcgag cccnttaaaa acttttagtg 780
agtcnnatta ccnttanatc canacnttga tangaanctt tggataattt tgggncaaac 840
cnnaacttng at 852

<210> 416
<211> 754
<212> DNA
<213> Homo sapiens

<400> 416
ggnnnnnnng tnaaaccttc cnaannaggc tnggcgtcac tgnccccggt caacaaaccc 60
acttttatga cagttttctt ccgcagcttg gctnttaaat tttactggca ggtgtatggt 120
tgttggaggg ttcctagtga gttgggggac ctggcantan agctgcttgg ttggaggaag 180
tgaanctggc ttantaccag cagctgatct cttccacgtg ctgctgcttt ttttgccact 240
ctgatactaa accagagaaa gctgcaggtg gataaagaag ctgtggctgt tttttgcttt 300
tgggtggcaa tgagaaagag tcacagtgtg ggttaaaggg atctgcagtg gggccaagga 360
tgccacccca ccctcagctg tangcaagct tgcacataaa taaccccccgt cagtggagtg 420
ttcgggatgc agggggcant atagtgttct tggactttgt ccgtcctggg gcagttttta 480
agttctttat atttaagtgg ggtcagtgcc aagtgctacc actttcccaa taaangaatg 540
ggggacccan aaggctgggg tccctggcta ccttgttatg aaggttttgn tntttctctg 600
acaaganttg ctttggaaag ancctgtttt taggggatta ttttttgnat accccgatgg 660
gganccaggg ttctnctcaa aacccttaca acccttagga tcatagggaa aaggggcccn 720
tnttttnctg ctggcttncc caacttaaaa acnt 754

<210> 417
<211> 755
<212> DNA
<213> Homo sapiens

<400> 417
ngtntatagc ttnctaatgc ttcntancga attcggancg agagaagccn tgagcagcaa 60
agtctntcgc gacaccctgt acgaggcggt gcgggaagtc ctgcacggga nccagcgcaa 120
gcgccgcaag ttcctggaaa cggtggagtt gcagatcagc ttgaagaact ntgatcccca 180
naaggacaag cgcttttcgg gcaccgtcag gcttaagtcc actccccgcc ctaagttctc 240
tgtgtgtgtc ctgggggacc agcagcactg tgacgaggct aaggccgtgg atatccccca 300
catggacatc gaggcgctga aaaaactcaa caggaataaa aactggtcaa gaagcttggc 360
caagaagtat gatgcgtttt tggcctcaga gtcttttgat caagcagatt ccacgaatcc 420
tcggcccagg tttaaataag gcaggaaagt tccctttcct gtnacacaca acgaaacatg 480

gtggccaaag tggatgangt gaagtncaca atcaagttnc aaatgaagaa ggtgttatgt 540
ctggctgtan cttgttggtc acgttgaaga tgacnngacg atgaancttg gggtataaca 600
ttcacctggc tgtcaacttc ttggnggtca attgcntcaa agaaaaaact tgggcagaaa 660
tgttccnggc cttatnttnt caagaaccnc catggggcna agccccaacg ccctttnttt 720
aaaggcncat ttggaattaa attcntnttt ncccg 755

<210> 418
<211> 757
<212> DNA
<213> Homo sapiens

<400> 418
tggggnntnn nttctaatgc tgggatgttc taaangntgg gctactcgtt ctttccgcag 60
gancccntcg attcgaattc ggcacgagga aaggtggcgc gcttctcacg gctgagttgc 120
tgcgcctgca gacggaagct ccccacaggc agagctgctt ggatgtgtga gtcatgaagc 180
cagagaagcc ccgctccatg agcagtgact ccccaggccc tgtgacctcc ctcctgtctt 240
gcagctcctc ctggcaccag tccccagggc tctcctgttg gtagttcctg cttttcttct 300
tggaaattcc tcgtggacct cgagatcttt accctaaaat agttctgttg aatttcaccc 360
tggcaatgta aattgatagc ttatcttcac agatgccaga caatggacaa ctcaccatca 420
gtcctctgct cacctgagac aaatgcatgt ctgattgctt cctctgccct attgnttatg 480
tgaaaatgca gattcactga gccagactaa ggcatcagtg actgttcctc tactgcctct 540
cacatggaga ttgtgtattc agtgaaaggc tgatcaaaga ccccaaagga atgcaccagt 600
ttatctctta tctacctatg acctgcgagc tgnccaccac ccccagttgt tgcgcctttc 660
cagacagaac cagtgtcatc ttacacgtat taattggatg tcctgngnct tccttaatat 720
gtatcaaaac aagctngcct tgaacacctt gggcacn 757

<210> 419
<211> 738
<212> DNA
<213> Homo sapiens

<400> 419
gnnngncgtt cnaattncgn ggnntctttc tngccnanna nnannngcgt gngngaattc 60
ggcacgagac tgttcatcct aagttccact ataaacaggc tcatgactcg ggcacagaca 120
cttcttgcgt gactttttcc tatgatggta atgtccttgc ctctcgtgga ggtgacgatt 180
cattaaaatt atgggacatc cgacaattta ataaaccact tttttcagcc tcgggtcttc 240
ccaccatgtt cccaatgact gactgctgtt tcagtccaga tgataagctc atagtcactg 300
gtacatctat tcaaagagga tgtggcagcg gcaaacttgt tttctttgag cgtaggactt 360
tccaaagggt gtatgaaata gacatcacag atgcgagtgt tgttcgctgc ctgtggcatc 420
caaagctgaa ccagatcatg gttggaactg gaaatggatt ggctaaagtc tattacgacc 480
ccaacaagag tcagagggga gcaaaattat gtgtggttaa aacccancgg aaggcaaaac 540
aagctgagac tctactcagg actacatcat cacccctcat gccttgccta tgttcccgtg 600
agccccgnca acggagtaca aaggaaacag ctggagaagg acagactgga tccctgaagt 660
cgcattaacc tgaacctcct gtancangcc cangtcgtgg tggccgattt ggaacccacg 720
ggggcactnt tttttcct 738

<210> 420
<211> 739
<212> DNA
<213> Homo sapiens

<400> 420
gcgntnntat tagcgtgggc tcgntctcgc tcnacncanc nngngctggn cgaattcggt 60
acgagaatca gaggaggctt cttcatcctt caactccatg atgaactcct atatgaagtg 120
gcagaagaag atgttgttca ggtagctcag attgtcaaga atgaaatgga aagtgctgta 180
aaactgtctg tgaaattgaa agtgaaagtg aaaataggcg ccagctgggg agagctaaag 240
gactttgatg tgtaactgtg ctgttgatga agtcctccca gggaagcctg tgcagatgca 300
gtcacctgga aagaacagag attccctttc acctacctca gcaaaacaaa ctttcaagtc 360
ttgatagact tagcctagta attttatagt gagagtttca aactatatat caagtgtcta 420
tagcatcaaa aacttctggg ggcgtggggg aaagtagaat accaagtata atagttacat 480
tcactttcaa agagcatcta tgaatttgcc ttttgtaact tactgtggct ttaaacatat 540
tcagaacaga tgcttgaaat atgcacttag cactttggtt ccacatctgt ctgggtaaac 600
catgaagaaa atgaagctgc tgcctcaatc gancccagac agcagccata ggcagataaa 660
gatttnggtt cacccttggt ggtgggaggc atcgtgtgtg ccttttttc ctctaatatc 720
aattttacag tccgggaan 739

<210> 421
<211> 727
<212> DNA
<213> Homo sapiens

<400> 421
gtgatctttn tgagtggggg ccntnctngc tctannanat aggttnggng ggctagcgat 60
ttctacctgc gctactacgt agggcacaag ggcaagtttg ggcacgagtt tctggagttc 120
gaatttcggc ccggacggaa agcttagata tgccaacaac agcaattaca aaaatgatgt 180
gatgatcaga aaagagctta tgtgcacaag agtgtaatgg aagaactgaa gagaattatt 240
gatgacagtg aaattacaaa agaagatgat gctttgtggc ctccccctgat agggttggcc 300
gacaggagct tgaaattgta attggagatg agcacatatc ttttaccaca tcaaaaatag 360
gttctcttat tgatgtaaat caagtcaaag gatcctgaag gccttcgagt attttactat 420
ttggtacaag acttgaaatg tttagtttc agtcttattg gattacactt caagattaaa 480
ccaatttaaa ttgtatgttt tcaagctggt tgnatattta attaaaggga tgggaagggg 540
ttatttgtca tttacagtat tggggtttta tgaatgtgaa gcaaccaaaa aaaattnnaa 600
tgtaaaactg gaaaatagga aaattcatta ncagcttaat gggtatcctt acttgatncn 660
ctgggtttgg aagtccccac acacattaaa tctgtaatga aancnctttt ggttaaaatt 720
tctctat 727

<210> 422
<211> 753
<212> DNA
<213> Homo sapiens

<400> 422
gtntngnnng nngttnnatt atatggntcg nctnnctcna nnancnangc ttgngctgac 60
aacttgattg ggttctcctt caggtttgaa gcgccctcna gaagtgtcta aaggagacag 120
ttgatagcca aacaacagtt ttggattcac tgactgatta tgaaagaagc agtagactgg 180
tatcaagaat cagtcagcaa ggaggccctc accagacgcc agtgccatgt tcttggactt 240
ctcagcctcc atattcatga actaagtttt tggaatcctt aggcttccac gtgtggaaag 300
cctgagctaa cctactggag gatgagccat cacctggagc agattcaggc catcctagtt 360
gaagcctccc taggccaagc aaccgtccaa ctaccagaca ttgaccattc agccttgaac 420
attcagcaca aagacaaaac agaccagacc agaagagtcc cacagaatag gggaaactat 480
tcagagaaaa cttaagccac taagttttat ggtgttttgt tcttgtagcc agaagcatag 540
gcatactggc caatacaaac cgaaatcctt ctaacgtant ggaccctttt caggccagca 600

tttttccct tgaaaacctg ggagccttgt attccatctt attagcagaa gatcactttc 660
accaatggtt tgggctcttg atttggaatt gatgatgtaa tgagcctnta ttcnanatgn 720
gacttaatac ctctgcgaat tgactggatt ccn 753

<210> 423
<211> 844
<212> DNA
<213> Homo sapiens

<400> 423
nggnnnttnn nnnnnatncc ntgatcgtgt ntcgttcttt ctncaggatn nnntcgtttc 60
gaattcggca cgaggaaaag ggagccgcgc agngcctacg ggagtncggc ggcagcagcc 120
ggtaccggca accacgggca gctctcaggg aatctccgtc gttgaggcca naggctccag 180
tccccgcgag tccagatgcc tgtccagcct ccaagcaaag acacagaaga gatggaagca 240
gagggtgatt ctgctgctga gatgaatggg gaggaggaag agagtgagga ggagcgganc 300
ggcagccaga cagagtcaga agaggagagc tccgagatgg atgatgagga ctatgagcga 360
cgccgcancn agtgtttcag tnagatgctg gacctggaga agcagttctc ggaagctaaa 420
nggagaagtt gttcaaggga acgacttgan tcanctgccg gnttgcggct tggaaggaaa 480
ntgggggggc ttgaanaaga agcccctgga atnccaccgg aagccccctt ttgggggggg 540
gccttgcaaa ccgggaancc ctttnaaagg aatttcngcc antttcaang gttgggccaa 600
ggggaatcnt accnaagggg ccttctnggc cttggnatgg tgaatccang gnaaattaag 660
gtncccaatt gntgaancct tccaanggga ancccaaacc agcacccttg naanaagttg 720
agaaaacttg cttgcntctt ntgacacccc tncnaggggg aacttcaagg aaccggttcc 780
tnaggcttgg aaggaggacc cccananccc tgganoctaa attnttaaat gggtnggacc 840
accn 844

<210> 424
<211> 799
<212> DNA
<213> Homo sapiens

<400> 424
ggagnnnngn ntccnaattn nntgggnnnn nnngtcaaan nctngctact cgttctttcc 60
gcaggatccc atgcgattcg aattcggcac gagcccagac ctatggagtc agacagtagg 120
tttgaggccc agcaatctat ggtttaacaa gccatccagg tgtttctgat gcacagtgaa 180
attggggtac cactggtatt aggtttggta tggcaacttt ttcatcactt gttttatgta 240
gttgtctgat caattgtgaa aacataatga atgttggaaa tggaacagta aaataacgaa 300
agccaacttt tttttttttt tttgagacgg agtcttgctc tgtcgcccag gctggagtgc 360
agtggcgcga tctcggctca ctgcaagctc cgcctcctgg gttcacgcca ttctcctgcc 420
tcagcctccc gagtagctgg gactacaggc gcccgncacc acgcccggct aatttttttgn 480
atttttagta gagacggggt ttcaccgtgt tagccaggat ggtctcgatc tcctgacctc 540
gtgatccacc cgcctngggc ttccaaagtg ctgggattac aggcgtgagc caccgggccc 600
gggccaaaag ccaactcttt atgcctagaa aatattgtgc accctatgac ccaagcccat 660
tgaatttttn cngggaaatt tatggtaaat tattgaaatg gatggtacct ttaaaaagtt 720
atttggcaca ttccccttgg gttacctttg gnatggtttg ccagggaatt naaaactttg 780
ggntnaaacc tttttttann 799

<210> 425
<211> 750
<212> DNA
<213> Homo sapiens

<400> 425
gangccggat tccaattntc nggctnctct naaannctgt ntaatgcttg gtccgcanga 60
ncccatgcga ttcgtggagg tctcctttcg ccccagccca ggtggccaag cccatcctgg 120
cctcagaaca tgctgagcac attttgtagg gtggcacctt tttatccaag ttactagcta 180
cacatcagtg tttaaagaga aaaaagtgac ctttcatttt tttttcttga aacttgagga 240
aacaagatac atactactga tttttttttt cttaaaacta aatgcatgac tgcagagcgg 300
tagaggtgta tatttttcat actgtggggc aaagtatttg tgctgctttt tggagatgga 360
ctggaacgtc tggtttctgt ccccgggccc ggcagctacg tctattttct gtagaaggtg 420
ccacagtgag acctggagcc accccttcct gcctggcgcc gtttanagct gggagcccgt 480
ggactccggc ctgtttctac cttctattca accactctga cgtggggaga caagaagaaa 540
tagaactttt tgatagtgtg gtaaaaacat tggattttga actattttag taaaaggagt 600
taccaacaag aatgtnatag gtgctacttt gagctagata aataaaggct ctttgtgagc 660
ctcctgaaaa aaaaaaantt nnnnnnnnnn atnannnnnn annaaaaaaa ctggncctt 720
aaaactttan gggncgttta cctanaccct 750

<210> 426
<211> 819
<212> DNA
<213> Homo sapiens

<400> 426
gnagnncggn ttcttatgat cgtggctnct cntctanngg ttgtgtaatg ctnggtcnnc 60
angannnnnt gcganncgaa ttcggcacga agggggggttc ccaatagtag aaaagggtcc 120
ccattcctgc tcagcaccgc acctctctac ccccccacag acacacatgc agacacacac 180
atgcagacaa cacgcagaca cacacatgca ggcactcaca tgcaggccca tgcacacaca 240
cgtgcacaca catgcagaga catgcagaca cgcaggcaca catgcacaca tgcaaagaca 300
cgcatgcagg cacacgcaga cgcacacaga gacacacatg cagatcacat gcacacacac 360
atacacacac tggcccctgt ttttctgtgg tgtcactggg tgccagcaac tcggtatctn 420
ccaccttcca ctaaaacctg ggccttaatt tctctcccgt ccccacccct aaattcctga 480
tggatgaacc tagagctgtc ctgtccactc caggccggac tgacgtancc tatgggccca 540
gcaggtccag ggcccacgtt ttaatttctt tttnaaaagc tttaggtctt ggccnggccg 600
ccggtggttc acgccttggg agttcccagc atttttnggg aaggccnaag gccgggttgg 660
attcacaaag gtcaagcaag tttcaaggaa ccaagccttg aaccaggcca ttgggtgagg 720
aaccctgggc ttnttactng ggnaaattcc caaaaaaaaa ttggccttgg gccnaagggt 780
gggcaagggc acccttgttg gggtccccaa antttacct 819

<210> 427
<211> 750
<212> DNA
<213> Homo sapiens

<400> 427
gagnnngatt cnaattnctg ggctnctctc ttnntatnta atgctgggtc cgcanganc 60
nntgcgattc gaattcggca cgaggtccaa ggacaacttc gagacatttc tttttgccac 120
cgtatctaac agggagcagg aagatctctg ccgaggaatt gtccagctct gcttcaatga 180
gcaaagccaa cagctgctag cagaggtcca gccctctgac tctttcctca tggtagagac 240
aactgcatac tttgaggcct acaggcacgt cctggaagga ctccaggagg tccaggagga 300
agatgttccc ttccagagga atatcgtgga gtgtaactct catgtgaagg agccaaggta 360
cttgctaatg gggggcagat atgactttac ccccttaata gagaatcctt cagccactgg 420
ggaatttcta agaaatgtcg agggtttgag acatcccaga attaatgtct tagatcctgg 480
ccagtggccc tcaaaagaag ccctgaactg gatgactcca gatggaagcc ttgcagtttg 540

ctctcacaag ggaactggct attattcaag gaccttctgg aacaggcnaa acctatgtgg 600
gtctnaaaaa ttgttcaagc ccttctacca acgagtcttg tttggcaaaa ttaaccttca 660
gaaattccca tcttggttgn gtgtatacta atcatgcttt ggaccanttc tggaangctt 720
ttccattgtc agaaaaccan atttggccgg 750

<210> 428
<211> 943
<212> DNA
<213> Homo sapiens

<400> 428
gnngnccggt ttcctattct cnggcanctc tcttcctncn acctattanc tggactctaa 60
anaaaagnnt gnngcggttg gctcaagggc caccanaaca tttctttatt attattattt 120
tttaacctgn acatgcntta aagggtctat tacctttctt tccgtctgtc tcaacagctg 180
aaatggggcc nccaaggagt gccttccttt tgctccctcc tactgggact gacggntggn 240
antgtntgnn cccanntggg ggtgtctcct gnctgggaag ganggaaagg gaggcanagt 300
tttgccgggg ttgcanntng acancangct gnanaggana tggctaataa ctgtttaatg 360
gaaacctgct tgggcttgga nggaacttag nctgaatttt cccgacttcc tctgccagtt 420
attgacacan tctctttnta agacangaaa taaactaaac cccaccccaa ggnantnatn 480
ncangcngaa aacnncncat ngcccacatt ncctnatccc ntancaccnn ctcnttnttt 540
nncccaanac tncttcccan ntntcnccnt ttacccntan ncntnnttnt atcccnctaa 600
tncctnannn ccntnnttnt ccnnatnctt acncncncnn ntnnnncccn nntctttnnn 660
cccaaanctn ncctcncnnt tcnnctnaac cntntnnnca nnanacaccc ttctnatnnc 720
ccannntctn cacnntnnnt ntctccnnnt nnncnccnnn ntcntnnnna nancntntnn 780
nanancnatc tnntncncnn cnantnnnnt tcanttcacn ctctnnnnnn tntanccnat 840
tnnccntcnn tnnccnntta nnncntnnnn nncnaantnn nnnnanctct ncnnncnnct 900
canntnnnnt nnnnnncnnt cnanaccntn nnnntctatn ccc 943

<210> 429
<211> 775
<212> DNA
<213> Homo sapiens

<400> 429
gnangnnnnn nntttctaan tncttgggnn nnnngtcann gattnngcta aaggttngga 60
tcncncgcag naangctgtg gcgctccatt gtgaaagatc caggcatttt tccgagccag 120
gaaaagccca agatgactac aggatattag tgcatgcacc ccacccctcct ctcagtgtgg 180
tacgcagatt tgcccatctc ttgaatcaaa gccagcaaga cttctctgct gctgtgatct 240
gcacaccctc caacctgggc agggactggg gggatgcagt gtgtgttagt gcccatgtgg 300
cattgtggca ctgttgcccc ccatggcggc atgggcaaga tgaccttcca ttagcttcaa 360
gtcttgttct cttgtctgtg gtctgtttaa tatgtgggtc actagggtat ttattctttc 420
tcccatcctt acactctgga tcattgtgca gacttaatca gggttttaac gctttcattn 480
nnnnnnnnnt ttttttgagc tcaaagaaag ttctcatttt ccctattcaa ctaataccca 540
tgccgngttt tttaccttgg atttaaaggc accttangtt ggggcaacag attctcactc 600
atgtttaana cctggnattc ancttcataa gaccaaagan ggagctttcc ctttctcttt 660
accccctnagg attctcatcc tttacanntn gactttttcc aggccaattt cccatnnaat 720
ctgcnanncc cngccttttg ncccaagctt ttntgntngn ccccccattt acccn 775

<210> 430
<211> 763
<212> DNA

<213> Homo sapiens

<400> 430

```
ngggtgnnnn nntttctaat nctggggnnc nntnnncnnn ntttcctaat ncttaggngc      60
tcgttctttc tccangcagn nnngcgtttc gcgacagctc tccaatactc aggttaatgc     120
tgaaaaatca tccaagacag ttattgcaag agtttaattt ttgaaaactg gctactgctc     180
tgtgtttaca gacgtgtgca gttgtaggca tgtagctaca ggacattttt aagggcccag     240
gatcgttttt tcccagggca agcagaagag aaaatgttgt atatgtcttt tacccggcac     300
attccccttg cctaaataca agggctggag tctgcacggg acctattaga gtattttcca     360
caatgatgat gatttcagca gggatgacgt catcatcaca ttcagggcta tttttcccc      420
cacaaaccca agggcagggg ccactcttag ctaaatccct ccccgtgact gcaatagaac     480
cctctgggga gctcangaag ggtgtgctg agttctataa tataagctgc catatatttt      540
gtagacaagt atggctcctc cgtatctcct cttcctagga gaggagtgtg aacaaggagc     600
ttagataaga cacccttaa acccattccc ttttccagga gacctaccct tcacaggcac      660
aggtccccaa atgagaagtc tgctacctca tttctcatct ttttactaaa ctcaaangca     720
ntgacagcag tcagggacag acattcattt cttnatacct tcc                       763
```

<210> 431
<211> 761
<212> DNA
<213> Homo sapiens

<400> 431

```
tggtgttnnn ntcctaatgc ttggnngnnn ggtnannctt ctaattactt tggggctcgt      60
tctntctcna cnnngcnngg cgttncgaat tcggcacgag cttgaagcgc tggtttttct     120
cgaagcaatc cttattatat tgttaaacaa ggaaagatca accagatggc aacagcacca     180
gattctcaga gattaaagct attaagagaa gtagctggta ctagagtgta tgacgaacga     240
aaggaagaaa gcatctcctt aatgaaagaa acagagggca aacgggaaaa aatcaatgag     300
ttgttaaaat acattgaaga gagattacat actctagagg aagaaaagga agaactagct     360
cagtatcaga agtgggataa aatgagacga gccctggaat ataccattta caatcaggaa     420
cttaacgaga ctcgtgccaa acttgatgag ctttctgcta agcgagagac tagtggagaa     480
aaatccagac aattaagaga tgctcancag gatgcaagag ataaaatgga ggatatcgaa     540
cgccaagtta gagaattgaa aacaaaaatt tcagctatga aagaagaaaa agaacagctt     600
aatgctgaaa gacaagaacn gattaagcag aggactaant tggagcttaa agcccaagat     660
ttacaagatg aactaccggc aatagtgaac aaaggaaacc gtttttttaaa agaaangccn    720
aanctgcttg aaaaaaaaaa aaaaaaactc ggcctntaan t                         761
```

<210> 432
<211> 748
<212> DNA
<213> Homo sapiens

<400> 432

```
gnngantnng tcttattatc gtggngctct nactnnctct aaatanaatt gtgttgnggg      60
aattcggcac gaggccaccg aagcttcagg atgacatctt agactctctt ggtcagggga     120
tcaatgagtt aaagactgca gaacaaatca acgagcatgt ttcaggcccc tttgtgcagt     180
tctttgtcaa gattgtgggc cattatgctt cctatatcaa gcgggaagca aatgggcaag     240
gccacttcca agaaagatcc ttctgtaagg ctctgacctc caagaccaac cgccgatttg     300
tgaagaagtt tgtgaagaca cagctcttct cacttttcat ccaggaagcc gagaagagca     360
agaatcctcc tgcaggctat ttccaacaga aaatacttga atatgaggaa cagaagaaac     420
agaagaaacc aagggaaaaa actgtgaaat aagagctgtg gtgaataaga atgactagag     480
```

ctacacacca tttctggact tcagcccctg ccagtgtggc aggatcagca aaactgtcag 540
cttccaaaat ccatatcctc actctgagtc ttggtatcca ggtatttgtt tcaaactggt 600
gtctgagatt tggatccctg gnattggatt tcttaaggac ttttggangg ctcttgacac 660
catgcttcac agaacttggg cttcanaagc ttcanttttt tgcanaggtg ccccaggtta 720
ggaaaacagt tntncttgtt ttgtannt 748

<210> 433
<211> 769
<212> DNA
<213> Homo sapiens

<400> 433
gggnaaaagt ttnnnannng ggnagnnnng ntnnaccntt cctattactt tggagctcga 60
actcgcncca canannnagt gncntgngct gttttgcaga tgaggaaaac tgaggtacag 120
aattcttagg gaacttaccc aaaatggctt ttctgcactc tgccctttgg tattgtccca 180
tgtgaattgt ttaaaactta tgtgtatagt ggcatgagta ggtgatttca gaaacagaac 240
tcacttttgt tgtttggtct taaaattagg aactttcctt catctgggct tcatttccct 300
gcaccttccc agctttctag tcatgcaagc cacatgtctc cacgtgaggg gttcattgga 360
aagcagccac agagccaccc cctggctggg ttcttcccca gctctgcttc ctccttcccc 420
aagtcctgca gctgctctct ccatggcaga accacttctc cccttactgg aggggaggtc 480
cactgaacaa atccaggaga ggaatcattg tgttttccac agaagagaaa gtacactgga 540
ctttctgtgc aacctgttac tacattttca caganactca tatttgtgca ntgtaactca 600
atttgaaacc cagcaaaatt aggctcccgt gtctccataa aaggccacca tgatggtaac 660
cgttggactt caccttgtgt ttnggacana ngctgattgg attttaccca tcatcacanc 720
cgtgtcttac attctcnttt cctgggcttt ggacccctgn tanaaaaan 769

<210> 434
<211> 764
<212> DNA
<213> Homo sapiens

<400> 434
ctanccttcc taaannctng gctactcgnt ctttctnnan ganncnnntg cgatncgaat 60
tcggcacgag caccttgcct ggccaagggg ctagacctcc caggctaagc ctcagattca 120
gtgcaggaca caagctcatg cccccgtctt gccagtgaca cttgaagcct cccgacttcc 180
acagagtgct tcaggacaca ttttgagtgg tattttcttt tcttttttc ttcttttttt 240
tttttgagat ggagtctcgt tctgttgccc aggctggagt gcagtggcct gatctcggct 300
cactgcaacc tctgcctccc aggttcaagc gattcttctg cctcagcctc cagagtagct 360
gggactatag acatgcacca ccacgcccgg ctaattttgt atttttggtc gagacggggt 420
tttgccatgt tagtcangct ggtcttgaac tnctgacctc aagtgatcca ccactcggcc 480
tccaaagtgt tgagatgaca ggcacgagcc accagcccaa cctgagtggt attttcttta 540
gggaccangt agactttaaa acgagggtaa gagaaaagc ccagtggtct tttctgangg 600
taaataaatt tctgcccagg aaacnttncc aagccccaac cagcaagcca accettaaaa 660
aaaaaatcac ttcgtgttcc ccaangggan ctttnttaaa gctttggggg cttccaggna 720
aaatcatttc cagtnnaant ttggaagaat tcannagnat ttnt 764

<210> 435
<211> 755
<212> DNA
<213> Homo sapiens

<400> 435
gnnnnntttc taatgtggnn nngnnngnta annttctaaa ncttgggntc tcgttctttc 60
tncagatncc ntcgattcga attcggcacg agggatcctt tccagacaga agaccccttc 120
aaatctgacc catttaaagg agctgacccc ttcaaaggcg acccgttcca gaatgacccc 180
tttgcagaac agcagacaac ttcaacagat ccatttggag gggacccttt caaagaaagt 240
gacccattcc gtggctctgc cactgacgac ttcttcaaga aacagacaaa gaatgaccca 300
tttacctcgg atccattcac gaaaaaccct tccttacctt cgaagctcga ccccttttgaa 360
tccagtgatc ccttttcatc ctccagtgtc tcctcaaaag gatcagatcc ctttggaacc 420
ttagatccct tcggaagtgg gtccttcaat agtgctgaag gctttgccga cttcagccag 480
atgtccaagg gtgcctgggg aagagccact gcgcatgtta tctttggtgt tactccagtg 540
ttgaacanag agctggtcag aggcagtgca tcgcanagag acattaataa gggaatcctt 600
tgaatcccta ancagcanca gctttnctga nggggccnat gatgccagtg acctnttcan 660
ggnaagtctg ggacattggg accaccctgg ggggaagaac ttgtgggatg tggcttttct 720
tttatgaata aagtactttg agttggttgn aatcn 755

<210> 436
<211> 760
<212> DNA
<213> Homo sapiens

<400> 436
aaggctggnn nnngnnntgc nnnncttcnt attantctgg gggctcgtnc tctctcnann 60
nagnnaggcg ntgngaattc ggcacgagct caagaaaagg agaaagtttt tttgtatgaa 120
attggaggaa atattgggga acgctgcctt gatgatgaca cttacatgaa ggatttatat 180
cagcttaacc caaatgctga gtgggttata aagtcaaagc cattgtagaa gacttaacaa 240
gctgcagata accatgtgga cttctgtcat aattcttgct gagtcaagag tgtaaataaa 300
agaaatggca ggactcatat tattcagttg tcccaagtat ttaaaatga ctctcttaag 360
ccttaaaaag tcatagattt gtgctgctgc cagaattata ttaattatta ttaatggtat 420
tattagaaaa aaaatttctg gagtgagagt naagangctt aattagtttg tgggcagttt 480
tcatatgctc tgtgaaatgt gtccagatgt gacataagtt tttttttta atatggngga 540
aatgncttct ctttcccatt cttttctcct aaaaatcata tatactggga atatatgcct 600
ctnttacctc tattaccctc ctcacattta ccctttccca gttnggtttt gctttttnac 660
caaaaagatt ccaatnccna ggtattggca agttntnaaa accgcccntt aaacatccct 720
aatttcncag nattccnnnc ttgccaaatn ttngtntcnn 760

<210> 437
<211> 748
<212> DNA
<213> Homo sapiens

<400> 437
ggnnnnngnn ngntnncgtt ccctattant caggngctcg ntctntctcn annnancnng 60
gcgtgtncga attcggcacg aggattttcg aaactcttca gctacttgcc ctttttttatc 120
tgaaaccatc ataccttctg aaagaaaaaa gcatatcttc attgacataa cagaagtgag 180
atggcccagt cttgatacag atggtccatg atatatatgg agagtggcat tgtgaagata 240
acatctttag atggtcatgc atacctctgc ctgcccagat ctcagcatga atttacagta 300
catttttgt gtaaagttag ccagaagtca gactcatctg cagtgttgtc agaaacaaat 360
aataaagccc caaaagataa actagttgaa aaaactggca aaatctgtat acgtggaaat 420
ttaccaggac agagactgaa gaataaagaa aatgagtttc attgccagat catgaaatcc 480

aaagaaactt taaagaagat gagttgtgta aatggaactg aagggagggg aagaactgcc 540
ttcgcctggt acaaagcaca catgtgtata cacatgggtc aagcagtgct ggtctgtggc 600
tgnctgtcca gangaatgga aatatccttg gctttagcac ttcattttca taataaaatc 660
agcaattntg tctaaaaaaa aaaannnana aaaaactnga gcctntanaa ctntagtgag 720
tcgtattacg tagatncnna catgataa 748

<210> 438
<211> 823
<212> DNA
<213> Homo sapiens

<400> 438
taatccttnn tattgntcgg gtactngntc tntctcnaag annntntcgt tncgcccagg 60
tagctgagac tacccacacc ttggtcccag ctacttggga ggctgaggtg ggaaaatcac 120
tttgcccagg aattcaaggc cgcagtgagc tatgattgca ccactgcact ccaggcaaca 180
gagtgagacc ctgtcttaaa aaaagaaggg agaaagtgtc agatggtgat gaggtctggg 240
ggggaaatag agaatgggga tcaggagtgt ggatggtggt attccctcac caagaggtga 300
catgttgagc agggaacttg ggaggtgagg gtgtgacccg tgtggaaatc agggaaaagc 360
attncagcct gagggacagc caatgcanag gccgtgaggt ggccagtgcc actgagcagt 420
gagcttggga tagggggcan gtgangaggc tggagagcgg ggtcagacaa accaatatgc 480
ttatttaaaa caaggttgtt ncagcaccct tgccttaaag ccttgagcct gnaanctnga 540
aaaatttggg cacnttcaaa agcanggang gaaaccaaaa gaagattggg agggaaaagc 600
ccttncnttc ccttancagg aaatgaagtt nccacccttn aaaacaggnc caggaccttt 660
ttgggaccct tttggccttt tggttcctta gaatcctctt ggtngcttnn gaatnaaaag 720
gnaaaagggg cctttaaggg gggatcccat tntttccaaa attcaaaggg ggctttccct 780
gggcttaccc aaaatttctt ggncttaant aaaaaaattt ntt 823

<210> 439
<211> 767
<212> DNA
<213> Homo sapiens

<400> 439
gnnnnngntt ctaatgctgg nnnnnnnngg taccctttcc aaaacctggg ctctcgntct 60
ttctncangn agccnngcga ttcgtctgtc tggtgatttt tattttaagt gaacctttgg 120
atctatcttt aactctcttt attgtgagtc taaattccaa ttctgcagca gatcagtaaa 180
ctcacagtat ttttcctgtg gaaatctatt caataaggaa accaagacag gatantaaaa 240
tttaaaaaaa ancaactttg aattcccctg cctaggtctt ccagttgttt tccagcgcat 300
acctcaggta tgactttgct agccggggac aaaattagca ccttccgatt ctctagtcca 360
aatgaacttt ggctaaataa aaaattatta tactacataa taaagttnca gatagcagga 420
aatgcaagag ctaggagatt cctagattat atctggccaa gccaaatacc ttaaacatcc 480
acctggaaat cctctacccc ctcttctgag ataatttgcc cagccctttc ttcccacaca 540
ctcactcaat gtcacccccct tctaatcccc aaaactgttt ttgtggcctt ggtagcctat 600
agtagtttct cacatctttt cccctanact tttctgtttt cagtttcaga ccaaaaaaac 660
tcttcaactt ttttccagtg gggtcttcct taccagtaac tttaccactt gnaatcttat 720
ttcattgaaa aaaccttaaa tgggntggga aaaggcttgc cnncann 767

<210> 440
<211> 752
<212> DNA
<213> Homo sapiens

<400> 440
nagnnnnntt tctaatgctt ggnnnnnnnn tcnatgcttc caaaagcngg gngctcgttc 60
tttctccaag atncnngcgn tncgaattcg gcacgaggat ggatgagact gttgctgagt 120
tcatcaagag gaccatcttg aaaatcccca tgaatgaact gacaacaatc ctgaaggcct 180
gggatttttt gtctgaaaat caactgcaga ctgtaaattt ccgacagaga aaggaatctg 240
tagttcagca cttgatccat ctgtgtgagg aaaagcgtgc aagtatcagt gatgctgccc 300
tgttagacat catttatatg caattcatca gcaccagaaa gtttgggatg tttttcagat 360
gagtaaagga ccaggtgaag atgttgacct ttttgatatg aaacaattta aaaatcgttc 420
aagaaaattc ttcagagagc attaaaaaat gtgacagtca gcttcagaga aactgaggag 480
aatgcagtct ggattcgaat tcctggggaa cacagtacac aaagccaaac cagtacaaac 540
ctcctacgtg gtgtctactc ccagactncg tacgccttca cgtnctcctn catgctgang 600
cgcaatacac cgcttcttgg gtcangaatt agaagctact gggaaaatct accttccgac 660
agaagagatc atttagatn taccgaatga anaaagcttg cattagtgac attgaaaggg 720
aaataaaaat tcctacagtc naaaaaaaaa at 752

<210> 441
<211> 775
<212> DNA
<213> Homo sapiens

<400> 441
gnagccngat tccaaaacct gggnnccgat ccaatgcttn ccaattactt gggagctcnn 60
actngcncna ncaanctngc cntgcgaatt cggcacgaga agnaggcgga gcttgcagtg 120
agctgagatc gcgccactgc actccagcct gggcaacaga gtgagactct gtctcaaaaa 180
aaaaaaaaaa aaatggaacg cagggcaaga actcgtnttt ggaaggagat gggggaaagg 240
ancggtatta tacctatgtt gnatttgcag gcaaatgaga tgganccctc tctgtaaaga 300
agagtcattt gtgcaagtag acggggtctg tgggtgcang ccctggaggg gcacacaatt 360
gcctgnangc ttctgtgana tcgggagang gaggagaagc agtctcttga caaaataaag 420
tatttttatt cattngtatt tattaaatga aaaaacaatc ccatggtgtc ccttgtgtgt 480
ggtggaacct aatgactgtt gaaataaagt ctgngttttc ccttcaaaaa aaaaacncnn 540
anaanaaaaa ctcgagccct ntaaaacctn tngngagtcc gnattaccnt anatcccnga 600
cnttgataag gatccattga tnaantttgn cccaacccca actnngaatg ccnngaaaaa 660
aaattgcttt atttgggaaa tttgcnaatn ctttgcttta ntttgnaccc antttancnt 720
cannnnccaa gttacnancn ncaattgcnt tcatttangg ttcaaggttc aaggg 775

<210> 442
<211> 804
<212> DNA
<213> Homo sapiens

<400> 442
gagnnngntt ctatacctgg gnncgatcca aancttncct attaccttgg atcttnngct 60
atctcnaann aaaangcttn cgaattcggc acgaggccac ctgcactgag gtctgggccc 120
ggggacaggg tgctttagcc aggcttgtct gcgcctcagg gaagggtgag cagcccaggg 180
accagatgca agttggtggg cccctccacc cntccnacgc cactccccag tgtgctgggt 240
cctaaccagt cgtcctatgg gagcagtcag ccttcctctc ctcctcaggg cagctctccc 300
acctgctgnt ccccgcacac agaacctcat tgctctgagc agttgcttat tacccagttg 360
ttgaaaaact agcatgtgan ggccgggcgc ggtggctcac gcctgtaatc ccaacgcttt 420
gggangccaa ngcgggtgga tcatgangtc aggagatcaa gaccatcctg gcttaacacn 480
gtgaaaccct gtctctacta aaaatataaa aaagtancca ggcgtggtgg tggcccctgt 540
agtnccaann tacttgggaa gctnangcan gaanaatggc ntgaacccaa gaaggaagaa 600

cnttgcantg aancttaaaa ttgcgcccac tggaatttca aaccttgggc cnanaanaat 660
tgaagaatcc cgtcttaaga aaaaaggaaa aaantttncc nttntnaaag gcccggccac 720
aantnggctt taacgccctg gtaaatnccc aancactttt tggggaaggc ccaaaggcaa 780
ggccnggatt caattttnna aggg 804

<210> 443
<211> 786
<212> DNA
<213> Homo sapiens

<400> 443
gnagccggat cttattattg gcnncgnttt aatgctggct aatntntcgt aatncttggt 60
nnccccaann annnaggngg ggngaattcg gcacgagcac catttttatt ttgatgctta 120
cactcattta ttctgttttt gtaaaacagt ttcaagaatt taaaaatcct tccagttaat 180
agagcttttg ttattatatt ataattttgt aaacccactt tgtttttccc actttaaagc 240
cacagggtcg actcatggat gatacctcta ttgctgctgc atgatgttca agaccggccc 300
ttggctgttg ttacagagat gttgggcaga gctatgcagg tgtttcattg ngaactctag 360
ctttgatcat ggtaaaaagt taacccttc tattttttaa tggatgttat accaactatt 420
cagaggactc atacttcaaa aatattagga aaatctgtct tatagttctc taataaatat 480
ctgaaatctc aagtacgaca tgaaagaatg tcagaccatt gntattggtg aaagtcattt 540
gatgaatggn aaattctatg aaaagtaagt ggatttgcat ggattaatat cagggaaaat 600
ttaagccttc ccaagtgtga ctgggccaaa gagagccaga tgccccagt gcctgtgccc 660
ataaagttcc cgaatccccc aatggggtct nttttcaaaa acttggncca gacccggaaa 720
ataaaancat tcntcataaa ttcaannggg gncctcanga aacacnttcc cccancaacc 780
cttngg 786

<210> 444
<211> 760
<212> DNA
<213> Homo sapiens

<400> 444
gnagnccggt tcnnangcnt nggctnnatc caatgctggc taaagttcna ananctggca 60
acnccaggan ncangcgttg cgaattcggc acgaggagga attacaggta gcaaattatg 120
gagttggagg acagtatgaa ccccattttg actttgcacg gaaagatgag ccagatgctt 180
tcaaagagct ggggacagga aatagaattg ctacatggct gtttnatatg agtgatgtgt 240
ctgcaggagg agccactgtt tttcctgaag ttggagctag tgtttggccc aaaaaaggaa 300
ctgctgtttt ctggtataat ctgttgccag tgggagaagg agattatagt acacggcatg 360
cagcctgtcc agtgctagtt gcaacaaatg ggtatccaat aaatggctcc atgaacgtgg 420
acaagaattc gaagaccttg tacgttgtca gaattggaat gacaaacagg cttccctttt 480
tctcctatng gtgnactctt atgtgctgat atnccatttc ctagtcttaa ctttcaggag 540
tttacaatng ctaacactnc atgatngatt cantcatgaa cctcatccat gttcatctgn 600
ggcaattgct taccttgggg gntcttttaa aaagtaccac gaaatcatca tattgcatta 660
aaacccttaa aagttctggt gggnatcaca gaagacaagg ccnaanttna aagnggagga 720
atttattat ttaaaagaac cttttgggtn ggatnaaaan 760

<210> 445
<211> 761
<212> DNA
<213> Homo sapiens

<400> 445
tggtgccggt tcttantctg ngctctcgtc ttccttctta tacctgggca ncncttggcg 60
gccccnaggn tcccangnag ccnngcngng ncngattcgg cacgagattc caaaggtttc 120
aaagaacttg gtcataaata tgataatgag aagacaaagt atttatatta aaacagttta 180
gtagccttca gttttgtgaa aatagttttc agcacagaaa ctgacttctt tagacaaagt 240
tttaaccaat gatggtgttt gcttctagga tatacacttt aaaagaactc actgtcccag 300
tggtggtcat tgatggcctt tagtaaattg gagctgctta atcatattga tatctaattt 360
cttttaacca caatgaattg tccttaatta ccaacagtga agcactacag gaggcaactg 420
tggcattgct tccttaacca gctcatggtg tgtgaatgtt ataaaattgt cactcagata 480
tattttttaa atgtaatgtt atataagatg atcatgtgat gtgtccaaac tatggtgaaa 540
agtgccagtg gtagtaactg tgtaaagttt ctaattcaca acnttaattc ctttaaaatn 600
cacanccttc tgcctctgna tttggaagtt gtcagtncaa ctcatcaaag aaaactgcct 660
aatntnaaaa tcatattntg ggaataattt ccctcttttg tagtctgccc aagatcctta 720
aagattggat ttttattact atttaaacca gtggattaat n 761

<210> 446
<211> 770
<212> DNA
<213> Homo sapiens

<400> 446
tgggnnngnn ccnaangcng gggannnggt ccccgttcca anactggaan ncttggcann 60
cgaactcgct cnannagnaa ggccgggnga attcggcacg aggccccgct ccatgagcag 120
tgactcccca gctcctcctg gcaccagtcc ccagggctct cctgttggta gttcctgctt 180
ttcttcttgg aaattcctcg tggacctcga gatctttacc ctaaaatagt tctgttgaat 240
ttcaccctgg caatgtaaat tgatagctta tcttcacaga tgccagacaa tggacaactc 300
accatcagtc ctctgctcac ctgagacaaa tgcatgtctg attgcttcct ctgccctatt 360
ggntatgtga aaatgcagat tcactgagcc agactaaggc atcagtgact ggtcctctac 420
ctgcctctca catggagatt gggtattcag tgaaaggctg atcaaagacc caaaggaatg 480
caacagttta tctcttatct acctatgacc tgcganctgc caccaccccc agntggngcg 540
cctttccaga cagaaccagt gtacatctta cacgtattaa atngatgtcc cnggggctcc 600
cnaanangna tcaaacaagc ngggcctcga ccaccttggg cacatatccc nanggacatc 660
annctggagg ctngngncac tggcattggc cctnaccctn ggcaaaataa accttctaaa 720
attggnaaaa aanaaanaan aaaaacctng nnccctntna naacnntacg 770

<210> 447
<211> 757
<212> DNA
<213> Homo sapiens

<400> 447
tggtatnntt tnaangctgg nngnnnggcn ccgttccaat gnctgggano nttggcaatc 60
gctctttccg nangatccca tcgattcggt ctgatgcagg agaattgcta aaacccagga 120
gggagaggtt ncattgagcc gagattgcgc cactgcactc tagcctgggc gacagagcaa 180
gactccgtct cgaaagaaag aaagagaaag gaaattcccc agggaagtac ctcggcttat 240
ttcataaaca ggtactgaag gaagcagagg catgtggagg acttccccac ctcgtgcagc 300
tatttgggcc gtggcatctg aaatttctta tttcagagtc accccttga tgaccttggc 360
agtgaactgc agtcatctgt ttaggccttt ccatggccca cgtcaatgcc ggtatttctg 420
tttgttgcac atttgatttc cttgttgttg gcatttagaa ggccccccgt ttcccagatc 480
acaccacggg catggaccac agagattgca tcttgtgagt ctgtagaaat ggtcaaggcc 540
ttgtcctctc ttaagtccag agctcangtt aatgcaaaat tttnccggnc atctgtgctg 600

aaatcccttt ggggaagctc ctggctggtt tcctgtaggt aggacagcta cacgtnctgc 660
cctttattgg cttcttttca tgaagctcct gccatntacn aaacatgtct cccttcttga 720
atcacatctc tggtattgna actctanaat cgcccgg 757

<210> 448
<211> 770
<212> DNA
<213> Homo sapiens

<400> 448
gggtgnnnng tttctaatgc ttggtngnnc nggnccnacn tttctaatgt tcggaanggc 60
ttggctactc gntctttctn cangnagccc ntcggtncga attcggcacg aggtgtcttc 120
atcttaccca gtggaaccta agaaattaaa ttctccagaa gaaactgctt ttcagacacc 180
aaaatctagc cagatgcctc ggccttcagt gccaccatta gttaaaacat cactgttttc 240
ttcaaaatta tctacacctg atgttgtgag cccatttggg accccatttg gctctagtgt 300
aatgaatcgg atggctggaa tttttgatgt aaacacctgc tatgggtcac cgcaaagtcc 360
tcagctaata agaaggggc caagattgtg gacatcagct tctgatcagc aaatgactga 420
attttctaat ccttctccat ctacctctat tagtgctgag ggtaagacaa tgagacaacc 480
cagtgtgatt tattcatgga ttcagaataa acgtgaacag attaagaatt tcttgtcaaa 540
acgggtgctg ataatgtatt ttttcagtaa gcacccagag gcctncattc aggctgtttt 600
ttcagatgcc caaatgcata tttgggcatt agaaaggtct gtcgcactta gtagcagcat 660
cattttacag aggatagatt tggagttgtc cagacgacac taccagctat ccttaatact 720
ttgttgacac ttgcaagang cagtcngaca agtactttaa cttcctcatg 770

<210> 449
<211> 792
<212> DNA
<213> Homo sapiens

<400> 449
ngagaaangt ttctaatgct ggnnnngnna gntcancctt tctaatgttc taatacttgg 60
ganntcgaac tntcncnaca cagnnangcn ntgcgaattc ggcacgaggn cnnctcnatn 120
atnacttgnt cncancggnc tggcatcnac ncgncacacc tacntnagcg cnttgtagcg 180
caatatncac ctnntnaaac ccnnnagtcc cagggctctg ccnnnnnact gntcaactga 240
cnaacnacnn nctancncaa cntnnnntta ngccnctgnc tgnctctatg gcacctnncc 300
tnccntcncn cntnacccnc tacgctcagg gctatataca atgggaacct tnccaacagt 360
aanccntgga tctnaggnat ggcccttgnc tggcggatca cagccttnna gcntatcagn 420
atcttgagga agacaccatt ccgtcccnga ttntgaccaa ncnctcggat gtgnctatgg 480
gctcnattga ggnacaacaa ctnncactgc nnataggcca tcctcnnnan nctacacatg 540
ngactttncn nnncatntna aatgnnnana tgtctctcnc aagcatcacc cnctgtccct 600
ncgncntcnt ggaagacctt ctgnncaact ganctccttc ntgnnncnnn ngattnttnc 660
nnncnnaata tncntncccc aatgnccttg tnnngnattt atnangggnt ttccaatttg 720
ggntaattca ntncccnccg nannctannn ncccatnaac cntcngngcc ttcttgnaac 780
cttttnncct gg 792

<210> 450
<211> 848
<212> DNA
<213> Homo sapiens

<400> 450

gnatgncccg atttccttaa tgatggggnn nnnnngagcg annettccga aanttccaat 60
annctgggng ntcgcaactc nctcnanaca gnaaggncgn gggctttgct ctctccattc 120
caagttgntc tctgttctag aaagcagatg tagtagacat ctactgttgt tgcctgaaca 180
gaatcccttt gtcctttttt tgntaaaagt actcatccct aatattcatt gtnctggaag 240
gactgaaaat acagaactca caccatgatc ggccgggaca atcagattat ttcattccnc 300
agcaaacgga gatcganccg aaaagtggaa anatgagcnc ttctttggng ttggcatatg 360
gaccctgaga gaaagaactn tnattntttc tcttggactg caataaagta tagctgccta 420
aaatacgntt cctgacactt ggaggnttgt ccacaatcgg ngaaataaag gcgagaccgn 480
acactggatg aaaaaaanaa gnnnccngnn gaanacccac tnnnccannn nccnnnccnn 540
tncnccanng nnganccnnn tanccgnnan naggccnnng cnntngcnnc nnngccnnnn 600
nnnnnngggn aaacccnnnn gnnnnncnnn nnnnnnnncn nnnnannnnn nnncnncnng 660
nnggnnctnn nnnnannnnc cccnncnncc cnncnccnnn nggnaanncc nnnnnnnann 720
annnngggnn nnnncnannn ccnnnnnnnn cannncnncn cnnnnnggnn nnnnncnnnn 780
nnnnnnnnnn ncnngngnnn acnnnngngn nnnnccnnnn nnnnnncngg nnnnncnnnn 840
nnnncccc 848

<210> 451
<211> 765
<212> DNA
<213> Homo sapiens

<400> 451
gnnnnnnntt tcctaaatgc ttgggnnnnn nnngagngnn nttncnnagt ttcctaanta 60
gcttnggcna ctcgttctnt ctncangcag nnnntgcgtn gncgaattcg gcacgagcat 120
tcctcctttg ttaacgaagc aacatttaca caagatggac attacattat tagtgcatcc 180
tctgatggca ctgtaaagat ctggaatatg aagaccacag aatgttcaaa tacctttaaa 240
tccctgggca gcaccgcagg gacagatatt accgtcaaca gtgtgattct acttcctaaa 300
aaccctgagc actttgtggt gtgcaacaga tcaaacacgg tggtcatcat gaacatgcag 360
gggcagattg cagaagcttc agttctggta aaagagaagg tggggacttt gtttgctgtg 420
ccctctctcc cgtggtgaat ggatctactg tgtaggggag gactttgtgc tctactggtt 480
cagtcagtca ctggcaaact ggagagaact ttgacagtgc acganaagga tgtgattggt 540
attgcacatc accctcatca gaacctgatt gctcctacag tgaagatgga ctcctaaagc 600
tctggaaacc ataattcaac ttttcttttt taaatcaact cgaaagcatg tncttaaatg 660
aacatattca tgtaangggc tttttttttt tgncactttt ctaagcaaat agatggctga 720
attagtcacn gaataaattt gngaaaatca tggttaaatn ccaac 765

<210> 452
<211> 765
<212> DNA
<213> Homo sapiens

<400> 452
nnngnnnnnn ntttcctaaa tgcttggggn nnnnnngngn nnnnnttctn atgttcctan 60
ngcnnnggng ctcgttctnt ctncacgnng ccngtgcggt gncggtctga ttgaaagctg 120
ttcaggttta tcatgcaaat cctcgcctct ggctacggct ggctgaatgc tgcattgctg 180
ccaataaggg gacttctgaa caagaaacta aaggccttcc cagcaaaaaa ggaattgtnc 240
agtctattgt tggtcaagct atcatcgtaa aatagttttg gcatcacagt ctatacagaa 300
tactgtttat aatgatgggc agtcttcggc cattcctgta ccagtatgga gtttgcagcc 360
atatgtctca gaaatgcctt gttgctgctc ctgaagaaca gcaagatcca aagcaggaaa 420
atggggctaa aaatagtaat caattaggtg ggaacacaga gagcacgaaa gcagtgaaac 480
ttgcagcagt naaagccatg atggagatna attcattcca gcttcacctt cttctccatt 540

gagaaaacag gaattagaaa acttaaagtg ctccatactt gcttgcagtg cctacgtggc 600
tctggctttt gggtgatacc tcatggcttt gaatcatgcn gatnaacttc ttcagcagcc 660
caagctgcag gatctcttaa gttttgggac atttatatgc tgcagaaccc ttatcttctt 720
cgacngaatn tctgtgccnt tctcacttga ccccgagaat gtnct 765

<210> 453
<211> 833
<212> DNA
<213> Homo sapiens

<400> 453
gngtnnnnnt ttctaangtt cntaatannn tnggctactc gttctttctc caggnatccc 60
ntgcgattcg aattcggcac gagagaaacg ttctcaggtt gaccagctgc tgaatatttc 120
tttaagggag gaagaactta gtaagtcatt gcagtgcatg gataacaatc ttctgcaagc 180
ccgtgcagcc cttcagacag cttatgtgga agtcaagagg ctacttatgc tcaagcagca 240
gatactatgg agatgaatgc actgaggacc catagaatac agattctaca ggggattaca 300
agaaacatat gaaccttctt gagcacccca ggttttggca ttagaaaatg ggtacccctt 360
ggttcaaaaa tgaacaaaga aagccttaga tttggatggg ggaacctgat ctgtccagtc 420
tagaaggatt ccagtgggga aagtgtttcc atttccttng tcccctggct tggccaagga 480
aagcgaaagc cctttcttga anagcaaccg tggatcattn gaccaggaac ttccttctgg 540
ggtattaagc ttctttcaan tggaagggaa aggttccang gccaaaggaa aaatggaagc 600
ccccaaccng atgggtttca ccctaantaa cctcaattgg aagggcttgg accaagaacc 660
cnggaaaggc nanccattgc acccttaaaa ncaaggaaag tggaccacct ttggggcttg 720
ncnttccntt ccgaaccagg ttgaaaangg gcttgaaaaa tggttgctta cccaaaaggg 780
cgnacnttaa tggcaccaat tattcctntg gaccnttttt aatanccttt ngn 833

<210> 454
<211> 737
<212> DNA
<213> Homo sapiens

<400> 454
gnggnnnntt ctaagttcct aatnctgggc tactngttct ttctgcaggn atcccatcga 60
ttcggcaaaa tcaatgtgga ctgaacataa atcacctgat ggaaggactt actactacaa 120
cactgaaacc aaacagtcta cctgggagaa accagatgat cttaaaacac ctgctgagca 180
actcttatct aaatgcccct ggaaggaatn caaatcagat tctggaagcc ttactattat 240
aattctcaaa acaaaagaat ctcgcttggg ccaacctaaa gaacttgagg atcttgaagc 300
aatgatcaaa gcttgaagaa agcagtaagc aagaagagtg caccacaaca tcaacagccc 360
cagtccctac aacagaaatt ccgaccacaa tgagcaccat ggctgctgcc cgaagcagca 420
gctgctgttg ttgcagcagc agcagcggca gcagcagcag cagctgcagc caatgctaat 480
gcttccactt ctgcttctaa tactgtcagt ggaactgttc cagttgttcc tgacctgaag 540
ttacttccat tggtgctact gntgtagata atgagaatac agtaactatt tcaactgagg 600
aacaagcaca acttactagt acccctgcta ttcaggatca aagtgtggaa agtatncagt 660
aatctggaga agaaacatnt taaccaggaa actgtanctg attttacttc caaaaaagaa 720
gaagaggaga gccacct 737

<210> 455
<211> 718
<212> DNA
<213> Homo sapiens

<400> 455
ggnnnnnntt tnnncngttn cntaaaannc tgggctactc gttctttctn cangnagccc 60
ntgcgatncg aattcggcac gaggatgagg agtgtttaat cattgataca gaatgtaaaa 120
ataatagtga tggaaagaca gctgttgtgg gttctaactt aagttccaga ccagctagtc 180
caaattcttc ctcaggacag gcttctgtag gaaaccagac taatactgct tgtagtcctg 240
aagagtcatg tgttttaaaa aaacctatca aacgagtata taaaaaattg atccagttgg 300
agagatttta aaaatgcagg atgagctctt aaagccaatt tccagaaaag taccagaatt 360
gcccttaatg aatttagaaa attctaaaca gccttctgtt tctgagcaat tgtctggtcc 420
ttcagactcc tctagttggc ccgaaatctg gatggccttc tgcatttcag aagccaaaag 480
gacgattgcc atatgaactt caggactatg ttgaagatac atcggaatac ctagctcctc 540
aggaaggaaa ttttggttat aagttattta gcctgcaaga cctgttgttc tcgtcgctgc 600
agtgtncaga ggatagagnc agaccacgtt ctaaaacnga gaaatcagaa gacatttnca 660
gttatgtctc caaaagtgag tntcagctgt atgagttgac tctgctgaaa gtgacttg 718

<210> 456
<211> 739
<212> DNA
<213> Homo sapiens

<400> 456
gtggnnnntt ctnngtttcc aatangntgg gtctcgttct ttctnnacga tcnnntgcga 60
ttcgcttggg aggctgagtc aggagaaatt gcttgagccc aggagatgga ggttgcagtg 120
agccaagatc atgccactgc actccagact gggcaacaga gggagactcc gtctcaaaaa 180
ctaaaaaaaa aaatncattt agtataccgg ggggtggggg ggagaaataa tgttatttcc 240
tatgcgaaat gacgtgtatc cctgtaccca tgggtaaatg taaatatact gtgtctcttt 300
tgggagagcc ttttagtaga ggagtcttat atgaagtctc tcataagtag ttcacttgag 360
ttttgcagtt tgaaatctta aaggagcttt aattgacatt tattatacca attaagcttg 420
gaatggggca atggatgcat ttccaaaacg tgtgaaagcc taacagctta tattgctgaa 480
tgagaatctc ctgggtgtaa tttancactt agggaactgc gtgaacactc ccagccatta 540
tgatgctggt accagcttta ntgtntaaat gccatganta ttctttctgn tctgttttgt 600
gctctcttgg tncatttatt ttaccctta cngaataatt tcttgtaaaa tccntaaaaa 660
tntttggcat ttaaaagtcc nntcttggan tnaananann nnnaanaaaa ancttncccc 720
tttanaactt tngngggct 739

<210> 457
<211> 743
<212> DNA
<213> Homo sapiens

<400> 457
gtgnnntnnt tctnnngttt ccaattantc tgggngctcg ttctttctcn annenmnnan 60
tggttgncga attcggcacg aggnnanagg gnagctacat gnntnaccnt nttngnnctc 120
tcagccangc tcnnctnnnn ctggtcctac tgctacatag aacacttgtt ntncnnggna 180
actnntntat gtnnccnnga ntctctgnna ctngtttaaa tgctanttga taacaggcta 240
tgcaaggnct gnaagtggan agcgtcatca ttcatcatnc ntnttanctn gantnnntgt 300
atcctacatg ctttgattgg taaatgngcn tcagactggg actctcaata aatgnatata 360
ganganettg ctgtggaaan ctgtcctctc ntatctntnc atgngnaant tccactncag 420
tntgaactcc aaatgcnntn atnggnganc cctncttgta tagtggtgtc cattccaanc 480
tgcnagggnc tagaaaccgt cggctntngg aaacnatggt gnnagttgan ctggtacang 540
cngttntcac ctgcanctac cataaaatgg gnttacccaa gctttatcat ggaatggnta 600
taaaaaacgc attnattgng cctttntaan cccattatnt gttnaatttn acttatggtt 660

cccccattn aaattatnca attgggnann gangcttcna gtcnccatnt ttnaatggnn 720
ttnncaaaaa aacgnttttt ttt 743

<210> 458
<211> 906
<212> DNA
<213> Homo sapiens

<400> 458
gnngnnnnnn nttnctaatg cttgggnncn cgtttctann nnnnnnnnaa nntttcctaa 60
ttggttaggn gctcgnnctn tctccacnna gnnnngcggt gcgaattcgg cacgaggctg 120
aatcaaggat cacaaactnc acatttngca cnttggtctn cacatncntg gttngggcag 180
tcncagtnaa catggctntg gaaactnatn ttngnctngc ntcaaccatc tcgttcccng 240
gggacccann ntccnnnatc ncgnnttncc tcgnnnatng gagngctnct tngnccannn 300
atgggctccc nanaatangn ntnncnnngn nnatncancn ncngncaann ggntcnncnt 360
nnnnnngccc tnntncctna tggnnngctn catgncccat nnnnnnggnn ancaataann 420
naaanggtct nttcccncga nncccnnnnn ccnctaacan ngnacctcgc aaagggcccc 480
aggcnttnnc tngnaaacca nnttngccaa nggtanttca aaggnngcct tngggacctc 540
ccnannnngc cntggnnnta ccccgggnaa anggtngnaa acccnnccnn ngntgccnnn 600
cccggncnng gaaanaaatt tccnnggnac ccagnntncc nccgnaannn anantannnc 660
ccancccnaa cnttnngccc ncanccnttn gnnnntgnan tcnncnnncc ctttnnnntn 720
nccaanncgg ccnggnnacn nncttnnacc tntttncncn naanngacnc caanntcctn 780
nannaaaggg nggnnnnnnn nnncnttncc nnnggnagcc cnnnnnncct nncntnncnn 840
aaaaattcnn cnntgnancn cccctnnnnt nangngnccc natnnnnnnn nnngnaaanc 900
nnaccc 906

<210> 459
<211> 765
<212> DNA
<213> Homo sapiens

<400> 459
gnngnnnngg nttcctaang ctggggnccg ntctnnnnnn nnnnnnnngt tcctaaanac 60
ctaggngctc gntctngctc cacgcagncn gggcgtgggc gaattcggca cgagcttctg 120
ttgattggtt tgtttaaagt acctaagtac taccctttga ctccctacca aaagttcttt 180
tgtttttttaa acaactttta tttgtgactt actttcttga gaagngttct taatgaattg 240
cataaaatag tggtagcagc ttatttctta agtncttnat tattggggct ttaccattca 300
ggtcttatct ttaaccctta tttactcagt tttccatctg aatgatccta tctctaaatn 360
aaggatttaa taaatgctgc aaattgtcca ctttgcaaat ngtccaaaag ctttagtttt 420
ggaccttgng aacttttttt ttaataacac attatttggg cccggtcgtg gtggctcaag 480
cctgtaatcg cagcactttg gaatgcctag gcagacagat cacttaangc ctggagttcg 540
agaccagcct ggccaatgtg gtgaagacct ccggttctat tactaaaaat nctaaaaaat 600
tancaaggca tggngtgca cgcctgnaat ctcagctact tgagangcaa atcnggagaa 660
atgcttgacc ngggangcan anatganccn anattgcacc actgcattcc acctggggan 720
nanantgaga anctggctca aaacccaaaa acccaaaaaa aaaan 765

<210> 460
<211> 677
<212> DNA
<213> Homo sapiens

<400> 460
gtttncgctg ggagccacca acatagcaga ttaccatgtg aagttgccac tgctgcatct 60
cctgaaacct ggctgatggg agaggtctca ttttgtgtct gagaatgtcc aggttgtctg 120
cagaccacag cactgatttc ccattagcag ttattatttc ctggccattt cttcctgaag 180
gttttgtggt taaactccct gtcctcaata ttttatcagc agtagggctg tcattcttct 240
ggttatcaac ctctacatta tgaagtaagg ttcaaccctt ctgcttttct caggcccccca 300
aaacggttcc tatccaatcg aacacaaaaa cgggtattga gaaggaattg gcagggctca 360
gtggctgttt ccgttgctcc tacctcatgg agactcttac tcatgctgga tttattgaga 420
gaacttctaa ctgaccactc acccccaccc actcttatgc agtctgttca ttcctgaaaa 480
caccactttc atccctcctg cacacaaccc atgagggatt gctacttcct ataagattcc 540
tcagtgagcc ttatagagtt gctgcgagaa ttacatttgg tcatgatgtc aagtgtctgg 600
tatgtagctn atgcttattg aacacatagt aatttattgg aataattgnc atgatcactg 660
gatgagaata tagcccn 677

<210> 461
<211> 787
<212> DNA
<213> Homo sapiens

<400> 461
gnnnnnnnag ggnnnngngg ggcctcncaa agcccgngcn acaggtcccc gttccaaagc 60
ntgggnganc gcnncgcccc ancagnaagg cgggggaang cggcacgagg acatcatcnn 120
cttattctag taagagaaag tacacagatt caactttaga gaggacnggg gggnnnncng 180
gagcnaaatc aaggaaggan tatcacgngg ccncccnnga atataannnn gaagctgnga 240
acagnaccat cagnaacann nnatggacag ctctgatggg gnnnatacca cggcactctn 300
cnnaccnnng gnggaagcna tccggagnna tgactgangn gnaaagnggn nnactgnnag 360
aanccnggng ngctaggann ctgggagagn cactttcang aagnnaccng gcgangagnc 420
atcanaagaa cccgganaag ngagaagacn ggaaaaagnn cncancgnac ngagcccagn 480
nannnncnct gagccanggg ctncgaaang ccccaccnga agcnccatca canggnacaa 540
ggnnngggaa aaggaancna cnnngcngac angnccnccn aanagngcca aancacngcn 600
nngcccncnc gcccaaagaa nacnggacng cnggcncnna ncanaaggag cncnanggcc 660
cnnggnaang aaactncnag nagcccaanc ccaaaggccc cnanggannn ccnncaaggg 720
gaaaacanna nncacccaag gggcctgggc naanaaggcn ncccacncng gcccnccnnc 780
nnnaccg 787

<210> 462
<211> 747
<212> DNA
<213> Homo sapiens

<400> 462
ctaatggctt ggnnnnnnng nnnnccgntt cttaattgnc ttgggcnnct cgctctntct 60
ccannnagnn nntgcgttng cgaattcggc acgagcctca gccccacacc agctctattt 120
caggggtgag agtcagagag cactgcaata tgtgcttcat gggatttcga ttcgaagatc 180
ctagaccagg gagacactgt gagccaggga tacaacaaaa tactaggtaa gtcactgcag 240
accgacctcc ctgcagtttg ggaaagaagc tgggtttgtg gagaatcaga gcatcttgac 300
atgactgctg acctaaagat ccctggcatt ggccagggat cctgtggaac ctcttctagt 360
tcaggggtgt gagcattaga ctgccagttg tctagtgaca tctgatgctt gctgtgaact 420
tttaagatcc ccgaatcctg agcacctcaa tctttaattg ccctgtattc cgaagggtaa 480
tataatttat ctggatggaa atttaaaga tgaatccccc ttttttcttt tctnctctct 540
tttctttcct tctccctttc ttctttgcct tctaaatata ctgaaatgat ttanatatgt 600

gtcaccaatt aatgatcttt tattcaatct aagaaatggn ttaagttttt ctctttagct 660
ctatggcatt tcactcaagt gggacagggg aaaaagtaan tgccatnggc tccaaagaat 720
tnntttatgt tttagctatt taaaaaa 747

<210> 463
<211> 750
<212> DNA
<213> Homo sapiens

<400> 463
tnccttttcta angcnnntng nnaanngtcn ccgttctaan tncttgggca gnncgctctn 60
tctncannca gncnntgcgt tgcgaattcg gcacgaggcg agatgaagct acactgtgag 120
gtggaggtga tcagccggca cttgcccgcc ttggggctta agaaccgggg caagggcgtc 180
cgagccgtgt tgagcctctg tcagcagact tccaggagtc agccgccggt ccgagccttc 240
ctgctcatct ccaccctgaa ggacaagcgc gggacccgct atgagctaag ggagaacatt 300
gagcaattct tcaccaaatt tgtagatgag gggaaagcca ctgttcggtt aaaggagcct 360
cctgtggata tctgtctaag taaggattcc atatggctct catatcattc cattccatct 420
ctgccaagat ttggataccg caaaaatttg tgttngngga agattctgnc tgaactcttt 480
cattcaagga actactacca tgaatctgca ttctgntgcc cacactgagg ncttagtaga 540
taattgggtg gtctgaaaca cctattatct cttatntctg gtctctangc tggnatgtta 600
attcctctga aatgntaaaa gtaatgggtg anaccngaaa aagaaatttc aatnacagat 660
caanntgggg ngcatgtatn attttcaagc gtcaaaatgg aataagggaa gantnctgga 720
tacctgcttg gaaaaggaag natgtgtatn 750

<210> 464
<211> 748
<212> DNA
<213> Homo sapiens

<400> 464
gnngtgtctt tgnaaagcct ttggggaann gncnccttct aatgcttggc tatcgntctt 60
tacgcagnnc ccatcgattc gaattcggca cgaggccggc cggcgacgct ggcgacgctt 120
tcgcccctga ggtagtttgg cgaccgcgaa gaaggaaaaa gggcgggcgg gcggctgtcc 180
tctcaccgtc ctcaccccgc gaggcccggc ccgctcctcc gtcgtggatt tcgcggcgat 240
ccccccggca gctctttgca aagctgcttg aaacttctcc caaactcggc atggatacga 300
ctgcggcggc ggcgctgcct gcttttgtgg cgctcttgct cctctctcct tggcctctcc 360
tgggatcggc ccaaggccag ttctccgcag gttggntgct tctttcgttc tctcctctgg 420
gggctctgaa gtttcaccag gtggacgctg gggagcgggc tcccgagcac ttgtctacct 480
nccgccagtc ctgacaactt ttctggccaa cctacccagc ttcgcttggc tggcgagcgc 540
atctgctgct ggggttcgcg gtgcaaatgg agacgcagtg gtggccagag ggtgatggag 600
aagacgggaa aagcgacagc cacgctnctg gcttgaagcc gcaggacgca aataacttac 660
tttggacctg acagttctac gttgntgtgg angccctgtt tcctggaaat aaaactcaaa 720
atggtggttt tttggaaaaa aaaaaaat 748

<210> 465
<211> 863
<212> DNA
<213> Homo sapiens

<400> 465
gggnnnnnnn aanggnnnnn ggnnnnngtc ccgttccaan gaccnngaga tcgnngncgc 60

tccanaagaa aggcggtgng aattcggcac gagacctgta ccgcctggcc actggctgtc 120
accggcgtga tgagctgccg gtgtttgaac gcngcctatg cngggacttt cccggcanan 180
nggcnngaan atggccncca tncaggaagc cgcccagaac ctcctnggnn acacnacttn 240
agngccttcn agtccgntgg nacccggncc aagccccggc aancnctgcc ccgggtcncc 300
gttcccaagg ccaaccagcc ctgggnaccc ccggggagcc gaaacnctgg ggctnggana 360
ccgngantga gagncncact tttcnntgta nacacgggcc cagganacan ctntgctcgt 420
ggccccgggg naaannnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 840
nnnnnnnnnn nnnnnnnnnn ncc 863

<210> 466
<211> 713
<212> DNA
<213> Homo sapiens

<400> 466
ngtctttcga gcntggngnt cgttctngct cnannanatt ggttgnggga attcggcacg 60
agcctcagcc ccacaccagc tctatttcag gggtgagagt cagagagcac tgcaatatgt 120
gcntcatggg atttcgattc gaagatccta gaccagggag acactgtgag ccagggatac 180
aacaaaatac taggtaagtc actgcagacc gacctccctg cagtttggga aagaagctgg 240
gtttgtggag aatcagagca tcttgacatg actgctgacc taaagatccc tggcattggc 300
cagggatcct gtggaacctc ttctagttca ggggtgtgag cattagactg ccagttgtct 360
agtgacatct gatgcttgct gtgaactttt aagatccccg aatcctgagc acctcaatct 420
ttaattgccc tgtattccga agggtaatat aatttatctg gatggaaatt ttaaagatga 480
atccccttt tttcttttct tctctctttt ctttccttct ccctttcttc tttgccttct 540
aaatatactg aaatgattta gatatgtgtc aacaattaat gatcttttat caatctaaga 600
aaatggttta atttttctc tttactctat ggcanttcac tcaantggac aggggaaaaa 660
agtaattgcc atgggcttcc aaaagaattg ntttatgntt tagctatttn aaa 713

<210> 467
<211> 732
<212> DNA
<213> Homo sapiens

<400> 467
gnnnggtnnt ctaatncttg nnnnnnnntc nccccttctaa gccntggnct cgnctnnccn 60
acnancnggc ttncgaattc ggcacgaggc gagatgaact acactgtgag gtggaggtga 120
tcagccggca cttgcccgcc ttggggctta ngaaccgggg caagggcgtc cgagccgtgt 180
tgagcctctg tcagcagact tccaggagtc agccgccggt ccgagccttc ctgctcatct 240
ccaccctgaa ggacaagcgc gggacccgct atgagctaag ggagaacatt gagcaattct 300
tcaccaaatt tgtagatgag gggaaagcca ctgttcggtt aaaggagcct cctgtggata 360
tctgtctaag taaggattcc atatggctct catatcattc cattccatct ctgccaagat 420
ttggataccg caaaaatttg tgtttgtgga agattctgtc tgaactcttt cattcaagga 480
actactacca tgaatctgca ttctgntgcc cacactgtgg tcttagtaga taatttgggt 540
ggtctgaagc acctattatc tcttatttct ggtctctagg ctggtatgtt aatcctctga 600
tatgttaaaa gtaatgggtg agaccngaaa aagaaatttc aatacngatc aantttgggg 660

tgcatgttga atttgcaacc tcaaattgga gtaagggaan attctggata cttgctggaa 720
aggaggaatg tn 732

<210> 468
<211> 748
<212> DNA
<213> Homo sapiens

<400> 468
gnnagnnttc taatngcttg tnnnnnnnna gacgttctaa nnctttggcn atcgttnttt 60
ctncagnann ccntcgattc gaattcggca cgaggccggc cggcgacgct ggcgacgctt 120
tcgcccctga ggtagtttgg cgaccgcgaa gaaggaaaaa gggcgggcgg gcggctgtcc 180
tctcaccgtc ctcaccccgc gaggcccggc ccgctcctnc gtcgtggatt tcgcggcgat 240
ccccccggca gctctttgca aagctgcttg aaacttctcc caaactcggc atggatacga 300
ctgcggcggc ggcgctgcct gcttttgtgg cgctcttgct cctctctcct tggcctctcc 360
tgggatcggc ccaaggccag ttctccgcag gttggttgct tctttcgttc tctcctctgg 420
gggctctgaa gtttcaccag gtggacgctg gggagcgggc tcccgagcac ttgtctacct 480
tccgccagtc ctgacaactt ttctggccaa cctacccagc ttcgcttggc tggcgagcgc 540
atctgctgct ggggttcgcg gtgcagatgg agacgcantg gtggccagag ggtgatggag 600
aagacgggaa aaagcgacag ccaagctcct ggctgaaacc gcaaggacgc aaaataactt 660
actttgnacc tgacagtttc tnacgtttgt tgtggangcc ctgtttcctg ggaaataaac 720
tcaaattggt ggtttcttgg aaaaaaa 748

<210> 469
<211> 776
<212> DNA
<213> Homo sapiens

<400> 469
gggngntcta atgcttgnnn tgattctccg tctataacng gntaatnctt ggncctacna 60
aaaggctang ngaattcggc acgagacctg taccgcctgg ccactggctg tcaccggcgt 120
gatgagctgc cggtgtttga acgcaaccta tgctggactc tcccggcaga ctgcctggat 180
atggtcgcca tgcaggaagc cgcccagcac ctcctcggca cacacgactt cagcgccttc 240
cantccgctg gcagcccggt gccgagcccc gtgcgaacgc tgcgccgggt ctccgtttcc 300
ccaggccaag ccagcccctt ggtcaccccc gaggagagca ggaagctgcg gttctggaac 360
ctggagtttg agagccagtc tttcctgtat agacaggtac ngaggatgac ngctgtgctg 420
gtggccgtgg ggcttnaann tnannnnnnn nnnccnnnac caantctncn nannannnnn 480
ccnacnnnta aaantnncnn ncnnnnncan nnnnnnnnnc cnnnnanncc nnnncttnnn 540
naancnnnnn nnnnnnnanc nnnncancna nnnnnnnnna nnncnnncnn nnnnnnnncn 600
nnnnnnnnnn nanncennnn nnnnantnnn nnannnnnnn nnnnnnnnnn aaannnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nncncnnnnn nnnnnnncnn nnnnnnnnnn 720
ccnnnnnnnn nnnnnccnnn nnnnnntnnn nnnnnnnntn nnnnnnnnnn nnnnnc 776

<210> 470
<211> 765
<212> DNA
<213> Homo sapiens

<400> 470
tatgnntttn ctaaaatncn tgggcaanac gtcctcnctt tcctaanagn ttnggcanaa 60
cccttggcaa nacgccngtn acccanacnc agnnnggccg tggcgggcga gcgggcaaca 120

gctcttgagg agtgagactg cnggagatnt gggccgtgcc aaagagatgg atgagactgg 180
tgctgagttc atcaagagga ccatcttgaa aatccccatg aatgaactga caacaatcct 240
gaaggcctgg gattttttgt ctgaaaatca actgcagact gtaaatttcc gacagagaaa 300
ggaatctgta gttcagcact tgatccatct gtgtgaggaa aagcgtgcaa gtatcagtga 360
tgctgccctg ttagacatca tttatatgca atttcatcag caccagaaag tttgggatgt 420
ttntcagatg agtaaaggac caggtgaaga tgttgacctt tttgatatga aacantttaa 480
aaattcgttc aagaaaattc ttcanagagc attaaaaaat gtgacagtca gcttcagaga 540
aactgangag aatgcannct ggattccaat tgcccgggga acacagtaca caaagcccaa 600
ccagtcaaac ctacctacgn gggggactac tccagactcc cgnacncctt cacgtcctcc 660
tccatgctga ggcgcaatca ccgcttctgg gncaagaagt tanaaacnct gggaaaaact 720
acctncgaca agaaggggan catttanatt tacccnaaat gaana 765

<210> 471
<211> 820
<212> DNA
<213> Homo sapiens

<400> 471
cnnnnngggn nnngnggcgn cntccnaaan ccggggcgac agngccnnng ttccaacaga 60
ccnggngngc cgncngngcc ccanacagca ngggnggggc nnnggggnnn cnncgncnnn 120
cnnancnaca aagaactcaa caagaaaaaa acnaacccca caagcgggca aaggacgnga 180
acagacantn cccaaaagaa gacatacaag caaccnaaaa taatcnaaaa taagnnncaa 240
aaagaaaaaa ngcnagacag agnngngana gnactnagna aaaagngana tctagcggcn 300
annagnangn nngnnnacgg ncngnnncna agaaanagnc nctggnnccc aagcnggagn 360
acagcggcgc aagcnnggcn cactgcaacc gcgaacnccc gggctcaagc gaaccnccag 420
cctcagcctc ccaagnagcn gnnaaaggca ngcaccacca cacccgacna aaatancngc 480
nancaanaac ananaanggc nccccngngc nnanncagga aanaaacacn cnnangcnnc 540
ngaaaanaan naancncncn cnnnacaaaa aaacnnnagc cnnagaacaa nnnnggaggc 600
ggaanacggn nnancccgac anganaanga nacnanngan gganganngg gaccaaaccn 660
cancccggga anggcnnngn aaaaaaaang ccnnnaaann gggggaaaan ncggngnang 720
ccnaaagggc cnnaaanggg gaaacccnan naaaangccg ggcanannan aaccnagcnn 780
nancnanccn nccaangggg nannnccncn nncnaggccg 820

<210> 472
<211> 738
<212> DNA
<213> Homo sapiens

<400> 472
gnngtgtctc taatgcttgg ctactngttc tttccgccga acncttgcta atgcttggcn 60
ntcgttcttt ctccacnnac nnngcnntnc gaattcggca cgaggtcaca ganatnaaag 120
tccaatcata ggggctggnc cnacntctnt gctnntccct gcangantca tangatcagn 180
nanaccgtgc gnntttgnaa gcntttcaaa tgtgntacca tcgngttact tncnnnggca 240
cctgntgann tnggttgnac tnnncnggat nctccaaanc caccnnnncn atgggntnng 300
tgngcatgng ntggnncann nacagannna ganactttaa ngaannngnt tntgcaaccn 360
tnggnnctag caancntgan antnccaggg nnggccacna agctgaaaat nnatgttana 420
ncnnatgntg naatctctag natgacttcc ncannnancn aaactnangc anggctgcna 480
tgttagaanc tanaggccna atttcttntc natgnaacca ntntatgctt ttaagaccnt 540
caactgtnnc natgaagccc atntacatna ttncggtaat anggctatnc ttaaannnaa 600
ctgctgaaaa tnatgatnca nctacgaaat cctnncancc ncatntggct naatcattac 660
caaccatttg acaccnncat ngnctaccca cntgcattnc catgaccnan tccantgcca 720

cccgcncaga tntacctt 738

<210> 473
<211> 752
<212> DNA
<213> Homo sapiens

<400> 473
tatgnntncc taanagagtt ntgnnacacg gcccgccttc tnaaancttc ctaatncttg 60
ggcgctcgtt ctntctncac ncagnnnntg cggtncgaat tcggcacgag gtccttttga 120
accaccccaa agaactcaac atggcaaagc aaatggtaaa agcttcccga ctgttctact 180
ttgggtccgc gcgaagccca ctcacgtgtg atctgtgttg cccctgggag gcccggggcg 240
accggaaaag ggctctctca agttctgaaa agagaatctg ccaccagatc gaatttcgac 300
ccctgagctt gttcggacgt atggtccaaa ttcagattaa ggtggtcacc caacccgaga 360
tgtcaggaaa ggccttctgc agagaaaatg tccccccacc cgccatctgc agccaggtgt 420
gtgccacacg gcagccttcc cgaaacatag tatggatttt aaaaatgtgt ntatttttgg 480
ttctcaacca ctttataacg tattttttaa tttattttgt aatgtcttgt tttgaagtat 540
tgctgctatc cttggtatcc ttcccactgg ttttatcact ganttatttt gngaaagttg 600
ncactaatgt tctatgtcaa aatcaaaagt atttaatgaa atactanntc tatttaatgt 660
ggntatggaa ccagctggaa acacaaaaca aacagtgatt gacancaagc tgggcccaag 720
agncaggtca ttttgnacat atgccaataa ac 752

<210> 474
<211> 752
<212> DNA
<213> Homo sapiens

<400> 474
ttgcanacnn aatanttgct gtaaaagtcc cnncttttn cccttctaa tgnttgngcg 60
ctcgntctnt ctccacnagn nnntgcgttn cgaattcggn tctnagccca tgccgggatc 120
ttcccacacc cgtcctcaca gatccagccc cagcccctgt cttcccaggc catctctcag 180
cagcacctgc aggatgcggg cacccgggag tggagccctc agaacgcatc catgtcggag 240
tctctctcca tcccagcttc cctgaacgac gcggctttgg ctcagatgaa cagtgaggtg 300
cagctcctga ctgaaaaggc cctgatggag cttgggggtg ggaagccgct tccgcacccc 360
cgggcgtggt tcgtctcctt ggatggcagg tccaacgctc acgttagaca ttcatacatt 420
gatctccaaa gagctggaag gaacggaagt aatgatgcca gtttggactc tggcgtagat 480
atgaatgaac caaaatcanc ccggaaggga angggagatg ctttgtctct gcagcagaac 540
tacccgnccg tccaagagca ccancagaaa gancctcanc cccagacagc acggnctaca 600
cgcanctcgt gnacctggat gacntggaac anaatggtan cnaatgtggg accacngnct 660
tgtancccna ggacaaggcc ctncnangct tgntggangg gtcnantcng anaaatggng 720
gccactgccc aacccgcang aaganaacaa nn 752

<210> 475
<211> 742
<212> DNA
<213> Homo sapiens

<400> 475
gntttctntt aatncttttn naaangcgnn ntttaccntt ctangnntgn gnctcgttct 60
ttcccacnna nnnnncggtn cgaattcggc ncgaggtgaa acagaaagtg gagatgcttt 120
ccttgacctg aagaagcctc ctgcctccaa atgcccccat cgctatacaa aagaagaact 180

cttggatata aaagaactcc cccattccaa acagagcctt catgcctttc tgaaaaatat 240
gacagtgatg gtgtctggga ccctgagaag tggcatgcct ctctctaccc agcttcaggg 300
cggagctcac cagtggaaag tctgaagaaa gagttggata cagaccggcc ttccctggtg 360
cgcaggatag tagatccacg agagcgtgtg aaagaagatg acttanatgt tgttctcagc 420
cctcagagac ngagctttgg agggggctgc cacgtgacag ccgctgtcag ctcccggcgc 480
tcangaagtc cattagagaa agatagtgat gggcttcgtc tgcttggtgg acgtaggatt 540
ggcagtggga ggataatctc tgcccggacc tttgagaagg atcaccgctt aacgataagg 600
acctgcggga cttgagagac agagaccnan anaaggactt caaggacaac gtttcangan 660
anaanttttg gagaaagtaa ncntgtcttt tggtgancgt anaaanaaat gattcttacn 720
cnnaanaaga acccgaatgg tt 742

<210> 476
<211> 1122
<212> DNA
<213> Homo sapiens

<400> 476
gnnngggnnn ttctaaaagc tgggnnnnnn nnngaggnnc ttctaatnct tctaatggtt 60
ggctctcgtt ctttctncac gcagcnnngc gnnncgaatt cggcacgagc ctgcagccac 120
taatgcattg tgtatgataa caaaaactct ggtatgacac atttctgng atcattgnta 180
attagtgaca tagtaacatc tgtagcagct ggttagtaaa cctcatgtgg gggtggggtg 240
ggggtgtatn cctngnggga nggnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 300
nnnnnnnnnn annnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 360
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 840
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 900
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 960
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1020
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1080
nnnnnnnnnn annnnnnnnn nnnnnnnnnn nnnnnnnnnn nc 1122

<210> 477
<211> 747
<212> DNA
<213> Homo sapiens

<400> 477
gnngtgcctt tgaaannccn tttgnnnnng nggcccttct aatgctnttn cgntcgnggg 60
gtcgaactcg ccccacncng cnaggcgggg gctncaagcg attctaaacc acctatgagt 120
atttctttta gggctcactt aaatacatgt ntgngnntac tgggggctag ccngaataat 180
tttagatctg atcaggtngn ngctnaaatt ngaaaaanac cnnntngatg cttaaagaat 240
tngcntccat ttttgagtct aaatctttta aaatntactg ngatccacat ctagngaaat 300
gtcngtgtca anatattctn gatnatcgct naaatccnca ttaatactcn ttnggggtnn 360
nnnatagngg aacttcntag nnntncnaaa agcacatngn cttcctgnct ccgctgctcc 420
cacagnnggt nttgnaactg ggnaaatcag nnnnnngata gcgngngnnt ntnaganaaa 480

ntngatncac acatncttnn nnctcagncn ncacatngat tgaacactct ggccaagatg 540
ctgnggngga tgangttgga gttcgannga agaagccngc gctggcctgg cttgnaagac 600
ccnngncttt cccntncccct cnctngaaag ctgcccngac ngaggccnaa ngnaaatggn 660
tgannngnncn gtcnngcccn cttcngncnc ttngaaccnn nnagnggnnc tnnnngnacc 720
cnnngnnntn cgngnaaccg nnccngc 747

<210> 478
<211> 746
<212> DNA
<213> Homo sapiens

<400> 478
gnnnnnngcg cgnccttcta atgcttcnta attnnctngg atactcgttc tttctncagg 60
natcnnntgc gnttcgcaag gagnagagtg atagnaattg gcagtgaaat atacgaacca 120
ccctcctgcc ctctgggttc acaatacgtg tacacttgac tgtgaagtgg ctgtgagagt 180
gggtggagag ttcttctttg accctcagcc tgcggatgcc tctagaaacc tcgtgttgat 240
tgcaggagga gtcggaatta accctctgct ttccatcctg cggcacgcag cagatctcct 300
cagagagcag gcaaacaaaa gaaatggata tgagatagga acaataaaac tattctacag 360
tgcaaaaaat accagcgaac tcctgtttaa gaaaaatatc cttgatttag taaatgaatt 420
tcctgagaag attgcatgca gtttgcatgt tacaaaacag actacacaaa tcaatgcgga 480
actcaagcca tacatcacgg aaggaagaat aacggagaag gagataagag atcatatttc 540
aaaagagact ttgttctata tttgtggccc acctccaatg acagactttt tctccaagca 600
actggaaaac aaccatgtac ccaaagaaca catttgcttt gagaagtggt ggtaggaggc 660
aagaccaaag gcaggaaaaa attaangagg tgagatctac tcaaggagag ctcaaaaaaa 720
aaaaaaaaaa actngggccc tttaga 746

<210> 479
<211> 750
<212> DNA
<213> Homo sapiens

<400> 479
gnnnnnnnnn nngngnnnnn ttctannntt cntattnnct nggagctcgt tctttctnca 60
ggatcccntg cgattcgaat tcggcacgag ggtagactgg ctagggatcc tggacccagg 120
gttccacgta gcaacacctg ctgagttctc tgggttttct tcctgcctca tgtagcccag 180
acttggagct gaagaagctg gaaacatgga aacaccaaca gctacagacc aaaaaaagtc 240
ccaacaaagg cctgtcagtc tgccagcctg ttctgtggat ttccaactca agattgcagc 300
atcaactcac acctgaagtt ctggcttccc tacaaacttt gaacttgcca gtccccacaa 360
tggcataagc caattcctta aaatgaatgt ctagttctag ataatgtgtg tattctactg 420
gttctgtttc tctggagaag cctactaata gatcatttgt cttagtcaat tcaagctact 480
ggtacagatt accatagact gggtggttaa aactaccaat cttattactc acagtttttg 540
gagtctggaa agtctgagat cagggttcca gcaggattga gttctttggt gaacatnctc 600
tttctggnct acagaatact gggttacttt aagtnggaaa aagtagggtg aagctgggtc 660
ntttggcctc ttcttttaag ggggactaat tcatgaaggg ttccaccctt attgacctat 720
tttaccttnc caaanggntt ccattttccn 750

<210> 480
<211> 714
<212> DNA
<213> Homo sapiens

<400> 480
gnnnnnngnn nngnggnnnt tcnaccgttc ttntgaccta gnctcgntnt nnccnacnna 60
gctaggcttg ngaattcggc acgagataac acacatcaca gtatgctctc agaaatttct 120
ttatttgaac cctataccaa tatctgntga tcaatgacca tttttgctca gcatggagaa 180
acagtgccct gcatgaaggg tagtgagaat aaaaaggatc ttaccacctt tatcatgagg 240
gtggctttgc tctctccatt ccaagttgtt ctctgttcta gaaagcagat gtagtagaca 300
tctactgttt ttgcctaaac agaatccctt tttccttttt ttgttaaaag tactcatccc 360
taatattaca ttgttctgga aggactgaaa ataacagaac tcagcaccat gatcggaccg 420
ggacaatcag attatttcat tcctcancaa acggagatcg atccgaaaag tggaaatatg 480
agctcttctt tggtgttggc atatggaccc tgagagaaag aactttaatt ttttctcttg 540
gactgcaata aagtatagct gcctaaaata cgtttcctga ccttggangt ttgnccacaa 600
tcggtgaaat aaangcaaga cgtacacttg gatgaaaaaa aaannnnnnn naaaaaaaac 660
tcgaccttta nactatnnga gtcgatacnt aatcngactg atagatcatt gnta 714

<210> 481
<211> 742
<212> DNA
<213> Homo sapiens

<400> 481
agccnttcta aangccnttt gnctnngnnc cccnttccta anncntggct aatncttggc 60
nactcgttct ttctncacgc acccatcgnn ncgaattcgg cacgaggcat gaaaggagtc 120
ggaagcggaa gcggtagccc ggacggtgct gtggtgcaag ggcttgtgga aaaattggag 180
aaaaccaagt ccctggccca gcagttgaca agggaggcca ctcaagcgga aattgaagca 240
gataggtctt atcagcacag tctccgcctc ctggattcag tgtctcggct tcagggagtc 300
agtgatcagt cctttcaggt ggaagaagca aagaggatca aacaaaaagc ggattcactc 360
tcaagcctgg taaccaggca tatggatgag ttcaagcgta cacagaagaa tctgggaaac 420
tggaaagaag aagcacagca gctcttacag aatggaaaaa gtgggagaga gaaatcagat 480
cagctgcttt cccgtgccaa tcttgctaaa agcagancac aagaagcact gagtatgggc 540
aatgccactt tttatgaagt tgagagcatc cttaaaaacc tcagagagtt tgacctgcag 600
gtggacaaca gaaaacagaa ctgaagaacc atgaagagac tctnctacat caccagaagg 660
ttcagancca atgacaagac ccancaagca naagagccct ggggagccct ctgctgatcc 720
caaanggcaa aaaatggggc cn 742

<210> 482
<211> 752
<212> DNA
<213> Homo sapiens

<400> 482
gnnngnggag nnttctaatg ctttgntcta gagtcncnnt tctaanggct tggnaatnct 60
ngctcttgtt ctttntgcag gatcccatcg attcgaattc ggcacgaggc caagcctcgg 120
cctccactgc acctgctgcg gagtggcacc tttgcctgca aggccctcta ccccatggcc 180
cagtgtcatc tcagcagggt ctttggccac tcaggaggcc cttgtggtgg gttgctcagt 240
ctgtccttcc ctcatgagaa gctactgctt atgtccacag accaggagga gctgtcacgc 300
tggtaccaca gtctgacttg ggctatcagc agccagaaaa actagaggaa tcttatagat 360
tccagaactc aggatacctc agggataggt cacagccaag agtacaaagg aatcttcagt 420
actgaacaaa acagaaccct tcatgatttg acaaaggtca ctttctgttt gcctggacca 480
agctactcca gatcatctga ccaactctta aaaatcacgg ccaggcacag tggctcatgc 540
ctgtaatccc agcactttgg gaagcaaang tggcaggatc attccagccc aggagtttca 600
agancagcct ggcaacacag tgagtgagac cctgtctcta tttaagaaaa aaattattaa 660

gaaattttat taaaaaagga agaatcagga aaccaaagtc aaccccaact taaccctcaa 720
tgaaccagcc ctaacacaga tgangggatt tg 752

<210> 483
<211> 849
<212> DNA
<213> Homo sapiens

<400> 483
gnnnnnattn ccctttnaaa tnccncngaa ancccttgga agcactaccn ctcngacccc 60
tttggaacgn cgactnctnn atatatcnng gatataatag gtgataagtt ctgncaatta 120
gtaacatcng gaaaaaacag ctnngncctg ggngaaaaag gatgccaaaa tngcctggaa 180
aagagcagng gagaggagtc cgggagatgn gngatgcatc gggacgcanc atngntnaac 240
attcactggg tctgccaaaa atgtggattt gngggctgct tagatngtta caaggcaaaa 300
ggaaaggaaa gagttctaga gataaaagaa ctatatgctt ggatgaagtg tgtgaaggga 360
cagcctcatg atcaccaaca tttaatgccc aacccaaaat tataccnggt tctgntttga 420
cagacttcta gatgccatgc acactcttag ggaaaaaata ttgggattaa ancccatngg 480
cattggacta acaaacagga atttacaagg tnggaaantt ttncnaccaa tgaaaggggg 540
gatcncaagg ttttccagaa nggntcntaa tcncaggnaa taaaaattnc tctngggcaa 600
gccctgagtc ttaancagca aaaanactcc tcccgaancc tgnagaaaaa aggggggggca 660
gccaggcccn naaanggaan gtnaggcccn agatnaacaa ngtnacctcc ncccagnaaa 720
ccccannccc caactggnac cngggnaacc cacaacnttt gcngaagncc aaaaaagncc 780
nnnagangga aaaaaaaaaa naananaaaa aacctnnnag cccctaagaa accttagggg 840
nggcccncc 849

<210> 484
<211> 1098
<212> DNA
<213> Homo sapiens

<400> 484
gnnnnnnnnt ttnnnnnttt ttgnaaaanc cccctttgc naaatngncc ctttttntgg 60
cangggatcc ccatntttat ntcggacatt ttcgggccac cggaaggggc cgggggcccc 120
cgggccncca ggnccgggna aaggcccccc ttgggcggcc cccggncggc cccaatgggt 180
tccaaaaagg gaaaaaaaaa aaaggggggaa cctgggaagt tggcccanga aaangnaaaa 240
aaaggnaagn aaaccttccg ccaatgggaa tggggaaaaa taattttttc ttgaaaaacc 300
caaaaaagga atggttattt ttcaaattta aaaaaggaac nttgggaaga aagaattggc 360
ttcccacncg cagaaagggc attactggct atgtcaagta aaagaagtcc ttcaaagctt 420
agttgatgat ggtatggttg actgtgagag gatcggaact tctaattatt attgggcttt 480
tccaagtaaa gctcttcatg caagggaaac ataagttgga ggttctggaa tctcaagttg 540
tctgagggaa gtcaaaagca tgcaagccta cagaaaagca tttgagaaag ctaaaattgg 600
ccgatgttga aacggaagag cgaaccaagg ctntgcaaaa agagcttttc tttcactttc 660
gagaccaaag gggaaccagc tnnaagggcn agaaaagttn gaaaaaaatt ccaaaggaac 720
tggtggaatc ccccaaaagg tttggttggg gaaagaaaaa ttcccgcccc aangccaaaa 780
tttaaaaggt ttngcccccca aagggaaaag ncttgncctt taacccagga attggggacc 840
ctgggantta aaaccnataa ttttcccgcc naattnnaaa aaattcnttt nggggncccc 900
naaaanggna aaaaaatttt ngggggggttt tggnaaggna aaaatttnaa atttggattt 960
ngaaactttt ttngggaatt ccccagaaag aacttttgac cttccnttng acctnaaaaa 1020
ttttcccttg ggggggtgna anggatgttc ccaagctttg tggnatattg gtaaaatttt 1080
naacctttttn tncttacc 1098

<210> 485
<211> 798
<212> DNA
<213> Homo sapiens

<400> 485
gnnnnnnant nnnnttttnaa atccttnntg aatcctttga antaccatcc cnttttncga 60
attnggcacg aggaaaggtg gcgcgcttct cacggctgag ttgctgcgcc ttgcagacgg 120
aagctcccca caggcagagc tgcttggatg tgtgagtcat gaaccagaga agccccgctc 180
catgagcagt gactccccan gccctgtgac ctccctcctn cttgcagctc ctcctggcac 240
cagtccccag ggctctcctg ttggtagttc ctgcttttct tcttggaaat tcctcgtgga 300
cctcgagatc tttaccctaa aatagttctg ttgaatttca ccctggcaat gtaaattgat 360
agcttatctt cacagatgcc agacaatgga caactcacca tcagtcctct gctcacctga 420
gacaaatgca tgtctgattg cttcctctgc cctattgntt atgtgaaaat gcagattcac 480
tgagccagac taaggcatca gtgactgttc ctctacctgc ctctcacatg gagattgtgt 540
attcagtgaa aggctgatca aagacccaaa ggaatgcaac agtttatctc ttatctacct 600
atgacctgcg aactggccaa caacccagtt gttgncgcct tttcagacag aaccagtgtc 660
atcttacacg tattnaaatg gatgtcctgg ngtctnccta atatgtattc aaaagcaagc 720
tggggcctng accacccttn ggcacatatt cctcanggac atcattcctg angctgtgtc 780
actggcatgt ccttaanc 798

<210> 486
<211> 785
<212> DNA
<213> Homo sapiens

<400> 486
gnnnnnnttt gaaanccctt tcnaatnctt ggcattgntc tctttgcagg atccctcgat 60
tcgctgacaa cttgattggg ttctccttca ggtttgaagc gccctcgaga agtgtctaaa 120
ggagacagtt gatagccaaa caacagtttt ggattcactg actgattatg aaagaagcag 180
tagactggta tcaagaatca gtcagcaagg aggccctcac cagacgccag tgccatgttc 240
ttggacttct cagcctccat attcatgaac taagtttttg gaatccttag gcttccacgt 300
gtggaaagcc tgagctaacc tactggagga tgagccatca cctggagcag attcaggcca 360
tcctagttga agcctcccta ggccaagcaa ccgtccaact accagacatt gaccattcag 420
ccttgaacat tcagcacaaa gacaaaacag accagaccag aagagtccca cagaataggg 480
gaaactattc agagaaaact taagccacta agttttatgg tgttttgttc tgtagcagaa 540
gcataggcat actgacaata caaaccgaaa tccttctaac gtagtggacc ttttcangcc 600
agcatttttt ccttgaaaac ctggagcatg tatccatctt atagcagaga tcactttcac 660
aatggttggg ctcttggatt tgaattgatg atgtaatgag ccctctttnc ngattgnaac 720
ttaattactc tgggnatttg ntggattccc aaccttctaa tatttacttt tcctctttan 780
taanc 785

<210> 487
<211> 797
<212> DNA
<213> Homo sapiens

<400> 487
ttgtnnnncc cttttnaaat ncctttggct anttgntctn tttgctngat cccatcgatt 60
cgaattcggc acgagnnngg actaccttnc aaaaccnggt ngggaagcnt gttacagaan 120
tgatntctan tcccctgnat tctggatgct gcagaccaac acctgccnac aanacncana 180

cacacacann caancantat catgtaagac agnncgntna ntnnnnnatt ntnatncttn 240
nncatttacn cantnttgta nantggntca tgngtctata natnnttgta antattntnt 300
gananangac ganantctga atcttaagca tatgctccat cnttnnatat gctntggtgg 360
agaggctngc cntnattcat nttnncatgg agncaagttt aatgcctcta gantacattc 420
tgggcttcaa gcatncttat ttnnaactcc ctgagtgatg ggtggataaa tcnaacattg 480
nctnagtggn ntcaagacaa ctttgntggt ggttttgntc acaatcatga aaatggttnn 540
gccagataaa tatttgata ttagntttcn tttttnatat anngcggtag gtttgaattg 600
nacnttnaaa tgnntngggt tgtnaagaca ntggnttnca atnnaattta tnacatgaat 660
tggngnctcc cctttggnga aaccttaaag aanttntgna tacttcttca taaaagggtg 720
tgngatttng naantttcgg gggttttnaa tttttnntga agcttatttc ntganaatnt 780
acttggntta ccaagcc 797

<210> 488
<211> 762
<212> DNA
<213> Homo sapiens

<400> 488
caaatcnntt gctctngttc tttttgcagg atcccatcga ttcgcgacag ctctccaata 60
ctcaggttaa tgctgaaaaa tcatccaaga cagttattgc aagagtttaa tttttgaaaa 120
ctggctactg ctctgtgttt acagacgtgt gcagttgtag gcatgtagct acaggacatt 180
tntanngggcc caggatcgtt ttttcccagg gcaagcagaa gagaaaatgt tgtatatgtc 240
ttttacccgg cacattcccc ttgcctaaat acaagggctg gagtctgcac gggacctatt 300
agagtatttt ccacaatgat gatgatttca gcagggatga cgtcatcatc acattcaggg 360
ctattttttc cccacaaacc caagggcagg ggccactctt agctaaatcc ctcccccgtga 420
ctgcaataga accctctggg gagctcagga aggggtgtgc tgagttctat aatataagct 480
gccatatatt ttgtagacaa gtatggctcc tccgtatctc cctcttccct aggagaggag 540
tgtgaagcaa ggagcttaga taagacaccc cctcaaaccc attccctctt caggagacct 600
acccttcaca ggcacangtc ccccaaatga gaagtctgnt accccctcatt tcttnatctt 660
tttacttaaa ctcaagaggc agtgacaggn agtcaggggc aagacattac atttttcata 720
ctttcccaca tctgaaaaga tgacagggga aactgcaaag cc 762

<210> 489
<211> 822
<212> DNA
<213> Homo sapiens

<400> 489
ttnnnnnnct nnnggnnttt cnaatncttg tttctcgncc tttctgcagg atcccatcga 60
ttcgaattcg gcacgaggat tttcgaaact cttcagctac ttgccctttt ttatctgaaa 120
ccatcatacc ttctgaaaga aaaaagcata tcttcattga cataacagaa gtgagatggc 180
ccagtcttga tacagatggt accatcntnt atatggagag tggcattgtg aagataacat 240
ctttagatgg tcatgcatac ctctgcctgc ccagatctca gcatgaattt acagtacatt 300
ttttgtgtaa agttagccag aagtcagact catctgcagt gttgtcagaa acaaataata 360
aagccccaaa agataaacta gttgaaaaaa ctggcaaaat ctgtatacgt ggaaatttac 420
cangacagag actgaagaat aaagaaaatg agtttcattg ccagatcatg aaatccaaag 480
aaactttaaa gaagatgagt tgtgtaaatg gaactgaagg gagggaagag ctgccttcgc 540
ctggtacaaa gcacacatgt gtatacacat gggtcaagca gtgctggtct gtggctgcct 600
gtccagagga atgggaaata ttcctttgtc tttagcactt catttttcta aataaaaatc 660
anccaatatg tctaaaaaaa aantttnttn ataataaacc tngaagccct nttanaacct 720
tntnntggag gtcctnnttt accntatgat tcccggaact tggataagga atcccntttg 780

gattgganat tttgggccna aaacccncna nncttggaat cc 822

<210> 490
<211> 789
<212> DNA
<213> Homo sapiens

<400> 490
ntgtaancct tttcaaatcc cttggctact tgntctttct gcaggatccc atcgattcga 60
attcggcacg aggccggacn gtgactctgg nnacgcttgc gnccntnacg tagntngnng 120
accntgcang anggaanaan ggctggccnn cngntgtacn ctnaccgtcc taaccccgcg 180
aggtccaggn ccgctccttt cggngnggat tctcgcggaa natccctccg gcagctcttt 240
gcaaagctgn ttagaaactt ctcccaaact cggcntggat acgactgcta tagggctcgc 300
tgctgctttt gtggagctct tgctcctcta tccttggcct ctcctgggat acggcccaag 360
gccaagtntt cacgcangtt ggtacgctta tttcgttctg gactctgggg gctntgaann 420
ttcaccacgt ggactgctgg ggancgggnt nccgancact ngnntacctt acnccanaat 480
ctgacaactt ttctggacaa cctacccanc ttcaattggc tngngagcnc ntcngntgct 540
ggggnntncn gtgcaaatgg agncncaatt ggtgggcaaa tngttgatgg ncaaaacggg 600
aaaaagcaac nnncaangct tttggctnaa agccgatang acncaaatta nttnctttgg 660
accttganaa tttcctcaan nnttttnagn anncnctttt ttncttggan aaanacttaa 720
aagtgaacga ttnttgggaa anaaacaaac tataataact naaagctttt ntaaaaaaaa 780
annaatnnt 789

<210> 491
<211> 790
<212> DNA
<213> Homo sapiens

<400> 491
tccaaaatnc ccttggantn attccccctt ncaatacctt tccttngnac actcccngtt 60
tngntngatc ccatcgattc gaattcggca cgaggnaaca aagaaggaat gtcttcctca 120
tgtttnggtc tatagaagac gttaaagaaa acttccagaa agtgggtttg aggcatgagc 180
caccacgcct ggccaaagga tttaatgaat taatggatgt acagtgctgg ggctgttatt 240
ctagggcctg cattgagact cacattttgc catcaaaagc cttttaagag gtggaggttg 300
cggtgagctg acatggtgcc actgcactcc ggcctgagtg acagagtgag actctgtctc 360
acaaaaaaaa taatgccctt taaataatga ataatagtga tagaaaatgt catttcttgg 420
acaaatgaaa aattgaaatt aatgtatata attagatatt attagctact cttaggtagc 480
ttcatttgtt gaaagtttga caagtgaatg aagttcacat ctggaaatcg ttgaacattt 540
ttcgttcatg gaactcaatg gctacgttag tcgtttatgc ttttcactgt tgtggtaggg 600
gctttggaaa gtnaatgcca tcaacaatgg atacagaang acctggattt ggaataaggg 660
caaaaattta ttttgatggg gctgaattgc tctgccaggg agcattttgg gtattgagat 720
gaaaatggcc tctctttgag actgagctgc cacctggcaa attattgnct gcttaanggt 780
tctctttatn 790

<210> 492
<211> 804
<212> DNA
<213> Homo sapiens

<400> 492
tcnaaatccc ttttgnnagn ttcncncttt gtttcccttt nctnggctnc ttgttctttt 60

tgcaggaatc ccatcgattc gaattcggca cgaggtcctt ttgaaccacc ccaaagaact 120
caacatggca aagcaaatgg taaaagcttc ccgactgttc tactttgggt ccgcgcgaag 180
cccactcacg tgtgatctgt gttgcccctg ggaggcccgg ggcgaccgga aaagggctct 240
ctcaagttct gaaaagagaa tctgccacca gatcgaattt cgacccctga gcttgttcgg 300
acgtatggtc caaattcaga ttaaggtggt cacccaaccc gagatgtcag gaaaggcctt 360
ctgcagagaa aatgtccccc cacccgccat ctgcagccag gtgtgtgcca cacggcagcc 420
ttcccgaaac atagtatgga ttttaaaaat gtgtttattt ttgtttctca accactttat 480
aacgtatttt ttaatttatt ttgtaatgtc ttgttttgaa gtattgctgc tatccttgnt 540
atccttccca ctgtttttat cactgattta ttttgtgaaa agttgtacac taatgttcta 600
tgtcaaaatc aaaaagtatt taatgaaata ctagttctat ttaatgtggg ntatggaacc 660
ancttggaaa cacaaaacaa acaggggatt gtacaagcan gcttggggcc caagnaaggt 720
caaggttcat ttggttacca tatgccnata aaacctcanc gaanttttaa aaaaaaaann 780
nnnnnnaaaa aancttggng ggct 804

<210> 493
<211> 800
<212> DNA
<213> Homo sapiens

<400> 493
ggnncnnttt ncccccccttt tgaaaacccc ttttgggnga ancccncttc tttnaaatcn 60
cttggctact cgctctttnt gcaggatccc atcgattcga attcggcacg agtatataac 120
aacttttgct ttcaaagttg ggtgggacta gaacacacaa tggaaggatg gagtcaggag 180
acctggattc ttgtgcccgc tctggctttt acagtctgcc taactctatg cagtcacttc 240
ctgccagcct gtttccttac ctacaagagg gagagacact ccctggccag cctagttctc 300
agggtgaacg aaaggtcatt atcactgcat cctctagtca tttgcttctt cgctaattaa 360
cacatcttga gcacctgcga tgttccagga acaggagatg gcagcgtgca agataaaagt 420
ccctgacttc tagagactgc atgttagtgg caatcggcgt ctacccggcc ttcaataaac 480
tactgaatga aggaaaattc tacctagcac cagacacaat tactgggttt ctaaaatgga 540
attattcccc cggccccctg catccagcag cctgctgcag ggaagctcct ccgaagctgt 600
aggcaggagc gggacaaatg cttgctatca gcttcacaga atgttaccta agtactattc 660
ctacacagcg ccttacagaa caaacagtaa aaaccaaatg gnaagcatgc acnggcttaa 720
aaactcaaac ttcctaacta ctcagtaatt anganggtca ttttacccca aaatagaatt 780
ttcnatttat ccaataanaa 800

<210> 494
<211> 757
<212> DNA
<213> Homo sapiens

<400> 494
nggnttcnnt ctaactnaaa cngttnggna actcncctct ntctgtngat cccatcgatt 60
cgctaacaag cgattctaaa ccacctatga gtatttcttt tagggctcac ttaaatacat 120
gtttgtatat actgtattct agccagaata attttagatc tgatcaggta gtagctaaaa 180
ttagaaaaaa acaaaataga tgcttaaaga atttgcatcc atttttgagt ctaaatcttt 240
taaaatatac tgagatccac atctagtgaa atgtcagtgt caaaatatta tagattatag 300
ctaaaatcca gattaatact catttggggt tttttatagt ggaacttcat agtaatacaa 360
aaagcagatt gtcttcctgt ctccgctgct cccacagtag gtattgaaac tggtaaaatc 420
agtttttttga tagtgtgtgt atataagaaa aaatagatac acacattctt ttttctcagt 480
caacacattg attgaacact ctggcaaaga tgctgtggtg gatgangttg gagttcgaaa 540
agaagaagca agcgctggcc tgccttgaaa gaacccgaaa gtctttccca ttcacttctc 600

tagaaagctg ccaagacaga ngcagaaagg aaatggatga tagttctgtc aagcacactt 660
ctgntctcnt agaacttaga aatggttcta agagaacaga agttatngag aacagttcnt 720
gtggaattca acatcttggg tgggacncat tggcttt 757

<210> 495
<211> 756
<212> DNA
<213> Homo sapiens

<400> 495
ggnnnnnntc ttttcnaatg cttggctctc gttctttntg caggatccct cgattcgcaa 60
gagagagtga tagaattggc agtgaaatat acgaaccacc ctcctgccct ctgggttcac 120
aatacgtgta cacttgactg tgaagtggct gtgagagtgg gtggagagtt cttctttgac 180
cctcagcctg cggatgcctc tagaaacctc gtgttgattg caggaggagt cggaattaac 240
cctctgcttt ccatcctgcg gcacgcagca gatctcctca gagagcaggc aaacaaaaga 300
aatggatatg agataggaac aataaaacta ttctacagtg caaaaaatac cagcgaactc 360
ctgtttaaga aaaatatcct tgatttagta aatgaatttc ctgagaagat tgcatgcagt 420
ttgcatgtta caaaacagac tacacaaatc aatgcggaac tcaagccata catnacggaa 480
ggaagaataa cggagaagga gataagagat catatttcaa aagagacttt gttctatatt 540
tgtggccacc ttcaatgaca gactttttct ccaagcaact ggaaaacaac catgtcccaa 600
agaacacatt tgctttgaga agtggtggta ggaggcagac aaaggcagaa aaaattaaga 660
ggtgagatct actcaggaga gctcaaaann aaaaaaaaaa aaactnggac ctntagaact 720
atagtgagtc gtnttccgta gatccagaca tgataa 756

<210> 496
<211> 744
<212> DNA
<213> Homo sapiens

<400> 496
ctttnaatcc cttgcactcg tcttntgnag gaccttatcg attcgaattc ggcacgagat 60
aacacacatc acagtatgct ctcagaaatt tctttatttg aaccctatac caatatctgt 120
tgatcaatga ccatttttgc tcagcatgga gaaacagtgc cctgcatgaa gggtagtgag 180
aataaaaagg atcttaccac ctttatcatg agggtggctt tgctctctcc attccaagtt 240
gttctctgtt ctagaaagca gatgtagtag acatctactg tttttgccta aacagaatcc 300
ctttttcctt tttttgttaa aagtactcat ccctaatatt acattgttct ggaaggactg 360
aaaataacag aactcagcac catgatcgga ccgggacaat cagattattt cattcctcag 420
caaacggaga tcgatccgaa aagtggaaat atgagctctt ctttggtgtt ggcatatgga 480
ccctgagaga aagaacttta attttttctc ttggactgca ataaagtata gctgcctaaa 540
ataccgtttc ctgacacttg gaggtttgcc acaatcggtg aaataaaggc aagacgtaac 600
actggatgaa aaaaaaaaan nnnnnnaaaa aaactcgagc ctntagaact atgtgatcga 660
ttcgtagatc cagaatgata gatcattgtg agtttggaca accacactng atgcagtgaa 720
aaaatcttat tgngaattgn gatn 744

<210> 497
<211> 772
<212> DNA
<213> Homo sapiens

<400> 497
gnttgnngtn taantttnta aggatccctt tntntgaanc cctttctgca ggatcccatc 60

gattcgaatt cggcacgagg caggagnaat cacttgaacc ctggaggttn cggttgcagt 120
gagcacagat catgccactg cactccagcc tgggcaacaa aacgagactt cgtctcaaaa 180
aaaaaaaaca tagaatttgg atcctttggt cgggttctcc caaattcttt tgaggtgtcc 240
atggtcaact gcttcagctt tgttttggca accccctgcc cgaagtcgca tataggctgt 300
tcttcacctt gtttccaagg ctgaggaaca gaaagtagcc tctgttttga ggaggtggaa 360
gttaagtata catttatttt ttactgtgac ttgttcagga ccacatttta caaaatgcct 420
tgtttccttc attgtttctg gaaaggaaag ttctattaat attgntttac tttgaatata 480
gaatagtttt tttaattagg gcttattttg aaaaattctg agtttaattc aaatgtatgc 540
caataccttc caaagtaagg taatattcag agacagttgt tggtgatcag atggcttaga 600
gaaaatttct ggaatattca cattcgaaga tccttattat gaatgtcttt gacttaaatc 660
taaccaaaaa ctgcacatta ttctttgnac attttcatta tatagngtta acaagcttan 720
ttgcaaacca ataaatactt aagctattta aaaaaaaaaa aaaaaaactc nc 772

<210> 498
<211> 773
<212> DNA
<213> Homo sapiens

<400> 498
nttnagcnta nnagccgttg tantgaagcc cntttgctac ttgctctttt tgcaggatcc 60
catcgattcg aattcggcac gaggacccag gtagaccagc tcaagagttc atgttctttg 120
tcatcctcct gtgagctctc tgtaagtctc tntcttgccc atcaccacat ccctagtact 180
gggtatcagt ctggccactt ggctttctgg tttgccccaa tgtggtctat tcttgatgca 240
gctaccaaag taatgttnta aaaccattat accaagttac tatccttgtc aaaacccccca 300
gtaactgcca atctcactta gaataaaatc cggactcctg tgaagcacag nataaactgg 360
cactgcctat gcagcaacct catctttacc gtttctgcct tgctcactcc cttcagcgcc 420
ggtattcttc ctgatgcccc tagtacacaa caactccttc ctgctccaag agtaggaaaa 480
tnactgtctc tctgccagtg agattcctct tctggtatta cctntgcttc attgctgaat 540
cttctgcaat atcatcttct aaaaagagcc tttnaaaatc acctttttcta ttatgcccta 600
ctcantttcc agtccctgaa tggccattcc ccactttcat agccacttaa ttgctatctg 660
aaattacact taaaatggtc accttcatga tgggaaggca attaattgcc tttgtcactg 720
gtatgtctag agaacaagca gnttggctca tagtaggcac tcaacaaaaa ttt 773

<210> 499
<211> 735
<212> DNA
<213> Homo sapiens

<400> 499
gcttcaatan ctttttctaa ngctcttttt gcaggattcc atcgattcga attcggcacg 60
agagtaccca nanttgcnag gagtntnntn actgatntag ccaggtggca atnatgagtg 120
aatggatnaa naaaggcccc ttagaatggc aagatnncat ttacnnagag gtccnagtgn 180
canccagtga cangaatgag tttnaaggga tgggttttaa ctacagaccc agnctctgcc 240
aatatngacc ttgtgaactt ccttgaagat ggcancatgt ctgagaccgg aattatggga 300
catgctgtgc agactgttga aactntgaat gaaggggacc atagagtgag ggataagctg 360
atgcattttg ttcacgtctg gagactgcaa agcatacagc ccacaggatc tggaagagag 420
aaagaacagc ctanagnaaa tggctngaga ngaaccacat tcccatcact gaacagggan 480
acgcttcaag gactctctgt gtggctgggg ncctgactat ngacccacca tatggtcana 540
naaattncac cagctctnat gagantattn tgtcgcgtgt tcaggatctt antgaaggac 600
atcttacant ttnccaanna naagncatga aatgtgacat tctgcttgaa naagacnata 660
ttttatcctc atnaatgttt aaatgtaaaa nnnnananaa aanactcgag ctntnaaatn 720

tngtgagttn anang 735

<210> 500
<211> 926
<212> DNA
<213> Homo sapiens

<400> 500
tttaagccct ttctactnct cttttgcagg attccatcgn ttcgaattcg gcacgaggat 60
ctctatacta gtgaacagtg ccagttccac actttggact tagaactgtt ctctagttat 120
tgtaacacag aatactgtca atccctaatt tacttaatgt tacttattgg aagtggggct 180
gatgaaatac gcacaggagg gaaatctact gtgtttaggc acaggcagnc ccagtgtata 240
aggagatcat attccaaang gttgtcagtt ggntgtttgc aacctggaat gtattttcct 300
ttagagacca ngttatccat ggtggttagg cccctagagc agctggaaaa agatgatcaa 360
accaataggt tngctgacat cnaataatgt aataagtttg ctaaaggaat ctaccatcaa 420
atntnatatt gnttccaggg aaggttgtnn nttaanntnc cntcttngtg ncatantgga 480
cnntcccntn ccagtcatnt ncntnannnc tngggcnngt ntngnnttng tntntttngn 540
cnnctnanca atatttcata tcncccctng ctaaaattct ttnanannaa nttctcantt 600
tctcccttta ctanaanttt ngtntttnnt ccntttanta tttnnnccta tntntntcgt 660
tcnnanatnt cattnnntnn ttntnngctn ntnnatcacc cttanctcnn tctcanntat 720
cntnntcnta ttatctctnt attnntcnct tntnatnatc nttccnnntt gtntanncna 780
ttatntcttg ttnntntnct cncatctctn tcntnttctc ngctnannnn actccnnnnn 840
tcncnctcnt nnnnanatnc atatnctnct ttngntatat annnnnntnt ntacntanct 900
cnnnatnnca tnncnatatn nttngt 926

<210> 501
<211> 706
<212> DNA
<213> Homo sapiens

<400> 501
naatncttgg ctcttgttct ttntgcagga tcccatcgat tcgaattcgg cacgagaatg 60
caaagggctg cagttctcat tcaggctact ttcaggatgc acagaacata tattacattt 120
cagacttgga aacatgcttc aattctaatt cagcaacatt atcgaacata tagagctgca 180
aaattgcaaa gagaaaatta tatcagacaa tggcattctg ctgtggttat tcaggctgca 240
tataaaggaa tgaaagcaag acaactttta agggaaaaac acaaagcttc tattgtaata 300
caaggcacct acagaatgta taggcagtat tgtttctacc aaaagcttca gtgggctaca 360
aaaatcatac aagaaaaata tagagcaaat aaaaagaaac agaaagtatt tcaacacaat 420
gaacttaaga aagagacttg tgttcaggca ggttttcagg acatgaacat aaaaaaacag 480
attcaggaac agcaccaggc tgccattatt attcagaagc attgtaaagc ctttaaaata 540
aggaagcatt atctccacat tagagcacag tagtttctat tcaaagaaga tacagaaaac 600
taactgcagt gcgtcccaag cagttatttg tatcagtctt attacagagc tttaagtcca 660
aagatatcaa atatgcacgg gctgcacact aatcagtctt ctatca 706

<210> 502
<211> 784
<212> DNA
<213> Homo sapiens

<400> 502
ttnntttttt tggttaccct ttgctctngg ncttttttgca ggatccctcg attcgaattc 60

ggcacgagcc ttccacggtt atttcacaga tatggagagc tggaagcagg gagtgagtct 120
ctgagtgttg gaattgtaag ggatcagaag cagggatcag aagcagtggt gaagttcatc 180
caccataaaa cacacaggtg actttgcctt gaatctgcag gactgaagcc aactcttggg 240
cacagaccct tagtcccttc cttggccact ctaagtcaga tagtccagag ccaggccctt 300
tgggatgtga caccgagata aatcagagaa aagctgtgaa gcttggggaa cagagggact 360
tttggtgaag taggtggtct gcagtttcta tcttcttggg aaaagcaagc tggaaaagtg 420
aacagtggtt ggtaggccat agtgctccca gctgggtgac ataatgacca cacagcacag 480
tgatgttatt agcaactgtg tggtggagta gttgtgggct ggacaaatca atcgtgtgga 540
aattgttagg agttttatta cattaaactt gttaacctaa aataccatca aaaaaaaaaa 600
ntncnnannn nccnccccacc nancntncna aaaaaancct cganccttta aaaacnnntn 660
gnngaggccn tatttacgtt anattccaga cnttgaatan ggatnccatt tgnattgaaa 720
ntttngggcc aaaccccaa ccttngaatt gccattngaa aaaaaatgc cttttatttt 780
gnnt 784

<210> 503
<211> 764
<212> DNA
<213> Homo sapiens

<400> 503
ttnntnttcc ttgaanccttt tttctacann cncctttgca gatcccncgt tcgaattcgg 60
cacgagagac aaagaaaagg tggcaatcat agaagagttt ntagtaggtt atgaaacctc 120
tctaaaaagc tgccggttat ttaaccccaa tgatgatgga aaggaggaac caccaaccac 180
attactttgg gtccagtact acttggcaca acattatgac aaaattggtc agccatctat 240
tgctttggag tacataaata ctgctattga aagtacacct acattaatag aactctttct 300
cgtgaaagct aaaatctata agcatgctgg aaatattaaa gaagctgcaa ggtggatgga 360
tgaggcccag gccttggaca cagcagacag atttatcaac tccaaatgtg caaaatacat 420
gctaaaagcc aacctgatta aagaagctga agaaatgtgc tcaaagttta caagggaagg 480
aacatcagcg gtagagaatt tgaatgaaat gcagtgcatg tggttccaaa cagaatgtgc 540
ccaggcttat aaagcaatga attaaatttg gtgaagcact taagaaatgt cattgagatt 600
gagagacttt tataggaaat cactgatgac ccagtttgac tttcatacat actgtatgan 660
ggaanattac ccttagnatc ttatggtggg actttattta aaaacttnca nnaatgttcn 720
ttcgacagcc ttccatttta acttcnaagg cnncaangaa ttnt 764

<210> 504
<211> 795
<212> DNA
<213> Homo sapiens

<400> 504
ttgtacntct ttttnnaaac ccntngctac ttgttctctt tgcanggatc cctcgattcg 60
ggaatctcct agaaagttgt gattttcgag ccatatcctt ctgtggtaga tcctaatgat 120
cctcagatgt tggccttcaa ccccaggaaa aagaactatg atcgagtaat gaaagcactg 180
gatagcataa cttctatcag agaaatgaca caagcaccat atctggaaat caagaagcaa 240
atggataaac aggaccccct tgctcatccc ttactgcaat gggttatatc aagtaataga 300
tcacatattg tgaaactgcc agttaacagg caattgaagt ttatgcatac tccacatcag 360
ttccttcttc tcagcagtcc accagccaaa gaatccaatt ttagagctgc taaaaaactc 420
tttggaagca cctttgcatt tcatggctca cacattgaaa actggcactc ctcctganga 480
atggtctggt ngttgcttct aatacacgat tgcagctnca tggngcaatg tatggaagtg 540
gaatctatct tagtccaatg tcaagcntat cattttgntt actcagggat gaaccangaa 600
acagaaaggt ntcagcccag gacgagccac cttcaagcng ttaanaagcc agcaattaca 660

ttcacagtcn ccaggaaana aaaggncagn cctatccccc ctttncctgg caaaaggccc 720
gtnaacctta aanaaactgc ctttagccct ttatnntgga aagtggattc ncncttnatt 780
cttggacccc tgncn 795

<210> 505
<211> 774
<212> DNA
<213> Homo sapiens

<400> 505
tnntntnntt nantngaacc ctttnctctt gctctttttg caggatccct cgattcgaat 60
tcggcacgag cacaaggaga agaagttaat taacattgaa ngatgagaag acatcttgga 120
agaacttgaa ttgggccttg gaagaagaac agccattcaa atagatagaa ttgtggtagc 180
aaaggcatag aggtaggaaa gtatagatct ccagggacag tagtcatggg gttggggcac 240
tgttggaatt taaggttgga aggatatatt ggagcccctt gaatacggta acaaggcaca 300
ccttgggcag tggagagtta tcagagtgtt tgaaaaggag ggttattgag taaataaata 360
gactggtact ttaggaattt taaaatgtgg atcattgtac tactaataac tatttatttt 420
atatttacta tctactaagt aatttacatg tatttttcttg tactgactgt aaaccttctg 480
ggtgtgggtg ttttaagtgc cattttactg atnaagaaac tgaggcttaa atagttgaaa 540
taagtcaccc tgttagtgag tggccagaat gacaagtcag atctanggtt tgtctaactn 600
ccaaagatna tataaaaata atggatctct ccttttccct tatgcataaa atatggggag 660
cntttttaaa tcattaccca tncgattgnc caaaaaaata cctttnggga aaactgatta 720
ttantattcc anaataaatt tcaacggcct gcntngnctn ctttacaact ttnt 774

<210> 506
<211> 796
<212> DNA
<213> Homo sapiens

<400> 506
gccnccccnn tttngntctc aacttgtacc ctttttgcan nancncgnnc tncttgcagg 60
ntcccatcga ttcgaattcg ccacgangtt atattaaatt attctttgtt tttcttttc 120
ttttaataaa gcctgcaagt tactaaattg tagtttcata aattctgtag taaagtatca 180
tcttggcagt gtgccaaagg tgaaaatgat gctttctcta acagagaaat tcttagtgac 240
tccagtcgta gaaaaacgtc tttacaacct gaataagatt gaagaattgt gaacatacca 300
tggcctattg gatgaatcat ttgccgtagg ctaaatcaga ctgtagggtt tgtgatggat 360
ttatggagta tgtgggtata gaaatcatga atctagcatt tgttttcaga gattcaagca 420
tagtcttaag ggtanatcag aaatgacaaa tgaattcaaa acctagcagg tgcattgtna 480
atgtgtgccc agttntgttt tggaaatggc agttccttgg ggtcatgttt ctactggcaa 540
aatttgcaat antgtnctat tgtntgtaat ttcaaaattt ataagattat cccccgttcg 600
cccaagtaaa acctgtnctg cccaatanaa tcctggantc gnngagaaat cgcntccatt 660
cgnngntcaa ctcgggatnc ntcgncttaa naaaatnttn tccngganc ccntcatnan 720
gaanaacacc anactattnn gggnacctgn aangctcaat ngcccnngcc ncnnangncn 780
nttttccngg naannn 796

<210> 507
<211> 774
<212> DNA
<213> Homo sapiens

<400> 507

ctnnttnttt ttngaancct tngctcttgt tctttttgcg gatcccatcg attcgtgaag 60
aggagacggt gacctgggct ccttatgtgc ctgaaagagt ttgagtttcc tgttaactcc 120
aaatcaacag tattttcaac aagaaatgtg caattgaaat caagtgctgt ttaagtgcag 180
ctaggatttc cacaggaaga cacttgcagt gaacagagtt atggagcagc aaaaacacag 240
atctatttgg aaaaagagaa aacatatgcg ttgtattttg cttcaattat aaaataccat 300
cctctcaaag gtggttctaa attacaaagg actttgattt ctaggtagat tctgggtaga 360
gacttccttt catattgagg cattaatgac accttttaac ctgggaagca atatgactgg 420
agttgtactt tgagaagatt aatcaggttt ggttgcagaa tgaaagagaa gatgaagtca 480
agagattggt ttagaggctc tagcagaagc ttagtcatat ttcaaaatga tcaaatatca 540
agaaaaattc tgagctgcat aacttgtata aagtaatttt cagtgatttt ttcatggtta 600
tgatnaaaga actggattta nccagaaacc tttacctgga ttcaagattt aatttttcct 660
ttgagcctca tccttaaagg attttcggga aaacattaag gggagccaaa nccnattggn 720
tggttgggcn tgccctnnaa ttgcctttgg actttttaa ccgggctttt gnnn 774

<210> 508
<211> 724
<212> DNA
<213> Homo sapiens

<400> 508
cttgcctttg aaaancgttg gctactngtt ctttttgcag gatcccatcg attcgaattc 60
ggcacgaggc ggcgctgacc cggccggccc cacacccgct cttcctcttc tttgccgcgg 120
actccctttc ctgcctccaa gacctggtgt ctcccactgt gagcccagct gtcccacagg 180
cagtccccat ggacctagac tcaccttccc cttgcctcta tgaacctctg ctgggcccag 240
cccctgtccc agctcccgac ctgcacttcc tgctggactc aggcctccag ctccctgccc 300
agcgagcggc ctcagccacc gcctcccctt tcttccgggc cctgctgtca ggcagctttg 360
cagaagccca gatggacctg gtgcccctgc gaggtctgtc gcctggtgca gcctggcctg 420
tcctgcatca tttgcatggt tgtcgggggt gtggggctgn nntggggccc gtgcccacac 480
cangcnancc cctgtatggg atcanaggcn cgaagangca ntgnangctg ntggcanntn 540
aantactgnc tgggctggaa nangaactnn taaaagtcnt ngcccnnatc caccttggna 600
cccnannttn nnccnntant cnnngggntn angtggtnnn nnctngggac agntcnntnt 660
ggnntgncna tngnncnnat gnanacttgg ggttcannaa ncntttccnn atgnaancng 720
ngtc 724

<210> 509
<211> 803
<212> DNA
<213> Homo sapiens

<400> 509
tnnnnnttta tttcnttcgt tctngntttt attacatcag ctcttttctt tttgcggtcc 60
ctcgttcgca attcagagac acacataaga aactggaaga agagaaaggc aaaaaggaaa 120
aagaaagaca ggaaattgag aaagaacgga gagaaagaga gagggagcgt gaaagggaac 180
gagaaaggcg agaacgggaa cgagaaaggg aaagagaacg tgaacgagaa aaggagaaag 240
aacgggagcg ggaacgagaa cgggataggg accgtgaccg gacaaaagaa gagaccgaga 300
tcgggatcga gagagagatc gtgaccggga tagagaaagg agctcagatc gtaataagga 360
tcgcagtcga tcaagagaaa aaagcagaga tcgtgaaagg gaacgagagc gggaaagaga 420
gagagagaga gaaccgagag cgagaacgag aacgggagcc gagagagaga gcgagagagg 480
gaaccgggag cgagaaagag aaaaagacaa aaaacgggac ccgagaagaa gatgaagaag 540
atgcatacga accgaaaaaa aaaaaaaaaa aactcgagcc tnttaactat agtgagtcgt 600
attacgtaga tccagacatg ataagataca ttgntgagtt tggacaaccc ccacttgaat 660

gcagtgaaaa aaatgctttn tttgtgaaat tttgngatgc tnttgctttt tttgtaacca 720
ttttagctt gcaataaaca agtttnccac caaccanttg cnttcatttt nttntttcan 780
gttcaagggg aagtttttgg aag 803

<210> 510
<211> 789
<212> DNA
<213> Homo sapiens

<400> 510
gntttnnnnc nnttttaatn tacatacanc tacttgttct ttttgcaggg atcccatcga 60
ttcgaattcg gcacgaggga acccccacca ttaagctaaa gtaaaaccct tttgagggaa 120
gagggagact ggggagaagg gaaaagagag aaggcaggga gagtagggag agaaaacctt 180
ccagcagccc agtaaactgc gggcgaagag atctacccgt ctccctccct cccacagtta 240
ccattggcct tgtcatcgca agcatttgac aaagacttgc ttgtttgggc ctgtcacctc 300
ctgaaaggct gctttagctg tggatgccct tgattaaggg agagagcgcc taggagctgc 360
ctgccccanc tggggtgacg gctgtagggc tgggtctatg ttgcaagccc tatatcctan 420
catgcagtgg aaagtgctta gctctctccc tcctgacctc tgggcagcca gtcatcaaag 480
cagagagacg tggcggcatg tgggcagcat gcccaggttc cttgctgact cagcacttat 540
ttctgtagtt ttaaaaaaga atttaatgtt tttggttgta ttttttttggg ggggtgaggg 600
tgggcaaaaa catgggggta gttctgagtt gttagaaatg tttctgaatc aagtttgttt 660
gaaaacacgt tgtgcctttg tacccattat aagatggtca taanacccaa gaactgataa 720
gctttgggtt ttttttggtt tggtttggtt ttttgcttca ttttacccat tcatgcctag 780
ggtttccat 789

<210> 511
<211> 776
<212> DNA
<213> Homo sapiens

<400> 511
catanagntc ttgccttttt gnaggacnct cgattcgaat tcggcacgag cccccatctt 60
cactggttat tccacttatt taaaatgtcc agaataagca aatctccata tagaggaagt 120
agattagtgg ttgcttcggg atgggaggaa tgggaagatt gaggtctttc ttttgcagtg 180
ataaaaatgt cctaaaattg actgtagcga tggtcacaca actctgaata tgcttaagac 240
cattgaatta cacactttac gttggtgaat tgtatggatg taaattatag ttcaataaca 300
tagttacaaa agataatcaa aagcatgaaa gcactgttga tgtggnttgg atctgtgtcc 360
tcaccgagtc tnatgttgaa atgtaagccc cctggtggga ggcgatggga ttatggggca 420
gantcctcac aaacgggtta gcccacccgc tcaggctgtt ctcctgatat tgagtcctca 480
tcacatctgg ttgcttcaaa gtgtgtggng ccttccctct atctcctact gctctggcca 540
tataagangt gcctgcttct ccttcgcctt ntacatgatt gtaaagtttc ctgagcctcc 600
tagaacnaaa gctgctgngc tttctgtcca tctacangan cgtgagccca attaaacctc 660
tttttttttt ttnngaggnn ntttnntnnc nntccnnnca ntttnanann cctngnanng 720
gtttnnaaaa anaananngn naannnnnnn nncccccngc ccttttaaaa taaaaa 776

<210> 512
<211> 917
<212> DNA
<213> Homo sapiens

<400> 512

ttatttcata aactattgtt ctttttgcag gatccatcga ttcgaattcg gcacgagggc 60
tgcgaggttt tcggctttgg ctcctgatat gcagcgacag aattttcggc ccccaactcc 120
tccttaccct ggtccgggtg gaggaggttg gggtagcgga agcagcttcc ggggaacccc 180
gggcgggggc ggaccacggc cgccctcccc tcgagacggg tacgggagtc cgcaccacac 240
gccgccgtac gggccccggt ctaggccgta cgggagcagt cactctccgc gacacggcgg 300
cagcttcccg gggggccggt tcgggtctcc gtcccctggc ggctaccctg gctcctactc 360
caggtccccc gcggggtccc agcagcaatt cggctactcc ccaaggcagg annanaanca 420
nccncanggt tntncaagga catntacacc atttggatca nggcgtntta naaaaaaaan 480
aatgttaatg anttggaaaa ntatttnaaa gcctttnaat gnttnnnnna atccttnggg 540
nttggcctta naaanccaan attntngtng gngggntntt aanncennnc aantncnnnn 600
nnattncntt naaaacnttt nnnccanggn cnnaaaaaaa nggggnaann aaaaaacttt 660
tttnnttnaa nnantttttt tggaaaattt naaancntng gaaaancntt tnnntngttn 720
ntnangggaa annantnttt tgggnncnaa aaaacntttt naannnntnn nggttnnnan 780
nnnttaaaaa ntttnnnccc ccaannnnnt nnanngnanc ttttnnantt ngggantaaa 840
nttnnnnnna nggggnnttt tttnngnnna atttnnnnnn annnnnnnan nnangggnnt 900
ttngnnngna annntnn 917

<210> 513
<211> 780
<212> DNA
<213> Homo sapiens

<400> 513
tnnnnnnttt aaatccatta gctacttgtt ctttttgcag gatcccatcg attcgtgcgg 60
gagcacccga gcctgcggct ccagacggac gccccgcaagg tgaggtgcat cctgacaggt 120
cacgagctgc cctgccgcct gccggagctc caggtctaca cccgcggcaa aaagtaccag 180
cggctggtcc gcgcctcccc ggccttcgac tatgcagagt tcgagccgca catcgtgccc 240
agcaccaana acccgtangt ggtccncggc ggcgcgggga ggcccagggc aatnngacag 300
nccctccgnt tgactccgcc agtgctgcag nccctactct ttcanagttg ggagccctgg 360
gacccaggca ccaattgttc ttgcaaactc accctgcggc acatcaacaa gtgcccanaa 420
cacgtgctga ngcacaccca aggccggcgg taccagcgag cttttgtgta aatatgaaga 480
atgtctnaag caaggggtgg agtacatgcc tgctgcctgg tgcacccgan gangaagang 540
gaaggacaaa tggacngtga acggccttcg cccgcgggaa agcttctggg agcccacatt 600
caatgatgaa gggggagctg caagtgatga cagcatgaca gacctgtncc cctgactttt 660
caccagaagg accttgaaca cngaggatgg ggatggactg atgatttttg acaacaaaga 720
ggttgaaagg caaanccccca aaaaaaaggc cttgtgaagg cagganaaan acaacctntc 780

<210> 514
<211> 793
<212> DNA
<213> Homo sapiens

<400> 514
tttnnnngnt ttannncatt ttgctactng ttctttttgc aggatcccat cgattcggaa 60
ttatagtatt gacgtgaatc ccactgtggt atagattcca taatatgctt gaatattatg 120
atatagccat ttaataacat tgatttcatt ctgtttaatg aatttggaaa tatgcactga 180
aagaaatgta aaacatttag aatagctcgt gttatggaaa aaagtgcact gaatttatta 240
nacaaactta cgaatgctta acttntttac acagcatagg tgaaatcata tttgggctat 300
tgtatactat gaacaatttg taaatgtctt aatttgatgt aaataactct gaaacaagag 360
aaaaggtttt taacttanag tagccctaaa atatggatgt gcttatataa tcgcttagtt 420
ttggaactgt atctgagtaa cagaggacag ctgtttttta accctcttct gcaagtttgt 480

tgacctacat gggctaatat ggatactaaa aatactacat tgatctaaga agaaactagc 540
cttgtggagt atatagatgc ttttcattat acacacaaaa atccctgagg gacattttga 600
ggcatgaata taaaacattt ttatttcagt aactttnccc cctgtgtaaa gttactatgg 660
tttgggggta caacttcatt ctatagaata ttaagtggga agtgggtgaa ttctactttt 720
tatggttggg gtggaccaat ggctatcaag agtgacaaat naaggttaan ggatgattcc 780
caaaaaaaaa aaa 793

<210> 515
<211> 770
<212> DNA
<213> Homo sapiens

<400> 515
cttattncat nnagctcttg ttctttttgc aggatcccat cgattcgaat tcggcacgag 60
gttgtattgg aaagcagtag tgtggacgaa ttgcgagaga agcttagtga aatcagtggg 120
attcctttgg atgatattga atttgctaag ggtagaggaa catttccctg tgatatttct 180
gtccttgata ttcatcaaga tttagactgg aatcctaaag tttctaccct gaatgtctgg 240
cctctttata tctgtgatga tggtgcggtc atatttatag ggataaaaca gaagaattaa 300
tggaattgac agatgagcaa agaaatgaac tgatgaaaaa agaaagcagt cgactccaga 360
agactggaca tcgtgtaaca tactcacctc gtaaagagaa agcactaaaa atatatctgg 420
atggagcacc aaataaagat ctgactcaag actgactctg atagtgtagc attttccctg 480
ggggagtttt ggttttaatt agatggttca ctaccactgg gtagtgccat tttggccgga 540
catggttggg gtaacccagt gacaccacac tgattggact gccctacacc aatcagaact 600
cagtgcccaa tgggccactg ttttgactcg gaatcatgtt gtgcactata gtcaaatgta 660
ctgtaaagtg gaaanggatg tgccaaaaaa ttaaaaaaaa ccnccaaaaa agcttccaaa 720
aaaaaacctt taaactatag tgagtcgtnt acntagatcc aacatgataa 770

<210> 516
<211> 825
<212> DNA
<213> Homo sapiens

<400> 516
tttccagttt tanttttttc ancttttnga tcnntttgca ggatccntct tttcgaattc 60
ggcacgagat tctccctaaa ttgtngatcc cactgtttac naaactgttc tnttgtgctg 120
gcntgctnan tgctntgtag nncctttctg nacnntaggc attgctcttg gagaacnnga 180
tgtgctttnt ntnaaanggc anaccagngn tgnnctgnnt ttaatgatgc agancctnac 240
tttatccaca cctggcccgt ttnacatttn agtaangnac gatatttggc tgatggctga 300
acantttctg aaatacacnt ttagtgtatg gaantacaag accnntaaag gnctgccagg 360
ttancatctc atctngcatt cnnntccttt ggcnanaaag gganatntca gaattatatt 420
tcttgatggg gtcttttcaa tcantgtatc tgtcgaaann tcttaganaa anctatgtgn 480
tcncggtgtt gtctaaaaan atnctttcaa anatgacccc tggaattncc tgananangc 540
ttaaacgtga gaagacnggt nggcaaaaca ccctncnaag gttnttggna angcccnant 600
ntgttttgtc tggcccatat aancttngcn ccattnaagc cncgggngag ctttgnatnt 660
atattngngg ngttactttc tttgnncctt tgcggggaac ancttnnata atgcttntcn 720
ncccnanntg gacntttgct ttttgnnncc nnaccccccc aaagggngcn cacctccant 780
gaaaaagtct ttttnnaaaa gggctccttn ctnaaaaaaa nnnnt 825

<210> 517
<211> 1444
<212> DNA

<213> Homo sapiens

<400> 517
ctctcncnnc nnnncnnntc tctnncnntn nnnnntnntn nnnctcnnnn cnnnatctnn 60
nnncnnctnn nnnnncntnn cntccntctc ttntntngct ctcntntctc ntncatcttn 120
ccnctattnt cntnntnntc nntcntcnnn antnctnnnt tctncctnnc canctntcca 180
tnntntactn tcnntnntct ggctnttnta tntggggggt ctatttnttn ncttaaatcg 240
actngttcca agtctcntan cngcntctnt ctnnctntct ntgcnctncn ctggggcntt 300
aattncccnn gctnttatan aagngngnaa ttaaggtntc nnntctanng ctntgcaagg 360
ctaatgntta gatccngnta gaanncgnta catgttggga acngacanct tnctgcncaa 420
agngggctna ggcanngnnn tntgcaaann ctcnnntntc nnancttgnn tcncgtagan 480
cggnnncccc tgaattttnn ancnngganc nttaaatnnt ntngnggtac gannccncnn 540
ncgnnnnnnc gnntannccn canngttaan tgcnccccnna nnnantcaac tctntnntcc 600
tnntnnaacn nnnttantct annatnntta cnnntnagnt tttcctcnct nacnnctctg 660
tncttnttnn atcttntnct tctcncttna tttntatctc ntntntntnc tnccctnatc 720
tatctnctac nctctnttcc ncttctccct nncntctctc atcatatccc acgcnactna 780
ncccctctnn ctcttacctn nntnctctcn tcntatctcn nnaccctctt tctntntctt 840
atnncnccta tcctctactt attctcctcc tattntncca ctcacccttc ntntntctnc 900
nctnntcttn tnctatttnt actntcncta ttcctncntc tctnntgnct cccaccccct 960
cttcctctcn ctctcctnnn nnnactactc tcaccntctc nnctntcnct ctacnnntnn 1020
ananntcctt antttcctnc tcatcacant actcttccct ctcatnntca nanctaantt 1080
ntnctctcac tctaccactc tntnctccac tcatatnana cttctatant nctaatccta 1140
tcttcttaaa cntctcctct tatcnctcta anctcctctt cntcgctanc tccnntncaa 1200
ctcgnaaatc tctccaatnc tnccccactc taaaaatnnc ncntcngant cccacttttc 1260
ngngcanaat nnaacncnan tccnctccct ttagctatct ctctanaaac cccntttctc 1320
aacaggnacc nccctntntc tcnaaatcct catnctncta ctttatatnt cnccaagcct 1380
cncctntgta anagcatctc nctntccncc aatnnanatc tccctnctcc natanatntn 1440
anat 1444

<210> 518
<211> 706
<212> DNA
<213> Homo sapiens

<400> 518
ctaatggctg gnngctcgtt ctttccgcaa cancccngcg antcgaattc ggcacgaggt 60
ccgaagaaaa agactgtggt ggcggagatg ctctctccaa tggcatcaag aaacacagaa 120
caagtttgcc ttctcctatg ttttccagaa atgacttcag tatctggagc atcctcagaa 180
aatgtattgg aatggaacta tccaagatca cgatgccagt tatatttaat gagcctctga 240
gcttcctaca gcgcctaact gaatacatgg agcatactta cctcatccac aaggccagtt 300
cactctctga tcctgtggaa aggatgcagt gtgtagctgc gtttgctgta tctgctgttg 360
cttctcagtg ggaacggact ggaaaacctt tcaacccact gctgggagag acttatgaat 420
tagtgcgaga tgaccttgga tttagactca tctccgaaca ggtcagccat cacccaccaa 480
tcagtgcatt tcatgctgaa ggattaaaca atgacttcat ctttcatggc tctatctatc 540
ccaaactgaa attctggggg aagagtgtag aagcagaacc caaaggaacc atcaccttgg 600
agctccttga acacaatgag gcatatacat ggacaaatcc cacctgctgt gtgcataata 660
tcattgtggg taaactgtgg atcgaacagt atggcaatgt ggaaat 706

<210> 519
<211> 734
<212> DNA

<213> Homo sapiens

<400> 519
tngtaccaat tatctgctgg ctanntagcc taaanagntt ggtcngggcg aattcggcac 60
gagggnaaag cagnaagtaa tgagcttgtc cgtcagctgg tagctttcat tcgtnaaaga 120
gataaaagag tgcaggcgca tcgaaaactt gtggaagaac agaatgcaga gaaggcgagg 180
aaagccgaan agatgaggcg gcagcagaag ctaaagcagg ccaaactggt ggagcagtac 240
agagaacaga gctggatgac tatggccaat ttggagaaag agctccagga gatggaggca 300
cggtacgaga aggagtttgg agatggatcg gatgaaaatg aaatggaaga acatgaactc 360
aaagatgagg aggatggtaa agacagtgat gaggccnagg acgctgagct ctatgatgac 420
ctttactgtc cancatgtga caaatcnttc aagacanaaa atggccatga agaatcacga 480
gaagtcnaan aagcatcggg aaatggtggc cttgctaaaa caacagctng angangaacg 540
aagaaaattt ttcaagacct caaattgatt gaaaatccat tagatgacaa ttcttgagga 600
agaaatgnga aagatgcacc aaaaacaana agctttctac acantnaaat ccnannaact 660
ccatccntct anaactatnn gtgagtcctt nttacntcna tccagacatg antancnata 720
cnattgatgg aacc 734

<210> 520
<211> 701
<212> DNA
<213> Homo sapiens

<400> 520
ctaatgctgg ctnttgttct ttttgcagga tcccatcgat tcgaattcgg cacgagccca 60
catgtaccag gttgagtttg aagatggatc ccagatagca atgaagagag aggacatcta 120
cactttagat gaagagttac ccaagagagt gaaagctcga ttttccacag cctctgacat 180
gcgatttgaa gacacgtttt atggagcaga cattatccaa ggggagagaa agagacaaag 240
agtgctgagc tccaggttta agaatgaata tgtggccgac cctgtatacc gcactttttt 300
gaagagctct ttccagaaga agtgccagaa gagacagtag tctgcataca tcgctgcagg 360
ccacagagca gcttgggttg gaagagagaa gatgaaggga catccttggg gctgtgccgt 420
gagttttgct ggcataggtg acagggtgtg tctctgacag tggtaaatcg ggtttccaga 480
gtttggtcac caaaaataca aaatacaccc aatgaattgg acgcagcaat ctgaaatcat 540
ctctagtctt gctttcactt gtgagcagtt gtcttctatg atcccaaaga agttttctaa 600
gtgaaaggaa atactagtga atcacccaca aggaaaagcc actgccacag aggaggcggg 660
tccccttgtg cggcttangg ccctgtcagg aaacacacgg g 701

<210> 521
<211> 784
<212> DNA
<213> Homo sapiens

<400> 521
naacacttng ctacnngttc tttttgcagg atcccatcga ttcgaattcg gcacgaggag 60
atctctggga tgtcagtgag gctggttgaa gaccagaggt aaactgcaga ggtcaccacc 120
cccaccatgt cccaggtgat gtccagccca ctgctggcag gaggccatgc tgtcagcttg 180
gcgccttgtg atgagcccag gaggaccctg cacccagcac ccagccccag cctgccaccc 240
cagtgttctt actacaccac ggaaggctgg ggagcccagg ccctgatggc ccccgtgccc 300
tgcatggggc cccctggccg actccagcaa gccccacagg tggaggccaa agccacctgc 360
ttcctgccgt cccctggtga gaaggccttg ggaccccag aggaccttga ctcctacatt 420
gacttctcac tggagagcct caatcagatg atcctggaac tggaccccac cttccagctg 480
cttcccccag ggactggggg ctcccaggct gagctggccc agagcaccat gtcaatgaga 540

aagaaggagg aatctgaagc cttgggtaag gatttggggc acagtaccag gagggggct 600
tggtgccaga cctcatgagg aagaaggatt ttcctatgta cagagaaggg gacccctgtc 660
ctgttgggan gtgctgtgca aacctaacca aagttactaa cccctctggt ttctgnggtt 720
acacaaangg ggataaatac aaagctttnc ctnaactagc caattctatt tgggtttcct 780
gagt 784

<210> 522
<211> 719
<212> DNA
<213> Homo sapiens

<400> 522
ttctaatttn aatccttnaa atnggttctt tntgcaggat cccatcgatt cgaattcggc 60
acgagagaac acaggtgtcg tgaaaactac ccctaaaagc caaaatggga aaggaaaaga 120
ctcatatcaa cattgtcgtc attggacacg tagattcggg caagtccacc actactggcc 180
atctgatcta taaatgcggt ggcatcgaca aaagaaccat tgaaaaattt gagaaggagg 240
ctgctgagat gggaaagggc tccttcaagt atgcctgggt cttggataaa ctgaaagctg 300
agcgtgaacg tggtatcacc attgatatct ccttgtggaa atttgagacc agcaagtact 360
atgtgactat cattgatgcc ccaggacaca gagactttat caaaaacatg attacaggga 420
catctcaggc tgactgtgct gtcctgattg ttgctgctgg tgttggtgaa tttgaagctg 480
gtatctccaa gaatggcag acccgagagc atgcccttct ggcttacaca ctgggtgtga 540
aacaactaat tgtcggtgtt aacaaaatgg attccactga gccaccctac agccagaaga 600
gatatgagga aattgttaag gaagtcagca cttacattaa gaaaattggc tacaaccccg 660
acacagtanc atttgtgcca atttctggtt tggaatggtg acaacatgct ggagccaat 719

<210> 523
<211> 710
<212> DNA
<213> Homo sapiens

<400> 523
tnnncttcaa atcgntngct cttgttcttt ttgcaggatc ccatcgattc gaattcggca 60
cgagagatta tgagcatgta gaagatgaaa cttttcctcc tttcccacct ccagcctctc 120
cagagagaca agatggtgaa ggaactgagc ctgatgaaga gtcaggaaat ggagcacctg 180
ttcctgtacc tccaaagaga acagttaaaa gaaatatacc caagctggat gctcagagat 240
taatttcaga gagaggactt ccagccttaa ggcatgtatt tgataaggca aaattcaaag 300
gtaaaggtca tgaggctgaa gacttgaaga tgctaatcag acacatggag cactgggcac 360
ataggctatt ccctaaactg cagtttgagg attttattga cagagttgaa tacctgggaa 420
gtaaaaagga agttcagacc tgtttaaaac gaattcgact tgatctccct attttacatg 480
aagattttgt tagcaataat gatgaagttg cggagaataa tgaacatgat gtcacttcta 540
ctgaattaga tcccttttctg acaaacttat ctgaaagtga gatgtttgct tctgagttaa 600
gtagaagcct aacagaagag caacaacaaa gaaattgaga gaaataaaca ctggccttgg 660
aaagaaggca ggcaaagctg ctgagtaata gtcagaccct aggaaatgat 710

<210> 524
<211> 730
<212> DNA
<213> Homo sapiens

<400> 524
ttnnnnnttt aancnttcaa atcnctaggc tacttgttct ttttgcagga tcccatcgat 60

tcgaattcgg cacgagccca cactcggaca ctgtggaatt ctaccagcgc ctgtcgaccg 120
agacactctt cttcatcttc tactatctgg agggcactaa ggcacagtat ctggcagcca 180
aggccctaaa gaagcagtca tggcgattcc acaccaagta catgatgtgg ttccagaggc 240
acgaggagcc caagaccatc actgacgagt ttgagcaggg cacctacatc tactttgact 300
acgagaagtg gggccagcgg aagaaggaag gcttcacctt tgagtaccgc tacctggagg 360
accgggacct ccagtgacac cggcccctnc ctctacccac ccccttcccc cgcatgctga 420
tccccctgcc caggtaaggg ccctgccctg gaagactgga gggaggcccc aagccacggg 480
gcatccccct ctcccaggaa gcagggaggg ggccgggagg ttttcctctc aagccccacc 540
ctgggggccc gggggcgagg gctgcccccct cctcccctcc ccagtgaggg acattttttg 600
gtaaaaccta ttttcatttt ggaaaatatt tatgaataaa tagttttata tgaaaaaaat 660
tntngnnntt nnnatnnnan aataaaancn tcgnncctct taaaactata gtgaagtcgt 720
attaccttag 730

<210> 525
<211> 711
<212> DNA
<213> Homo sapiens

<400> 525
gcngntnttn antttcaaat cgctnggcta cttgttcttt ttgcaggatc ccatcgattc 60
gaattcggca cgaggataaa tacctcagcc cctcgccttc ctcaacccac ctggcaagtc 120
ttcttaggat ctgatcccag ttttctggaa gcaatcctac cccagcccaa gcttcccaga 180
gtcgagcctt aatccttctc acttctcagt gtcagagcag aaatgaatcc tggggttgac 240
tgtgtccatt cgggttatta gcagctaaga agcccagacg agtagtgtga gctgccttgg 300
gagcctcagt gagggcactg ggactggcct cactctcttg cccccagcct agtgggcttt 360
ctcctctgtc tctccggtgg ccccaggcaa tcgactgcat cacgcaggga cgtgagttgg 420
agcggccacg tgcctgccca ccagaggtct acgccatcat gcggggctgc tggcagcggg 480
agccccagca acgccacagc atcaaggatg tgcacgcccg gctgcaagcc ctggcccagg 540
cacctnctgt ctacctggat gtcctgggct agggggccgg ccaggggctg ggagtggtta 600
gcccggaata ctggggcctg ccttagcatc ccccatagct tccacagccc cagggtgatc 660
tcaaagtatc taattcacct taacatgtgg gaagggacag gtggggcttg g 711

<210> 526
<211> 692
<212> DNA
<213> Homo sapiens

<400> 526
tacangctac ttgttctttt tgcaggatcc catcgattcg aattcggcac gagagaacag 60
ggagaagaga ggaagaggga gctgcaggtg ccagaagaga acagggcgga ctctcaggac 120
gaaaagagtc aaaccttttt gggaaaatca gaggaagtaa ctggaaagca agaagatcat 180
ggtataaagg agaaaggggt cccagtcagc gggcaggagg cgaaagagcc agagagttgg 240
gatgggggca ggctgggggc agtgggaaga gcgaggagca gggaagagga gaatgagcat 300
catgggcctt caatgcccgc tctgatagcc cctgaggact ctcctcactg tgacctgttt 360
ccaggtgcct catatctcgt gactcagatt cccgggactc agacagagtc cagggctgag 420
gaactgtccc ccgcagctct gtctcccttg ctagagccca tcagatgctc tcaccagccc 480
atttctctac tgggctcctt tttgactgag gagtcacctg acaaggaaaa acttctatca 540
gtactttgat atgtcacagt ttcatgttta tccagttcaa tgtattttta aatttttcct 600
tgagacttct ttgactgata gattattgtg aatgtgtttt taaatttcca aatgtttang 660
gattttcata tctttcttat gctgatttcc aa 692

<210> 527
<211> 769
<212> DNA
<213> Homo sapiens

<400> 527
gttctngttc tttttgcagg atccctcgat tcgaattcgg cacgaggcca agcctcggcc 60
tccactgcac ctgctgcgga gtgggcacct ttgcctgcaa ggccttttnc ccantgncca 120
atggtanttt aaccagggtt tttgncnntt aaggaggcct tngtggtggg tngttaatct 180
ggccnttccn tattgaaaag ctcctgttat tgtccacaga ccagaaggac ttgtaacctt 240
ggtcccacag tctgacttng gcttttcaag cacccagaaa acttagaggg aatcttatag 300
attccagaac ttaaggatac ctcaagggat agggtcacag ccaagaagtn caaaggaatc 360
ttcagtctgg aacaaaaaca gaaccctttc atgattgaca aangtcactt tctgtttgcc 420
tggaccaagc tactncagat catctgacca actcttaaaa atcacggcca ggcacagtgg 480
ctcatgcctg taatcccagc actttgggaa gcaaaagtgg caggatcatt ncagcccaag 540
agttcaagac cagcctgggc aacacagtga gtgagaccct gctctattta agaaaaatna 600
ttaagaaatt tattaaaaaa gaagaatcag gaaaccaagt ncaacccaac ttaacctcaa 660
tgaaccagcc cctaacacag atgangggat ttgggactga taagctctgt gctgngtcca 720
tggcccgtca nttatcaagg ttgcactttt aaatgnggta tttttatgn 769

<210> 528
<211> 757
<212> DNA
<213> Homo sapiens

<400> 528
tnaatatcag ctcttgttct ttttgcagga tccctcgatt cgcangaggg tgttcgactg 60
ctngagccna gcgaancgat gcctaaatca anggaacttg nttcttcaag ctcttctggc 120
ngngattctg acagtgaggt tgacananag ntaancagga aaaacaagtn gctccagaaa 180
ancctgtaca gaaacataag acaggtgana cttcgagagc cctgtcatct tctaaacaga 240
gcagcatcng cagagatnat nacatgtntc atattgggaa aatgaggcac gttantgttc 300
gcnattttaa aggcaaagtg ctaattgata ttanagaata ttgnatggat cctgaaggtg 360
aaatgaaacc aggaagaaaa ggtatttctt taaatccana acantggagc cagctgaang 420
aacagattct gacattgatg atgcagtaag aaactgtgaa attcgagcca tataaataaa 480
acctgtactg tctagttgnt ntaatctgtc tttttacatt ggcttttgtt nnctnaatgt 540
tctccangct attgtatgtt tggattgcag angaatttgn angatgaata cttnnnttta 600
atgngcatta ttaaaaatat tgagtgaagc tnatngtcaa ctttattaag gattactttg 660
ctgccaccac ctagtgtcaa ataaaatcaa gtaatacaat cttaataaac ntttaaacta 720
taaaaactcg acccttagac ctatantnag tcggttn 757

<210> 529
<211> 821
<212> DNA
<213> Homo sapiens

<400> 529
tnannnannc annnnnnnnn nnnnntttga agccattgct acttgttctt tttgcaggat 60
cccatcgatt cgaattcggc acgagagcaa ttccactcct agctccaccc acaggaaatt 120
gaaagcaaag acgcaaacag atgcctgtgc accaaagttc acgggcaagc atccttcggc 180
cttaatgggc agcattccgt cgtcacaagc gggcattcat cctttcatca atagcgggca 240
gcattccgtc gtcacaagcg ggcagcattc ctttcgccac aagcgggcag catcttgtcc 300

gtcacaagcg ggcagcatcc ttcgccaaag cgggcaagca tccttcgtca tagcggcagc 360
atcctttgcc atagcgggca aggtggaaac cctgtccatc cactgaggcg tgcatagact 420
aaacatggcc agtccaggca ctggaatcca ggcccgtaga acggcgccca cggtcaaaag 480
gaatgagacc ctgatgcact gggcgacaca gacgggcgac acagacttgg agacatcatg 540
ctaagtgaaa agccaggcac acggagcgga cggcgtgatc ctgctcacgt gatgtgtccc 600
gaatgggcac gttcagaggg aagaagggag atggcgcttg ccggtgcccg gggacngggg 660
ttgggagcga cggttgctgg tttggggttt ctttctgggg tgangaantg gttttgatat 720
ttggnccgtt ggtgatgttt gcatacctct gaatatgctt aaganccaca gaattgacca 780
ctttaaatgg atgaattgna tggtattggg aattacccaa n 821

<210> 530
<211> 765
<212> DNA
<213> Homo sapiens

<400> 530
gnntttnnnn nnnnnnnttt tatnnntaca gctacttgtt ctttttgcag gatcccatcg 60
atttcgaattc ggcacgagac taccccggct acggttcccc catgcctggc agcttggcca 120
tgggcccggt cacgaacaaa acgggcctgg acgcctcgcc cttgcccgca gatacctcct 180
actaccangg ggtgtactcc ggcccattat gaactccttt aagaaagacg acggcttcag 240
cccggtaact ctggcacccc ggatcgagga caagtgagag agcaagtggg ggtcgagact 300
ttggggagac ggtgttgcag agacgcaagg gagaagaaat ccataacacc cccaccccaa 360
caccccccaag acagcagtct tcttaccccgc tgcagcccgt ccgtccaaac agagggccac 420
acagataccc cacgttctat ataaggagga aaacgggaaa gaatataaag ttaaaaaaaa 480
gcctccggtt tccactactg tgtagactcc tgcttcttca agcacctgca gattctgatt 540
ttttggtggt gtgtctcctn cattgctgtt gttgcaggga agtcttactt aaaaaaaaaa 600
aaattttgtg agtgactcgg tgtaaaacca tgtagtttaa cagaaccaga nggttgacta 660
ttgttaaaaa caggaaaaaa ataatgtaag gtctgttgta aatgaccaan aaaaaaaaaa 720
aaactcngcc tntaaactnt tntgagtcgt nttcgtaaat ccaan 765

<210> 531
<211> 768
<212> DNA
<213> Homo sapiens

<400> 531
gnntttnnnn nnnnnnnttt taagntactg ctacttgttc tttttgcagg atcccatcga 60
ttcgaattcg gcacgaggtt cttcaaagcc aaccaagaca ggcttagcag ttttagagct 120
tcagaacaaa ttgccaaaag ccagagttgt ttatgctagt gcaactgggt gcttctgaac 180
cacgcaacat ggcctatatg aaccgcttgg catatggggt gaggggtact ccatttagag 240
aattcaagtg attttattca agcagtagaa cggagaggag ttggtgccat ggaaatagtt 300
gctatggata tgaagcttag aggaatgtac attgctcgac aactgagctt tactggagtg 360
accttcaaan ttgaggaagt tcttctttct cagagctacg ttaaaatgta taacaaagct 420
gtcaagctgt nggtcattgn cagagagccg gntcagcaag ctgcagatct gattgatgct 480
gancaacgaa tgaagaagtn catgtggggt cagttctggc tgtcaccaga ggttcttcaa 540
atacttatgc atagcatcca aagttaaaag ggttgtgcac tagctcgaga ggaaatcang 600
aatggaaaat gtgtngtaat tggctgcagt ctcaggagaa gctnnaacat tagaactttn 660
gaagaaggcn ggggagaatt gatganttgg ttcaactgcc aaagtgtgtg cantcactca 720
ttggaaaaca tttnctgctc cagcngggaa aacttatggt tacttggn 768

<210> 532

<211> 761
<212> DNA
<213> Homo sapiens

<400> 532
cgtnttttnn nnccnannga aagcccttgg ctacttgntc tttttgcagg atcccatcga 60
ttcgaattcg gcacgaggat cagcccacct cggcctcaca aagtgntggg attacaggcg 120
tgagccacct tgcccaccca catcatacag ttgaaatgaa actttgccac aaccagcctt 180
tgctgtacac acacatatat cactgaacct ggttgaaata aagnttttt tctttttcct 240
ctggtattct gggttctgaa gtctggtatt ctggtattct gggttcaaaa gtatgacttg 300
agagtgttgc tctggtattc tgagagttgc tctgtattct gggttctgaa gattatttga 360
aaaataactc ctactacatt gaaatgcaga cttaaaaatt taaacattgg attaggcagt 420
caaaaaaacc aagcaagcat aaaaggtcaa taagttgtaa tcttgatagt aaaggtggaa 480
aacttattat aaatggaaag aaagtttatt tcctttttg gttgatgggc agtatgccat 540
attataccca aagttctttt aaaaaatatt tccatcacca tttttattta aaataaacat 600
ttgagggaag taccaaggca gcttttttcc tcaaaagtac ctggtcctct ttgggaatag 660
cacattttan gggcattggg taatcctgag attttactca ntaaatcctg atggtactgg 720
gtgtaaaata tctttagtng gattgaaggc cttgnggggg a 761

<210> 533
<211> 735
<212> DNA
<213> Homo sapiens

<400> 533
taaacatcng gctacttgtt ctttttgcag ggatcccatc gattcgaatt cggcacgaga 60
cactgtccca ctccatcacc caggctggag tccagtggtg tgatcatagc tcgctgcatc 120
ctccagttcc tgggttcaag ccatccctcc tgcctcagcc tccccagtag ctggaactac 180
aggtgtgtgc catcacacct ggctttacat ttttctgtgg ggtcttacta tgttgcccag 240
gccggtctca aactcctgag ctcaagtgat cctctgcctc agcctccaga gtatctggga 300
ttacatatgt cggctaccgt gtctggccgt tcacatcttt ggccactatt tgcttgtgaa 360
aaggtataat gaggtggtac ttatcatttt tactgngtct catgttttgt atatttttgt 420
ttcatcaact aagatgcact gtaacatctc tgaaatctgg atatattatc aatggtttat 480
catagttttg ttagcaatac actgtctttt agtggtgcct aaaataatgg tatagttgtg 540
aggtgatctt agatttgatg aagcacagta tgcaggtagg cctaatgggg gaagatggta 600
atataaaagc aagaagtatt ttttttttgt aatgactgaa agctgtctgt ggatgaccta 660
ccctttnctt taaacacgat tntntcactt ncaactncaa acttgctcaa ctaatncttt 720
aaaaataact tgagc 735

<210> 534
<211> 735
<212> DNA
<213> Homo sapiens

<400> 534
natngnttgc tcctngttct ttttgcagga tcccatcgat tcgagacaac ccagaaacaa 60
attcatacat ctatggtgac cacttttgac aaaggaatga agaacataca ctgggggaaa 120
agataatgtc tttaataaat ggtgctggga aaactggntn tccantntgc agaagaatga 180
aactagaccc ccatctctta gcatatacaa aaatcaaaat taattaaaaa gttaaatcta 240
agacctcaaa ctatgaaaca gctaaaagaa aacatcgggg aatctctcca ggacattgga 300
gtgggcaaag atttcttgtg taatacctga caaacaggca accaaagcaa aagtggacaa 360

atgggatcac atcaagttaa aaatcttctg cattgcaaag gaaataacaa agtgaagaga 420
cacccataga atgtgagata atatttgcaa actatccatc tgtattaggc catttttgaa 480
gtctacaaag aaatacttga gactgagtaa tttataaaga agaggtttaa ttggctcacg 540
gttttgcagg ctgtcaggaa gcatggtgct aacatctgat cagcttgtag ggaggcatca 600
ggaagtttcc acccatggtg gangcaaaag gggaataagt ttctccatgg caggtgcagg 660
gcaaaaanan gggggaaggg aagtgccnca caaccagatc ttgtgagtnc tcagatttgn 720
ggngggngct tgngg 735

<210> 535
<211> 735
<212> DNA
<213> Homo sapiens

<400> 535
tnaannanag ctacttgttc tttttgcagg atcccatcga ttcgaattcg gcacgaggtc 60
catacatgga gctccctgga cccgtgtgct ctcgtgtgac tgaacgtttt gtgatgaaag 120
gaggagaggc tgtctgcctt tatgaggagc cagtgtctga attgctgagg agatgtggga 180
attgcacacg ggaaagctgt gtggtttcct tttacctttc agctgaccat gaactcctga 240
gcccgaccaa ctaccacttc ctgtcctcac cgaaggaggc cgtggggctc tgcaaggcgc 300
agatcactgc catcatctct cagcaaggtg acatatttgt ttttgacctg gagacctcag 360
ctgtcgctcc ctttgtttgg ttggatgtag gaagcatccc agggagattt agtgacaatg 420
gtttcctcat gactgagaag acacgaacta tattatttta cccttgggag cccaccagca 480
agaatgagtt ggagcaatct tttcatgtga cctccttaac agatatttac tgaaggaatc 540
taggttgtat tttcagtgga caatgggaat aaagcatttc taaagcaccg actggagagg 600
aaggcaacag aaacaaggag agaagcccga gagacatgtc tgcgtgctgc cacgcatctg 660
ancgattgct cttgtgaaga gtttgtcact gaacattttc aggggaggct gtttacccag 720
cnatgtnctn aacan 735

<210> 536
<211> 785
<212> DNA
<213> Homo sapiens

<400> 536
gccccccnnn nnnnnnnttt tcaaanncen ttnnnnnnnn nngnnnnttt tannnnnttn 60
ttannnnaca gctcttgttc tttttgcagg atccctcgat tcgattcggc acgagctacc 120
ttgggctggc cctctatnat gctntgaggg gagctgggac agatgatcnt nccctcntca 180
gngtcatggn tnccangngt gagnttnatc tgccnnacat ngtgacggag tttaggaaga 240
atgntgccnc ctctntttat tccatgatta aggganatcc atnnggggac tataagaaaa 300
gcnnttttnc tgctntgngg ncaanangan tnacnngncc cgggnnanag ctcctatgct 360
gtntgcctgc accacccccct gccttccttc ataccttttcc ntggatatgn atgccagggc 420
ttnncacatt gcctnattna tactnacntg ctnatgacca anacatncac gtgataacac 480
aaacantggg tgcttgnttc tgatcnctag aggnganctn ttggnnngnt ggagnactna 540
antnttctna gtgtnacttn agttcaatgc ctggccatnt gcnatnacct tatatcntnc 600
aaagaggcta ctgtgctttt anccttttt aaaacctcca tctgtattac attgnnaacc 660
angtttcttt aatnaggagc ttgacctcta nantgggaac tcttgggaat ggncttagtg 720
aagttcgcna ctaacttaac ctgaaaatta tnatgnnctg tttnacctat catgttnata 780
actnt 785

<210> 537
<211> 967

<212> DNA
<213> Homo sapiens

<400> 537
agtanggcgn ttcctaatnn annnggctaa gcgactttna aagangaggc tngcgtgntg 60
aataccgnnc gagggggggat nacaatagta nacnnggtnc caatncatgc ttaacaccgc 120
atntctttac cccccnannn ncacanatgc agacncacac atngcanncg nacacncaga 180
cacacacang caagcactnn catgcatggc ccatgctcac acacntgnan nnaacatgcn 240
gtagacatnt nagacacgtc atgtnacaca tgnnacacan gnnnaanaca ctgctttnca 300
ngcanacnca gacggcacnn ngagacanac atgcnnaaac aacatgctcn ctcacntnna 360
nncgntgggc cngtagtagt gtactgtggg tgnnactggg tgccatcnac nnngtatttt 420
acgnnctttn aactaaaaan cttggagcct tnanttnntn tggtgantnc aatncctana 480
antnncttga gngggatgaa ccctaananc ctggccctnn tnccnctttc aaggccnagn 540
aattganatt attncntant ngnncacgaa gctttntggta ncangngncc cgagnnctnt 600
tnaaanttnn ctnttttnan aatnaaacat tttancggtt ctnaggancc gngcctncng 660
ggtanggann naattgtncc tgggnatagt tctcacaant natnttnaag gggnnaagng 720
atnngngngg nccntntatg nggcnngcca annaangggg tcgnngttaa natattccaa 780
gntaacanan gnacnatggn accnatccct ntnngaagna aggaactncc tgnncgacta 840
nnnactatgn naaatattct cacatntaca naaaaagnag gnnccnnggt ncttnaagnt 900
tntgcatagn nactatncnt gggacgngtt aacnnanatt ntatgcttta nnngatnggg 960
gcttnnn 967

<210> 538
<211> 892
<212> DNA
<213> Homo sapiens

<400> 538
gctagttnga agaggtgttt ctaangnntn ggaatcgaca tctnnnnagg cngnccntgc 60
gattcgcttt gctctctcca ttccaagttg ttctctgttc tagaaagcng atgnngggnt 120
acatctactg tttttgccta aacagaatcc ctttntcctt tttttgttaa aaggctcatn 180
cctaatatta cattgctctg gaacgantga caataccana actcagcacc ntgatcggac 240
cgggacaatc agattatcta attcctcagc aaacggagat cgatccgaaa agtggaaata 300
tganctcntn ctttgtgntg gcatatggac cctgagagaa agaaacttta atcttttact 360
cttggactgc aatnaagtnt agctgcctaa aaatcnnttt cntgacactt ngnaggtttg 420
tccacaatcg ggngaaatta nngggtnnga cntaancact ggatgaaaaa aaatnccgnt 480
tanttntatt ncnnttccan ncttntnaaa tananantt ntcanccttn nntaatacta 540
ttanntatat ntnttnnncc cnnatnnncc ttcttnctcc tacnncnntn cnatntnnnn 600
nnangntcnn cnannnnttc tnttatttct annatatntc ntancnttna ctaaaacctc 660
cnctcgtnna nattncnnta taatattntc tctaganntt ntnntntntt gnnncttaaa 720
anctcntcta tccctantat nantnattct taccatnaaa tacactanaa gtnntntcac 780
gagacncgnt atgttantnc anactataat cgcttncatn tanntatatn taaaantgct 840
atncagnnag nngntnttat atntttanct ngnnaggnta tcctcnatan cc 892

<210> 539
<211> 751
<212> DNA
<213> Homo sapiens

<400> 539
gnnnaggttn tagancagct cttgttcntt gngcaggatc cctcgattcg aattcggcac 60

gagagtgtca gttttcctaa tctcagtcca ggtaggaatt aagaaatatc tcaagtgttg 120
atgctatcca agcatgttgg ggtggaaggg aattggtgcc cagaaaatgg gactggagtg 180
aggaatatct tttcttttga gagtaccccc agtttatttc tactgtgctt tattgctact 240
gttctttatt gtgaatgttg taacatttta aaaatgtttt gccatagctt tttaggactt 300
ggtgttaaag gagccagtgg tctctctggg tgggtactat aatgagttat tgtgacccac 360
agctgtgtgg gaccacatca cttgttaata acacaacctt taaagtaacc catcttccag 420
gggggttcct tcatgttgcc actccttttt aaggacaaac tcaggcaagg agcatgtttt 480
tttgntattt acaaaatcta gcagactgtg ggtatccata ttttaattgt cgggtgacac 540
atgttcttgg taactaaact caaatatgtc ttttctcata tatgttgctg atggttttaa 600
taaatgtcaa agttctcctg ttaaaaaaaa aaaaaaaaaa actcgancct ntanactata 660
gtgagtccnt attacgtaga tccagacatg atnagatcat tgatgaattt ggaccaaccc 720
aactagaatg cagtgaaaaa aatgcttttn t 751

<210> 540
<211> 761
<212> DNA
<213> Homo sapiens

<400> 540
gntnggntcn agancagcta cttgttcttt tgcaggatcc ctcgattcga attcggcacg 60
agcctgcagc cactaatgca ttgtgtatga taacaaaaac tctggtatga cacattttct 120
gtgatcattg ttaattagtg acatagtaac atctgtagca gctggttagt aaacctcatg 180
tgggggtggg gtgggggtgt attccttggg ggatggtttg ggccgaatgg ggagtggaat 240
atttgacatt tttcctgttt taaattctag gatagatttt aacatccttt gcggtcccag 300
tccaaggtag gctggtgtca tagtcttctc actcctaatc catgaccact gttttttttcc 360
tatttatatc accaggtagc ccactgagtt aatatttaag ttgtcaatag ataagtgtcc 420
ctgttttgtg gcataatata actgaatttc atgagaagat ttattccacc aggggtattt 480
cagctttgaa accaaatctg tgtatctaat actaaccaat ctgttggatg tgggttttaa 540
aaaatgtttg ctaactaccc aagtnagatt tactggatta aatggccctt cgggtctgaa 600
aaagcttttt taacttcttn gcttaaaatg ccgtttaatt ttgataagat ncttnaaatn 660
gcctccaaaa gtgttananc caatcatttn aaataaaccn ggntgtatat tgcatnatgt 720
gtacatgcnt atncccttct ggttaaaact naaaaaaaaa t 761

<210> 541
<211> 748
<212> DNA
<213> Homo sapiens

<400> 541
ggtttanttt aaatccntnc ncagctactt gttctttttg caggatccca tcgattcgaa 60
ttcggcacga gcggacccat cggagcgtaa cctggatctc cgcaggcctg gcggaggccg 120
gccacctgga ggggcattgc ttggttcgcg tggtancaga ggagcttgag aatgttcgca 180
tcttaccaca tacagttctt tacatggctg attcagaaac tttcattagt ctggaagagt 240
gtcgtggcca taagagagca aggaaaagaa ctagtatgga aacagcactt gcccttgaga 300
agctattccc caaacaatgc caagtccttg ggattgtgac cccaggaatt gtagtgactc 360
caatgggatc angtagcaat cgacctcagg aaatagaaat tggagaatct ggttttgctt 420
tattattccc ttcaaattga aggaataaaa atncaaccct ttcattttat taaggatcca 480
aagaatttaa cattagaaag acatnaactt actgaagtag gtcttttaga taccctgaac 540
ttcgtgtggt cttgnctttg gttataattg ctgtaaggtg ggagccagta attatctgca 600
gcaagtagtc acnctttca gtgatatgaa tatcatcttt ggcttggang ccantngaca 660
acctgncatt actgactttt tgaaaanaac cctctggata ttgatgcctc gggtgtggtt 720

ggactgncat ttagtggacc ccgaatcc 748

<210> 542
<211> 784
<212> DNA
<213> Homo sapiens

<400> 542
gtnnnnntng tgtaatcgct tggctgcagg atccctcgat ggcgaattcg gcacgaggtg 60
ttgctcaang agcagacccg actccntaag gtcatcattg aatgggcatn atangtttga 120
anactgtcca ananantang ngtcaataca tcaacnnctt tanntgcttg atattgnnat 180
tgaanaacac angnctcngn ctagttcgcc tganatgatg tttaagatac tccggaagga 240
gacanantgt tntgantgcg gattaganac cacngaagnn acactnaagg ancancatct 300
ccacctngna actgnattnn cngaccanaa aagngaactg gaccaaatgc tctcaaaggt 360
gctggcagct taanagcgtg ttangactct gcacgaagan gacaggtnnt ntgagagcct 420
ggnnannaca ctctcccaaa ctaaactgna nctttcaaca nangggancc ccannttggt 480
ggagaaatca ggtganctgt tggcccttcc acaaagangc aaattctntg agggcnagac 540
ttnanccttt ttgcngaacc agtncttgac tgactaaatg aaagcttttt aagccaggtg 600
gcccancctt aangaagcna ctttttaatc cancggaacc ngcttgagan aaaaccnttt 660
ttgacccaaa accnggagaa ccagctggcc taccaaaggg aaatgggccc ccatttgaac 720
ttggggttnc ccangaacaa nccttgnccg ggncaaagcc cnttgttgga aaggacctca 780
acct 784

<210> 543
<211> 764
<212> DNA
<213> Homo sapiens

<400> 543
ntantaaatc ccttgctctt gttctttntg caggatccca tcgattcgaa tncggcacga 60
ggacccggcg gcgcggacag gcttgctgct tcctcctcct nngactcacc attncaganc 120
agaanntgaa aaaatggnng anctcaccca ggtaanggat gatgaagtnt tnatggctnn 180
tgcatactat gcannanttn tncttntgna aatgatgcnt atgagtactg taanngnntt 240
ctatncattg ncaagaangg ntnttgncaa tncatangac tgtgtagcat tcggcanagg 300
agaaaatgnc aagaactatc ttcgaacaga tgacanagtg taacgggtac gcagagncca 360
cctgaatgac cttgaaaata tnattccatt ncttgnaatt ggcatnctgt attccttgag 420
tggtcccgac ccctctacag cnntcctgta ctttagacta tntgtcggag cncggntcta 480
ccacaccatg tgcatatttg acaccccttt cnnatccaaa tatagctatg actttttttn 540
gtaggatatg gannactctt tccatggctt acacgntgcn gtaaagtaaa ttggccctgt 600
gcagaaaaac attccactca gtntttccaan tggcttntta aggaattctn gaccttgcaa 660
ttnatantgg agnnctttcc ttaagattta aaggtttgan ggngagccnn aggaattntn 720
aaccnggggt aaaccctttt tggaattttn agcnttgnca anaa 764

<210> 544
<211> 755
<212> DNA
<213> Homo sapiens

<400> 544
gatgctggnt ncnnatgctt gnngatccct cgattcgaat tcggcacgag gaaatgtgta 60
tttcagtgac aatttcgtgg tctttttaga ggtatattcc aaaatttcct tgtattttta 120

ggttatgcaa ctaataaaaa ctaccttaca ttaattaatt acagttttct acacatggta 180
atacaggata tgctactgat ttaggaagtt tttaagttca tggtattctc ttgattccaa 240
caaagtttga ttttctcttg tattacattt tttatttttc aaattggatg ataatttctt 300
ggaaacattt tttatgtttt agtaaacagt atttttttgn tgtttcaaac tgaagtttac 360
tgagagatcc atcaaattga acaatctgtt gtaatttaaa attttggcca ctttttttcag 420
attttacatc attcttgctg aacttcaact tgaaattgtn ttttnttttc tttttggatg 480
tgaaggtgaa cattcctgat ttttgctgat gtgaaaaagc cttggtattt tacattttga 540
aaattcaaag aagcttaata taaaaggttg cattctctca ggaaaaagcc atcttcttgn 600
atatgtcnta aatgtatttt tgncctcata taccggaaag ttcttaattg gattttacca 660
gctgnaatgc tttganggtt ttaaaaataa taacattttt aataattttt taaaaggaca 720
aactttcata atnatcccgg ngntcctttn ccnnn 755

<210> 545
<211> 767
<212> DNA
<213> Homo sapiens

<400> 545
agnttttnaa tcctttggcc antcgcnctt tntgcangat cccatcgatt cgaattcggc 60
acgagaaaaa gtnaagcttt tcatgagcac anntnccttg cattgttnga tgttactgat 120
attcgtaaaa tgaatatttt ctgttttgtt ctgttnnatt tttttgagac aagtcttgct 180
ttgttgccca ggctggagtg caatggcatg atcttggctc actgnaaccc ctgccttgcg 240
agttcaagtg attcttctgc ctnagnctcc tgagtagctg ggattacagg cgctcaccac 300
cacacccagc taatttctgt cttttnagtn gacacagggt tttaccatgn tggccaggct 360
ggtctcaaac tnctgacctg aaactnctca caccngtnat ctcagcactt tgggaggctg 420
angtggaaag gatcacttga agccatgagt ttgagaccag cctgngcnac acagcngaga 480
ccccngtgnt gtacaaaagc ttncnacatt tanctggctg aggagtnnct caccccntaac 540
ttccancnan tcnnttaagc nnanncatnt tgaacacntg agcccannta nggtcgatgc 600
tnntagtnaa ccgtgactgg accacttaca gtccaagccc gggtngcctt ataaaagaan 660
cggaaaacat ttcnttaatt cgggttnnag cnttanctat ttcggaatnc cttgngtttt 720
naaaaacttg aatctccaan aaacagggtt ttttcttttg gnccann 767

<210> 546
<211> 989
<212> DNA
<213> Homo sapiens

<400> 546
tnccccttgtt gaaanccctt tgctcctttn tnctnccgtt tgncatncna ttcgctcagc 60
tgaggcaatt aaactggaaa agaaatagat tgaaaagata ctntngaaga agcagtacag 120
aagttggggg actgaaggag agggagccac tgcaggtgct agctgcttaa ggggatacca 180
gtccttttac agatataata gatacagctt ctgaggtgga gggtgatagg agtgtgtatg 240
agaaanttgc agnttnacaa ctgctcntgc ctcctnggca anaggannan cntttcnccn 300
nttncnnccc ttatngnaca cacattgncc tgattggncn tnccncngct agcttncagt 360
cttnantnta ctcannagnn nntngggggaa cncnctntcn nantatgntc ccttttcctc 420
tnncntnncc nnatancacc ccnctcnctt tcctttctaa acttncacan ntccctgana 480
atgncttccg aatggantct tngaatttct ncgcccctnc ntcntcataa tcnttttgct 540
nctccngctc nccctcattt tnctacgtnc cnccttctnn ttnactgnct ttaaatntta 600
ttancnncnt ntncnttncn atctncaant tttcnnnccn acnnnntttt nctnntnnca 660
aatcgcgnna aataagtntt gcncactcnn ntnctancnt attntccctc gcnnttntcn 720
tcatctcccg cnncactcac ntnnncnnnt caattnntnn nnacncncnc tgctctacnn 780

ncnatntctn tncctncaca ccctntancn tntcnctcan aatgcctttt ctnccttann 840
nctntcnttc ncnnatctan ccaantttnc tttnacatcc cctncnnntc tnncccgacn 900
atatntnacc tcttnnatcn cagngcntan natcnccccn ttntcnctnt cnctctcann 960
cttntnttna tcttcatnna tcanncncc 989

<210> 547
<211> 781
<212> DNA
<213> Homo sapiens

<400> 547
tgtnnctttn cnncctcnnc cgaaatcnct ttgnttctaa ctttcctaat tacctgggct 60
acttgcacta tcccntcgat ncgcatagat ggccnngtta ctaanggtga ntttccagcg 120
cggggggcac gtggagtcac tggaacattt gngcaatgct ggtgggaatg tcaacccgng 180
cnggcctctg gaatangcct ggcnnntcct gcnagagtta ccntgtgacc cagcaattcc 240
actcctagct ccacccacag gantngaaag cnaagacgca nacagatgcc tgngcnccaa 300
anttcacggc agcatcctnc gccatantgg cancatccgt cgtnacagcg gcatcatcct 360
tcatcattac ggcancatcc gtcgtaacag cggctacatc acttcgccac agnggcagca 420
tctgtngtca cagnggcngc anccttngcc aaagcggcag cntccttcgt catagcggna 480
ncatnctttg ccatancngc naggtggaaa ccctgnccat ccactgaggc ntncatanac 540
tanncatggn cagtccaggg cactggaanc cangccgtng aacggcgccn acggtnanna 600
ggaatganac cntgatgcnc tggggccana catactggct anacanactt ggagacatca 660
tgcttanttg nannnccant cacacttgcn nncggcgtna tcctgctcac gtgatncgac 720
ccgaatgggc acttcaaatg ggaanaaggg ngatggcact nccggtnncc tnganagggg 780
n 781

<210> 548
<211> 735
<212> DNA
<213> Homo sapiens

<400> 548
tctaaacgct tggnncttgc tctttctnca ngnanccnnt gcgntncgaa ttcggcacga 60
tctagatatt gcccaatcgc tgcccacagt gcacatacct ttccaccagt cacatgtgag 120
agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata attttggcca 180
gttaggaaat ggcatctcat tgttttcatc ttaatttgcg tcagcctgat tactcattga 240
aacttgtgag gttgagaaac ttttcttaag cttattggcc attcaagttt cctcctttat 300
gaaatggttg ttcatgtcat ttgctcattt ttatattaga ttgtttttct tttttccagc 360
tgacttgtag gaactctaca tcttatcaat attaatcatt tatcgaaaac tatttgggtg 420
ccattatctt ctcctagtca atgtttttttg tttgtgatat cttttataat atataagttt 480
ttaatgttgg cagaagtaaa gttaatcttt ttggctgtgt tgtgtgtctt gtttgatgta 540
aagatagttt ctgtaatagt tttgcagttt gattgntcat ctttaggtct tcaattcaac 600
ctgcacatcc atcccctcta tcctctttct tactctgttt ttctccatac cacttatcat 660
ccaataatat ggtcatgccc tttattnacc ngntttgcat atataatttg gcttgtnccc 720
ggttccttcc ctana 735

<210> 549
<211> 812
<212> DNA
<213> Homo sapiens

<400> 549
ttctaatact tggctctngt tctttcngca ggatcccatc gattcgaatt cggcacgagg 60
ggaaggagcg ggcgtgaggc cagctgaggc atggtgaccc ctgggaagga gcgggcgtga 120
ggccagctga ggcatggcga cccctgggaa gganccggcg tgaggccagc ttgaggcatg 180
gtgacccctg ggaagganccg gncgtgaggc cagctgaggc atggtgaccc ctgggtacgg 240
gggacttggg ggccgacctt ggtttgccca gggcccctnc tgcaccacgg ccacatgcgg 300
aggacggcgt tgggatangc tccctgggtc cacagcttct gcccgtgtat tggggaaccc 360
tncttggtca aggcttcang ctcttggcag atggggcaag gaaccctgag gcttccgcgc 420
ccttccatgg nctctgatgt gggacacttg aacgangcac gattctgaag gactccatgg 480
atcttgggan gattangccc accttcngtt ggtggncnaa agccgtcctt ncggggcccg 540
gcttgtttaa cnggacaact tttcnggtcg ggcttgttgg gccccaatcn ttgggttggg 600
naanttcncc ttaaaccttg ggcccgncct tttaaccttt tttcccaatc ttttgacctt 660
tttccaaaaa ggggtncccc tgggcttttt ngggncaatt ggttccgggg gccaaaggtt 720
gggaaaaaat gccttncatt gggnaaaacc ctggatccct tgttaancct ttgggagntt 780
aaaatggaat gaattttccc cccgggcttt tt 812

<210> 550
<211> 742
<212> DNA
<213> Homo sapiens

<400> 550
ggnnantcna tgctggtctt gtctctntct aaaagttggc nattcgaatt cggcacgagg 60
ttctgtggct ggcatggtct gcctgctact ggagagatct cctgagantt cagttttgga 120
ttggtgctgt catcttcctg ggaatgcttg anaaagctgt cttctntgcg gaatttcaga 180
ntntccgntc caaaggagaa tntgtccagg gtgctttgat ccttgcaaag ctgctttcan 240
cagtgaaacg ctnactggct cgaaccctgg catcatagtc agtctgggat atggcatcgt 300
caagccacgc cttggagtca ctcttcataa ggttgtagta ncaggagccc tctatctttt 360
gtnctctgca tggaaggggt cctcagagta ctgggtattt tncttatccc ttgactctga 420
tagtaaacct ggccctntca gcagtttgac gcctgggtat ttatggatat taattagcct 480
gactcaaaca atgaagcttt taaaacttcg gaggaacatt gtaaaactct ctttgtatcg 540
gcatttcacc aacacgctta tttggcagtg gcagcatcca ttgggttaat catctggaca 600
acccatgaag tcaanaatag tgacatgtca ntcggactgg ccggnagctn ttgggtagac 660
catgccatnt ggcgccttgc tggtcttcca tganccccctt tggcaatcat gggtcttntg 720
gcgaaccatt ttgcaaacaa ct 742

<210> 551
<211> 736
<212> DNA
<213> Homo sapiens

<400> 551
agtctaatgc tggtcttgtc ttttctaatg ctnggcgatt cgtcctggtg tcaaacacta 60
taaacctttg accagctgag ctgtgactgg ctgtcacntn tctgagtcct gtgtgcacag 120
tantntcctg ggtcaggtaa aatccaggtn ttcaagtttt aaggnttttt tgaanaattc 180
gggcttnttt aanacgatcc ntgcccaant ccacaagctt gttgacagtg gnttacagtt 240
ngngtggcaa agtccaagtt gttacactgn gctttaaaaa aaatcttatc tgcatgtatt 300
gttaacttag agaccatgag atctatttat caggaccagg aagatncaca cttcaggtcc 360
attgcaactg actttttttct tgtttttctt aaaaccctgg tggagcctgg gaagggggcc 420
tccacaattc tgtggctttg atattagccc caattttaca agcacataca agccccataa 480
ttgccgcagg aaaacacaag atggaaaatg caataaccca tgcactgaga cttagaaaat 540

catccttact aggcaaaatg tattatgatg caataagtgc cactgggnat tttnacgttg 600
ggactggnca ggaactgctg caaagaaaaa taacagctcc ttctccatta tttacattta 660
agatgttggt ggggggaagg ttgggagaaa ttagttctga gggtatcata tgcctttttt 720
aaagaaaatg ggaata 736

<210> 552
<211> 733
<212> DNA
<213> Homo sapiens

<400> 552
nagtttaann gtatgtcttg tcttttccaa gatcctatcc gattcgaatt cggcacgaga 60
agtgtcagtt ttcctaatct cagtccaggt aggatttaaa aantntctca agtgttgatg 120
ctntccaagc ntgttggggt ggaagggaat tggtgcccag aaaatgggac tggagtgagg 180
aatatctttt cttttgagag tncccccagt taatttntnc tgtgcttnat tgctnctgtn 240
ctttattgtg aatgttgtaa cattttaaaa atgttttgcc ntagcttttt aggacttggn 300
gttaaaggag ccagtggtct ctctgggtgg gtnctataat gagttattgt gacccacagc 360
ttgtgtggga ccacatcact tgttaataac acaaccttta aagtaaccca tcttccaggg 420
gggttccttc atgttgccac tcctttttaa nggacaaact caggcaagga gcatgttttt 480
tngtnattta caaaatctan cagactgtgg gtatccatat ttnaattgtc gggtgacaca 540
tgttcttggt aactaaactc aaatatgtct ttctcatata tgtgctgatg gttttaataa 600
atgtcaaagt tctcctgtta aaaaaaaaaa aaaaaaaaac tcgagccttt anaactntnt 660
gagtcgtnta cntagatccn gacatgataa gatcatgatg agtttggaca accncactng 720
aagcagtgaa aaa 733

<210> 553
<211> 870
<212> DNA
<213> Homo sapiens

<400> 553
nagttaanag taggtcttgt cttttgcaag atcntancga ttcgaattcg gcacgagtat 60
ataacaactt ttgctttcaa agttgggtgg gactagancn cncantggaa ggntggagtc 120
agganacctg gattnttgng cccgntntgg nttttacagt ntgcctaant ttntgcagtn 180
acttcntgcc ancctgtttc nttacntnca anagggaaag acantccttg gccagcctag 240
ttttnagggt gaacgaaagg tcnttntcac tgcntcctct agtcatttgc ttcttcgnta 300
attaacacat cttgagcacc tgcnatgttc caggaacagg agatggcanc gtgcaagata 360
aagtccctga cttctagaga ctgcatgtta gtggcaatcg gcgtntaccc ggccttnaat 420
aaactactga atgaaggaaa attctaccta caccagacac aattactggg gtttctaaaa 480
tggaattatt cccccggccc cntgcatcca gcagcctgnt gcagggaaac tcctccnaaa 540
ggcttgtaag gcaaggaanc cgggacaatg gcntggctat ttaagcttnc aacaagatgg 600
ttacccctaa gtncctaatt ccctaacacc aagggggccc tttaccagga aaccaaaacc 660
aggttaaaaa accccaaagt tgggnaaaaa gccatttgcc anccggggcc nttttaaaaa 720
aaacctttna aaaacctttc cctttaaaa ctttaccttc aagntaaaan tttaagggga 780
atgggnccaa ntttttaac cancccaaa aaaaanttng gnaatttttt ttcccnaaat 840
tttttnaant tccccaatt tnggaaaang 870

<210> 554
<211> 766
<212> DNA
<213> Homo sapiens

<400> 554
tatcaatgnt atgtntggtc tnttcgaaag anctagncgg ntcgaattcg gcacgagcca 60
acacccagtt ctnactctgt catccaggct ggtgtgcagt ggtgcaatgt gggcttactg 120
cagccttgac ctccaggaca agtgatctcc cacctnagcc tccggaatag ctgggactac 180
agntcaacaa cgcccctctg aaagtaggac tcttggaaat gaaccttgtt gggagtaaag 240
ctgaaccttc acctctcctt tccaggattc tactccattc atacggcctc acactgaatt 300
aatgtttnta gcagccacat cacttngtta cccaattgat ctagtagtaa agtcttccca 360
tctnttcatg taaaaaaaaa aannnaaaan gggnnaggaa ccntnangnt nnnaanaaaa 420
aaaaaaanca ggnggngngc ntttttaac ctataacctg ntttnaggcc tttccccang 480
tttntccnaa ncnnggttan taggggccna aagctaaccg natttttgnt cccntnaggt 540
taggccngaa attaaccngg gtttaaagaa cncattgant aaagccttgc ctnggccaat 600
tccgggaaaa gggaanagcc tccttgtttt acanattggg aaaaattggc cccaangggg 660
gttaaccang tttgcccntt aataactnaa anggattttt gncaaaacct ggttccaagg 720
ntttaanccc aanccttttn aaanntnggn cnctttggat gnaann 766

<210> 555
<211> 770
<212> DNA
<213> Homo sapiens

<400> 555
gttatccnat gngcgtntgt ngnnnncnct aananattg gctngncgct gggccttgct 60
tctctgagaa aactttggtc acacntccaa agccagggtg ggtgcctccn tgnaggaggg 120
ggctttcctg gttggtggcn cagnaggagt ccaggctttg taccgtggac accatgggct 180
atggcaacac cttcctaacc atccttccat gaggacctcg gnaganagtg gacatgaaac 240
cctttgtgct ctgaancatt caacagaagc tttctggttc tgtgcctatt tctttggcac 300
ttgancgtgt ttgcaggttc attacncaca tgatgaaagc tctggcccat agcactagaa 360
ttcatgtttt nagggtttgt gagtgtgaca ggtgctatgg tttggatgtg gtttgtttcc 420
accaaaactc ttgcttgaag tttaactgcc agcatggcaa ttgttggnag gtggggccta 480
ccgggaggtg attgggtcat gggggcttga accctccgga atagattacn gctgcctcct 540
ganaaagttc tacctgtcat gggggctgga tcagtcaaca ttgannantg gggttgttat 600
aaagcaagac tnactcctta tgcaccgttt ntttgcatat gcccctctgg gggnancttc 660
tttggctgct aacattttg gacccaaccc aatgggcctt nacccagaaa nccggaacaa 720
aatgccnnnn gccattcctt tnngganctt tccaacttnc canaaataat 770

<210> 556
<211> 756
<212> DNA
<213> Homo sapiens

<400> 556
gtngtcnatg anatgtcttg cctnncgaag aacnaggcgn ntcggtagaa cagaaaatga 60
gcatccgatt tcttcactaa aggagaccaa actggttcct tgcggcctag tnttnaagan 120
ctggancttg aaagtcctcc ttntaccaac tccacntcca ccccntnatt cccnttntcc 180
caaagtncta ctgntgttgc ntgacanccc caaatntgtn ctgtcaacac aaacctgcct 240
ttggngtata aacagggcnt tacagaatgg tncaccctat atatttctgt tcagtatcca 300
ttcactagtt cttcattaat aaatatcatc ttccccattc tgctgctgaa tgccacacat 360
ccatccagtc tgagaaagtg agagaggcaa tcatgccaag aacaagccag caaagctctt 420
tcaccagatg tagactgtag ccctgctgcc ttccctccag cgagtctgcc agcatgcttc 480
ttcatccttt taatatgtcc tttgcttcct acttccctgn cttccaacat actgtcactt 540
actctggcag tcttctgctt ttcattaagc ctcaaaatct cctctgtcta cttggcacca 600

caagctatgt cctatatatg natttctgga cttggcangg atagttcaag gggtcttggc 660
aagtttttat ttaccttcat tatttaaaan gggccttttg gggatgttgg cctntttaag 720
gagccttttt ggggaaatca atacttctct taanaa 756

<210> 557
<211> 742
<212> DNA
<213> Homo sapiens

<400> 557
tcgtcnaaan nnatgtcctg gctatccgca ggatccaggc ggntcgaatt cggcacgagt 60
gatttttttg gttttttttt ttgntnttgn caaaagctta ntcntttcan ttaaaantgc 120
cactantttg actttttaag taaaaantgt agggggtttt aaanctactt tcctnctncc 180
aaaaantcag aaagtttcta nctttntaaa ttgggaaagc aagcantgtt ttaaaancac 240
tgaaggaatc tctttnttcg ngnccttttg ttaaactcgg tttaagctgt agaccttntt 300
taaantaaaa tttaccacag aacaggaaat agaanctgtg gaagactcga aatacacctt 360
tgtncttctc tgttcttcac ctgctctctc gctgtctcta cacacacaca cacaaacaca 420
cacacaccta tatttgcatt aaaaatgggt agtaaaagca gtgaagggca aacagaaggt 480
ccattncatc aagtaagagg ttgaatataa actggaccaa gtcttaattt tttatttcct 540
tcattcggat ncgtttacta atttctttgc tagctttaag acttttaaaa cattctttgg 600
ccctgggagg gagttgttta cccctaaact tggagaatcc tggccctaga ataaatgttc 660
cttttaaacc cccanggccg gaaaattgaa tncngctgtg ccaaaaagga aaaaannnaa 720
aaaaaaactc gnggcctnta na 742

<210> 558
<211> 730
<212> DNA
<213> Homo sapiens

<400> 558
gggtcnntaa tntnnagcnt gtnaaacccc tgagncttnc gggncgttca caaagaaaca 60
tttaataggg acttncaanc aaataattnt cggtttntca ggtggcagca agacaagatg 120
gtggatcccc atgccattac ctgctagact cagggttnat atactgtagt ggaaaggtga 180
ttccgaagga atgttgtaag acaattgaag tgcagtanca tcaaagttat ttgacctaag 240
ggcaggagtt ncagtaagta tccactttta tncaagaaac antagataaa ctggaaatct 300
tggagccctt cctggaactg gggttaatga gaagtcaaca tggtggatta ncatggaaga 360
tggagttgct tagtctccca ttcaagatgg agtttcttta gcctccattg atagggagtn 420
tttaacaaaa ncangaaata agtctttgat ccattgaatc tctaagagtg agcccttgat 480
gactcaggtt taaacagtnc tgagacaatt taggagatag ttttgaagnt caatttgaat 540
tgtaaaaggt caggattttt taactttttc acatctttga anaaaagccc atagagcgca 600
agttttcagc aaganctgga aancnatatt nctatggaat taaatagctc ctcagggcaa 660
tcaattnggc ctggganaac ataatgcttc aanggctgan gnaatctgga atttctatgg 720
gatttcttca 730

<210> 559
<211> 743
<212> DNA
<213> Homo sapiens

<400> 559
gttagtctat aangtnngnt atgtactngc cctttccgnn ggatcccntc gnttcgaatt 60

cggcacgaga ggaaacaccc ccttataaaa ccatcatntc aggctgggtg atctgacaga 120
gctagacact gtcaaacaaa caaacaaaca aacaaaaaaa ccccatcaca tctcatgaga 180
cttatttact atcatgagag cagctcagga aacacccact cccgtgattc agttacatcc 240
cactgggtct gtcccacaaa ttgtgggagc tacaattcaa gatgaggttt gggtggggac 300
acagccaaac cctatcacca tgtaaaataa tatctaattt gtagagatta aagaacaaga 360
taacttaaat cttggatgta agttaagaga gtggtggtca gagttaaatc atttaaggt 420
tcatttattg tctggacaag aataaaattt tgattatcag gaaatacaag taaaaccaca 480
gggagacatt gnttatatcc aaattgtcaa aaattacaaa gtcttataat accaagtttt 540
gctganggtg tggagcaaca gaaacttttg ttcactggtg ggtatataaa ttgaataatt 600
tcagcttgga cattacctag caaaattgaa ggctgtatac gtacatacct accaatctag 660
caattcactt ctagatatta agtcttgaaa aactcacatg tttccagaga cgtgttaaaa 720
ggtggttaaa tcattntgng aat 743

<210> 560
<211> 833
<212> DNA
<213> Homo sapiens

<400> 560
atccngttct ntannnngtc tngttctttc tncacgatcn nntgcgattc gaattcggca 60
cgaggggtcc tggtgggagt tccatccagc agtgagtgca tttttcccc agagcagtta 120
agggtcttat taaaagccac cactttgctg aggcctgtac aggccttggg ggtttgggga 180
agagaantaa ggcaggcact tgtcccttca gggagggact tgtccntact gggaggtttg 240
gggttgacct tggctccagc agagataccc agcctggcnt ggaagggcag gtcttgagct 300
tacgcttgac tgcaagggca agctgcaggc ctcttctgcc ttcccctgca ttcaccaagg 360
acaagtagga ccaagaagtc aagggaaaag tgccaagata gatctattcc catttctttc 420
ttccacctgg agaattcctg agctatgctt caaacctctt ttgggccagg gaaagactgg 480
gggacatttt ttagtcaagg atgctttaag aaagtaaatt cctgcttggg ggcccaggcc 540
ttctttttca agggcttgct tgtgaatgcc caaccaaaaa aaaggggccc ccaaggccca 600
atcccttact tcctnggtcc ccccaaaaag ggatnccaan ttggggaatt gggaaaactt 660
gggcanncac ccnaanccca ctttggtagg anttnaccaa cccaaccaac ccaaaaccan 720
cccacccaaa ttnaaaaaaa ggccaaaacc accaaccaac cnaaacccnn annnnnnnnn 780
nannnnnnnn nnnaaaaaaa ctttgangcc ttttaaaaac tntttngngn ggn 833

<210> 561
<211> 773
<212> DNA
<213> Homo sapiens

<400> 561
tagtctaatg tnnnaaantn ngcnctngtt ctttctgcag gatcccatcg attcgaattc 60
ggcacgagga agaggaggct gtgtatgagg aacctccaga gcaggagacc ttctacgagc 120
agccccccact ggtgcagcag caaggtgctg gctctgagca cattgaccac cacattcagg 180
gccaggggct cagtgggcaa gggctctgtg cccgtgccct gtacgactac caggcagccg 240
acgacacaga gatctccttt gaccccgaga acctcatcac gggcatcgag gtgatcgacg 300
aagctggtgg cgtggctatg gccggatggc cattttggca tgttccctgc caactacgtt 360
ggagctcatt gagtgangct ganggcacat cttgcccttc cctctnaaca tggcttcctt 420
attgctggaa gaagaagcct gggaattgac attcagcact cttncaggaa taggaccccc 480
agtgangatg aagcctcagg gcttccttcc ggcttggcag actaacctgt caccccaaat 540
gcagcaatgg cctggtgatt nccacacatn ctttcttgca ttccccсgac cttccagaca 600
gctttggctc ttgcccctga caggatactt gagccnagcc cttgcctgtn ggccaaaccc 660

tgaattgggc cacttgccaa acttgcnggg gaaagggttc cttgaaacaa gggggccatt 720
tttggggaag gcttcttggc ttggcctttt ggcatttnaa tttggccttt ttt 773

<210> 562
<211> 655
<212> DNA
<213> Homo sapiens

<400> 562
nnatanacat taangnnaga ngntgagnan ttnccntcgc tctntganna naaggcgncg 60
cgaattcggc acgaggccac cggtctcttc ctaatctgca cattntattt tgggtatttc 120
tgggcgggca gttcctttgc atgtttcggg agaggtttgt tgatttgggg cttatatgtc 180
aggcctttgg tttgcgtctt atttagggg ttgtttgggg gcctgggtgg tcggcctcac 240
atgggaaggg gatgggtagt ggatggggtt tctgtcgnat cttgnggccg gtgattttgc 300
tnncgnnctg tttcacattc ttccccctcc acaagccaaa tcgttcattt ggntncactg 360
tgtggactgt ctgagcttgc cctgccagaa aaatttgggg ctaggcaccc aggtgcanac 420
tttggaagaa gcantccacc tgtgggtacc gcatctcgtg ngtcccactg gcaggctgaa 480
cctacttgaa catggaaaca gcatgcccat atggcaaagg ggccnnnacn nnngnnnaaa 540
tnnannannn ncngacannc nncnnaatca nganmntcna cannnatcnn annnnancnn 600
nncaantacn ncnaaaacac accnnccana annnnnaann nnnnnncann nnnac 655

<210> 563
<211> 738
<212> DNA
<213> Homo sapiens

<400> 563
tnntaatgct ggaattcctn atncttgggc tactcgttct ttctncagga tcccntgcga 60
ttcgcagaaa agagtatagt aggggatgac caaggtcaaa gtgggtaaag aagactcatc 120
atccactgag tttgtagaaa aacggagagc agctcttgaa aggtatcttc aaagaacagt 180
aaaacatcca actttactac aggatcctga tttaaggcag ttcttggaaa gttcagagct 240
gcctagagca gttaatacac aggctctgag tggagcagga atattgagga tggtgaacaa 300
ggctgccgac gctgtcaaca aaatgacaat caagatgaat gaatcggatg catggtttga 360
agaaaagcag cagcaatttg agaatctgga tcagcaactt aggaaacttc atgtcagtgt 420
tgaagccttg gtctgtcata gaaaagaact ttcagccaac acagctgcct ttgctaaaag 480
tgctgccatg ttaggtaatt ctgaggatca tactgcttta tctagagctt tgtctcaact 540
tgcagaggtt gaggagaaga tagacccagt tccatcaaga acaagctttt gctgactttt 600
atatgttttc agaactactt aatgactaca ttcgcttatt gctgcagtga aaagngtgtt 660
tgccatcgat gaatgctgca gaaatgggaa gatctcaaat tctttgctca aaaacgtgaa 720
cttaaccaaa atgatggt 738

<210> 564
<211> 798
<212> DNA
<213> Homo sapiens

<400> 564
nggggngtct aatgctgcnc nnatcnannc anggnnctcg ctctngctcn acnnanaagg 60
cgntgngtgt gccaccacac ccagctcatt attattatta ttattattat tattttgaga 120
cgaagtttca ctcttatccc ccaggctgga gtgcaatggt gcgatactgg ctcactgcaa 180
cctctgcctc ctgggttcaa gcggttctcc tgccttggca ggcacctgta gtgtcagcta 240

ctcgaagctg aggtgggaga atcgcttgaa cctgggggc ggagattgca atggtgtggt 300
ctcggctcac tgcactcgag cctggcgaca gagcaagact ctgtctcaaa aaaaaaaaa 360
aaaaaaactc gagccntnna actattngng aggtcgtatt acgtagatcc agacattgat 420
aagatccatt gatgaagttt gggccaaacc ncaacttgaa tgcnnngaaa aaaagcttaa 480
ttgggaaaat ttgggaatgc ctatngcttt atttggaacc ctttntaagc tgcaantaaa 540
acaagttaan caccncccaa ttggcntcca ttttaatgtt tncagggttn agggggaag 600
gttttgggaa ggttttttna aattcncggg ccnnggggnc ccaatgcttt ggggccccgg 660
gtncccaann ttttgggncc cttttaangg gngggnttan attggccccc cttgggggna 720
aaancgnggn anatacctng gtcccctgtg nanaaatngg nttcccntta caaaatttcc 780
cacnnanatt tnngnncc 798

<210> 565
<211> 744
<212> DNA
<213> Homo sapiens

<400> 565
ttntnngttt naatnntcnn ggnntcgntc tnnctcnaan nanaataggt ttggcgaatt 60
cggcacgagc atgctggcca gcatccctgc ctgtgcaagc tctggatgag ctgtgtgccc 120
ctgccacnca cacccngcac tccctgccag cctggcctca gggcctctga tccatgtgca 180
ctggagtggt gatgactgac agggccactg gggcatttnc acgttaacag cagctgccac 240
tggcaaaaga agtgactcgc caatggtggc atctcagatg tgggcccagg agtctgggga 300
gctactttga acagggctat ccattcattg tcccaccaaa ggctatggag cccacccacc 360
atgtgctgga gtagtcaagg gaaataagac actctccttg tccttgttaa ctcaatcaac 420
aagcatttgc agagcaccgc ctatatgccg gcgctgtccg aagtgctgaa gatacagcaa 480
tgagctaagt aagcactgac ttcgtagaaa accataacat cggccatctt tggaaaagag 540
aaaaacaatg gagttactta tttaaaaaaa aaagaaagaa agttatctct tccanganag 600
gctagaagta cttttctgct tttggccag tgcccantgg aatgcctggt ttgggggaag 660
aagaagggac tgggttaact gtggtgcttt tgttgtaaaa aggcanctgg cctttgtact 720
tgaggagaaa natggagcct tggg 744

<210> 566
<211> 756
<212> DNA
<213> Homo sapiens

<400> 566
gnagtnntat tgatttntct ccgtgaatcg ttctnnctnn annanaagtg ngttnngccg 60
ctggctatgt ggacgctggg gcagagccag gccggagtcg aatgatcagc caggaagagt 120
ttgccaggca gctacagctc tctgatcctc agacggtggc tggtgccttt ggctacttcc 180
agcaggatac caagggtttg gtggacttcc gagatgtggc ccttgcacta gcagctctgg 240
atgggggcag gagcctggaa gagctaactc gtctggcctt tgaggtaatg gggggtggcg 300
gtggtggggg gtgcttantg gctatgctca ccccgctnca ttangcctat tttggtctgc 360
tgtttccaaa tgcttctana tctaggcatt tggtatccaa cctattgcca cantgcctan 420
aactncanac ccccngccnc tatgntnana cctacttggc acaagaacaa nngnanacnt 480
tgnnnatatn ccanaangnn naanattaca nantnttata ataccaattn ntnttgangg 540
tgttnnnnnc anaaacnttt gntnacngnn nnnnntatna atnnataatt nnnnntttgn 600
nancannanc tatgnnnaat taaangnntn tntncnnnnc nnnacnnnna nnnnnnttan 660
nnanttncnn ttnnnntnnn nnnnnnnnnt tnaanaannt nnnnnttnat nnnannnncn 720
nctnnaangt ntntttnnnn nnatnnnnnn nnnncg 756

<210> 567
<211> 746
<212> DNA
<213> Homo sapiens

<400> 567
gnntgtnntt nncnnannnn anganagagn tactcgctct ntctctacga tanantgngt 60
tncgaattcg gcacgagatt tcctccagtc ctgggcccca tccttnaggg ccttcccagc 120
cagccagcag gagaggcaag aactgggga acacaggaac ctaggggagg aggggagcgc 180
tgggcatcct caggctggcg gccaagcctg cccctggagg cactagagga gggcatctgt 240
ctgtgggagc ccagagctgc agggaggagg aggagggagg tatctggtgt gagcgttgcc 300
cctgcgacat ttgggaccac acaggtgggc ttccttattc cctgacaaag cctctgtttc 360
cagctcttcc gccctctctg gatgagggaa cagaagtgga ggaaacaaaa gaagcagcag 420
cacgcacagt cctgtcgctg ggtgcggaga cagcctggca aagtcccact cagccatggc 480
ctgatgcang ccccagccct nctttcttgg gtgtcaaatg actgtgtcct ggacatctga 540
tgcaccacct gccctgcctg ttgcaaacgt gatgctcccg gatggaatgg agaaactagg 600
agactgggac aagcaaaang ctgcaaacaa cccagaaccc attcttagaa nactggagaa 660
atgattgagg aatcattggc accgtggncc tgtgcttcat nacaaacacc tttnagaaca 720
acttgggatt gaaaaaccaa gacant 746

<210> 568
<211> 738
<212> DNA
<213> Homo sapiens

<400> 568
gnnnntngtn gttcttanng ttnggatctc gttctttctn cacgatcncn tcgattcggt 60
ctgggcagcc tacgctttcc ggataaaaat ggcagaatga aagaaattat gagtggaact 120
agagaatagg aaagacatga accaacgccc aaaatgagaa agaaggacat ataaagaaaa 180
agacaaatac aagtgaaaaa aatagactaa tggattaacg tccctgtcgt gtgacatttt 240
ctgctatgga aatgatatta gacaaaaagc acttcaagtg gttttcttat ttgagttcaa 300
aatgggtcat aacgcagcag agataacttg aaacatgaac agcgcatttg gcccaggaac 360
tactaacgaa catacagggc agctgtgatt caagaagttt tgcaaagcag actagagcct 420
tgaatatgag gaacacagtg gccagccatt ggatgcttca cttcttgaag catcttgaca 480
gctttttgca ggtgaaatgc ttncacacca gcaggatgca gaaaaatgct ttccaagagt 540
ttgttgaatn cagaacatgg atgtttatgc tgcaggaatt aacaaattta tttctcgttg 600
gcaaaaaagt gttgattgna atgggtccta tttgattaat aaagatgtgt ttgagcctaa 660
aaaaaaaaan nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnnn nnnnnnat 738

<210> 569
<211> 753
<212> DNA
<213> Homo sapiens

<400> 569
gtttntgant ntgattctta tgcttngnct aatgctttnt ctnnangatc ccnncgattc 60
gctggaggag aggagctcag agttctacag agtctttnct gaacaatatc agaaagctgc 120
tgaagaggtg gaagcaaagt tcaagcgata tgagtctcat ccagtctgtg ctgatctgca 180
ggccaaaatt cttcagtgtt accgtgagaa cacccaccag accctcaaat gctccgctct 240
ggccacccag tatatgcact gtgtcaatca tgccaaacag agcatgcttg agaagggagg 300

ataaaaactt tcagaatgag caaaacacca tcaacgttaa ttccagagat ggaacatttt 360
ttttcctagt gagaaaacaa cccatttgaa gagaagaccc taatgagaag accctaaaga 420
gagacatcaa gaatggattc agcagaatca tttcacgttt tgaacagcag cagtttgaan 480
ggccaaagcc tttgatcagg gatcccgtca ttaaaggaca ctcttgagta ttagtaaacc 540
ctcttatgat gattaaaaga gaagggcagc cctnttcacc tttttggtct ttctattcaa 600
cttgcctgac cataaaatgg ttctcttctg nacaaagccc catcatttgg tgaacctcac 660
ccttaacaaa gtaggattgg ggttgggggg cttaattaat tggaatgggg ccaaggagaa 720
gagcccgaaa ccttagatnc cangggnana agt 753

<210> 570
<211> 832
<212> DNA
<213> Homo sapiens

<400> 570
tnatnaataa ggtttgantt cttatgcttn ccaanngctt ggacctannt anccangcgg 60
tgcgaattcg gcacgagcca ggccccaata atctgggntt naaactttga ggaaatgcca 120
gtgacttatt ccagagtgcc tcagttaggg gaacttctct gtaaagaacc ctgggtattg 180
agcaaaaacc ttattatcgt taatgaccta taattggaag cttcctgcct ttttctttgg 240
ttgctcctgt ggaaaatact gaaaagatta ctttgtttta ttttgttgtc tttttataaa 300
aggggaggtg gagagacccc ttcagagcag ggattgtgcc gggagagtgc ctctgacttt 360
gggacatttc atccacagaa atttncaagc caatggtttc ttttgggttt tgggttttta 420
tgtttgnttt ttgggggttt ggaaaaacat gcatttttac cgtgcacgta aaattggtca 480
nagaaaaagg gagcccagaa aangcagcan atgggccatg cccctttgct gggttttcct 540
tttcttttgg gactgtnaag gggaaatggg tttttanaag gtgaaggttt ggtcctgttg 600
gaaggaaaag aantgtctct gttngggggg acaanaaggn acccttgggg gaggtccatt 660
cgcaatggtn cctaccaaaa cnnggntctt taanaacacc ngggcctttg ncccaggnaa 720
aaaaccctgg gcccctttaa naaactttgg nangggaacc ccggaaaacc cccttgggcc 780
ttnccaaatc tttttcccca aagncncccc cggggggccc aaaaaaaaac ct 832

<210> 571
<211> 748
<212> DNA
<213> Homo sapiens

<400> 571
agtnttaatn ntggacttct aanganttng gctnntcgnt tggaannnnn cagtnctcta 60
nnagcccatc gatgcgaatt cggcacgagg ctaggattac aggtgtgagc caccatgccc 120
agccacttat ctttaaagga ttaagtttat gtttcctact atgggaaacc atcccacccc 180
aaacttgatg accgcattat gtgcttttat agaacatggc acttctccag gatagcattt 240
attctgtttt gtaagtgtga atgtaattac cctacacaca gcatacacat aatcttcata 300
ttctttgcct tgtcttgtga aggcaagggc catgtctatc ttattcgtca ttagattccc 360
acatccaaca tagtcctggg gacagcacca atgcactttt ggtgcataag caaatagtgc 420
atttatagct cttacctaca atatctgata gactaatcaa atatagtagg ttatctgggc 480
ctttttgatt catgtctcta gcttaacttt cattttttc ttatttggta tctctcactt 540
tgccttttga tatactctta cagtttcgct cactgagtaa aagaaaatnt aaacagcaag 600
aagtaaactt gtgttttatg gatttngata acatcttcta aaagaccccc caagattgtt 660
gatgtctaaa aaaattaaag ggccttcaac tcataataat acttaatagt tcttaaaata 720
ttacaaactg attggaacat tgcctaac 748

<210> 572

<211> 755
<212> DNA
<213> Homo sapiens

<400> 572
agtcttatta nnnngttcta atcctttctt aangagnnta ggctactcgt nctttctgca 60
ggtatcccnt gcgatncgaa ttcggcacga ggctgagcac ctttggaaac aacatttaag 120
ggaatgtgag cacaatgcat aatgtcttta aaaagcatgt tgtgatgtac acattttgta 180
attacctttt ttgttgtttt gtagcaacca tttgtaaaac attccaaata attccacagt 240
cctgaagcag caatcgaatc cctttctcac ttttggaagg tgacttttca ccttaatgca 300
tattcccctc tccatagagg agaggaaaag gtgtaggcct gccttaccga gagccaaaca 360
gagcccaggg agactccgct gtgggaaacc tcattgttct gtacaaagta ctagctaaac 420
cagaaaggtg attccaggag gagttagcca aacaacanca aaaacaaaaa atgtgctgtt 480
caagttttca gctttaagat atctttggat aatgttattt ctatctttat ttttttcatt 540
anaagttacc anattaagat ggtaagacct ctgagaccaa aattttgtcc catctctacc 600
ccctnacaac tgcttacaga atggatcatg tccccttat gttgaggtga ccacttaatt 660
gctttnctgc ctccttgaaa gaaagaaaag aaagaagact gtgtttttgc cactgattta 720
accatgtgaa actcatctna ttaccctttt ctngg 755

<210> 573
<211> 743
<212> DNA
<213> Homo sapiens

<400> 573
cangtctaat gctggctctn atcggttctt nnnantnaag ntactcgttc tttctncang 60
natcnnntgc gntncgctca cacagcatgt gtcagatcca tggggtagga gtcggccaga 120
gacttggtaa cagacagatt gctggatccc acccctagac tctctgattc agttagtttg 180
gggtaaggcg caagactgaa tttttcacaa gtttcccagt ggtgctgata cttctggtcc 240
aggaacttag tggggagaga acgactaatc tagaccattt cacttcacat tctgagcttc 300
ttgtcactgt cacactgcat ccttttaaca atgcattccc tatcctattg caatactgac 360
atctcatcaa tattttaaaa catgcgtttt cagaaacaat attttatatc aaatactcac 420
ttttagtaat atttctgcaa ttttgcccta tggatctgag atctaacaaa tactattctg 480
gacatgggct acaacagttg aggctggaag taaaaatgtt aaaccctgct gaccacgtta 540
ttttaaagtg tattttagtt aagaataata tggcttagga gcagggctaa acagtagcag 600
tcacatgggg aatgatactt tgcttttgca cataaaatgt cctgaaggga aaaaataaag 660
cagaaaattn ncagatgaac tgaaaatctg tacaaatgtt gggctgaata ctgccagcgt 720
tgangtgtag gaaaatgaac cnt 743

<210> 574
<211> 737
<212> DNA
<213> Homo sapiens

<400> 574
ccgtctaatg ctggnttcta atcgctttct taangctcnn gggctcgntc tcnctncacg 60
cagcccggcg gtgcgaattc ggcacgaggg gattacaggc atgacccacc gcgcccagcc 120
tgtnatttct tatactntgt attttggnct tgtattatgc ttctgatacg ctataattat 180
ttatgtccat gtncntttct tcaatagact gtgaactctt cgaatgtngg actcctagag 240
ctagatnctc nattattnnn tattaaattg aatgacttgn aactacagat cctttattta 300
aacttcccaa atttctgctt tatctaggcn actctttaaa ttcttttatc tcatgtagat 360

ttcanaggct gaaataattg agatttttag tttgaagaaa agagaactgn ggatttaatg 420
gcnttattat tatattttta atggctgttt gggagtnagg ttgcagacat tggtcacttt 480
cctcctaaat ncttaaatat ttcctaaaaa caggncattc tttnttttnt tatggagtct 540
ggctctggcn tccaggctgg antgccgngg cccatcttgg cttactgcag ctccccttcc 600
cgattcncgc tggtctcctg nctngctgct cgggaggctn aggccnggga atcgttgacc 660
ccggaggcgg aggttncnan agcctnnacg ggccctnggn ctcccggctg ggtacnngac 720
cggacctccg nctgnat 737

<210> 575
<211> 766
<212> DNA
<213> Homo sapiens

<400> 575
gnagttnaaa agcggntttt antcctctcn aatcngnttg ggctactngc tctttctgna 60
ggnatcccat cgattcgaat tcggcacgag ctttctccct ctgtgcctcc tgcttccttt 120
ctctctcctg cctctcctct gctccccatc ccactttctc atctgcctcc ttttctcact 180
tctgtcagtc tgtaagcttt gataacctgc ttaatactcc aaagtgtgag ttcctctgat 240
ctcttgattc cttagttcta atctcacgtt ttgtttttaa gagatggagt ctctcactct 300
gtggcccagg ctggagtgca gtggcatgat catagctcat tgcatccttg aaatcctggg 360
ctcaggtgat cctnccgcct gagcctcctg agtatctggg actacagatg cgtgccacca 420
agcctggcta attttgtctc atgtcttcta aaaattattt tgtgaagccc cttcacaaaa 480
aaccttaang gaaatctgat ggtgctcagg aatctaactc tccctaaacc atcctctttt 540
aactgcttct aaaatatctc tggtggcctt tcttagcctt tttctggttc attcaatgct 600
tcaaagcgct ttttgnttct aagttgagtn ctttgggggt ttgacaggta gtgacgtgta 660
gttttgacac tgttaacttg ttnaatacag tgaaaangtt tgtgaagtga aaaatgcttg 720
anaaagaatg gnaatgcctt tntacaaata aaagtnttgt taaaat 766

<210> 576
<211> 761
<212> DNA
<213> Homo sapiens

<400> 576
ggggtnnnna gngnnttgan cccctttctt attatcaagg ngctngcnct nnctnnannn 60
ancacaggcg ntgngaattc ggcacgagaa gataacctct taatgcattc atgttgtata 120
tgaaggaaat gagagcaaag gtcgtagctg agtgcacgtt gaaagaaagc gcggccatca 180
accagatcct tgggcngagg tggcatgcac tgtccagtag tatttattgc tttagagatt 240
gcttgtcgta cctgtatgtc gtcccttttt aaatatgttt tcctttttct tgaaactgta 300
taaagttttt ttccccctta gcataagcat cttatatata acaactcatt tgtacaaggt 360
ttttaagttt atatataaaa tgtgtatata tatttttgnt tccccttttt gacttttttt 420
ttctgtatga aacccagatg tcaccaaatg gacattaata gttgcattaa ggatcagtag 480
cattaacaaa agttgcttta aaagccatta tgtaaaacaa gacttgaaaa tgagtgaggg 540
aattttagcg acactgtctg agcacagtgg gaaccatctt cgtttcccct ttgaactcca 600
antgggatgc cctaccctgg cgccccttag gaccccggac tggcccgngt acaaaacttt 660
accgtgccaa aattcttaag tgaatttacc tttctncctc tttttgaagc tngaaatttt 720
tggtcatcan gntttgcttg tgatngtaca tanggtngaa n 761

<210> 577
<211> 803
<212> DNA

<213> Homo sapiens

<400> 577
gggtngttnn nnngtggnnt tnttnnnngt ttctaatnnt cgnggngntc ganctnnctc 60
nananagaat aggtttgnga attcggcacg aggtctcccg cccggcgccc ccagtgtttt 120
ctgagggcgg aaatggccaa ttcgggcctg cagttgctgg gcttctccat ggccctgctg 180
ggctgggtgg ggtctggtgg cctgcaccgn catcccgcag tggcagatga gctcctatgc 240
gggtgacaac atcatcacgg tccagccatg tacaangggc tgtggatgga ctgcgtcacg 300
cagcctctag aactatagtg agtcgtatta cgtagatcca gacatgataa gatcattgat 360
gagtttggac aaaccacaac tagaatgcag tgaaaaaaat gctttatttg tgaaatttgt 420
gatgctattg ctttatttgt aaccattata agctgcaata aacaaagtta acaacaacaa 480
ttgcattcat tttatgttca agttcagggg gaggtgttgg aggtttttta aatnnncggc 540
cncngcgcca atgcattggg ccccgtaccc acttttggtn cctttaantg aagggtttaa 600
tttgccccnc tntgccgtaa ttcatgggnc atanncttgn tttcctggng ttgaaaattg 660
gntaatcccc ttcnacaaat ttccnccaca atcatttacc aaaccccngg gaggcctttn 720
aaagnngtna aaanccctgg gggtggccct taatttaagt ggnnccttaa ctcncnttta 780
antgccnttg cccttcactg cct 803

<210> 578
<211> 738
<212> DNA
<213> Homo sapiens

<400> 578
tcgtcccntn gatcggggta acgtccttnc ctatnaaant tctttcggga aagcagaaac 60
caagctggca gaagcacaga tagaagagct ntcgtcagaa aacacaggag gaaggggagg 120
agcgggctga gtcggagcag gaggcctacc tgcgtgagga ttgagggcct gagcacactg 180
ccctgtctcc ccactcagtg gggaaagcag gggcagatgc caccctgccc agggttggca 240
tgactgtctg tgcaccgaga agaggcggca gatcctgccc tggccaatca ggcgagacgc 300
ctttgtgagc tgtgagtgcc tcctgtggtc tcaggcttgc gctggacctg gttcttagcc 360
cttgggcact gcaccctgtt taacatttca ccccactctg tacagctgct cttacccatt 420
ttttttacct cacacccaaa gcattttgcc tacctgggtc agagagagga gtcctttttg 480
tcatgccctt aagttcagca actgtttaac ctgttttcag tcttatttac gtcgtcaaaa 540
atgatttagt acttgttccc tctgttggga tgccagttgt ggcaaggga ggggaacctg 600
tccagtttgt accatttctt tgnatgtatt tctgatgtgn tctcttgatc tgccccccact 660
gtcctgtgaa ggacagctna ngncaaggag tgaaaaactt tacttcttaa aaaaaaaaan 720
nnnnnnnnnn nnnnnnaa 738

<210> 579
<211> 758
<212> DNA
<213> Homo sapiens

<400> 579
gnngtgncta nctaaatnnt tggntntaaa cgtncnttct gcatnatccc tnnttgacga 60
attnggcacg agacagagtc ctgaaatatg caaatgaagt aaattctgat gctggcgcct 120
tcaagaaaca gcctaaagga cctgcctgat gtgcaagagc tcatcactca agtgcggtca 180
gagaagtgct ccctgcaggc cgaagccatc cttgatgcaa acgacgctca tcaaacagag 240
accttctcct cccaagtcaa agggacaaat aagcctctgg gttgaacggt ttgagacatt 300
ctgccttgga ccttcccttg tcaccaaaca agccaacctt gtgcacttcc accaggcttt 360
cacccattcc ctgcaagcct tggtcttttg acctggccct caaccatgtg gctttccacc 420

ccttgaggac aagttggaac agaagaccaa gagtggcctc actggataca tcaanggcat 480
ctttggattc aggagctaac caggctcttn ctcgggggcg ggggagattc tgactcttaa 540
tctggattgt gagaaaaatc cagcaagttc catgatattt aaatccaggt ctgcattggc 600
ccggggcaag agtttaacat cttcgggccc tgcatttcct acatcttggg gtctgtacac 660
gttcttaagc aagcgtgtca ngagagcacc ctgttggctt cttggtaaaa tgtgtgcaag 720
gtcatnctgt cttctgnacc ttctggggaa aagggncc 758

<210> 580
<211> 816
<212> DNA
<213> Homo sapiens

<400> 580
tttctaaatn gcttgggttt cnaaatccct tggttgacgc cctcgcctaa nntggcgtgn 60
nantgcccnc gattcgctgn caagtctgga antcatattg gagcctgngt ngactgaaaa 120
ctcagcanga gttgatgtta aagtcttggg tctgaaattn gtngggcagg agattaggct 180
ggaaactcag gcagaatttc tgtgttacaa tcttgaggca taattcttct ccaaaaaaat 240
ctccattttt ttctcttaaa gccttggatg agccttggat gattggatga ggactaccca 300
cattatctag ggtaatctcc tttgcttaaa gtaaactcac tgtgttaatc acatcaacaa 360
aataccttca cagctacatg tagtgtttga ccaaacaact aggcaccata gcctagccac 420
ataaaattac tatcattata ctttgtctta tcacatactt ctaccttgga agggatattt 480
cccagttggt atagctacaa aacagaggca gatcatttag cctgcattng attngtantg 540
aaaaataagc ctttggtgng tttaaccact gaaaatgttt gcggcctatt agtantngca 600
caacttatcc tatnctggcc aaacatagaa tgctttcggt ttgcaaggta acangatccc 660
ctttacagnt gtacnaaaaa tnancnntaa aaaaactnga gccctntaga acntnntagt 720
ggagtcggan ttaacgttng ancccagacc ntggattang gatncattgg atggagtttg 780
gacataccac cancttggaa tggcnantga aaaaaa 816

<210> 581
<211> 868
<212> DNA
<213> Homo sapiens

<400> 581
ccnnganncn nnccnnnnnc nnacaaaanc nnnnnnnann nnnnnnancn nnnnnnctct 60
tcnaannctg ctnacgccca nagcatgacc cacgatcgaa tcggcacgag gttgcaagca 120
gccttggaat agtaactctt ctcatttgtt tgggatctgg ccaccaagtn ccagaatgat 180
acacggatca gngcanaagn tcatcaggct ctcggacctt agggctgntg gagaagcttc 240
agcagcagaa ctgatggtga aggctcgtgt tctccatcct caactttctt tgcttcgatc 300
atacacaaga atacattngg aagggcaaaa aaatgaacac tgtcgnncat tgcagcccgn 360
gtttngtgac acagatgcac agtctgcttg tgaagacctt ctctcaagtg gcatttggga 420
gtccatgcca gancatggtg cttcatgaga gactgacagc tatcaggggt tgnggcactt 480
agngaggact ctcctccccc agtgtgtgct gatgacacat cacacctgac aatagctnga 540
agnctnctct gacccntntt actctgtagc caacatacca catganttta aaacccnttc 600
taaaatatcc aancaatggg gtcatacntg gcccaaatgc cagaantcna gagcctaata 660
ggacttccaa tnattaactt tnccaaannc gaaaaaagna gggcnttccn nttatggcaa 720
aaaaatnaan nnaaaaggan atntggnatn gttngccnaa aaaaaaagcc cnntnngaaa 780
cctaatanga ggaggtccca cttaaccggn cgnancccca gaacantgga atacaggant 840
accnatngga ntgaanattt ggggancc 868

<210> 582

<211> 745
<212> DNA
<213> Homo sapiens

<400> 582
ttctgaatac cttnttacnc gccttcttca ggantttcaa gacctaattc ggcacgagac 60
cctttctgcc ttctgtttgg gacccagctg gtgttctttg gtttgctttc ttcaggctct 120
agggctgtgc tatccaatac agtaaccaca tgcggctgtt taaagttaag ccaattaaaa 180
tcacataaga ttaaaaattc cttcctcagt tgcactaacc acgtttctag aggcgtcact 240
gtatgtagtt catggctact gtactgacag cgagagcatg tccatctgtt ggacagcact 300
attctagaga actaaactgg cttaacgagt cacagcctca gctgtgctgg gacgaccctt 360
gtctccctgg gtaggagggg ggggaatggg ggaagggctg atgagacccc agctggggcc 420
tgttgtctgg gacccttcct ctnctganaa gggaggcctg gtggcttaac ctgggcangt 480
cnngtcttct ctgaccccan tggctgcngt gaaggggaac caccccttcct tgcttgacca 540
ntggccatta nctnccntna ccacttgnaa cccanggtcc canctggctg ggaccctntt 600
ntnccccccaa ngnccttttcc cttgggctnt nttggantga gcaccttctn tgtnngcacc 660
ttttanaant gnnnnnntgn tactgatttt tttgntaaaa agannttaaa anctggnant 720
ttntnaaaaa aaannannaa aannn 745

<210> 583
<211> 748
<212> DNA
<213> Homo sapiens

<400> 583
gnttctaatn cttggcctac tcgcctntct ncaggatctt atcgatncna attcggcacg 60
agatatggta tagttggaaa taggttattg tgagttattt gtagtcatgt ctttaatggc 120
ccttgcatgg tgtctaactt ctgcaataaa tgatctgcca gtcctagtgt ctgggcttta 180
tgcaatttgt tttcctttgt ggatgaagtg ggagtaagac ttgttgctgt gaggatcaga 240
tgaagtggct aggatatgga cacactttac ttgaattgga aaacaagcca tgtatcccta 300
atctgcaaaa tgtggcatgt cacacgtgta atctctgagg tttagttttt gctcaagatt 360
gcaaaggtga cttgcttgat gctttctttg cttgagcaca catctcattc attaaatggt 420
gtctcctttt ttgcacacag gatgcagaac ataattgacc ttttccaagt ctacttagca 480
gaaatgaaaa tggaatcata taaatacagt attatacttt aaaataaaaa ggctgtacaa 540
aagtttggct gacatagctt gcttctagta atctgaatgg cttatttaaa taaagttgga 600
tctatggact cttcacagnc tagatattat cctactggaa gatgtgcctc gaaagctgtt 660
gaaccacngc aaaaaaaccc ttcagtcagc acgtgagaaa acctgcgagc ccacatttcc 720
cccgggacca ttctgaacat cctactgg 748

<210> 584
<211> 773
<212> DNA
<213> Homo sapiens

<400> 584
tttaatgctt gttacacgcc ttctgcagga tttatcgatt cnaattcggc acgaggctat 60
gtattgtgtc ctaccatgaa ttcactccat gctagccaca ttggcctgta tggctattcc 120
ttggacacac ctaggatgtt cttgcctctt agcttgccta cctttctctc atcatttggg 180
cctcancgag gatatcatct cctcagagaa gccttctgtg accatgctat ctaaaatact 240
ccagcacttc agtcaccctt tatcccatta ctctgctttt tcagaaacat tggtgctccc 300
tgaaacatat ttgtttactt gcttagtgtc ttttctcccg cactaccatg taagcttctt 360

```
gagggttaag ggaccttgtt agggataacc actgtatcct tagagtgtga cacatagtag      420
gttctcaata catatttttg aaactctacc ctgatgcaaa agagatatca aataattata      480
gtttttgcat tataaatggc tttggtgaaa tccctggcac aaaactaata ataaaagaaa      540
taaacagata atgttgaagt tctgggcctg caaaacctaa ctcttttaaa gcagtcccag      600
taaatgtgtc attgggatcc ataagacttt gtgggaaagt caacataatt ttattnggga      660
aaaagcattg aaccttcaaa agtnaaaact ttatnggncc aaaatctcaa ttactggggg      720
gccgttcttt aagtcatttt aaaccctttg angccnacag ttttacacca aat             773
```

<210> 585
<211> 745
<212> DNA
<213> Homo sapiens

<400> 585

```
ttcaatacnt ntttcnngcc ttttgcagga tcnctcgatt cgatggaaca tgagtggaag       60
tgggcagtct ttttctttcc ctatcagctg agtgaatgaa gatttagagg gcagcagagt      120
catgacatgg atgacgttgg gtctctggat ggctaaatgg aagacccgcc ccccaacgcc      180
actctacccc cctgctttga actatgcttt gagaaatgag cttatgagac cactgagact      240
tgggggctgt ttgttcagca gttcacctac acttattagg aaaggttgac ttcttgtact      300
acgcctttcc ttaaatcatc ttttgtataa ttctcagaac actgctggtt tgggtggtct      360
cacacatttc tcacatccaa attttaaaga tttcatgaat gttcattaca gtggatttat      420
ttttctcttt ctgcttctcg gcatgccctc tcaatttggg agaaatctct aattggatga      480
ctttggtggg accacaggag tgtaaggatc gtaattccct cacttcatcc cctgcaaatt      540
aaagcctggg cacttaagac tcactcaact gaatcttgat atgtgggact ttanatctta      600
agcaaatgan gcaaaagaag gaaaagacag ttgagaaaat caatctctga agttcagcac      660
ttgatttcca ccgtggaccg gactcctgca nctttgcatt ngccttggtt cctggccatt      720
ttccnaaccc gggttccttt ttgan                                            745
```

<210> 586
<211> 749
<212> DNA
<213> Homo sapiens

<400> 586

```
tgttctaata ctaggtntac tcgccttttg caggatctna tcgattcnaa ttcggcacga       60
ggggtcctgg tgggagtnnc atncagcagn ganngcattc tttccncaca ncagtnaacg      120
gtcttattaa nagccaccac tttnctgang cctgtacagg ccttgnnggt tnggngaaca      180
gaaatnncgc aggcacttgt accttcaagn anggacttgt gcctnactgn nagggttggc      240
gttgaccttg gctcnacnga catacccant ctgacttnna acgngcncgt ctnagcttac      300
gctagactgc acnnccaagn ttgcangcct nttntgnctt ccctgcattn accaatgaca      360
gtacgaccaa cagtcaanga aaagtgccaa gatatatcta tcccatttct tctacacctg      420
tanattcctn actatgctca aactatgtgg ngcaangaan actggnngac atttttagtc      480
aatgatgctg acaattaatt actggtgngg ccaggcatat nttcacggct gcttgtgatg      540
ccaacnaaga acgggcccca gcccatcctt actcctngnc cccaaanaga tccagtgnga      600
atgggaagct gnnannacca acccaactnn tgatttacca ccaacnccaa anatcacgca      660
tgnnnacagc aaaacaacaa cncnatgcac ttaacaagna nccnaaaant naactcgngc      720
ctctaaaact attngggant cctttanct                                        749
```

<210> 587
<211> 783
<212> DNA

<213> Homo sapiens

<400> 587
gttctaatnc ttggcctact cgcctntctg caggatcttn tcgaccttat tcggcacgag 60
cccaaggcaa gctgttaaca aaatcaacct gggccaatca tcaaagggtt ggacctaagg 120
ttgctatact caatagaaca agcattttaa ataaatttct cgtaagttgt tgctttcttt 180
atgtggtggg tgtggcttta aagagcacaa aaccacaaca aatcaaagag tagctcgggc 240
ttgtcttttg ctttatggct gagggtttga aggatgattc atggacttgt gaatgccagc 300
cccagtcccg gcttaggtct atctgccaat accaccaggg ccaacaaatt cacgcaacaa 360
attctctcat tttttacagt ttatcagttg cactcatagt tattgtcata atcactcccc 420
acagtaacct gtaaggcata taaagtagct attttagtaa gataaatgat attttatata 480
tgttatgata agataaatct tatcatttta agaagaaact gagctcggag agatgaaatg 540
acttcctcag ttgctgctgt aataaaagtc tactttttgc taaaaaaaaa aaannnaaat 600
atnntntann attnnantaa naanaaaaac ttcgagccnt tttnaaactt tnantggagt 660
cnntttntcc cgtaaaatcc nnnactttgg atnaanannc catttngatn aagtttttgg 720
gacaaacccc ccaacttaga aattgcnntn ggaaaaaaaa ntgcntttta ttttgnggaa 780
aan 783

<210> 588
<211> 771
<212> DNA
<213> Homo sapiens

<400> 588
tcttctaatg ctggttacan gccttctgcn gatccctcga ttcgaattcg gcacgagata 60
ctttttaaac ctttttttggc agctcagatg gtgtaaattt taaaattttg tataggtatt 120
tcataacaaa aatatgtatt tctttttttgt tattttatct tgaaaacggt acatatttta 180
gtatttgtgc agaaaaacaa gtcctaaagt atttgttttt atttgtacca tccacttgtg 240
ccttactgta tcctgtgtca tgtccaatca gttgtaaaca atggcatctt tgaacagtgt 300
gatgagaata ggaatgtggt gttttaaagc agtgttgcat tttaatcagt aatctacctg 360
gtggatttgt ttttaaccaa aaagatgaat tatcaatgat ttgtaattat atcggttgat 420
tntttttgaa aagatgaacc aaaggatttg actgctaata ttttattcct tacacttttt 480
tctgaataag tctctcataa tgagtgcagt gtcagactgt gcctactctg atggtatngt 540
gccatttgta aaatnanaat aagagcagaa aaaacacaaa nangagaaca ctggnttcag 600
acattcantg gggcaagtta aattatggga ctgcaaaaat aatggatttt ttattcaaag 660
aaaagcttta aaaagtttta ttatccanat ttacaaccca ctanttaagc taaataancc 720
tactttnaaa aatngnaaat ggttnctatc tttataangt gccaanttna n 771

<210> 589
<211> 844
<212> DNA
<213> Homo sapiens

<400> 589
tncactnnaa tccttntnta aaaagccttc tgcntgatcc catcgattcg aattcggcac 60
gaggccagag cctagaggag agatcaaaga cnttngccga agtgaagccc attctgcaag 120
caactgggtt cccatggcat gtggtggcct tagaggaggt gttcagcctg ccaccgtcgg 180
tgctttggtg ctctgcccag gagctggtgg gatccgaggg ggcctacaag gcggccgtgg 240
acagcttcct ccagcagcag catgtgctgg gggccggggg tggtcctggc ccgactcaag 300
gggaggaaca gccaccccag cccccgctgg acccccagaa cctggcaaga ccgcctgccc 360
ctgcccagac tgaggctctt tcccaactgt tctgctcaat gaggacactg actgccaagg 420

aggagcttct gcagaccctg cggacccacc tgatcctnca cgtggcccga gcccacggct 480
actccaaggt catgactggg gacagntgca cacgcttggc tatcaagctc atgaccaacc 540
tgcnctgggt ccaaagggcc ttcctggcct gggatacngg ctttcttgga tgaaccngna 600
ccgggngaac gtnggtggtn ggtgccggnn cattgcctgg gaaccaccac cccсttnaaa 660
angaangntc gnttatttct aacaaaaccc ggnccttgnt tcntaccntn ttccctntct 720
tggnnnnttt tnaanacncn annnccсaat tngnaanaac ccnaaaangg gnccctttgn 780
aaaaaaangg ggccnatatn ntntntcana cccgnggnct ttgaatnngg aaaangccnc 840
tnct 844

<210> 590
<211> 767
<212> DNA
<213> Homo sapiens

<400> 590
tctaatgctt ggntctngcc ttttgcggat ctttcgattc gnattcggca cgagagaacg 60
ttctcaggtt gaccagctgc tgaatatttc tttaagggag gaagaactta gtanntcatt 120
gcagtgcatg gataacaatc ttctgcaagc ccgtgcagcc cttcagacag cttatgtgga 180
agttcagagg ctacttatgc tcaagcagca gataactatg gagatgagtg cactgaggac 240
ccatagaata cagattctac agggattaca agaaacatat gaaccttctg agcacccagg 300
tttggcatag aaatggtacc ccttgttcaa aatgaacaag aagccttaga tttggatggg 360
gaacctgatc tgtccagtct agaaggattc cagtgggaag gtgtttccat ttcctcgtcc 420
cctggcttgg caagaaagcg aagcctttct gagagcagcg tgatcatgga cagagctcct 480
tctgtgtata gcttcttcag tgaggaangt acaggcaaag aaaatgagcc ccagcagatg 540
gtttcaccta gtaactcatt ganggctgga cagaaccaga aagcaaccat gcaccctcaa 600
acaaggaagt nacacctcng gctggccttc ccttccgaac aggtgaaagg ggcttgaaaa 660
atgttgctac cccaaaggcg acattnntgg caccaaatta tccctcttga ccnntttaat 720
accttttgat tncatttngg caaaagactt tgnaccagcc nnggaga 767

<210> 591
<211> 765
<212> DNA
<213> Homo sapiens

<400> 591
tctttgaatc cttttgtaaa agccttttgc atgatccctc gattcgaatt cggcacgaga 60
cttcttgttt gccttttttta taaggaaatg ttggagagtt acatcattgc taatgtagaa 120
atgttaagtg gaaaaatata cagtttggta aaataaacta gattctacat ttatttgtgg 180
gtttttttcc cctcctttct ttccacagca cttttgatat caagcaagtg gcttcctttt 240
tgagatatta aaaaaaaaaa gaaaaggaaa aaagtaaatg aagcccaact acctaaccct 300
ttcttatttg tatttgtttt agtattgtga agttgtgtta aatagtacta gctagaaata 360
caaatttctg gttatcattt ctcttccctg tggcacttga cattttaatt gtcttaaagt 420
ttttgaagtc atcttctggc cccttgagta ctgccagagg caaaagatgt ttgtttctta 480
ttcattccac ttttgtctcc tgggatccct tctgtagcct aaagtatggc tgggaaatgg 540
acttgagaag attggcttga attangatca taatcatgtg tgatcccatc atgaattcat 600
tggaatntgg ggtncatgta angcaatcnt tctggtgtaa atcttccttt ttttaatgna 660
catatanttt tggaaaaaat tttgaattaa ccctgaaaat ttttaaaaaa gccctcttan 720
aactattann ggaggtcnca ttaccctaga atccanacat tnant 765

<210> 592
<211> 757

<212> DNA
<213> Homo sapiens

<400> 592
```
tnttcnaana ctngttctng nctttttgcag gatcccatcg attcgccaaa tctgcctaga   60
gattgagttc acagtgtatg ttctgggggc gctggtgcag tcagcggtcc agtctccagc   120
ctgcaggcgt gcacactggg gtggacgatg ggtggccccg caggtgtaca catttgggtg   180
gccccggccc ctatacccca gtgttctctt tgatccagtc ccgaaacaga gggagccttg   240
tgtacacgcc tncaaagtgg agctgggagg tagaagggga ggacactggt ggttctactg   300
acccaactgg gggcaaaggt ttgaagacac agcctccccc gccagcccca agctgggccg   360
aggcgcgttt gtgcatatct gcctccccctg tctctaagga gcagcgggaa cggagcttcg   420
gggcctcctc agtgaaggtg gtggggctgc cggatctggg ctgtggggcc cttgggccac   480
gctcttgagg aacccaggct cggaggaccc tggaaaacag acgggtctga gactgaaatt   540
gttttaccag ctcccaaggt ggacttcant gtgtgtattt gtgtaaatga gtaaaacatt   600
ttatttcttt ttaaaaaaaa aaaaaaaaaa actcgancct ntanaactat tagtgagtcc   660
tatttacctt agatncagac atgataagaa tncattgatg aattttggac aaaccacaac   720
ttggaatgca ntgaaaaaaa atgctttatt tgtgnat                             757
```

<210> 593
<211> 766
<212> DNA
<213> Homo sapiens

<400> 593
```
tcttgaatnc tngttnntgc ctttttcgga tccctcgatt cgaattcggc acgagagaac   60
attggtgtgt gagtgttttt tgatggtgca ggacccggag gtgctttcct tgccaagaat   120
agaaacatcc agaatgctcc tccccatccc ccaatcccag acagcaatta tgtcagccct   180
gtaaggcatt gcctgctctt gaccctttgg cccatctttt tatttttaaa aaattcccat   240
gtcacagatg ccctgtctat gcagagggtg gcgtgggatg ggtgaccact aagtttaggc   300
tggtgaaggt ggtgagccct tctgaggccc tgatagaact ttccaggagt tcatggtccg   360
cggctccagc ttctcactgt aaagttgtca tcctggcaga ggcagccaat gcttttcatt   420
ctagggggta gagatttatg ctaatgagtg aatattgcac cactagtgac tttctgttta   480
aagttcagct cttagaaaat ggaatcttac ctgaccccta gtgaattatg tacataagca   540
gggaatgttt ccaactagat ctccttcaga agagtccctg tgctggaata ggtcactgaa   600
tcttatttgg ntttgtnaaa caaaagcttt tgggtctcgt ggggtgtgtg tgtgntttgg   660
ngtgtgttgc cccntntgcc gtttcaaata aaaggtttgg taccaccttt tcaaaaaaaa   720
aaaatantnt anntnanant nntntancnt ttnttnncnt tanant                   766
```

<210> 594
<211> 754
<212> DNA
<213> Homo sapiens

<400> 594
```
ttgnttagga tcccatcgat tcgaattcgg cacgagggaa ggcagtggga ggagaggacc   60
aagtctcaaa ctccagaagc cccacctccc tgagctcagc tcctctgcca agccccctca   120
gcgcgaagtc ctcgtccaga gaaggcaacg gcgagaaaca aatccaacat cctgggctgc   180
tttttccttc ccccactttt taaaagtttg gtgtccaagt cacttgacaa acccagaccc   240
taacaatgat attttgtgta gaattctggg atcaaaatat aatttcaaaa ataatatatt   300
ttctgacatc ccccaaaaaa aaaaanaaaa aaaactcgag cctctagaac tatagtgagt   360
cgtattacgt agatccagac atgataagat acattgatga gtttggacaa accacaacta   420
```

gaatgcantg aaaaaaatgc tttatttgtg aaattttgtg atgctattgc tttatttgna 480
accattataa agctgcaata aacaagttaa caacaacaat tgcattcatt ttatgtttca 540
aggttcangg ggaggtntgg gangtttttt taattcngcn ggcgcngcnc caatgcattg 600
gggccccggt nncccanctt ttggntccct ttaagnngan gggtaaantg ncgcncttgg 660
cntaatcttt gnncatnggt tggnttnctg nggngnaaat tggttttccn ggnnanaatt 720
tccccncatn ttangatccc nggnngntnt aang 754

<210> 595
<211> 767
<212> DNA
<213> Homo sapiens

<400> 595
ggtttaatgc tgttnnaanc cttcttnanc ctttgtacag catccctcga ttcgaattcg 60
gcacgaggaa cgcttccatt ttatacctgt gtctagttag tttctgccta tctatccaag 120
aagcttttat caagggtcca ccatgtgcca gccactgaag tagatataaa tacaaggatg 180
tgtaaggtat ggatgatggt atacgaactg tcatcttact ggatttgtcc gctctgttaa 240
agatacggtt ccgaaaactt tttaaagccc tagagagggc tttaaggcaa tgtagcatca 300
tatatagagg catnaacctg ttcatatctt tctatttaac agaactgtgc acctgggcac 360
aagggtgtgc acaacaggat gtgtacagca gcactgttaa agtgtancac atccatacta 420
cangatctta tgcaactgtt ggaaagaatg aagcgatgct gcactgtggt catgcagtga 480
tctctaagac atattaactc gaaagcaaaa ggtttaacaa tgtatnacaa actgggctgc 540
aattgactcg cgcctgtaat cccagcnctt tgggaggctt gantaaggcg gatcacctga 600
ngtcangagt ttgagaccaa acctggccaa tgttggccna aaccnctgct tctactnaaa 660
ctacnaaaaa ttaacctngg gcntggttgg ctccgtgcct tntaatcccn gcttactcgg 720
caatgcttga gngaangnan aattngcttt gaacctnggg gaggnng 767

<210> 596
<211> 743
<212> DNA
<213> Homo sapiens

<400> 596
tnttnaatnc tnttttaatn cttgctgcan gatctttcga tgatcccatc gattcnctgg 60
tctcgaacac ctgacctcag gtgatccatt cgncttggcc tctcgaagtg ttgggattcc 120
aggcgtgagc cactgcggcc agcacatttc cacttntaga tcctactcca taccacaggt 180
ttcatttaag angaaaganc tanataaatg tgctcttntg gataccccac cctgacagan 240
tgcattgtta cacagntanc atgggttgac actgcaanct ggcctgtcag ccatnggagg 300
ngtttannga aaggcanatn atgtnactct gtgncagggn gccatntgct tacccntnac 360
ctagcatang gggnttctac gggtgacccc nagcatattt ctaggttact tatgggcaga 420
tttgtaagtg acaaaactcc agctgatgct gggaatgggg agagggccct tganggactt 480
tgtggntttg tgcttctggt ttcctggcca accccagggt cacttgtctg gagcccagct 540
gggcactaat gtctgccanc gactatntta cagtgtataa atgattcctc tatttgggga 600
gagatcttcc aatccagaag agcccctntt ggactgcctg ggttaaatct gcatagcana 660
agtggttgat gagtcatctg aagaaattca gccccaactt nncaacctgc ccttcctgnt 720
tcctttttaa tggnggcctn tgg 743

<210> 597
<211> 786
<212> DNA
<213> Homo sapiens

<400> 597
ngtttnnncc ngtttttaat ncnttgctac tngctctttt tgcaggatcc catcgattcg 60
aattcggcac gaggacanac cgttgagagg acgtggaggc ccnttagggg gtntgcncng 120
nanaggcaga ngtggccctg ggaacagagt tttatgacnc ttttnaccat anangaangn 180
gagaatttna aagatatggt gggaatgaca aaatagcagn cataactgaa gacaacatgg 240
gtggatgtgg agtttggnac ctngggatcg ngnaaagata ccagtgatgt ggagccaact 300
gctccgatgg aggaacccac agtggtggag gagttccant gcanccngga agaggagtat 360
ccagcctaag ttnctgactg gatgtcaaga agaaacccaa nttataanag atgactntan 420
ntgantggnn aaatctttca gatcannсca gaccatancn tgagtttaac atccgnaanc 480
cacaatccan tgnnccttac taagccgtgg tgattnacaa gtcataaatc cattanatga 540
tgtggtnaaa gatgcctatn atgaccnatt ctccatngtt ntccngaaac ccgtcaattg 600
acatcacatn tcctnttgga gattaaattt tnggtnancn tnccttcgtc cttgggcatt 660
ngaacncata agaatgcacc cccnggntag gcccngtnna aaggttnatg aaggccntta 720
taanttttgn nnccccaanc attaaantgg ctngattccc ttaatntttt cctcccnaac 780
ccagnt 786

<210> 598
<211> 809
<212> DNA
<213> Homo sapiens

<400> 598
ngttttnnnn cnnnttttct aatgcttgct tctcgttcct ttgcaggatc ccatcgattc 60
gaattcggca cgaggacaga ccgttgagag gacgtggagg cccgagaggg ggtatncncg 120
gcagaggcag aggtggccct gggaacagag tttttgacgc ttttgaccag agaggaaagc 180
gagaatttga aagatatggt gggaatgaca aaatagcagt cagaactgaa gacaacatgg 240
gtggatgtgg agttcgaacc tgnggatcgg gtaaagatac cagtgatgtg gagccaactg 300
caccgatgga ggaacccaca gtggtggagg agtcccaggg caccccggaa gaggagtctc 360
cagccaaagt tcctgagttg gaggtagaag aagaaaccca agttcaagag atgactttag 420
atgagtggaa aaatcttcaa gaacagacca gaccaaagcc tgagtttaac atccggaaac 480
cagaatccac tgttcttcca aagccgtggt gattcacaag tcaaaataca tagatgatat 540
ggtaaaaaga tgactatgag gaccattccc atgttttccg gaaaaccccc cattgacatc 600
acattccaac ttggagatta aattttgggt aaccccttcct ttgtncttgg gccttngaac 660
ccntgaagga aggcaccccn ggtgaagggc ccngggggaa agggattcan ggnaaggggc 720
cantaanaaa ccttttggga cccccсttaa nccaataaaa tttggtngaa ttgcnangga 780
atggtttgnc cccccnaaac cccnaaant 809

<210> 599
<211> 759
<212> DNA
<213> Homo sapiens

<400> 599
tttntaatnc tttttcnaat gctngcttca ggannntntg cangatccct cgattcgaat 60
tcggcacgag ccaggttagc tgctgaatca aagcttcaaa cagaagttaa agaaggaaaa 120
gaaacttcaa gcaaattgga aaaagaaact tgtaagaaat cacaccctat tctatatgtg 180
tcttctaaat ctactccaga gacccagtgc cctcaacagt aaagactttt ctttaataag 240
agtacggtgc cacttgcctc aaaagttact atggtgctta agattgtctt gatctgacat 300
atatcacctt ctgggttatt tactcattgt gccaggacct ggcattttca tgtgcctttg 360
accaagtgtt cagaatttgc ttgactctaa cctggagagc ttcttaagtg atgccccttc 420
atggagcttc tatgacagtg aataaactat taattgaagg aaaatgttat aattaatgta 480

tctatttgct gcattgtata tggattaaat gataaaaaac aagtaatcta ccctcagagc 540
catgtatttg agaatgcttc aatcatattt tcctatgtac cttttttttta taaacttagt 600
tttagactat gttgtaaaaa tggggaaagg ttgtaaacta tgtngtaaaa aatngggaaa 660
tgtggcttta aaatatatnc attatatttg gttcaaggat tttggcaggg gntaaaggaa 720
ncnatggttc aatctttgna tttatatacc ntgatttaa 759

<210> 600
<211> 769
<212> DNA
<213> Homo sapiens

<400> 600
ttttaatacn tttttnaatn cttgcttncg ntcctttgca ggatcccatc gattcgaatt 60
cggcacgaga gcaattccac tcctagctcc acccacaggt aattgaaagc aaagacgcaa 120
acagatgcct gtgcaccaaa gttcacggca gcatccttcg ccatagtggc agcatccgtc 180
gtcacagcgg natcatcctt catcatagcg gcagcatccg tcgtcacagc ggcagcatcc 240
ttcgccacag cggcagcatc tgtcgtcaca gnggcagcat ccttcgccaa agcggcagca 300
tccttcgtca tagcggcagc atcctttgcc atagcggcaa ggtggaaacc ctgtccatcc 360
actgaggcgt gcatagacta aacatggcca gtccaggcac tggaatccag gccgtanaac 420
ggngcccacn gtcaaaagga atgagaccct gatgcactgg gcgacacaga cgggcgacac 480
agacttggag acatcatgct aagtgaaaag ccaggcacac ggagcggacg gggtgatcct 540
gctcacgtga tgtgtcccga atgggcacnt tcagagggga agaanggaga tggcgcttga 600
cngtgnccgg gacnggggtt gggagcgacc ggttgttggt ttngggtttc tttctngggt 660
gaaggaaatg tttttgatat tggggccgtt tgggtgatnt ttgcattacc ctttgaatat 720
gcttanaacc cnctagaaat tgnnacactt tttaaatngn ttggaaatt 769

<210> 601
<211> 755
<212> DNA
<213> Homo sapiens

<400> 601
ntgtttaata ctattttcta atacttgctt tcgttctntt tgcangatcc catcgattcn 60
aattcggcac gaggagacag cagccccccag ggaatgaagc tgatgccaga gtcagacccg 120
aggaggaaga ggagccactg atggagatgc ggctccggga tgcgcctcag cacttntatg 180
cagcaactgc tgcagctggn cctcaagtac ctctttatcc ttggtattca gattctggcc 240
tgtgccttgg canntctncat ccttngnagg catctcatgg tctggaaagt gtttgcccct 300
aagttcatat ttgangctgt gggcttcatt gnnagcancg nnggacttnt nctgggcata 360
gctttggtga tnagagtgga tggtgctgtn anctnctggt tcangcanct atttctggcc 420
agcagatgta nnctatatct gtgattactg gcacttggct acagagagtg ctggataaca 480
gtgtagcctg cctgtacagg tactggatga tctgnaanac aggctcagcn atactcttac 540
tatcatgcaa ccaggggccg gttgacatct aagacttgnt tattctatag ttcnagganc 600
acaatggaat atgatcccctt aactcctgat ttgggatcat ctgaaggacc aaggnnggca 660
gtcttcgaag tggaataaaa tagccccggc ngtngtgact tgcacctata ttcccagact 720
tttgggaggc naannttnga aggattgntt gccct 755

<210> 602
<211> 773
<212> DNA
<213> Homo sapiens

<400> 602
nttgtaatag ctggtttcta aannntngnt ttcaacccct ttgcatgatn ccatcgattc 60
gagcaaatca agatcttcag gtacagttgg accaggcact ccagcaagcc ttggatccca 120
atagttaagg caactctttg tttgcagagg tggaagatcg aagggcagca atggaacgtc 180
agcttatcag tatgaaagtc aagtatcagt cactaaagaa gcaaaatgta tttaacagag 240
aacanatgca gagaatgaag ttacaaattg ccacgttgct acagatgaaa gggtctcaaa 300
ctgaatttga gcagcaggaa cggttgcttg ccatgttgga gcanaagaat ggtgaaataa 360
aacatctttn aagtgaaatt ngaaatctgg anaaatttaa gaatttatat gacagnatgg 420
aatctaagcc tttagtcgac tctggtactc tggaanataa cacctattat acagatttac 480
ttcatatgaa gctggataac tnaaaacaat agaaattgaa ngcactaaan gtgaattgtc 540
atacaagcga aatgaaancn ttatttgana gccngcgggc ttctaacata ttgagcgata 600
actttttgca aatgaaagat gcccttcngc tttntgaatt gnaaaatatt gaaacctgan 660
agntnanctt agntgaattg aaacttaaat ttgaaccctg nacnanaccg gttaantgcc 720
tgttcctgat aaaaanaagc cntnangtgc ttncctgntn gatttanccc ccg 773

<210> 603
<211> 784
<212> DNA
<213> Homo sapiens

<400> 603
tgctttntaa tagctgtttt taaatncntn gctttgcgct cnntttgcag gcatcccatc 60
gattcgaatt cggcacgagg gggacatcag tgatcgtaag tctcctgggn ccgttattct 120
canattaggt gacggagcta agacttcgag accatctcgt cctttntgta tcgcggaaac 180
ctgangaacg agccggcggc ggtgacctgc acgagaagcc aggctaactg ggtgaagtac 240
catgcaagca tttcttaaag gtacatccat cagnactaaa cccccgctga ccaaggatcg 300
aggagtagct gccagtgcng gaagtagcgg agagaacaag aaagccaaac ccgttccctg 360
ggtggaaaaa tatcgcccaa aatgtgtgga tgaagttgct ttccaggaan aagtggttgc 420
antgcttgaa aaaatcttta gaaggnngca natcttccta atctcttgtc ttacggacca 480
cctggaactg gaaaaacntc cactattttg gcagcaaact tgagaactct ttgggcctga 540
acttttccga ttaagaattc ttgagttaaa tgcatctgat gaacctggaa tacaanttag 600
nttcganaag aaagtgaaaa atttttgctc aattaanctn gtgtcaagga aaatngnttc 660
anatgggaaa gccgttttcc nccttttaa gantgggaat tcttngatga ngncnaattc 720
ntnttganct taactgnntt angcagcttt taaaaaanta ccattggata aangagtccn 780
aant 784

<210> 604
<211> 801
<212> DNA
<213> Homo sapiens

<400> 604
gttncnnctn aacccctttt tgaaatcnnt ngcttctact ctttggcatn catnccatcg 60
atncggcccc gtgtggggag acngacagca cccttttnt ctggcatttg cccttgangc 120
tatagcgcct cccctctccc ctcagagggc acagctgcag gcctgaccaa ggccacgccc 180
ggctctcgtg ctctaggacc tgcacgggac ttgtggatgg gcctggactc tccagaaact 240
acttgggcca gagcaaanga aaacctcttg ttttaaaaaa attttnttca nagtgttttg 300
nggaggagtt ttagggcttg gggagaggga ggacacatnt ggaggaaatg gccttctttt 360
taaaagcana naacacataa ccttacaact gcctggcaag cccaatatca cttgtttggg 420
ccctancggg actccaangn agccacacgc cccttctgga agggtgtgng catgtnaant 480
gtgtgccanc gcgtgggctg gcgtgtgaan atctatnaaa taagtatana tgggngtnta 540

ntatatgtgt ntaaaataaa ngantggaca tatttggncc tctgngnana nncttngaat 600
ctaagncaag agtnnntctn gaaaaacnaa ananagtnct ntntanannt ttacgtaatn 660
atcaatactn tntccacntn accctnctnn tanntntncc natatantcg antaattcnt 720
cactcntnna ttcctngtna acacnaatna atnnaactat naaatatntn tnctnnntan 780
tngacatann catncnnncc g 801

<210> 605
<211> 759
<212> DNA
<213> Homo sapiens

<400> 605
gnttctaatg tggttcnaan acttgctttn gctcctttgc aggatcccat cgattcgaat 60
tcggcacgag agcctcgcct gggccggcct gtggctccca ttttcctttc agcgggacaa 120
aggggacttg ttaccaggcc attttctgga tggcctgtga gatctctgcc cctccaagac 180
cctccaagtc tgagcctgac ccacagctgg gacactgaat tcagccctgg gaaccatggg 240
ggcttctatc tggcaccagg ctgcagcctc cccaatccca gcccactttg ctgtgtctct 300
ggcgggctgt cctccttggt gggagctgtc ctgcacactg taggatgctt aaaggtatcc 360
ctggccttca cccatnccta gccagcagct cccagtcaga caacagccag aaatgtctcc 420
agactctgcc cagcctccca ggtagccacc ctcgagacat gacctcagag tctctgtgtc 480
tcctagaagc ctgacagaga cccccanggc agtgggtggg tggcgggcta gagaccccttg 540
cctgtgtccg ggaccctggc gccgntcttc cctcctgtgg atcccttcgc acttacaagt 600
gttctnaant gggcagacgc ctgggcaccc cttgggccct gcccaancat ggccatngng 660
cangcttttt naacccgcat nggntttcca ngcctggtga atcttgcttt tccanggacn 720
nnttggaacc tttcctncgg ggcggggccc ccnagcnct 759

<210> 606
<211> 809
<212> DNA
<213> Homo sapiens

<400> 606
tctncgtnaa tcnnnnnttt aaaagccttt gcttttgctc nctttgcttg atcccatcga 60
ttcgtgactt tgtacctggt ccaagctgat ggggttttgc tgctgttgac ccaggcagga 120
gtctgactag agaacaaact aaggttgctg caacaaacaa ggacctcttc caagaagggc 180
tcccaggcct ggcgcagtga ctcatgcctg tgatcccagc acttgggagg ccnaggcggg 240
tggatcattt gaggccagga gttcgagacc agcttggcca acatgatgag accccgtctc 300
tattaaaaat acaaaaatta nccaggcgtg gtggcgcctg tagtcccaac tactcaggag 360
gttgaggcag gagaattgtt gaacccggga ggcggangtt gcaatgagcc aanatagcac 420
cactgcactg catccttggg tgacagaagc gagactccat cttaaaagaa gggctcctgt 480
gtctacgtca tggtggggct anagagangt cccngcagct gggctgtgtt gagtganngg 540
ctnntctttt naannccagg caatagtttg tcttgactct gtccttttct gngtccacat 600
gacattttac atntttncnn agtttnctta atttaaagtt gnctaatttt accattatac 660
attttnaatt ggcatttctt ttaccnatnc tttttgtntg aaaatggtan tntttgaaat 720
cngnatcngt tctaatgngn tntattttna ccnaatgcca atnntacctn ctttgnaana 780
atntattcgt tttcnaagnt tnaacctct 809

<210> 607
<211> 788
<212> DNA
<213> Homo sapiens

<400> 607
tntttctaat acnagtttnc aagncttgct ttnnnatccc tttgcaggat cccatcgatt 60
cgcaaggccc gaggtgccat cccctctggg aagcagaagc ctggtggcac ccagagtggg 120
tactgttcgg taaagagctc accctctcac agcaccacca gcggcgagac agaccccacc 180
accatcttcc cctgcaagga gtgtggcaaa gtcttcttca agatcaaaag ccgaaatgca 240
cacatgaaaa ctcacaggca gcaggaggaa caacagaggc aaaaggctca gaaggcggct 300
tttgcagctg agatggcagc cacgattgag aggactacgg ggcccgtggg ggcgccgggg 360
ctgctgcccc tggaccagct gagtctgatc aaacccatca aggatgtgga catcctcgac 420
gacgacgtcg tccaacantt gggaggtgtc atggaagang ctgaanttgt ggacaccgat 480
cttctcttgg atgatcaaga ttcantcttg cttcatggtg acgcagaact ataaagccct 540
gtgtncactt atagacagtg aaaacccacg ggtcttcatc tttattaatc nngaaacctt 600
ggaatgcctg ctttgttttg taacccottt ttaaaaccta cctgttttta aaaagtggtc 660
atttttantt nacgntttan aaanaaaaan tcctatttct ttttcctttt nattttaaaa 720
aaaaattngn tttttgttgg ggggntttgg ggggaattaa aataatttgg cccccaactt 780
taaaaaat 788

<210> 608
<211> 796
<212> DNA
<213> Homo sapiens

<400> 608
tcttttaatg ctttttncaa gccttgtttn aaatcctttg caggatccca tcgattcgaa 60
ttcggcacga gactaccccg gctacggttc ccccatgcct ggcagcttgg ccatgggccc 120
ggtcacgaac aaaacgggcc tggacgcctc gcccctggcc gcagatacct cctactacca 180
gggggtgtac tcccggccca ttatgaactc ctcttaagaa gacgacggct tcaggcccgg 240
ctaactctgg caccccggat cgaggacaag tgagagagca agtgggggtc gagactttgg 300
ggagacggtg ttgcaagaga cgcaagggag aagaaatcat aacaccccca cccnaacacc 360
nncaagacag cagtcttctt cacccgctgc agccgttncg ttccaaacag agggccacac 420
agaatacccc acgtttttat ataaggagga aaaccggnaa aanaatttaa aagttaaaaa 480
aatanccttt cngttttaca ctactgntgt agactcctgn tttcttcaan cacctgnaga 540
ttcttgattt ttttgttgtt gatgntctct ccattgcttg tngtttgcnt gggaantttt 600
atttaaaaaa aaaaaaaatt cttgtgagtn gactttggnt tttaaaccan tgntagattt 660
taacngnacc cttaatgggt tgtacntata tgntttnaaa acatgnnaan aaatatttaa 720
tgtaaaggnn ctgttnntaa atntaaccac ntanagaant tnnaaannnn ttnanccctt 780
tagaacnatt nntgng 796

<210> 609
<211> 790
<212> DNA
<213> Homo sapiens

<400> 609
gnnntttaaa nacctntttc aatncttggt ttnnaatcnt tttgcaggat cccatcgatt 60
cgcatccagg gagaacctcg gggctgggac acctcctggc cctcaccctg ggtcatgttt 120
acagtcctca gtgccccaca ccggtggccc cctgaggaca cctccacccct gaccttgatt 180
ttcccaaacg ctgcctcttg gtgacagact cagcccaaaa ccccttcctt ctgtctctgg 240
agacccttga gcttggggaa atatggaggg gtgtgtgtct gcaatcaagg cctctgcagc 300
tcacggctgg cccggtgggc tgggacttcc gtctgaattt taaatactta gggntcattt 360
tttttctctg gcaacaaagc ttgatgtttt cactgcttta gtttcctgtt tgctggtggg 420
aggggatacg gtctgtgact ctggacttgc tctgggggaa cagttgtcac tgcccccngg 480

gagaggggca gcttgggctt ggaagaaagc acaccccnga gaccagagcc ccttcnagag 540
ggatncttgg ctgcttcatt gnctttcccc cagcaagccc tgctcttcca caagcncctt 600
ntggggtctt gggtatggtc ccccgntcac cttctttcca nantccctga nntggtgtag 660
ggttgtgggt tggcacangg aattttgggg cattggggaa ggggntttca aaacttttnc 720
caaanacccc cgtgttcctn ngnaaaattn aanttggtgg gcttngggtg ntnacccccca 780
antcttngnc 790

<210> 610
<211> 786
<212> DNA
<213> Homo sapiens

<400> 610
gatgtttnnn annctggttc taatncttgg aaanctncnn ctttgttann ngcnntttct 60
gcaggatccc atcgattcga attcggcacg agcccagctg gacctggtgg ccctttccta 120
gtgcctctgc tgggggagga gaacctctgt ccacgtggag gctaggaggt ctcaggtgct 180
gccctggcag caccagagtg tgggccgggc ccgagtgtct gcccctcggc cctcagggtg 240
gggcacttag cacccagaag ggaccaaaag cagggcatgg cggtgcagag gagtttggga 300
ggtgtaaaca gccccatgca cgtggaggag gagctggctt tcagccccag accccacgct 360
agcactttcc acgctgcttg cccgctgttg atgtgcagtt cccagtgcct gtgtgagccg 420
acatctgctc agtcctatcc ctcgtcagcg tgtggagacc cagctcctgc aagcccttct 480
gcttccacgc ccccagacag cttggtggag ggtcctgcat ctgggccaag ctggggtgca 540
cccagccaaa gacaaagctg ccttcacgtg cccaaaggat tcaagatggt gcactggccc 600
cgggaggagt cttgaccaaa aatgggagcc cgctcttgtg gggaaanccc cgacttcccc 660
caccnanaaa ccgntcccac ggtgccggan cttccccctt ttcctttgtg ggggcaacaa 720
nattggcctt gggcnctttc aattnttncg gaagctttcc tgggtgtngg cttttgacct 780
taaaat 786

<210> 611
<211> 938
<212> DNA
<213> Homo sapiens

<400> 611
tgttttaaag ccctntttng aatncntggc ttncgncccc ttggcaagat cnctctctgc 60
aggatcccat cgattcgttt gtatttttag tagagacagg gtttcttcat gttggtcagg 120
ctggtctnaa actcctaacc tcgtgatccg cctgcctcga cctcccaaag tgctgggatt 180
acaggcatga gccaccatgc ccagccaaag atcatttttt tatatagact tcagncottt 240
gtaaatattg taactgggga gtatagagta gaaaaaaagt atagntaaaa catttgttct 300
acaaattaac ctttaaaaat ataattactg ctaaaaatag agtgctgtta cacttaagga 360
aaattagtgc cattttggaa atgagatctt gtgccataaa tncagctgaa ctgaatataa 420
atgttcacaa attaatgctg tnaaaggaat gagttaagca gaaaaacttt taaccagcac 480
ttctcaaaaa anaaaannna nnaattaaat nntataancn ncatnnanat ntatnntann 540
tttncntctn nattncanta atttgtntt ncaaatantt nnacctnnan ctntgttntn 600
nttnnnncna tnnantatcn ntttatcnan tatatnatta nctnattntn nngnanngna 660
tcntnctcta tncnnnatnn tncatatnnc gtccnntnnn nnaantatgc ctcatnatat 720
ntacnnnaaa ngtntangta tgnttantgc atnnncatna ctnntgatgt cnnagtnnna 780
natattttgc cnctcattat tntgctnatn tatntgtttg acacannata ctnnnancna 840
ttcatcttct cgcaatnngn gnacttttna nttacnnnna tgntannnnt natatatnta 900
tcattagana ccttttnaat tntnnntncn nanacgcg 938

<210> 612
<211> 771
<212> DNA
<213> Homo sapiens

<400> 612
tgtttgnaan nncggntntt gaaatncntg gtacnnaaac nctttngnaa ancnccccctc 60
nctgtntgat cccatcgatt cgaattcggc acgagataga aactaggcac tgatttgttt 120
atatttntcc tgctcgagac acatgatgtt tcatgtatct gtggcttttt atagtttaaa 180
ataatttctg gaaaagtcat agtcattatc tctttaaccg ctccctctct tccattctct 240
ttgttctctc ttcctcgaac tcctgttagt catttgatcc tccatatctc tgaatatttt 300
tgtatttctt ttattattta tttcttgtct ctgctacatt ttacattgag taaaagtggg 360
atgtgacagt gggaaatcat tagtgactta gaaattccag ttggtcattg ggccaatttt 420
gatgctacct tctctctttt atttctcact tcaaaataaa atttgcaaaa acaaaaaatt 480
aaatatagta tgagtccagt tactggccta aggagctaaa agcattctgg gtttgtatga 540
agacagctga gttataacaa atgagagtac tgttgtgtga ctgcattaat tattcccttt 600
ttaaatgtac aagagcaang cattctacct gactgngtta ttgagctctg cancatacat 660
ggtgacanag ctaaaacaan acaagccnaa ccnanaagga aaaccccagc tttagggata 720
ctctgntcat ngaatatagc ctgaaaaatg gntaatcaag aaagtnaacn t 771

<210> 613
<211> 774
<212> DNA
<213> Homo sapiens

<400> 613
tttgaatcct tgctttcaaa tncttggcac tngccctctc tgnaggaatc ccatcgattc 60
gaattcggca cgaggtaacg tgacacgtat tttacttctt ttantaggcg gacacacttt 120
cttaaagtaa taatacgtca tggccctgct ataaggtagt agttctagaa gactgtntat 180
ctaataattc agactaaagc tatttatatt gctgtgacac cacgtggaaa acttttataa 240
ttccatctta tttctgatgt atatgtttta ttttctctgc cttcataaga actaaaaacc 300
aaagttattt acgtgaaaac aagatttttg tttgagttca tttacttgag atatgtttaa 360
aaaatccacc ttctgtcaca ctatagaagt atattttgaa ttatcaaaag gtagaattat 420
aactttcana aaagaaaaaa atggtcaatt tantttaact ctatgtcaaa aatttattta 480
tagtctcata tattcattcc acacccccccg ttcttctttc cttctttctc cctctgcctt 540
nttcttaatn atnattttta aattctgacc aaaaataaag tngtggcaag tactttctta 600
gcataacctg gactggttga agnagtaatt ctgntccttt aaaaaaantc cccaactggg 660
ncccnggnca ggnacaaaaa nttntaanga acatntggga attangcnaa atggatnttc 720
cttggaggtc caaccccccaa aaatcattag gncnaccaaa attnaaaata atcg 774

<210> 614
<211> 754
<212> DNA
<213> Homo sapiens

<400> 614
ttggantctt ctcngaaacn cttngcnatt gcnctntctg naggatccca tcgattcgaa 60
ttcggcacga ggttcttcaa agccaaccaa gacaggcttn tnagttttag agcttcagaa 120
caaattgcca aaagccagag ttgtttatgc tagtgcaact ggtgcttctg aaccacgcaa 180
catggcctat atgaaccgtc ttggcatatg gggtgagggt actccattta gagaattcag 240
tgattttatt caagcagtag aacggagagg agttggtgcc atggaaatag ttgctatgga 300

tatgaagctt agaggaatgt acattgctcg acaactgagc tttactggag tgaccttcaa 360
aattgaggaa gttcttcttt ctcagagcta cgttaaaatg tataacaaag ctgtcaagct 420
gtgggtcatt gccagagagc ggtttcagca agctgcagat ctgattgatg ctgagcaacg 480
aatgaagaag tccatgtggg gtcagttctg gtctgctnac cagaggttct tcaaatctta 540
tgcatagcaa tccaaagtta aaagggtttg tgccactagc tcgagaggaa atcaangaat 600
ggaaaaatgt gttgtaattg gtctgcantc tacaaggaga agctangaac atttagaaag 660
ctttggaaag aaggccggng ggagaaattg aatgattttt ggtttcaact nccaaaaggt 720
gtgttgcnct cccttctttg aaaaaacatt ttct 754

<210> 615
<211> 774
<212> DNA
<213> Homo sapiens

<400> 615
tgtttnaatg ctgttttgaa atcttgtttc aaatcctttg gctacttgct ctntctgnan 60
gatcccatcg attcgaattc ggcacgaggg attctttcac tgagcacaaa gagttgttgg 120
ggctttagca tctgactgat tttgttacgg ggttgattct gaccatagga agtatgcaat 180
gtgaatcact atttacagag aaacctacaa cagatgcttg atgttgtaga aactgggaca 240
tatagatacc aagcaaaatt ataagaaacc tataaggtgt tcaatacgct tgtgtttcca 300
aaattcactg tncatgatca gtttggtgtt cttgtaccac agtttttaac tgaaggaacc 360
agttgtaaca gtctcaattt ttaactaaaa cttgaagaac taanacaaca atgcaaacct 420
ttcagcattg tttggccaaa cttgttaaaa ctgtaatgca agaaccaaat gcactgtgat 480
gtggcaccaa ctaattagca agcatgaatt tttcacccaa nagtgaaaaa aggaaaatct 540
accatggctt naagtttaag agcagaactt cctgactncc attctatgac tgatcaaaaa 600
nactaatagt ttaaaacctn agcangcctt gttcacgata tgcngaaaaa aaaagtgctt 660
gcagtttann atccttatgg aantttttca cantgtnaca nggtnttgta atacnttgga 720
ngccctacat tttcntanga atntattttn cttggcctaa nttggnntca angc 774

<210> 616
<211> 769
<212> DNA
<213> Homo sapiens

<400> 616
atnncntttt tgnaatcctc tctgaaatcc tttgctactt gctctttntg caggatccca 60
tcgattcggc cagtcctcac cttccctagt cctcgtgtgt attttaggag atgcgtgggt 120
gtggaacagc ctcctgcctc cggtccaggt gtactggggt ctgtgtgttg tgtttctgcg 180
tgttctcggc agaaagtggc atgctgtccc gcctgggtga tttgctcttt tacactattg 240
ctgaaggaca ggaacgaatc cctatccaca agttcaccac tgcactaaag gccactggac 300
tgcagacatc agatcctcgg ctccgagact gcatgagcga gatgcaccgc gtggtccaag 360
agtccagtag tggtggcctc ttggaccgag atctcttccg aaagtgtgtg agcagcaaca 420
ttgtgctcct gacccaagca ttccgaaaga agtttgtcat tcctgatttt gaggagttca 480
cgggccatgt ggatcgcatc tttgaggatg tcaaanagct tactggaggc aaagtggcan 540
cctacatccc cttnctggcc aagtcaaacc cagacctgtn gggtgtctnc ctgtgcactg 600
gtggatngtc aanngcactc ttgtgggcca cacaanagat tcccttttg cctgcaanac 660
cntgtntgaa accccccttaa cttatngccn atttncntna agcaaccctt aggcnanttg 720
actnncnttc acaantttt ggggcnaaag anncnaattg gcctgccct 769

<210> 617
<211> 766

<212> DNA
<213> Homo sapiens

<400> 617
aganntcttc ctttctaatn nctngctacn ttctctntct gcaggnatcc catcgattcg 60
cttcctcaaa gcatggttgc tgagnaccca nagttgcgag gngtttttt actgatttag 120
ccaggtggca atcatgagtg aatggatgaa gaaaggcccc ttagaatggc aagattacat 180
ttacaaagag gtccgagtga cagccagtga gaagaatgag tataaaggat gggttttaac 240
tacagaccca gtctctgcca atattgtcct tgtgaacttc cttgaagatg gcagcatgtc 300
tgtgaccgga attatgggac atgctgtgca nactgttgaa actatgaatg aaggggacca 360
tagagtgagg gagaagctga tgcatttgtt cacgtctgga gactgcaaag catacagccc 420
agaggatctg gaagagagaa agaacagcct aaagaaatgg cttgagaaga accacatccc 480
catcactgaa cagggagacg ctccaaagac tctctgtgtn gctggggtnc tgactataga 540
cccaccatat gggtccacaa naantgcagc atctctaatg aganttattc ttgcccttng 600
ttcaangatc ttattgaaag gacatcttac agcttttccc aatgagaang cccangaagt 660
gttaaacata ctgnnttgaa aaaagcactn tatnttntcc cntnttaana tggtntctaa 720
aatgtanaaa naaannaaaa naaaanctcg atccctctnn aacnct 766

<210> 618
<211> 762
<212> DNA
<213> Homo sapiens

<400> 618
tttnnagnnt cttcctttct aatggcttgg ctactngttc tttntgcagg atcccatcga 60
ttcgctcagt gcagcgatca tggctcagtg cagcctcaaa ctcttgggct caagcagtgc 120
tccaacctca gcctcctgag tagctaggac tataggcaca cagcaccatg ccccggctat 180
ttttttattt tgtagagatg gggtctcact atgttgccca ggctagtctt gaactcctgg 240
cctcaagcaa tcctcccacc tcggcctccc aaagtgctgg gattaaaggc gtgagccacc 300
gtacctggcc cttggtggaa tctttagggt tttctattca tacatataaa atcatatcat 360
tggcaaacag agataatttt acttcctcct ttccaatttg gatgccttag atttcttttc 420
cttgcctaac tgctctgtct agaactccca gcactatgct gaatagagtg gcaagagcag 480
gcatttgcct tgttcctaac cttagagaaa aatccttcag ccttttacca ttgaggatga 540
tgtttgctgt tagtttttca taaatgatct atatcaggct tgaataaatt tctatttcta 600
aaaanaaaaa atataacnnn ntanttnatn aantnnttaa naaaanaaaa actggnacct 660
ntaaaactta tagtngagtc gtttnaccgt anatcccana ntttgataan gatacattgg 720
atnanttttg gacaanccnc aactaggaat ngcnntgnaa at 762

<210> 619
<211> 754
<212> DNA
<213> Homo sapiens

<400> 619
tttggagntc tttctttcta atncttggct actngntctt tntgcaggat cccatcgatt 60
cgaattcggc acgagcggac ccatcggagc gtaacctgga tctccgcagg cctggcggag 120
gccggccacc tggaggggca ttgcttggtt cgcgtggtag cagaggagct tgagaatgtt 180
cgcatcttac cacatacagt tctttacatg gctgattcag aaactttcat tagtctggaa 240
gagtgtcgtg gccataagag agcaaggaaa agaactagta tggaaacagc acttgccctt 300
gagaagctat tccccaaaca atgccaagtc cttgggattg tgaccccagg aattgtagtg 360
actccaatgg gatcaggtag caatcgacct catgaaatag aaattggaga atctggtttt 420

gctttattat tccctcaaat tgaaggaatn aaaatacaac cctttcattt tattaaggat 480
ccaaagaatt taacattaga aagacatcaa cttcactgaa gtaggtcttt tagataaccc 540
ctgaacttcg tgtggtccct tgtctttggn tataaatgct gtaaggtggn agccantaat 600
tntctgcaan aagtangnca gcacttttca gtgatttgaa tatcatcttg gcttngangc 660
cangtggaca accttgtcat aactgacttc tgaaaagaac cctntngata tttgatgcct 720
cnggtgtngg tggaactgtc atttantngg anna 754

<210> 620
<211> 767
<212> DNA
<213> Homo sapiens

<400> 620
gcgttctttg aaagccctnt tttgaaaggc ttgcttctaa ttacgggaaa cctttgcaac 60
tgcagatccc atcgattcga attcggcacg aggacccagg tagaccagct caagagttca 120
tgttctttgt natcctcctg tgagctctct gtaagtcnnt ttcttgccca tcaccacatc 180
cctagtactg ggtatcagtc tggccacttg gctttctggt ttgccccaat gtggtctatt 240
cttgatgcag ctaccaaagt aatgttttaa aaccattata ccaagttact atccttgtca 300
aaacccccag taactgccaa tctcacttag aataaaatcc ggactcctgt gaagcacagc 360
ataaactggc cactgcctat gcagcaacct catctttacc gnttcctgcc ttgctcactc 420
ccttccagcg ccgttattct tcctgatgcc cctagtacac aacaactcct tcctgctcca 480
agagtaggaa aattactggt ctctctgcca gngagaancc tcttctggna ttacctttgc 540
ttcattgcng aatcttctnc aatatcatct tctaaaaaga gccttttaaa aatcaccttt 600
nctatnatgc cctactcatt tccagtccct gaaanggcca ttcccacttn antannactt 660
attgctaacn tgaaatacac taaatgnnan ccttcatgaa nggtanggca anttaaatgc 720
nttngcactg gnnaggcnaa gagaacaagc ancntggntt canaagn 767

<210> 621
<211> 828
<212> DNA
<213> Homo sapiens

<400> 621
tttctaatag cttgctttct aatnctnggn aacgctnggt ctctgnagga tccctcgatt 60
cgaattcggc ncgaggggtg acagagtgaa actcgtatct ccaancaaac aaacaaaaag 120
tncttaaaca tatgtgaaca aaaatttngt gatggaagga ttctagttaa tgagtattgc 180
atcaagattt acatctttct tactaaggaa aagagttaat aaaaatngnt ctttatttta 240
caggcagnta ctgaggctct tcccanntcn cagtanacag ccactcagcc ttgaaaatgg 300
agtgttgttg tttctaaaca tatatttatg tcatttattn aggtacagtt cacttaaata 360
accataagtn gantctctct tgtnagtgat ttgggtagga agaggccatg tctanagttc 420
natttctctg ttgggtccna ntgaaattgg acctttttnag ttgttcanaa aaatnaanat 480
aaattnctca tattaaatca agannctcnt caanttatag atgtggggta gggttccnng 540
taaaacccat tatnaatcta gaaaattatc nctatngana angcntttaa tatctnttac 600
cntgaaattc attactttag tncaaggcct acctttaaan gtttnnncnn gaaccatttt 660
tannnnttcn ncttttgnnc caananntca ttttaancca ccaaaantcn caattnttnt 720
tncattnnaa tanngatgn naattatnnn atcnatgtgt catatttnac canganaata 780
ctgngctncn tgnaataatn ggtacactaa anncnngann tttnntcn 828

<210> 622
<211> 784
<212> DNA

<213> Homo sapiens

<400> 622
gtctttgaaa cctttttcta atncttgctt tctaatnctt ggcnactcnn ctctcnctgc 60
agnncccatc gattcgtttg ctttcagtgg ttggctttca ctgaaagaaa gtgtaaanaa 120
agtcagaatt tatagctttc actatgtcca agactaggac tgggttataa agattttctt 180
ttgtgaagga aaataaaaga aaatttgcca ctactgcatt tactttacta ttgtaaactt 240
aagattcatt ccttagtctt tggaattttg atgtctcaaa accagatgag tggaagtgct 300
gaatttgcaa aataaagcta agaatgctta actctgcact ttaagttcta ctctgaccaa 360
attgaagatg agcagagcag ccctgaacag catttngttt atacagtctt gtttaagaat 420
agaatttttt taactcttca tttnttgtct ctgtggaagc tgtgtaactc tttttaaaat 480
gcaatttaaa acattntggt attctaacaa ttctctcaan aaacagcatt tccaatggna 540
atnggtattg ntacgctgta ccttatgtat tncctgtacc tgaacacttg atgctgcctn 600
acangaaaat agaactttat gttaaaaaat aaaagtctgg tncttctttg naaaaacaac 660
nncnctnctn ctcnaaatcc ncnacannnc tnnnaatntn ctaanntnag tctnnnttnn 720
ngcanncttn tnnncccnct nanctccctn tntcntnttc atatctanan tnacancccct 780
ccct 784

<210> 623
<211> 1164
<212> DNA
<213> Homo sapiens

<400> 623
gggacttntt angccntttt cgaaatccnt tncttccnaa tcccttngca actntcnnct 60
ntctgcanga tcccatcgat tcgaattcgg cacgnagnga gcnnattcnc gttttnagng 120
ttctntttct ntnatnnaca ngngaaantt ccaggnnatc ntgnnnccnt atctgantna 180
ngctngnttn aacntngnna caccnngnct nnnaancaaa tttnanaaaa gggnancncn 240
nanancatnn nanntnncca atctaccaaa atcanaacac ncantgaaca acacananna 300
tnnnatacnn tctacnccaa ancnncncat nncacgcacg ataanacanc nnnnaaaaan 360
ancnaancan atatcanann caaccntana cnannaatca nacnctnanc tcccncacag 420
canngngacn aanaacnanc antgataaan cncacctnnn tannacacac ctnannancc 480
nntntantcc cgaataacca atngccacnn ctannccnat aacanantcn ctnanccctc 540
ntgcatcaaa ttantaaatt cncnancata aagnanatca cagcctcntt cnaccnntga 600
tcnaanctnt anaccnangn nanncnntat naaacnctat ancantnnna ctnnaacntt 660
nnatcngcnc ntanaaatta aanatcnaan actcaatatn ncggaatant nncntctcta 720
nataannnta naacggngna aanacncctc anacataann gncntacnna tcgatctatc 780
anntnancat aaagtcaccc gcatattnac cnacgnncaa cataannnaa atnctactct 840
cagaccatat aaatntcgcn tccntanatc agngcnanan tacaaanacg tcgcnnnngt 900
ntggaccaca cgncntagat aaacacnnat aaacantttt tanatgtaac acatttcnna 960
tctatnaaat ancatcattn atgnanacga tnacaacaaa nnctacncna tgntactaaa 1020
nacaantaaa nntnanatta aaaaagttgc aannatncng ngaaanntcc cnanaaacan 1080
tanatncnta tttannnntn acnncggngt nnccntaaaa anaactctnn nntnnctggn 1140
ttgtanatnt annncnanct cgcg 1164

<210> 624
<211> 798
<212> DNA
<213> Homo sapiens

<400> 624

ttgttaagcc tnttttcnaa ntccttcctt tnaaatcttt tgnaaacctt ggtanttgca 60
ggnatcccat cgattcgagt aaagcatcct gcctcagaat gactttccta tcatgcttta 120
tgtgtcattc caaggtttct tcatgagtca ttccaagttt tctagtccat accacagtgc 180
cttgcaaaaa acaccacatg aataaagcaa taaaatttga ttgttaagat acagtagtgg 240
accctactta ttcagtcaat taagagtaag ttttttttatg tggttattaa aacagtatga 300
acaattagtc taactctgca tagacagggt ctagattttg ttaacccaaa tgtataactg 360
cagttagctt aaattacaat ttgaagtctt gtggnttnta tatagctngg cactttatta 420
ctcttttgaa ctgaaagcac actcccttat aggttcatgt aactgtcctg taataaggtg 480
cttataaatg ggaacaacta cacagcctag ttttgncaca acctttagca tctaaaaaag 540
ttttaaaagc ttcttaaatg nctaatataa anggagatgc tnatanccac aacatctatt 600
ttaccaatat tngtttcctt acacttacct tggganttg cattgagtga ngttttngta 660
aaccccaaan atncccatta atanaaaaaa nttggtacgt tttnatgact ttaatccann 720
ttncttgtng gnnttcncct aaaangcttn ccnnnggnnt ggaantnnna ntnatttntg 780
gggnaaggtt tnngttnt 798

<210> 625
<211> 793
<212> DNA
<213> Homo sapiens

<400> 625
ttcttaagcc ncttttctaa tgcttgcttt naaatctttt gnaancgctc ggctntntgc 60
aggatcccat ccgattcgaa ttcggcacga ggaaatgcct ctatgtangt gaagtgttct 120
ctctgcatgc aacagtaaaa attaatataa tattttcccc acaaaagaaa cacttaacag 180
aggcaagtgc aatttataaa tttatatcta aaggggaatc atgattataa gtccttcagc 240
ccttggactc taaattgagg ggattaaaaa gaatttaaaa taattttgaa cgaatttatt 300
ttcccctcag tttttgaggg cattaaaaag gcattaaatc aagacaaatc atgtgcttga 360
gaaaaataaa attaatgaaa acacagcact tatgttggtt tagctgcagc ctccttggag 420
gtagaattta tttatttaaa attactggtt gcatcaagaa ccccataggg tgtacaaaag 480
gttctataaa atctgcatta tagagacaaa gangcaggca aatncatgtc acaagggtna 540
agcttacagt ttacaaactg gggaacgccc agggtgtang atttnaaaaa cgncactctt 600
gagaaaacan atgtaatcan ggntgctgaa aactttgcat ggnggctttn aagacattta 660
gnccttgttc aaaccaaaat ttnttggnat ttgccagatt ccttantntt gccatgggcc 720
atgacaccat ttttggcctt tatgncnctt taaaattttn aattaaaaat accntttcca 780
gtaannctaa ttn 793

<210> 626
<211> 825
<212> DNA
<213> Homo sapiens

<400> 626
ntttgaatnc ctttgnaaat ccttntttct aatntntgga tccttggcna ctcgctntnt 60
ctgnangatc ccatcgattc gaaacggcnc taggaatcat cgaaggttga gaccgtgacn 120
anttacatag tgatnaatac ccatctatgt actgnngcct nctaaatgtn tntctncnnn 180
atggannttn cctttaanct ctagatccat tgacancctg ancatntcta aaaggcatta 240
ngaaactgaa cacatctgat acagaactct gcattnnctt ccnaantntg cccanncna 300
gcctgntcct nnttcacgct tancacttat natatgatcc cactattcac tnantctctg 360
aagcttaaaa cctangattc atgcttgact actgnataat nntacaatct actcctaatg 420
cattagcaat tcttgctagc tctaccttca aaatatattc tgaatagact atntcttgcc 480
gnttcccttg cctncncatt tcccatctgc accccttctc tnctncccaa aatcaataca 540

ctagntgttt ctaaaaaaaa tatnganann tagnnnaaaa ncntaaataa atntaaaana 600
angnntancn tnacanaana ttnctaatat aggnnanntn ntgncaanaa cnntaantnt 660
tnaatacgnn aaaactctct cnaanngann aanntatnnn agttaaaagn naaatannnn 720
aanantncca aatntanaag ataangncat aannntatna gncnnaacgc taantgnnga 780
tganntntaa tnngnatana nnantngtta nnacaaaatn tacnn 825

<210> 627
<211> 772
<212> DNA
<213> Homo sapiens

<400> 627
tttttaatgc ttngtcgnac ttctcccagn aatcgnttng aaactcngcn actcgttctc 60
tctgcangat cccatcgatt cggaaatttg cactgatggc tcanaaggct tacgttttgg 120
agagtatgac ctacctcaca gnagggatgc tggaccaacc tggctttccc gactgctcca 180
tcgaggcagc catggtgaag gtgttcanct ccgaggccgn ctgncagtgt gtgagtgagg 240
cnctgcagat cctcgggggc tngggctaca caagggacta tccgtacgag cgcatactgc 300
gtgacacccg catcctactc atcttcnagg gaaccaatga gattctccgg atgtacatcg 360
ncctgacggg tctgcagcat gccggccgca tcctgactac caggatccat gagcttaaac 420
aggccaaagt gagcacagtc atggataccg ttggccggag gcttcgggac tncctgggcc 480
naactgtgga cctggggctg acaggcaacc atngagttgt gcaccccagt cttgcngaca 540
gtgccaacaa atttgaggag aacacctact gctttanctc ngaccgtgag acacttgctg 600
ntnccntttg gcaaagacca tcatgganga ncanntnggt nctnaancng nntggccaac 660
atnctcatca acctgtattg gcatgnaccg cncttgctgn acnncngngc caaancnctc 720
nantccgcca ttggggcttc cggnaaccac tnnacaccaa ggttctnttg gc 772

<210> 628
<211> 808
<212> DNA
<213> Homo sapiens

<400> 628
tcnctcgnaa cntttnannc ttggctactc gntctctctg caggatccca tcgattcgaa 60
ttcggcacga gatgacatcc tcattatcca cantgcaaag ccaaccatcc ctatgatggg 120
ttcattgtgg atcatgactt antgggtcaa gagtttggaa gtggctcagc tgggcggnct 180
tctgctncat gtggctgcca natggtnccc tgctggtnng cagnctngtc tagagggtcc 240
atgatggctt tactcacatg cctggcatct tgacagggac agctggnang caaagnnnat 300
ctgggactgt ncacagagct ncttcntgtg gcctttccag catggtggtc taagggtagc 360
tggacttnct gcatnacagc tcagggctcc cagagctact gtcccaagag atnnaaagtg 420
gnaactgnca atcttttang ctaangncca gaaaccatta cccctgcacc ncacagtctt 480
tttntanctg ntgaaataaa cattnnnttt atcaattnta ancattcgca aattggaatt 540
aaataccttt tactaatttt gncgtgacca tctgcccctn gttcaagatc taaaaaactt 600
ttatngntca tcntgnngat ntaaaaaact nttgtgttng catttanaac ccntaagcan 660
nttnggcant tanannnaan annttnnnaa acccttntat anaaccttat taagttgang 720
catnngnant ttcnccttna aatccnaggt ccttagggct angnnatacc nttcntatng 780
naactttngg gaacctaaan cctctcct 808

<210> 629
<211> 827
<212> DNA
<213> Homo sapiens

<400> 629
ggccnncttt gaaccttntt caaatcnttt ggcactcgcc nctctctgnt ngntcccatc 60
gattcgctgt gatccaaggc atgaaaagag tgcaaggtaa ncangnggca gcnttnatng 120
aagcatnaaa taangcnaaa gcnnatgctn anctnangga gcangnngct aaagacaacc 180
acannctanc tgnntnctaa tcatgctntg cttnctnang tgancttata gnaacgcant 240
nagactncan gcnttgcttg gcncaacaag gnnacctana ntcatnanga agcnnttgaa 300
ctaangagtg gctacnncct ttnntnctca tgcntgacct gtaatnattc ttctganttg 360
aggcaanagc gggtnnaant natngntnan ntgnaaanac tntnnnatcc gnnnntnctg 420
attannttnc attnntntna atgatanann ctcatcnngc tcgncctgna ctttganang 480
ctnnnntcnn anntnnctga ctttaggagn nnacctncag cganatgtna agnanngaaa 540
ttnanntncc tnncgntccn ccttgcngac tnanngtctt gngnaacntn angtanntan 600
tctacngggn gnnacnttgg nnaattgggg ncttataaan tnttcntnna agaatgantg 660
naccaattnt nnaanntcta agnttgggga aatctnngtt tcctgnatnn gnacaaaaan 720
tcgatttann ngncnngntt nnttgggcnt catntgccat tgatgcnatt cnacttatgt 780
cctcntggng cntnttnnaa nnnggnngnn aacattttt gtgtgcc 827

<210> 630
<211> 793
<212> DNA
<213> Homo sapiens

<400> 630
ttcnaatgct tggncnngag tccnccttg aacnttttca aatnncttgg caactcgcnc 60
tctctgcatg atcccatcga ttcgaattcg gcacgaggcg ngttgttcta cactgcnntc 120
ngaagntttn ntaanaagcc accacttagc ngaggcnnct acangtcttg gggncttagc 180
gaagagaaat cncgctggca cttgnccccgt tcacntaagn actnntgnct gantccnagg 240
gtannngtnc accttgngnn ccancagaca nacccaannt gncntaaaan gggcaggtct 300
aagcttacnc tngactncac nggcaagctg nangcctgtn ctgccttccn ctgcnntnac 360
aaatngacag tnngaccaag agtcanagna aaaactncaa ggatacatnt atcccantct 420
nttctacacc tntanattcc ntganctatt gctcanaccn atcgtgcggg caaaggcaag 480
acttgggcaa cattnttnaa tacaatgatg ctgacaanta atttccngct ngttgccagg 540
natntttacn cgagctnttg tgattccaaa ctaaagaatg gngccnnnan gcccntcntt 600
antnctggnc ccccanaang ancctaactn gcgaaaggnn agnatggcat tnacccaaac 660
caacttntng gattacnnca actccanaan atccgacggc atnnaanang caaaacaaca 720
acttcncnan natnnaanna atngnnccnn aaananaacc cgngcntctn aaacnattgt 780
ggacccatnc ccc 793

<210> 631
<211> 752
<212> DNA
<213> Homo sapiens

<400> 631
gnagtnncct tnganccctct ntnaaatcgc tttngcnant cgcctctttc tgntngatcc 60
catcgattcg aattcggcac gagatgttac agacatgaaa tatgaacaga atnctaaaag 120
aacataaaag aataagagct ccttaaagat tataaataaa tggtgatgtt aaagtaatag 180
caccattgga cgaagctagg gaatcaacac ttgacagaaa gatacatatt ttttttatac 240
aaactacata tatttgagca atcaagtagt agacatagag aatttctttt ttatggaagt 300
actctaataa gtaaagggct gatagaatta tatcagcatt ttctagctcc tggtgaatta 360
tgcattgggc atccatggct gccttagatc acaaaaatac caccagatat atgcctgtgg 420
atgaaagatc acaccaccac ctgtgaaata gtcttcccca caaaaaatcc aacccaaatc 480

ctatccagcc tgtagatggt actcgagatc ttctataaga aataaagaga gcangctggt 540
cacggtggat tgtgcctgta atcccagcac tntgggaggc caangcaggt ggatcgcctg 600
angtaaagaa gttcnagacc agcctgccaa catggtgaaa cccccctctn tacttaaaag 660
taccnaggat gagcccggcc gttgtggcaa gcacctgtgg tccccagcta cttgggaagc 720
tgagcangaa aaatcgcttg aanctgggga ng 752

<210> 632
<211> 751
<212> DNA
<213> Homo sapiens

<400> 632
gnnnnnnttn nnnnnttcta atgcttggct actcgttctt tntgcaggat cccatcgatt 60
cgcaactaga gaagattgga cagcaggtcg acagagaacc tggagatgta gctactccac 120
cacggaagag aaagaagata gtggttgaag ccccagcaaa ggaaatggag aaggtagagg 180
agatgccaca taaaccacag aaagatgaag atctgacaca ggattatgaa gaatggaaaa 240
gaaaaatttt ggaaaatgct gccagtgctc aaaaggctac agcagagtga tttcagcttc 300
caaactggta tacattccaa actgatagta cattgccatc tccaggaaga cttgacggct 360
ttgggatttt gtttaaactt ttataataag gatcctaaga ctgttgcctt taaatagcaa 420
agcagcctac ctggaggcta agtctgggca gtgggctggc cctggtgtg agcattagac 480
cagccacagt gcctgattgg tatagcctta tgtgctttcc tacaaaatgg aattggaggc 540
cgggcgcant ggctcacgcc tgtaatccca gcactttggg aggccaaggt gggtggatca 600
cctgaggtca aggagctcga gaccagcctg gccaacatgg tgaaacccca ttcttttctt 660
aaaaatacca aaaaatttag cccangtgtt gaatggntgc atgcctgtaa ttcccagctt 720
ctnanntagg ctnanacaag gagcttncnt t 751

<210> 633
<211> 806
<212> DNA
<213> Homo sapiens

<400> 633
ttnnannncn ttttnaaaag gcctnnnntt gannctttcn aatgcttggc tactngntct 60
ttctgcanga tcccatcgat tcgaattcgg ctntagggaa ggggagggtt ggtgagtccc 120
agaccttaaa aatacaaggt taagagggac cccaaagcaa aaaattccaa ccctttttcct 180
cccagtcatt gaaacaccaa aactattata ccggagggtg taatagtttt gctgcccagt 240
tgtggtaggc cagtagtggc ctcccaagat gcccatgtcc taatcccagg aacctgtcaa 300
aattaccttg tatggccaaa ggggctttgc agatgtaatg aagttaagga tctttcgcca 360
ggaagattat cccagcttgt cangagggct tgatgtcctc acccgggtct gtataacaga 420
agagcaggtg acgggagagg aggttggagg tgtancgatg gacangaaac tggagttata 480
ggagggcagc tnaagccaca gaatccaggc cancttanga gcccaggaaa atgcatttct 540
ttccacaaaa gcccttggaa ggccccaanc cctgcttccc acccttggac tnggcttcaa 600
tgaggcttaa tttttataaa ttcntggctt gattttagaa ctcntaaggg gaaataaatt 660
ttgtgttngn tttaantcan aaaataaatn aattaaaaaa aacttgaanc ctttanaaac 720
tntantggaa ttcntattan cttaaanccn aancttggat taaaggatnc atttgtttna 780
antttttggga cnaacccccca anttnt 806

<210> 634
<211> 775
<212> DNA
<213> Homo sapiens

<400> 634
ngggacttcg cctnacgaac cgctnggaaa tcccntntnt gnaggatccc atcgattcga 60
attcggcacg agtataaact ttattttatt ctcttctggt tttgtgttac atgacaagaa 120
attgaattaa nncaatanaa ttttagttcg ggttgcttag gtttttactg ctcccattct 180
tgcttttact aatttatcca agattagatg tgattactat ttaataataa tttagtcctc 240
acacttacaa accacttaca ataccagcat gcttctatca ctgtaattct attcaattct 300
caggcccatg aggcatgcca gccagacgac cagacagcat ttatagagtg ggcactcaat 360
accagccaca aaagatcctg tgtcagaagg ggaaacaggc ttggaggctt ggagtatgtc 420
gtgatagcct ccctccagtc cacacaactg gtactgctgg ggctgaaact agaactcang 480
cctatgcctc tcaagctcaa gggtcggatg tccatgtnct tcgcctctag aactatannn 540
gagtcgnaat tacgtagatc caagacatgg gtaagataca tnggatgagt tnggaccaac 600
ccaccaacct aagaatgcan tggaaaaaaa tgcttaattt ggtgaaaaat ttgtgatggc 660
tattnngctt aaatttngnn aaccatttna taaagnctng cnantaaaan aaaggtttaa 720
ccaacccaac caattggcaa ttccatttca anggtttcaa gggtccaang ggggg 775

<210> 635
<211> 784
<212> DNA
<213> Homo sapiens

<400> 635
ttgagngtcc tnctttnacc ctttcnaatn gcttggcnac tcgctctntn tgnaggcatc 60
ccatcgattc gaattcggca cgagatatag ctctggaggt caggacatag gagatattga 120
ttcaggactt gccagagtat ggtcttgggg tgtgccctga tattacaaac agggatctta 180
gtggctaggt gatgaggcca tggcaaatgt agatggacca agatcaattt gcctttctag 240
atgaggtttt ctaggtgaaa tgtttttgaa actattttgt agcctagtat aatttataaa 300
agtagagaga aactataaat ataaatttgg aangggttag ctaaaaggag aaaacagcan 360
aatcttcata tatatanaaa tggatattaa tttgctagaa ttaanagact gcaggtaaag 420
atagnttttt ttaatacctc tttttgctgt anaaaggaca ggattaaatg atnaagggat 480
gctggaatga ggaatggtaa ctttaggcaa gatagtcttc tgngacggct gatatgaaca 540
atngagagta anacatttnn aatacaanaa attgtcctgc tgctcaccca tcaagccttt 600
tcangtttct tcccttgcca aaantngtaa naacttntgg tacttttnna ncttgtatnn 660
ttccngttna ttggttanaa cccсttcgat naanaanncc atantttnaa tttgggnttg 720
acccccnagg ttaaaanttn ccntttnctc aatttcccct tttcaaagnt ttaacntaat 780
taan 784

<210> 636
<211> 765
<212> DNA
<213> Homo sapiens

<400> 636
ttnnannctt tcnaatnctt ggcnactcgt tctttctgca ggatcccatc gattcgtcct 60
gcgcaggagc cgcagggccg taggcagcca tggcgcccag ccggaatggc atggtcttga 120
agcсccactt ccacaaggac tggcagcggc gcgtggccac gtggttcaac cagccggccc 180
ggaagatccg cagacgtaag gcccggcaag ccaaggcgcg ccgcatcgct ccgcgccccg 240
cgtcgggtcc catccggccc atcgtgcgct gccccacggt tcggtaccac acgaaggtgc 300
gcgccggccg cggcttcagc ctggaggagc tcagggtggc cggcattcac aagaaggtgg 360
cccggaccat cggcatttct gtggatccga ggaggcngga acaagtccac ggagtccctg 420
caggccaacg tgcagnggct tgaaggagta ccgctccaaa ctcatcctct tcccaggaag 480
ccctcngccc ccaagaaggg aagacaagtt cttgctgaan gaacttgaaa cttggcccac 540

ccaactgaac cgggaccccgg tcatgcccgt tccnggaaan gtctattata aaggagaaag 600
cttcgagtca tcanttgang gaanaagaag aatttcaaaa gccttcgctt atnttcngta 660
ttngcccgtg ccaaacnccc cngcttttttn ggcttaccgg ccaaaaagaa gccaanggan 720
gcccnnanaa cagggatntt gaaaaagaaa naatnaaacc ctcnn 765

<210> 637
<211> 853
<212> DNA
<213> Homo sapiens

<400> 637
ttttggancc nttctttgan nctttctaat gctgggntac tcgntctctc tgcaggntcc 60
catcgattcg aattcggcnc gaggatcagc ccacctcggc ctcncaaagt gctgggatta 120
caggcgtgag ccaccttgcc cagcccacat catacagttt gaaatgaaac tttgccacaa 180
ccagcctttg ctgtagcaca cacatatatc actgaacctg tttgaaataa agtttttttt 240
ctttntcctc tggtattctg ggttctgaag tctggtattc tggtattctg ggttcaaaag 300
tatgacttga gagtgttgct ctggtattct gagagttgct ctgtattctg ggttctgaag 360
attatttgaa aaataactcc tactacattg aaatgcagac ttaaaaattt aaacattgga 420
ttangcagtc aaaaaaacca agcaagcata aaaggtcaat aagttgtaat cttgatagta 480
aaggtggaaa acttattata aatggnaang aaagttttat ttcctttttt gtttgaatgg 540
gcaagtatgc catattatac ccaaaagttc ttttaaaaaa atatttccca ttcaacccat 600
ttttaattna aaattaaaac cattttgnaa gggaaanttt acccaanggc aancctttttt 660
tttcctccaa aaaggttnac cntgttnatc cttcttttttn ggnaaattta nccaccaatt 720
tttttaaagg ngggncaatg gggnttaaaa ntanccctgn aagnnatttt ttnanccttc 780
caggtttaaa antcccccttg gatngggtct taacctgggn gggtngnata naaaaaaata 840
natcctnttt anc 853

<210> 638
<211> 740
<212> DNA
<213> Homo sapiens

<400> 638
anttgntctt tntgcaggat cccatcgatt cgcagcaaag actttatttt tgtacagaag 60
atggtgaagt ccaagacggt ggctcagtgc gtggagtact actacacgtg gaaaaagatc 120
atgcggctgg ggcggaaaca ccggacacgc ctggcagaaa tcatcgacga ttgtgtgaca 180
agtgaagaag aagaagagtt agaggaggag gaggaggagg acccggaaga agataggaaa 240
tccacaaaag aagaagggag tgaggtgccg aagtccccgg agccaccacc cgtccccgtc 300
ctggctccca cggaggggcc gcccctgcag gccctgggcc agccctcagg ctccttcatc 360
tgtgaaatgc ccaactgtgg ggctgtgttc agctcccgac aggcactgaa tggccatgcc 420
cgcatccacg gggcaccaa ccaggtgacc aaggcccgag gtgccatccc ctctgggaag 480
cagaagcctg gtggcaccca gagtgggtac tgttcggtaa agagctcacc ctctcacagc 540
accaccagcg gcgagacaga ccccaccacc atcttccctg caaggagtgt ggcaaagtct 600
tcttcaagat caaaagccga aatgcacaca tgaaaactta cangcagcan gaggaacaac 660
agangcaaaa aggcttaaaa aggcggtttt tcagctgaaa tggcaccnnc aattganagg 720
actacngggc cccgtggggg 740

<210> 639
<211> 774
<212> DNA
<213> Homo sapiens

<400> 639
ttttnnctnt taatcaatcc tttgttgact ccttggctac ttgttctttt tgcaggatcc 60
catcgatncn aattcggcac gangtgatgn cagattgnna ntncactaaa ctgggcannn 120
catcaggatc acctgtgggc cttcannaat cananatnca cccccaggcc atgccctnga 180
cccagtgcac caggacaaga aatccacccc aggcctctcc cnagacccac tgnaccagna 240
caagaaatcc accccccangc cangccccnt acncactgcc ctangatntn nnggtgtnaa 300
ccnggtggtg ctttgtaaag acgtgcangt ggtaacccca cgccgncncn ctcnnnacnt 360
tggacacatg atcatccacg tgtctgtgat ttgnttcctc ggnttnnttt gtgaatngaa 420
aataantgtn ncgtttgact agggtttaag agcagcaggc agnccctcag ctcagcaagc 480
ngccctctca gctcagcang cagcccaagt ctcctgtang acttctatgg accatnctgg 540
cgggaatgaa gaaactggtc aagctggatt cgggactgaa agtgtaccnt ggtgacaccg 600
tatgactnan ctgactnana aagatcactn atctttccac acttgnnggg naggagccnn 660
tannangttc aatatgcnnt ggtngantcc catngctaca atttcatgga cacantttga 720
ttacttnnga taannnaggc ccttggaggc cccttntccc cttttaacng gaat 774

<210> 640
<211> 743
<212> DNA
<213> Homo sapiens

<400> 640
ctnnncctcc ttgatccntt cctnctttga anncatnngc tacttgttct ttttgcagga 60
tcccatcgat tcgaattcgg cacgaggctg acctacatca gaagctgctg gatgcagnaa 120
agtgaaaaca gaccaaaaca acacngggcg aatcttnaca ccattntggg tgccnnatnt 180
nnccnnngat atttgcttgc tnagctctac tcctccaaga nannangnnt caaacnctnc 240
agcangntag agcanntnaa gaccgcntnt nctnacctnc tnaagannct ctgngaggan 300
cgcaatcctt tngtggaana tagaatcaac agaccacact gcnctctgga ccatgngctc 360
tcaaangngc tagaaggtgc tgaccttttn agactcttgc agaagaggcg angtggtgng 420
anaccctnna ggaanacttt cccgaactag accncnnctt ncngaacnng ntcaactgtt 480
ggggnngaaa ncntgtgann tgtngncctt cngagagacg gcatattcta tgatggcnga 540
cttnatnctt ctgcggaacc anactngacn tactgaaaga aanctganac caagcgtctt 600
ccttaaggac ccttatatcc agacnatcct ttggataata ccnctnggcc aaaacctnnt 660
aactntgcat acaatcngga tggcaacatt tgaactggng gccttnanna ccnttaccgg 720
cttttcncat tatgnaagag ntn 743

<210> 641
<211> 740
<212> DNA
<213> Homo sapiens

<400> 641
ctttcctttg antcttcttc tannaaacgt tngaacgaan tcngcacgag accactaaca 60
gcatctactt gactactgat actttgatca tggagtttgg gcatgccact tgatagaaat 120
ttgaagagca attatatttt tcaaaaagag ttttgaataa tgttaagata gattgcaaca 180
tgactatcaa ttcttccctt cccatcaaag gagagagtcc gtttatccag cctttgaatc 240
ttgattattc aagtgacttg cttcacccaa tgtaacatta ataagcacaa tacaagcaga 300
ggcttgccaa gaacttggtt tgtttctaat gcttagaaga agaatggtgt atgccatatt 360
tctgcattta gaactcacgt ggagacatgt gtggcccaat tgctcctctt tcatctcagg 420
caataaccag acacgggact gaggccatcc atgaccagcc agccctagtc aacacacaac 480
acacaagctg atcacagatg catgagtaag cctaactgag accagccaag accagcctag 540
aatagaactg ctcagcagca ataaaaacta aataaattgt taccttaagc tactttttaga 600

gctatttgga agtgtatttt tgtgcagcta acatttacta tcagataaaa tggtgattgn 660
ttatctctgn tttaatgatg ntttaaggaa atggttctat taaaaggaaa tatctggggc 720
tttgtcaccg ttaaaaaaat 740

<210> 642
<211> 737
<212> DNA
<213> Homo sapiens

<400> 642
tancctttga nnctttctcn ncntgncntn nnngnaacga cctcggcacg aggacacccc 60
agatgcagcc accaccagca gaagcgatca nctgacccca caaggttttc gtggctgtgg 120
ccgtgggctc aggtggcagc tatggagccg aggatgaggt ggaggaggag agtgacaagg 180
ccgcgctcct gcaggagcag cagcagcagc agcagccggg attctggacc ttcagctact 240
atcagagctt ctttgacgtg gacacctcac aggtcctgga ccggatcaaa ggctcactgc 300
tgccccggcc tggccacaac tttgtgcggc accatctgcg gaatcggccg gatctgtatg 360
gccccttctg gatctgtgcc acgttggcct ttgtcctggc cgtcactggc aacctgacgc 420
tggtgctggc ccagaggagg gacccctcca tccactacag cccccagttc cacaaggtga 480
ccgtggcagg catcagcatc tactgctatg cgtggctggt gcccctggcc ctgtggggct 540
tctgcggtgg cgcaagggtg ttcaggagcg catggggccc tacaccttcc tggagactgt 600
gtgcatctac ngntacttcc tctttgcttc atccccatgg tggtcctgtg gctcatccct 660
gtgccttggc ttgaatggct ttttggggcc tggncctggg ctgttaaacc gccgggctgg 720
natttaacct ntnggcn 737

<210> 643
<211> 748
<212> DNA
<213> Homo sapiens

<400> 643
cttttaaccn tttganccnt ccctcnaaac cttngatncg anttcggcac gaggaaggca 60
gaagtgtaaa tgaacataca ntttaaggag aaagcctgct gtgtttnnct tgttcagcag 120
ggtattatga attagcacaa gtattgcttg ctatgcatgc taatgttgaa gatcgaggga 180
ataaaggaga cataactccc ctgatggcag cttccagtgg aggttactta gatattgtga 240
aattattact tcttcatgat gctgatgtca actcccagtc tgcaacagga aacactgcgc 300
taacttatgc atgtgctgga ggatttgtat gacattgtta aagtgctcct taatgaaggt 360
gcaaatatag aagatcataa tgaaaatgga catactccct taatggaagc agccagngca 420
ggtcatgtgg aagttgcaag agttctttta gatcatggng caagcatcan cactcattct 480
aatgaattca aagaaangtg ctctaacact ngcttgctac aaangccatt tggatatggg 540
gcgctttcta cntgaagctg gtgcagatca agagcncaaa acagatgana tgcacactgc 600
cttaatggan gcctgcatgg atnggacatg tanaggtggc acgtttgctt tttggatant 660
nggtgctcan gtgaacatgc ctgcataatc atnttgaatc tccattgacg ctagctgcct 720
gtgganggac atgttgaaat tgcngcct 748

<210> 644
<211> 759
<212> DNA
<213> Homo sapiens

<400> 644
tcnnncnctt ttcgatcttt tgagncttgc ctttgaaccc cttggntacg anttcggcac 60

gagggaacca tgananccna gagctagaat tgctattgga tnncgtctat tctctntttg 120
cttattgggn cgngntncgt ggttnctggc ctcangggtn nncccgaang anggggtatc 180
tnngagcnan ttntgcnntt tacnggctag cttgntgggg gcttaanntg ccactnttan 240
acatgctnta ctantcantg agannntncn ntcgaccatn tannacnatn ctgtgnnntc 300
cngtacnctn tggccgnatg gagctattag cttcaanatg nntcgnantg ttacatgcan 360
ncactgannt nactatccan natntaagtn ctcttngctt actgtgaaca nnngctactn 420
ncttggatat tatagnaagg ntcnttgata cncgatnatc ntncntgtca gatcnataaa 480
tancanctat accnactgtn naaatnccat ctggnggnct tncnatccan acataattgc 540
attannncgt cnaattgnga tanagtnttg aaagantctn ggtttagacn ttggatgttg 600
caatgnttgt gncttanaan ttatgtgctg gctactgant aanctggggg catgacntta 660
ctggnttgac ctaagnggng aantcnatgg tccgattgct ggnccctanc cttaagnttt 720
gccatgaata ggncttttgc cctaaaataa nacccctttt 759

<210> 645
<211> 766
<212> DNA
<213> Homo sapiens

<400> 645
tnnnnnnntt tcaatntttn ancgtccctt aggatccntc gattcgatcc agatgggata 60
cctctaaaca cgaaaagaaa gaagattcca ttantgaatt tttaagtttg gtttnatcaa 120
aagccgagcc acctangcaa cagtccaccc ccttagtaaa caaagaggaa nagcatgcac 180
cagaatcatc cgcaaatnag acagtcaaca aagatgtgga cgcacaggct gaangagaag 240
gganccgcca tccatggact tattcatggc catctttgcc agttcctcat atgaaaagtc 300
ctnatcctgc gangatganc acggtgacag tnaanatgat caggcacgct ctggngagga 360
caacttccaa agctggnaag acactgactt ggnggaaaca tcatctgtgg ctcacgctnt 420
tgtgccagng ccctaggagc cgtcaccttc cttcccgata caaangatgc agatagatna 480
naganaagag ntcggccngn ngctgcctcc cgtcttatgt nccaatgctc gtcagacact 540
tgaagttnct canaaagaga aacattccaa gaacaaagac nagcacaang gcaatanaga 600
acacaggccn gaaagaattg anangaaatt ggaaacactn gaagcacnaa acacctaang 660
naatccaaaa naattggcaa accaggggaa aagtaggtnc ctncgngaag tttcgacagc 720
cngcggacaa gccanaattg acnatgaaac cgcatacgtg tcttnc 766

<210> 646
<211> 752
<212> DNA
<213> Homo sapiens

<400> 646
ttnnnnnntt tttatcctnt natncttnct ctttggatcc atcgattcgc tccaaggaaa 60
atccacctcg cagcttgtaa atctacagcc tgattacatc aaccccagag ccgtgcagct 120
gggctccctt ctcgtccgcg gcctcaccac tctggtttta gtcaacagcg catgtggctt 180
cccctggaag acgagtgatt tcatgccctg gaatgtattt gacggaagc tttttcatca 240
gaagtacttg caatctgaaa agggttatgc tgtggaggtt cttttagaac aaaatagatc 300
tcggctcacc aaattccaca acctgaaggc agtcgtctgc aaggcctgca tgaaggagaa 360
cagacgcatc actggccgag cccactgggg ctcacaccac gcagggaggt ggggaagaca 420
gggctccagc taccacagga cgggctctgg gtatagccgt tccagtcagg gacagccgtg 480
gagagaccag ggaccaggaa gcagacagta tgagcatgac cagtggagaa ggtactagtc 540
aaccttcaga aagagtatgg agagaaaaag aggcacacct ggacgcagag ccctgccagc 600
gccctctctg ctgttgcagc tgcaaggaga ccatgcctgt gggagccagg cctcgcttgc 660
atgaanaagg aacgatgcct ttttcaatgg tgtcttcctt ccattgtgca naanaacctt 720

ttggtggctt ctcttccgac ttgtgcctga tt 752

<210> 647
<211> 743
<212> DNA
<213> Homo sapiens

<400> 647
ttaatccttt caattcgttc ntctttggat ccatcgattc gaattcggca cgagccctcc 60
ccggcttccc ccggagtggg tcaccacact gtttttatc atcatgggaa tcatttcatt 120
gactgtcaca tgtggtttgc tggtggcttc ccactggcga agagaagcta caaaatatgc 180
tcgatggata gcattcactg gaaccactat gagaagatta taggaaaaac accaagacta 240
gaggactctg ggttcctttt atgcaaagtc aactcttctg ggtcacagtt acccagcaac 300
aaaaataaag agaggaccag gacgatgcca gcaccccgtt tatcctgagt gaactctccg 360
gaggcctctt caagcttgtg ggttctctgc tgtcttgaag ccatccatcc atttgatagg 420
ttttgcaaag acttggtcct gccaagatgg ttttaatcat ttctgctaaa aggaatggac 480
tcgaggattt gatctcattt tagatgcagt tgtcctcact tggccatttt acagcacttt 540
agtaaatatg gccagtgtat ttggtcacta ttaaatcaat ccccattcat tatctgtcan 600
ggcaactcag tgaactaaat actatgttct gacctctggc actctttctc atgttggtta 660
aatatttaat attgnctaag gcaattcaag tatttttctt aaataaaaaa tatgaaaact 720
caaaaaaaaa aaaaaaaaan ana 743

<210> 648
<211> 759
<212> DNA
<213> Homo sapiens

<400> 648
ttttaatccc tttcatttcn ttccttngta ggatcccatc gattcgtttt tttttttttt 60
ggtgattgga ttaacaattt tattctgnnt ccactacaaa ngggctggtg ttttgttcca 120
aatgtttagc tgggagggct gtagggaccc ctgttacccc cattaaacac agtaaagcat 180
ggatccagtc agccccctgc tggcaggtgt gggcctggca actacacaga tccaacccca 240
ccctcctggg tgcggccaga ggccaaggca gtcgcccgag ctcctgaatc ccaagaatgg 300
ttctggcaag tactgctgtt tgtttgtagg ggcaaagagt taaaataaaa cgaggttctg 360
ccatggctaa gccttgtgga aaccagaccc caaagcccct gccatgccan gggtctcaac 420
nccagacgct tgttatggag gcaccancng gtantggccc ctgtaagcan ggccagagtc 480
gggacaaaga gcaagantga aacanccaag agacanagga ccatgctgga ccattgggca 540
cncangaacc tgcctgggaa aaaccggggg gcaangctgg catgggaatg aacacctgct 600
tgntgacacc tatntgagct tcanttncct taacttgaaa aattgaacan gcccggtncg 660
gtggctcata ccctgtaatc ccancacttt tgggangctt tangccgntt ggatcattga 720
ngttaggaag attaaagaac cancctgggc cnacattgg 759

<210> 649
<211> 746
<212> DNA
<213> Homo sapiens

<400> 649
tnancctttg aatccttgaa ngnngatccc tcgattcgcc ggaacctcat ccagtgccac 60
ccatcttgac accttctccc tcttcagctt ttccaacagt cactactgtg tggcaggaca 120
atgatagata ccatccaaag ccagtgttgc atatggtttc atcagaacaa cattcagcag 180

acctcaacag aaactatagt aaatcaacag aacttccagg gaaaaatgaa tcaacaattg 240
aacagataga taaaaaattg gaacgaaatt taagttttga gattaagaag gtccctctcc 300
aagagggacc aaaaagtttt gatgggaaca cacttttgaa taggggacat gcaattaaaa 360
ttaaatctgc ttcaccttgt atagctgata aaatctctaa gccacaggaa ttaagttcag 420
atctaaatgt cggtgatact tcccagaatt cttgtgtgga ctgcagtgta acacaatcaa 480
acaaagtttc agttactcca ccagaagaat cccagaattc agacacacct tcaaggccag 540
accgcttgcc tcttgatgag aaaggacatg taacgtggca tttcatggac ctgaaaatcc 600
atacccatac ctgatttatc tgaangcaat tcctcagatt tcaactatca aaactaggga 660
aaactgngag tttaacacca agtnctacaa cacaaggttg gaaacacctg aacttggngg 720
atcatgatac cacttnacca ctccnt 746

<210> 650
<211> 789
<212> DNA
<213> Homo sapiens

<400> 650
tgacccttttt gaaantcctt gcatntttca naccntttgg tacnnncant ttnngntgga 60
tccctcgttc gctgnacaaa agatgttttt caattaaaag acttggagaa nnttgctccc 120
aaagagaaan gcattactgn tgtgtcagtn aaaggaancc ttcaaagctt tattngatga 180
tgggtttggt tggactgtga gaggatcgga acttctaatt attattgggc ttttccaagt 240
naagctcttc atgcaaggga aacataagtt ggaggttctg gaatctcagt tgtctgaagg 300
gaagtcaaaa gcatgcaagc ctacagaaaa gcattgagaa agctaaaatt ggcccgatgt 360
gaaacggaag agcgaaccag gctagcaaaa gagctttctt cacttcgaga ccaaagggaa 420
cagctaaagg cagaaagtag anaaatacaa agactgtgat ccgcaagttg tggaagaaat 480
ccccaagcaa attaagtagc caaaagaagc tgctaacagg atggactgat taccatattc 540
gcaataaaat cttgggccaa aagaaaattt gggttttgaa agaaaataaa aattgatngg 600
aactttttgg aattccagaa gactttgact acatagactt aaaatattcc atggttggtg 660
aaaggatgta ccaagctttg tgaaatattg taaattttta aacctattat ctactaaagt 720
ngtactggaa ttgtccnttt gcctgttnac ttgnggtnta ntcatttnta tttaatgntn 780
aaattaang 789

<210> 651
<211> 757
<212> DNA
<213> Homo sapiens

<400> 651
tnnnnnctaa ncctttgaaa tcgtccntgc atgatccctc gattcgaatt cggcacgagc 60
agatatttac tgaaggaatc taggttgttt tttcagtgga caatgggaat aanncatttc 120
taaagcaccg actggagagg aaggcaacag agacaaggag agaagccgag agacatgtct 180
gcgtgctgcc acgcatctga gcgattgctc tgtgaagagt tgtacactga acattttcag 240
gggaggctgt ttacccaggc aatgtcctca aacaagcctg tgccggggtg tcctggaatc 300
tgtgccagga ctgtgttttt agcccttcac ctctcagctt tagcaggaca tgaaccagtt 360
ataacaagat ggccctgcag ctggttacag gaatgtgaca tggcaggatc tatggaacca 420
aatggaaggt tttnaggtga tgtaggtctt tcacagttag ctttggggaa tacagaatac 480
tcaaataaag tgctttgtta ttatttcaga gggaatggcg attgaaatgt tacaacagag 540
atttcttggt ggtagctatt tgggtaaang tatatggata tttntctgta catgtgaaat 600
tatntaaaat aaaagttata taaattacat tgacaaaaaa aanangtana aaaaaaactc 660
gaacctttaa aaactatngt ggagtccgta ttacgttaga tccagacctt gataaganac 720
cattgatgaa ttttggacaa accccactng aatgcnn 757

<210> 652
<211> 759
<212> DNA
<213> Homo sapiens

<400> 652
tcnnncctttt aatgctttga actcgttgca ctgcangatc catcgattcg aattcggcac 60
gaggctgncc aggcagttnn atggcctnct ggttgtgtgc cttcacaccc gcctacagcc 120
ccacctcacc atcaagcgct gagccaatgc ggntgtggct ggccctgagt tcctgagtca 180
gctccttgcc agggccagag ctggtnacag cggggcanca nggtgggtag cctctaccag 240
ncagggcagt ccctgagggg ccagcanggg ggctgactgc ctagtggctn aacctactga 300
acccacccac tcccagcgat gctacccaga accccaacgg cntgaatcct gcacantgcc 360
gggcantgcc agactcnaaa gggctcgctg tggggacagc cccgtcatgg ccacanactc 420
tgtcctcacc tttgattgtc aggatgacag nccccaccac catgatgagc gtctgcaggg 480
cgtccgtgta gattacagca gccaggcccc ctgccaatgg aagcaaggtt gctggaaggg 540
gccctggtcc agggaggaag gacaccggga ggaacttctg ggcttctgct ggggccactt 600
cctgggctgn tnctcnggnc tgtatgggga agtggccttn tgaccccttt acacgttccc 660
tgggtggacc ttccctgntt gcangcaccc ataccttgcg atggtgtnca nggctnttga 720
tgcccnaaac tttaggattg ttggatangt nnaatctnc 759

<210> 653
<211> 820
<212> DNA
<213> Homo sapiens

<400> 653
tgcaatcccn cngnnaatcg ctttgaaanc nccntcnctg tatgatccca tcgattcgca 60
acagtccagg ctctgcagac agcatcccac ctgtcccagn tngctgacct gaggagcatc 120
gtggnggaga ttgaggacct tgtngctcgc ctggatgaac tcgngggcnt gtatctccag 180
ncanaanaan gacngcatac aacagaccat tangangntg tcatctacan tntnanngat 240
catntgngna cngacccatc cattaatgag gatcanggcn tccanctgat gaacgctgat 300
cttctgcaan aagaacgttc tagntctanc nnanngccnt cancctncgn ctcttgagct 360
cagtgngtca ngctcntaan atcttnncac ntgccaanct gtgnggnctg ccttnagnct 420
tccggatagg cactntnatn ngacntgccc tatanttgcc ngcngnnant naaccaantg 480
naccatngtc actctgttga catcanggcn atntgnntaa actaatnnct tngcngcact 540
ctagtnngcg ttgncactgc ccncgtnnnc tancntacca nttcncattn cccntttaat 600
gggnaaagan atnatcccta cnatcatatt ncccntnnaa tggattcgag ncgnaantct 660
tnnntantna tctnaancct aaatgntcac atnnaaactt tanangncat cnnnnatgna 720
accnancnat ggctaaangg cctcattaan gccngntttt tcaaacttga aaantgcatn 780
ccnccattga naaagganta cacgggcccc cntgngnggg 820

<210> 654
<211> 768
<212> DNA
<213> Homo sapiens

<400> 654
tttnnccccn ttttgtncct nttgattcnc ttgctacntn ttcaaatcng tnggatccca 60
tcgattcgcc acatttaagt gagatatggg aaggaggagc agattgtttt tgaagggagg 120
aagagcagtt acttagggtc aaattaagtt gtaaaatccc ccccgggatt ttgtatgtaa 180
gtcaaagtga attgtatttg gaagaagaac tggggagccc acctctggta tttttttat 240

gtccctcata tggacaaata aacctctggt attaaatgaa ttttcttttg ggggattcta 300
tatattcggg atttcaacca ccaacctatc tggtttttcc cgctgaaatg ttgggtgatg 360
gaatcaggag agcagatttg gagactcttt atattttata attgagagag acaaagagaa 420
aaccgtttga tttgaaaaag ttttctaggt tccctcaggt agatggaaat tttcatcaaa 480
aacagtttat tcaaggtaca tagcctacta gtttcccatt tgagagtacc gcagaatgat 540
acgacgtgta ctgcttctct acgcagaatg aagtataaaa ttagcaccna atagtacttt 600
aatttgcagg tgctaaactt tttacatgct tnatctcatt taattcttag aagaaactaa 660
ttttaccaag taaantgtct ggaccaacca tntgcaggtc caaaannctg gaaaaaccgt 720
naggtttgga ctcctacata gcctnttttn taagtnncnt nntaaatn 768

<210> 655
<211> 752
<212> DNA
<213> Homo sapiens

<400> 655
tntncctntt gatccttgca ctannaaatc cgtggatccc tcgattcgaa ttcggcacga 60
gggtaaacct atttatataa tagaaggatg attataaaca tttaataaat tatatcaaat 120
agatattata tattaaatgg gcagataata gaaatctgtc caagcaaaac tctggataat 180
ttttatgttg ccttattttt tgttttctgt gaactccaag aaaaatgaga taccagtttg 240
gaacagatgt aatattgctg atttaacagt ttagggatac tccccaagtt caataatttt 300
gccaagatac aaatttaaat ggaacctttt atgaagcttc atagtgtgtg aagaacttac 360
cttgtttata tgtttgaaga catacatatt tcacatttca gaagagtcta tacatagctc 420
accaaatatc aaaaccacct tgttagaaaa cattaaggtc tgtcttattt atttgttcat 480
ttgnttatga gacacantct cactctgtaa tctcactctg ttgtagaggt tgagtgcagt 540
ggcacgatca cggctcactg caacctncat ctccctgact caaggaatcc ttccacctca 600
gccttccaag tagcanggac caccaggtgc accccactat gcccagctta atttttgna 660
ttttattgga cagattgggg ttttgcccat gttattcagg ctggatcctt nnggcctcaa 720
actcctgggg cttcaagcca atctggcctg cc 752

<210> 656
<211> 754
<212> DNA
<213> Homo sapiens

<400> 656
ttttcctttt natcttgctc nanaanccnt ggatccctcg attcgcagag gctggttcag 60
aaaaggagga agaggcccgg ctggcagccc tggaagagca gangatggag gggaagaagc 120
ccagggtgat ggcaggcacc ttgaagctgg aggataagca gcggctggcc cangaggagg 180
agagtgaggc caagcgcctg gccattatga tgatgaagaa gcgggagaag tacctgtacc 240
agaagatcat gtttggcaan aggcgaaaaa tccgagaggc caacaagctg gcngagaagc 300
ggaaagccca cgatgaggcg gtgaggtctg agaagaaggc caagaaggca aggccggagt 360
gagtgcctgc ggcccctcac agggctgang ccagccccta tcagctggat gtggcagagg 420
catgccanag gacctaagtg tgatggacca gantcacttc tnctcctcct ttctncacca 480
gccctgaccc ctcatgctct ctggctgggc cantgggcaa ccctcgcttc cttggatgga 540
ctgcctgctg gtgcctggtc agagaanagc ctnttttccc agnctgattc tntgctccca 600
ggaaccaatt gaccatnaag gtgcaaangc cnanccaatc cccttacnta ctggccccca 660
ttnattcctg gctttttcan aagcccccnt gccaaacann ttgggacccc ctgattnntt 720
aagggtgcct tttnatnggg gttaaaggtt aant 754

<210> 657

<211> 734
<212> DNA
<213> Homo sapiens

<400> 657
tntgttccnc natgaacgnt ngaancnnna tnccnttgga tcccatcgat tcgctgcggc 60
cgcaggagct gtggcggttt tcctaatcct gcgnttatgg gtagtgcttc nttccatgga 120
cgttacgccc cgggagtctc tcagtatctt ggtagtggct gggtccggtg ggcataccac 180
tgagatcctg aggctgcttg ggagcttgtc caatgcctac tcacctagac attatgtcat 240
tgctgacact gatgaaatga ntgccantna aatnaantcn tnngaactan ancgagctga 300
ttganaccct agtaacatgt ataccaaata ctacattcac cgaattccaa gaagccggga 360
ggttcagcag tcctggncct ncaccgnttt caccaccttg cactccatgt ggctctcctt 420
tnccctaatt cacagggnga agccngattt ggtgatgngt tacngaccac gaacatgtgt 480
tcctatctgn gtatctgncc ttatccantg ggatactagg aataaagaaa gtgatcattg 540
ntactttcaa agcatctgcc gggttgaaac gatntncatg tcccnaaaga tttgttgatn 600
tgcagctnct cantgctann gtcggttttg aanaaagttt nccaaatnnn tgtaccttgg 660
gccaatttnt ngacaantng aactgacttg tnagaatctt gcagntaacn gtcttgtntc 720
ntccaattng ggng 734

<210> 658
<211> 783
<212> DNA
<213> Homo sapiens

<400> 658
ttctcctgaa acgcttngca cttccctcnc tgcaggatcc catcgattcg aattcggcac 60
gagacactgt cccactccat cacccaggct ggagtccagt ggtgtgatca tagctcgctg 120
catcctccag ttcctgggtt caagccatcc ctcctgcctc agcctcccca gtagctggaa 180
ctacaggtgt gtgccatcac acctggcttt acatttttct gtggggtctt actatgttgc 240
ccaggccggt ctcaaactcc tgagctcaag tgatcctctg nctcagcctc cagagtatct 300
gggattacat atgtcggcta ccgtgtctgg ccgttcacat ctttggccac tattngcttg 360
tgaaaaggta tnatgaggtg gtacttatca tngttactgt gtctcatgtt nngtatattt 420
ttgcttcatc aactaagatg cactgtaaca tctgtgaaat ctggatatat tatcaaangg 480
tttatcatag ttttgttaac aatacactgt cgttttactn ggtgcctaan ataatggtat 540
agttgngagg tgatcttaga tttgatgaag cacagtatgc aangtaggcc taatggnggg 600
aaagaatggg naattttcan angcnnggaa gtatttgntn ttttgtaaat ggacttgaaa 660
agcttgttct gnnggattgg acccaacccc tttccctttn aaaccccgaa ttctnatnga 720
ctnttccaac ttngaaaact ttgctcnaac ttaaatacct ttnaaaaatt aaccntgacc 780
ccg 783

<210> 659
<211> 741
<212> DNA
<213> Homo sapiens

<400> 659
tcttcctttg tatacctgct nttgctcttt ntgcaggatc cctcgattcg ctttgagcta 60
ggataaaaat tgggtaaagg acatttgctt acctgcaaat gaatcactgt ggaaatgtga 120
tcttcccata tcatcaagaa acttgttttc tggatgaata ctgggagaat aaaatgagaa 180
ctctggagtg agctaaattg atcccaatta agtttttctg cttagcagac agaaggtata 240
attttttgac accctttccc acctggtgcc tatgctaggc ttgtcctgag aacatccctc 300

agtaacttga tattcacatg acctacagga tgtcccatct gcagggctga gtcagttggg 360
gaacaccaga ggctacacag tagctcttcc tgctactcgg ttaatgagct tggcaggttc 420
tttgtctcac tgaattctta tcatggaaac agcagcagca gccgctagga aatcttcaag 480
tgtagtgtct gtgctaaccc agtggtaaat cccttagatc ccctgctggt ctctggcagt 540
ctccttgatt ttgggtacca tgtatatttt ccgctttgac tttaacgctt tctaggatag 600
ggtaagcacc cttaattcan gcactgtcca ttagcttcct ttgcaaaagc tacttatggn 660
cggtcacaat ncaacactna nacagagcca aggcaatatc ctcttgccca tggctatgat 720
gtcagacagt ggatggctcn t 741

<210> 660
<211> 734
<212> DNA
<213> Homo sapiens

<400> 660
tctgnnctnt gtntccttgc tcgtgttctt ttgcaggatc cctcgattcg aattcggcac 60
gaggactgga gaagtcagaa gtagaaaagc agattgctag gagagacagg atgacagatt 120
ttggtcagaa aatgggatat tggagtttaa agtatcaaat acagaatagt tccagatgtt 180
cagagatcca gcatgggatt aggtactgaa atggattaga actaaaagtc actagaattt 240
agaaattgag aaccatgaga gtggatgcaa tgacttgttg cttgattgaa aaataaatta 300
ataataataa aggaccatga gactagcctg ttataggggt tatctccatg aacattgaat 360
tttcccagga tcatagcagg aattgggtag agaaaaagat tatgagaagg tgccagagtc 420
ttcagtgaat gtcaggaaat taccaggaag tcagcatatg acagagaaaa ggacagtatg 480
ttatctgcat caaaggaaaa tgtgcttttg ttgaaaagta cagaaaaagc caatactaca 540
atactgtgct aagcccctac ctgtactcct ctcccacagc tgcattccag ccctgtggta 600
taaaaggtgt gagaatgagc ttttccacca gaatcagcag gtttagttaa agcatgagca 660
gaacaagcat nctatgaaga gactgaggat gtaggtgagt ggtctaaatc tcatnnaagg 720
acattgcagt ngat 734

<210> 661
<211> 762
<212> DNA
<213> Homo sapiens

<400> 661
ttnnnnnnct ccnaatcctc cngatnanat cnctttgnan ctncctgcag gatcccatcg 60
attcgaattc ggcacgaggt ccatacatgg agctccctgg agcccgtgtg ntntcgtgtg 120
actgaacgtt ttgtgatgaa aggaggagag gctgtctgcc tttatgagga gccagtgtct 180
gaattgctga ggagatgtgg gaattgcaca cgggaaagct gtgtggtttc cttttacctt 240
tcagctgacc atgaactcct gagcccgacc aactaccact tcctgtcctc accgaaggan 300
gccntngggc tctgcaaggc gcanatcact gccatcatct ntcagcaagg ngacntatat 360
gtnnntgacc tgnagacctc agctgacnct nccttngtan ggttngatnt nggaagcatc 420
ccaaggngat ttagngacnn tggantcctn atnactgata anacncnaac tatantnttt 480
taccccttggn agcccaccag caagaatgag ttggagcaat cttttcatgt gacctnctta 540
acanatatac tctgaatgaa tctacgttgt atttatcagg nggacaatgg gaataaagcn 600
tttntaaagc accnantgga catgaaagca acagacacna ggagnnaagc cttgagacat 660
gtctgnnntc tgaccgcatn ttgatccant gntctgtgan ganttnttca ctgaacattt 720
tcaagaggag ggtgnatacc cctggcaatn gcccnaanaa ag 762

<210> 662
<211> 745

<212> DNA
<213> Homo sapiens

<400> 662
nanatccnnc nantncttnt tgttcntgtc cgnangatcc catcgattcg aattcggcac 60
gaggtttcat ttaagaagaa tganctagat anatgtgctc ttctggttac cccaccctga 120
cagagtgcat ttttacacgg ctagcagggg ttgagactgc agcctggcct gccagccatt 180
ggaggtgttt aaggaagggc agataatgtg actctttgcg gggtgccatc tgcttaccca 240
ttagcgagca nagggggttt ctgcgggtga cccccagcat atttctaggt tacttatggg 300
cagatttgta agtgacaaaa ctccagctga tgctgggaat ggggagaggg cccttgaggg 360
actttgtggt tttgtgcttc tggtttcctg gccaacccca gggtcacttg tctggaggcc 420
cagctgggca ctaatgtctg ccaccgacta tgttaaagtg tataaatgat tcctctattt 480
gggagagatc ttccaatcca gaggagcccn tcttggactg cctgggttaa atctgcatan 540
cagangtggt tgatgaagtt catctgaaga aattcagccc cacctnccca ccctgccntt 600
cctgctccct tttgatagtg gcttctgggt actcgggcnn gtncttggga caccanctt 660
ntctgggggt ctnaagccat cccgttgggg ctgtcggcca agcctaagtt aatcgtgtgc 720
ctntattggg aggatngctn ntcct 745

<210> 663
<211> 748
<212> DNA
<213> Homo sapiens

<400> 663
taatcctntt gataanaatc cttgtncttg ctnntgancc ntcgattcga attcggcacg 60
agggcaagtt tccaaagatc agtgtggagt gctacagaaa taattatagg agaggaaatc 120
ataatcacag aaggtataat gcttgtttga ggctccggaa taagaactaa aaaaaaacaa 180
aaaacactgg tttcatgctt acggggtaca cactttggtg catcccgtga acacaaattt 240
taataccaaa caatccttga tgcttcacct ggggctgcca agcagtttgt aaaacagagg 300
aaaacattta gtgcagtctg tattatcctt ttccaacttt tctgtttgtg caagtttttg 360
aagattcatt ggccaaacaa tgaacaacaa aggttttctg agagaagaca aggtggactt 420
ttcattttgt tagtaaatac cagtggcact gttgaacgaa acaaatactt ttatctcagt 480
ctttcaaatc agtattaatg tctgtgtttc cttccactga cagctcttct tctagtttca 540
ctgaaaaaag ggtgttagta tttttatctt ggacactctc ttccaaatcc ttcagcagct 600
cctcttcttt atattctgcc acatcgacct ctaaaccgga attgtccttc agtttgccgt 660
ggtgcttgag atantacccg ctggttctga aagaacttga tgatggtgta ctttgggaag 720
gtcnaactgg gcanacagag tctggatt 748

<210> 664
<211> 785
<212> DNA
<213> Homo sapiens

<400> 664
gtnnnnccnc nnaccctnnt gaatntaatc cttgttcttg ctgcatgatc ccatcgattc 60
ggtcaagctg gccctggatg tggagatcgc cacctnccgc aagctgctgt agggcnagga 120
gtgcaggctg aatggcgaag gcatatggac aagtcaacat cnntgnagng cagtccaccg 180
ncttcagtgg ctatggcgnt gccagcgntg taggcagcng cttaggcctg ggngnnggaa 240
gcagntactc ctatggcant ngncttgncn ttggatgcng cnntagtncc agcagcggna 300
nagccactgg gggtggcctn agctctgtng gaggcggcag ttccaccatc aagtacacca 360
ccacctcctt ctccagcatg aagagctaca ngcactgaan tgctgccgcc agctctnagt 420

cccacagctt tcaggcccct ctctggcagc atagccctct cctnangttg cttgtcctnc 480
cctgncctcc antctcccct gccctaccgn gnagagctgg gatgccctca ctttntnctc 540
atnaatacct gtttcactga actcctgttg cttaccatca tgtcncagtt atcagcactn 600
aaancatgct aatgnccttt tataagnccc ngtatttatt acaagnatct tgaantctgc 660
cattaaattc ttgaggaang aaaatgacct attatccccc ataaagaacc tgaaacttca 720
agnctaangt cccagcntnc aacanggaag gagntccntt tttttnattn gctaaaccan 780
tcctc 785

<210> 665
<211> 763
<212> DNA
<213> Homo sapiens

<400> 665
ggnngntgnn nntnntaatt nctnttnaat nncantcctt ggntctngnt ntagganccc 60
atcgattcgc tgaaccctaa aggaaagcca gcaaaccagc tgcttgctct caggactttt 120
tgcaattgtt ttgttggcca ggcaggacaa aaactcatga tgtcccagag ggaatcactg 180
atgtcccatg caatagaact gaaatcaggg agcaataaga acattcacat tgctctggct 240
acattggccc tgaactattc tgtttgtttt cataaagacc ataacattga agggaaagcc 300
caatgtttgt cactaattag cacaatcttg gaagtagtac aagacctaga agccactttt 360
agacttcttg tggctcttgg aacacttatc agtgatgatt caaatgctgt acaattagcc 420
aagtctttan gtgttgattc tcaaataaaa aagtattcct cagtatcaga accagctaaa 480
gtaagtgaat gctgtagatt tatcctaaat ttgctgtagc agtggggaag agggacggat 540
ntttttaatt gattagtgtt tttttcctca catttgacat gactgataac agataattaa 600
aaaaagagaa tacngtggat taaagtaaaa attttacatc ttgtaaagtg gtggggaggg 660
gaaacagaaa taaaattttt gcactgctna aannnaaann actttccagc naanctaaaa 720
aactnnancc tttaaactat antgagttcg nanaccnggn ccn 763

<210> 666
<211> 759
<212> DNA
<213> Homo sapiens

<400> 666
nnttnnatan nngctcttgt tctttttgca ggatccctcg attcgtctag acctctgaca 60
tcatggtgtt ttcttaatgc ctcacattgc tggcacgggg atgtgccctg cctgccagca 120
cctaggactt cgagttgggt tgcagcttat gacatgcatg ataggttttg gaaggtaact 180
tttaactgca aacctataaa gtactatttt ttattttata aatgaacagg gttttaacgt 240
gctcaacttt aatttttttc aattgtatga aggccttaaa aaagctacat taagcgtagc 300
taaaattatt tattggacta aaaactaaca gaacttcatt tccagaattt tttttttggg 360
caaatgttta cattcaatta aggggaaaaa gtagaaccag cacaaatgag tggcagttgc 420
tggagcataa ctgcttcaat aaatcttcat cttggggtaa ttacaggcaa gtcattttca 480
catcctcttg aggttcagag catcagaatg aactctatga atacatgtgt aagtgccaga 540
cagctgaatc tttatcaggt attgnaaaga tacacatatg atatgnttat taaaattgaa 600
ataatgtaaa acacatgaat aaatttgcaa aaccaagatc acagtccacc atatgcactc 660
tggtacctta aatttttttt ataaataatt naaaagggaa tattggaagc ttcttaaaaa 720
aaaaaaaaan aaaaaactcg agcctntana acttttgng 759

<210> 667
<211> 760
<212> DNA

<213> Homo sapiens

<400> 667

```
ggnnttnaaa ctnctaatnc tgtnttgcag gatcccatct atncntatan angctctagg      60
cggngcggnt cccactctcg gaaccttgtc ctgtttgtcc cccagctcgg caagcgccat     120
atgagcctgg cggcgccaga tgcgaatcct gttctgggct ttttggccta ttcccgcccc     180
tcagtcttgc cgggatggca ccgcccgcat aggacttcca gggttgggct gantgggagt     240
tcgactgctg ggcctcgtaa ttctcgcttt ggggctgctc cttccaggct gggacacact     300
ggggcccgct gtcggtctcc cgtcctccga catcttgtct ggaacttccg cctggcagtc     360
tccagtagga gtggagctct gtgcggcgta ntttggtgga aaaacnggcc ttgcgtcggc     420
ctcacccccca gtgtttgtgt ttcagaatga agactattct cagcaatcag actgtcgaca     480
ttccagaaaa tgtcgacatt actctgaagg gacgcacagt tatcgtgaag ggcccagagg     540
aaccctgcgg agggacttna atcacatcaa tgtagaactc anccttcttg gaaaagaaaa     600
aaaagaggct tccggtttga cnaaatggtg gggtaacaga aaggaactgg ctacccgttc     660
cggactattt gtaagtcntg tncagaacat gatcaaaggg tgttacactg ggctttccgt     720
tacaaagatg aangtctgng natgcttaat ttccatnaan                           760
```

<210> 668
<211> 763
<212> DNA
<213> Homo sapiens

<400> 668

```
gntctatgtg gctctngttn ttttgcggat cccatttgac gccttggcac gagaagaaaa      60
cccatggaaa gtagcagtgt tgtgagttgc agagacagga aagatagaag acgttccatg     120
tgttattctg atggtcgaag tttacatttg gaaaaaaatg gaaatcacac accatcctcc     180
agtgtgggca gctctgtaga aattagttta gaaaattctg aactgtttaa agatttgtct     240
gatgccattg agcaaacctt tcagaggaga aatagtgaaa ccaaagtgcg acgtagcacg     300
aggctacaga aggatttaga aaacgaaggt cttgtatgga tttcacttcc acttccttcc     360
acttcccaaa aagccaaaag aagaacaata tgtacatttg acagcagtgg atttgaaagt     420
atgtctccca taaaagaaac tgtgtcctcc agacaaaaac cgcagatggc acctcccgtc     480
tcagatccag aaaacagcca gggccctgct gctggttctt ccgatgaacc tggtnagagg     540
aggaagagct tttgtatatc tacacttgca aatactaaag ccactttcca gttnaaaggc     600
tnccggagaa gatcctctct ttaatgggga aagggagaga gctctcttga ctggccttgg     660
gaaagggatt ggaacataat ggggagaaaa gaaagccgta attgacattt tctggcanan     720
tcttgtnanc aagaggggna aagtnaccct tntntgcttg aaa                       763
```

<210> 669
<211> 754
<212> DNA
<213> Homo sapiens

<400> 669

```
tgnttctaat gctngctctc gttctttctg caggatccca tctattcgaa ttgatgagcc      60
ttattaacta tcttttcatt atgagacaaa ggttctgatt atgcctactg gttgaaattt     120
tttaatctag tcaagaagga aaatttgatg aggaaggaag gaatggatat cttcagaagg     180
gcttcgccta agctggaaca tggatagatt ccattctaac ataaagatct ttaagttcaa     240
atatagatga gttgactggt agatttggtg gtagttgctt tctcgggata taagaagcaa     300
aatcaactgc tacaagtaaa gaggggatgg ggaaggtgtt gcacatttaa agagagaaag     360
tgtgaaaaag cctaattgtg ggaatgcaca ggtttcacca gatcagatga tgtctggtta     420
ttctgtaaat tatagtttct tatcccagaa attactgcct tcaccatccc taatatcttc     480
```

taattggtat catataatga cccactcttt cttatgttat ccaaacagtt atgtggcatt 540
tagtaatggg aatgtacatg ggaatttccc actgacttac ctttctgtcc ttgggaagct 600
taaactctga atcttctcat ctgttnaaat gtgnattaaa gtatctacct aactgagtng 660
tgantgtant gaaagaaagg ncatatntta aacnttgaat ttancaagcc cacnctcgna 720
ttttatgncc tttcttttgc ctngggattg aanc 754

<210> 670
<211> 752
<212> DNA
<213> Homo sapiens

<400> 670
tgnttctaat anttgctact tgttcttttt gcaggatccc ttttgacgnc tttggcacga 60
gaaagaaagg gctcgtgaca gagaaagaag aaagagaagt cgttcacgaa gtagacactc 120
aagccgaaca tcagacagaa gatgcagcag gtctcgggac cacaaaaggt cacgaagtag 180
agaaagaagg cggagcagaa gtagagatcg acgaagaagc agaagccatg atcgatcaga 240
aagaaaacac agatctcgaa gtcgggatcg aagaagatca aaaagccggg atcgaaagtc 300
atataagcac aggagcaaaa gtcgggacag agaacaagat agaaaatcca aggagaaaga 360
aaagagggga tctgatgata aaaaaagtag tgtgaagtcc ggtagtcgag aaaagcagag 420
tgaagacaca aacactgaat cgaaggaaag tgatactaag aatgaggtca atgggaccag 480
tgaagacatt aaatctgaag gtgacactca gtccaattaa aactgatctg ataagacctc 540
agatcagaca gaggactact gttcgaagat ttttggaaga atactgagaa cggcataaag 600
tgaagatcga catttaaaaa atgaggtgaa agaaagctnt tgtggcatag aaaaagtntt 660
aagctcaant agttttttta ttattattat tattaaaagt tattcaggac tgatgtgact 720
ncngatttna gaacatgtgg taatagtnta nt 752

<210> 671
<211> 752
<212> DNA
<213> Homo sapiens

<400> 671
tgnttctaat gttgctactc gttcttttgc ggatcccatn ttattcgaat tcggcacgag 60
gatattcaca cagtatgtat tatattaacc atatcacact taagttatta aattcagact 120
atttgtaact tattgttata gggcctgccg tatggcttag gatatttgag taatcatata 180
tttaaagtaa aaactttggg ctgggcacag tggctcacac ctgtaatccc agcacttggg 240
gaagctgagg tgggcagatc agttgaggtc aggagttcta gaccagcctg gtcaacatgg 300
cgaaacccca tctctactaa aaatacaaaa attagctggg cgtggtggca cacacctgta 360
atcccagtta cttgggaggc tgaggcacaa gaatcgcttg aacccgggag gcggaggttg 420
cagttagcca agatcgccct gctgcactcc agcctgggca acagagggag actctgtctc 480
caaaaacaaa aacaaaaact gttagtgaag gttccctggg acttttgata ttttaaaaat 540
tggtcttatg actagtagat aaattcattg ccataatgag gctagctccc agataaacag 600
tgtattttct tcttttttt ttttggtgag tggtccaaac tttaagctac tttttccagt 660
antttgccac tttctccgan gtaantttgg ctggtctttn agtaatgcta attgngtgtc 720
aaaatttgtc tacaacagtt nggcaacaga tn 752

<210> 672
<211> 792
<212> DNA
<213> Homo sapiens

<400> 672
tgnttctaat actngctact ngttctttct gcaggatccc tctattcgaa ttcggcacga 60
ggctgcttct ggctgggggg tccttggcct tcatcctgct gagggtgagg aggaggagga 120
agagccctgg aggagcagga ggaggagcca gtggcgacgg gggattctac gatccgaaag 180
ctcaggtgtt gggaaatggg gaccccgtct tctggacacc agtagtccct ggtcccatgg 240
aaccagatgg caaggatgag gaggaggagg aggaggaaga gaaggcagag aaaggcctca 300
tgttgcctcc acccccagca ctcgaggatg acatggagtc ccagctggac ggctccctca 360
tctcacggcg ggcagtttat gtgtgacctg gacacagaca gagacagagc caggcccggn 420
ccttctgccc ccgacctgac cacgccggcc tagggttcca gactggttgg acttgttcgt 480
ctggacnaca ctggagtgga acactgnctc ccactttctt gggactttgg agggangtgg 540
aaccggcaca ctggacttct tccgtctcta nggctgcatg gggagccctg gggagcttna 600
atnnttgggg gatcccnnaa aangaccccc tgtcccccat anacttgggt ttttngcttt 660
canccctttc cccttggccc cnnttgacca cttcatggag tttaattaaa atngcccttg 720
gtangaaaan anaatantnt tcctcntttt antgntnttt tnntataatt tnatnatcct 780
antnatcntn nt 792

<210> 673
<211> 755
<212> DNA
<213> Homo sapiens

<400> 673
nttctaatnc tngctacttg ttctttntgc aggatccctc gattcgaatt cggcacgagg 60
cagcttcgag ccaatggtga gctccttctg gatcagctcc ttcagctcct tcttgctcag 120
gatgctgaaa ttgcaaggct gatggaagac ttggaccgga acaaggacca ggaggtgaac 180
ttccaggagt atgtcacctt cctgggggcc ttggctttga tctacaatga agccctcaag 240
ggctgaaaat aaatagggaa gatggagaca ccctctgggg gtcctctctg agtcaaatcc 300
agtggtgggt aattgtacaa taaatttttt ttggtcaaat ttaaaaaaaa aaaaaaaaaa 360
ctcgagcctc tagaactata gtgagtcgta ttacgtagat ccagacatga taagatacat 420
tgatgagttt ggacaaacca caactagaat gcagtgaaaa aaatgcttta tttgtgaaat 480
ttgtgatgct attgctttat ttgtaaccat tataagctgc aataaacaag ttaacaacaa 540
caattgcatt cattttatgt ttcaggttca gggggaggtg tgggaagttt tttaattcgc 600
ggccccggnn gccaatgcat tgggccccgg tacccaactt ttgttccctt tantgagggt 660
taattgcncc ccttggccgt aatcatggta atagctgttt cctggtgnga aattgtttcc 720
cgtnacaatt ncacacactt ttcancccgg ggacn 755

<210> 674
<211> 753
<212> DNA
<213> Homo sapiens

<400> 674
tgcttctaat gcttgctact cgttctttnt gcaggatccc tcgattcgca gatttttgac 60
aaggaaggct aattctaaac ctgaaagcat ccttgaaatc atgcttgaat attgctttga 120
tagctgctat catgacccct ttttaaggca attctaatct ttcataacta catctcaatt 180
agtggctgga aagtacatgg taaaacaaag taaatttttt tatgttcttt tttttggtca 240
caggagtaga cagtgaattc aggtttaact tcaccttagt tatggtgctc accaaacgaa 300
gggtatcagc tattttttttt taaattcaaa aagaatatcc cttttatagt ttgtgccttc 360
tgtgagcaaa actttttagt acgcgtatat atccctctag taatcacaac attttaggat 420
ttagggatac ctgcttcctc tttttcttgc aagttttaaa tttccaacct taagtgaatt 480
tgtggaccaa atttcaaagg aactttttgt gtagtcagtt cttgcacaat gtgtttggta 540

aacaaactca aaatggattc ttaggagcat tttaatgttt attaaataac tgaccatttg 600
ctgtanaaag atnanaaaac ttaagctttg ttttactaca acttgtacaa agttgtatga 660
cagggcatat tctttgcttn caanattttg ggttgggggc actangggtt caaaaccctg 720
gcanaattgt cnactttagn ctgaccataa tnc 753

<210> 675
<211> 760
<212> DNA
<213> Homo sapiens

<400> 675
tgntttctaa acnttgctct cgttntttnt gcaggatccc atctattcga attcggcacg 60
aggttccctc accttattcc tccaagttcc cccttgggaa cctctgagat taacttgata 120
agctccttgg gcaagctctt tatcctaaga ttcctcagtg agccttatag agttgctgcg 180
agaattacat ttgttcatga tgtcaagtgt ctggtatgta gctaatgctt attgaacaca 240
tagtaattta ttgaataatt gtcatgatca ctggatgaga tatagccact gtggaggtag 300
gcacaccagg gttttagagg cttgggatct tgcaacagga ttttcctctt gcctctccaa 360
actgcccttt gcccagatgg cttcagcatc tttttgcatc cctgtttcct tgtttggtga 420
acacctgtct caacctgtct gcaaggcgtg gtgagattct gcatccttgg taagcactca 480
tgtcactcca aaacagctgt ttgatgctaa tagcacacat gaggtcttgc aaatttgtct 540
gaggaactac aggacattgg agagatattt atcaaacacc cactacatgc ctgatactta 600
actanggaac tatnaaagtg ggtggtgaag acaagtgnga agtaaantgc aaacctattt 660
ccatatatgt ttgnncgcta gattgntncc ancaattngc ntcttggaat tgttgaattn 720
ggccctgtgt gtgtgcctgt ggtaantgga nntgngtttc 760

<210> 676
<211> 751
<212> DNA
<213> Homo sapiens

<400> 676
ntttgaaact tnctactngt tctttttgcg gatccctcna ttcgaattcg gcacgaggca 60
gaaccttttc ccctctactc ttgtctaaaa gttctgtgtg gcacacagag atgcgaccta 120
ctcaatctga cttagtaaaa ccatgctgta gaatttttgt cttaaaaaga ccacataccc 180
agcacccatg aaataaaaga ttcatctgta attgggattc aaagtgatta aattcctttg 240
ttcatactca taaatagcac taaagtgtta taacattttc atttacctat ttttagttcc 300
ttcattttaa cttaataaaa atcttggatt gatattcttt tttttttttt ttgggacgga 360
gtctcgctct gtcacccagg ctggagtaca gtggctctat cttggctcac tgcgagctcc 420
gcctnccggg ttcacgccat tctcctgcct cggcctgccg agtagctggg actgcaggcg 480
cccgccacca caccccggcta atttttttgt atttttagta gagacggggt ttcaccctgt 540
tagccaggat ggtctcgatc tcctgacctc gtgatccacc tgcctnggcc tccaaagtgc 600
tggaattnca ggcgtgagcc accgcgcccg ggnctaaatt ggatattctt taaccattaa 660
aaggtttact gggtgnccna tttgccatat tattggaaac ttggaaaggg taatttgaaa 720
caaagntttg aagttaactg aaatttgggg a 751

<210> 677
<211> 756
<212> DNA
<213> Homo sapiens

<400> 677

tgctttgaat cctttgtaan cgccctntnt gcatgatccc tcnattcgaa ttcggcacga 60
ggataaactc ttcagtgacg aatattagaa ttagttagtt atacatttga ggaaaactat 120
aaaagtacca ataatgagta ggaaatcact tctgcagtat ttttggagca ttttccttaa 180
gcatgacata aaagccaaag gtcacaaggg aaaaaactga tagatttgtc tgtgatattg 240
agagatgtat gcacatatac atacaacagt catagtaaga caccgttaga caaaaggtga 300
tgtatgaaaa agaggcaaaa caacaagaag aaaagattga aaaaatgaga gctgaagacg 360
gtgaaaatta tgacattaaa aagcaggcag agatcctaca agaatccagg atgatgatcc 420
cagattgcca gcgcaggttg gaagccgcat atttggatct tcaacggata ctagaaaatg 480
aaaaagactt ggaagaagct gaggaatata aagaagcacg tttagtactg gattcagtga 540
agtttagaag cctgaaactt ttctcgtatg gggtggtttt tgcattaaat nctggggtcc 600
attttacaat ccattatttt tgaccactgc tatgtgttca agtagtatga gaatgtgatt 660
gntnttatct ggntcatata tatttctttg gctaatttaa tatgtcaaat aaatgagttc 720
atttaaaaaa aaaaaaaaaa acccggactg ttttnt 756

<210> 678
<211> 756
<212> DNA
<213> Homo sapiens

<400> 678
gnnnnnnnnn nnnttnnaat agnnagctac ttgttctttt tgcaggatcc catcgattcg 60
aattcggcac gaggggtgtt ggagcagatt gtagttgatc cacagcaaag agcatcacca 120
aagccattcc aggaggaact agatccacca cttcctctgc tgggcatgct ccaaaaatgg 180
ttgtggcttc cagagaggac tccaaaagaa agcacaaaaa ctagacagtg ggagggcata 240
cccaaaagcc ctgagtttct gaaaaaatat tgaaagtttc tatggtgaaa taggaagtta 300
atgtgcttag gaagaaaaaa gtggtaatga ttcaaggaaa cataatcaca cacggtttta 360
gttttaatgg acatgggagg agccataaaa gtagtctatc tatcatcagt tacatatcta 420
atgaactgtc tatctgggat accctatcct gttttaatct gagtgactct ctctcagctg 480
agagagctgg acagactcca ttttagcctc ttcacttgca gtccccttat ccccctccct 540
taagggaata actagtgcaa gctgacttca agcacattca ggaatgcact tactgataag 600
atattgaggc aagctgtacc agcagcttct gggggacctg ctcantggat ggtcccaacc 660
cctgcattta tctctttggg atagtttaag cccctgnacc tggaactgng tattttctg 720
tactatctct gtancattaa tttttttact ttttgg 756

<210> 679
<211> 747
<212> DNA
<213> Homo sapiens

<400> 679
tctaatnctt ggctctcgtt ctttctgctt gatccctcga ttcgaattcg gcacgagaaa 60
tgactccctg caaaacccaa cccatgctgc tggctgtggg atttttggtg taagcctatc 120
tatgcactct atcagccaga atttggcatt tagctcttag ttaaatctag taaaggacag 180
tctattgttt aaagagaagg tgcatttgtt cctcaatcaa gcaagagcac ctgtgttgta 240
ctgctttata tctcatgtat atttatagta atgaaaagac tttttaaatt gtacacgttt 300
cagtgccttt cttgtgttat gaaaggcagg tagatattat agccataggt aaaaatccat 360
agttaaattg cacactgacc ttaaatctct ctgtgtatgc ccttgtatct tgcatgttaa 420
aagttggatt attgggcatg tgtggcagcc tgccctgcta catgctagac aagtgtgctt 480
tagtacatag ccacaagttc ttcattcttt aaaatgtttt gacagatcat ctcataataa 540
aaataattca ngaaaactat ggggaaatag ttacatttca caaaagatat tttaaactct 600
ttgtaaaact tagataatag agcctancaa gttactttgn atctaattgg atacatttta 660

tgnttaattt taccaccata cattttatta atcaaaattg gttagcatgt gactcttttt 720
ggcttcanaa gttntcaaaa aaattat 747

<210> 680
<211> 750
<212> DNA
<213> Homo sapiens

<400> 680
ttctaatnct tggctctcgt tctttctgca ngatcccatc gattcgaatt cggcacgagg 60
accggctggg cctacaaaaa gatcgagctg gaggatctca ggtttcctct ggtctgtggg 120
gagggcaaaa aggctcgggt gatggccacc attggggtga cccgaggctt gggagaccac 180
agccttaagg tctgcagttc caccctgccc atcaagccct ttctctcctg cttccctgag 240
gtacgagtgt atgacctgac acaatatgag cactgcccag atgatgtgct agtcctggga 300
acagatggcc tgtgggatgt cactactgac tgtgaggtag ctgccactgt ggacagggtg 360
ctgtcggcct atgagcctaa tgaccacagc aggtatacaa gctctggccc aagctctggt 420
cctgggggcc cggggtaccc cccgagaccg tggctggcgt ntccccaaca acaagctggg 480
ttccggggat gacatctctg tcttcgtcat cccccctggga nggccaggca gttactcctg 540
aggggcttga acaccatccc tnccactagc ctctccatac ttactcctct nacagcccaa 600
attcttgaaa gttgtctccc ttgacccttc tttaatggca acttaactga anaaagggat 660
gtncncttat atccaaaatt cagctatttg gcaaataaac canatggatt aaaaaaaata 720
attntntctt aananaaana actccggcct 750

<210> 681
<211> 748
<212> DNA
<213> Homo sapiens

<400> 681
ctaatncttg gctctcgttc tttctgctng atccctcgat tcgaattcgg cacgagccca 60
gctgctcagg aggctgaggc aggagaattg cttgaaccca agaggcggag gttgtggtga 120
gccgagattg cacctttgta ctccagcctg ggcaacgagc aaaaaactct gtctcaaaaa 180
aaaaaaaaaa aaagaaaaag aaaaatggct tccaggacag agcatgctca tttgctggcg 240
gacagttcca gaaacagacc ctgttagtcc ttctacttac ctgctggatt tttcaagcac 300
taaatttata actttttgaa acaaaataat gtgtaatttt ccatttgggg gcaaactcta 360
ttcttgtgag cattattaaa atcttgtttg taaatatatt gtctttctct taatatttgc 420
tctgggtcan gaagaagctg ttcacggtgt gataatactc tttanattgt gctttcatta 480
ttatagatgc atcatgtctt ctgctttcac gtgtctggga tggggtcaga aatgcatnct 540
ccagntgaca naaaaatccn agnatgagat caanaaggat actggtgttt tctgactttt 600
acaaaaatta ctttgntgtt ttcattaaaa aaaaagcttt aacctantgn ttncntantc 660
cttttagaaa ntattaaatt tnaaaatgaa ttcnatanaa atanaannac naaaaaactt 720
nntnccttta naactttagt gangcgtn 748

<210> 682
<211> 755
<212> DNA
<213> Homo sapiens

<400> 682
ctaatgctng gctttcgttc tttctgcagg atccctcgat tcgaattcgg cacgagcagg 60
agcaatcaat tcctgtcgaa gtgaatacca tgcagctttt aacagtatga tgatggaacg 120

catgaccaca gatatcaatg cactgaagcg gcagtactct cgaattaaaa agaagcaaca 180
gcagcaggtt catcaggtgt acatcagggc agacaaaggg ccagtgacca gcattctccc 240
gtctcaggta aacagttctc cagttataaa ccaccttctt ttaggaaaga agatgaaaat 300
gactaacaga gctgccaaga atgctgtcat ccacatccct ggtcacacag gagggaaaat 360
atctcctgtc ccctaccgaa gaccttaaga cgaagctcaa ctncccgtgg cgaactnaca 420
tccgagtcca caaaaagaac atgccaagga ccaagagtca tncgggctgt ggggacaccg 480
tanggctgat agatgagcag aacgaggcca gcaagaccaa tgggctgggg gcagcagagg 540
cattcccctt tggntgtcan gcgacagctg ggagagaang caagnaagcc ctgaangcna 600
gtccaggagg accnncnaag ggcagtttcc ggagcccgnt gttccggaga tgctgatgtg 660
ggntgtgtct gcanttcang gccaaanttg gggacccctg ggaactgtac cctangggnt 720
ncttgnagnt taaaacttga ccttaanggn ngcct 755

<210> 683
<211> 755
<212> DNA
<213> Homo sapiens

<400> 683
ggntttnnnt ctttctaatg cttggctctc gcctntctgc ttgatcccat cnattcgaat 60
tcggcacgag aattagtatc aacttacaat ccaagtccaa gtatcatctt ataatcactt 120
ttttctacta tattaagatc taatgaattt gatttctttt ttgaagtttt ttcttgtaac 180
atctgagatt agaagtttaa gatcacttga ccccaaacct ttgtttatgt aagaattttt 240
aaacataaaa gtgtttgttt ctgttatgtt accataattt gatgtatata gtgtccagat 300
ccatttagaa atttaatatt tattaataac tgaaactgtt tgtcttcctt tggtatatag 360
tctcgcatat tatattatag caggccaaga taaaattttg acagctcttt aagcccacat 420
gcagcagtgg gtcagataac cctgtggcag tgacacgggc aaattggcat ttgaataaag 480
ccctgggacc acctcaacat gcgtagcctc ttgtcttaaa tgtactcccc atggcagcat 540
ggaggaggca agacctgtgg gtcaattttg aactggnctt actttgattt taaaacaaga 600
gactcagggg aaagtactaa accaaaaact ctgattntac tttgcgtttt ctggaagtnn 660
ttggtttact gagatgcttt tgtaaaggaa aataatgctt gngacanttt agtaatttct 720
acanaattcn ttaatatttc ttcctcntgg gcttn 755

<210> 684
<211> 774
<212> DNA
<213> Homo sapiens

<400> 684
ggntttnann ctttnnaatn cctttgctnc tcgntctttn tgctggatcc catcgattcg 60
caagatctgg aggaatgcag agaggaactt gatacagatg aatatgaaga aaccaaaaag 120
gaaactctgg agcaactaag tgaatttaat gattcactaa agaaaattat gtctggaaat 180
atgactttgg tagatgaact aagtggaatg cagctggcta ttcaggcagc tatcagccag 240
gcctttaaaa ccccagaggt catcagattg tttgcaaaga aacaaccagg tcagcttcgg 300
acaaggttag cagagatgga tagagatctg atggtaggaa agctggaaag agacctgtac 360
actcaacaga aagtggagat actaacagct cttaggaaac ttggagagaa gctgactgca 420
gatgatgagg ccttcttgtc agcaaatgca ggtgctatac tcagccagtt tgagaaagtc 480
tctacagacc ttggctctgg agacaaaatt cttgctctgg caagttttna ggttgaaaaa 540
acaaaaaaaa tgacatgggt gcagaagctt gtaacattga tcacattctt aatgtaaatg 600
gtgtctttct tctggggttt cagtatttgc aaagaaantg aagaagaatt ctggaaatgc 660
cattcaatta accctnagga aaaaagccga ccttanaaat ttaccttant gcnttgnnnn 720
ttaaaaanaa aaaaaantna aaaaactttn accctttana ccttttgtgg ggnc 774

<210> 685
<211> 759
<212> DNA
<213> Homo sapiens

<400> 685
ggntttnnan nctttctaat ncttggcttn agttcttttg caggatccca tcgattcgaa 60
ttcggcacga gagtacccag agttgcgagg agttttttaa ctgatttagc cnnntggcaa 120
tcatgagtga atggatgaag aaaggcccct tagaatggca agattacatt tacaaagagg 180
tccgagtgac agccagtgag aagaatgagt ataaaggatg ggttttaact acagacccag 240
tctctgccaa tattgtcctt gtgaacttcc ttgaagatgg cagcatgtct gtgaccggaa 300
ttatgggaca tgctgtgcag actgttgaaa ctatgaatga aggggaccat agagtgaggg 360
agaagctgat gcatttgttc acgtctggag actgcaaagc atacagccca gaggatctgg 420
aagagagaaa gaacagccta aagaaatggc ttgagaagaa ccacatcccc atnactgaac 480
agggagacgc tccaaggact ctctgtgtgg ctggggtcct gactatagac ccaccatatg 540
gtccagaaaa ttgcagcagc tctaatgaga atattctgtc ncgtgttcaa ggatcttatt 600
ggaaggacat cttacagctt ccaatgagaa gccaagaagt tgtgaacata ctgattgaaa 660
aaagacttta ttttaatccc tcattaaaan ggttttaaat gttaaaaaaa aaaaaaaaaa 720
acttcgagct tttaaactat ngtgagtcga ttcntataa 759

<210> 686
<211> 749
<212> DNA
<213> Homo sapiens

<400> 686
ggnnttnnnn nctttgaaat cccttngctn ctagcncttt ttgcaggatc ccatcgattc 60
gaattcggca cgagggcaat tagcctcgct taagttgcct tttttacaca ccaaaacttt 120
ttacatgaag ggctggtttc acatgaatac tatactgaaa tctgtgctct caagatctag 180
cagtgaccag ggctgccccgg cgggggctct cctggcaagt caggaaggtt tctgttgcta 240
atataacata gaaacacatt agtgcactgg gcctctctga ggtcagcata tttgtactct 300
tggaatattt gttttttctt tcagtaacaa cagaaacccc agttgggagt ttaacaaata 360
actgactacc actcactcat gcatttttat ttccaattaa agcaaagcac tgtgctgtgc 420
tcagataata atagtttgta agtaaaagtt tttagttttc agtgttcagg ttatagaata 480
taactgacca taaaaattac ctgcaggtat tttcttttta tgaacttgtt tttaaattac 540
caagtaatta ctggtgtcat tttgttttat gacagacaca cgtatctaac aaacaaacaa 600
acagtgacct tctccatggg tcaaggactt ccttacaatt tctnctgagt taacttttgt 660
gaaaataatc ctaaggtttt ctggcttatt gaggaaattn ctacaaacaa caaaccaaca 720
acngaagaga agatcatcaa ccactgttt 749

<210> 687
<211> 760
<212> DNA
<213> Homo sapiens

<400> 687
ggnnttctaa tgctttctaa taccttggct ctngctcttt ctgcaggatc ccatcgattc 60
gaattcggca cgaggaaatg tgtatttcag tgacaatttc gtggtctttt tagaggtata 120
ttccaaaatt tccttgtatt tttaggttat gcaactaata aaaactacct tacattaatt 180
aattacagtt ttctacacat ggtaatacag gatatgctac tgatttagga agtttttaag 240
ttcatggtat tctcttgatt ccaacaaagt ttgattttct cttgtattac atttttttatt 300

tttcaaattg gatgataatt tcttggaaac attttttatg ttttagtaaa cagtattttt 360
ttgttgtttc aaactgaagt ttactgagag atccatcaaa ttgaacaatc tgttgtaatt 420
taaaatttg gccacttttt tcagatttta catcattctt gctgaacttc aacttgaaat 480
tgtnttttt tttcttttg gatgtgaagg tgaacattcc tgatttttng tctgatgtga 540
aaaagccttg gtattttaca ttttgaaaat tcaaanaagc ttaatataaa agtttgcatt 600
ctactcanga aaaagcatct tcttggatat gtcttaaaat gtatttctgt cctctataca 660
naaaagttct taaattgatt tttacagtct ggaatgcttg gatgntttaa aatantaaca 720
ttttatattt tttaaaagac aaancttata ttnatcctng 760

<210> 688
<211> 752
<212> DNA
<213> Homo sapiens

<400> 688
tgntttctaa tgcttctaat agcttggctc tngttctttc tgcaggatcc catcgattcg 60
aattcggcac gagacaaaac ctacagatgg agataaaaat tactactgtt attcaacatg 120
tgttccagaa ccttattttg gggagtaaag tcaattgggc agaggatcct gcccttaagg 180
aaattgttct gcagcttgag aagaatgttg acatgatgta ataagaattc atttctgaca 240
tattttacat ttctggcaat ctcaactctt atttggaata cttctgtgca tttgtctgtc 300
caccgtaatt ttagaaaagc atatccataa cgtttacagt tgtagtacag ttgtggttag 360
ttatttgtag tgggattgaa agtaattttt ttcttttat atttctatat ttagtttgtt 420
tttttgttgt tgttgttttt tgagatggag tctcgctttg ttgcccagac tggagggcag 480
tggcgcgatc tcggctcact gcaacctctg cctcccgggt tcaagcagtt ctgcctcagc 540
ctnccaagta gctgtgacta aaggtgcacg ccgccatgcc canctaattt tttggatttt 600
aagtagaaac cgggtttcac ccgtgttgcc caagctgctc tnaaaactcc tgagctcaag 660
cagtccaccc gncttngcta ccggantgct aggattcaga cgtaagcccc cgaancctgg 720
ctagtttgcn ttnttttctn tcattttata ag 752

<210> 689
<211> 806
<212> DNA
<213> Homo sapiens

<400> 689
gtgntttcta atgcttctaa tngcttggct actcgttctt tntgcaggat cccatcgatt 60
cgaattcggc acgaggannt ctntgctatn gaacagnggc tggtnnacac tnnggantta 120
nnnntgnacn ntannnattg nancanntan tactggnnnt ccntaatncn nttaatgtna 180
cntnttgcaa gnngnnctga tnaaatacac gacaggaggg aaanctantg cgtcataggc 240
acaggcagac ctaccgnnta aggagatnat ntnccnnang gntggctgtt gagnncatgc 300
aactctggna tgtatttccc tttataggac caccttgtnc atngtggata aagcccctaa 360
agnaggatgn naaagatgat cngatccaat acgttacnct gacannaaan nntgtnatac 420
ntcngctgan caatctntcc ancnnntnta atatcgtgna tcacctaggg tgtatgatcn 480
taggaactct gcncctncan tcnggactgt ccatcacnga ctnntgggct nctactgtac 540
antangcgna gaanancnnt cannctacan ntaaccagat tggtgctgnn anatggtant 600
gcnntttnan cncccacgac ncaataaagn ncnnctntnc cccanancct ntnnagggaa 660
gaaaggaatt ttncatagtg ggctcaatga anggggtacc cttggncttt ntaaaaaacg 720
ttncatggnn cctaccttaa acctgngtna actnanancn nttngncata angggtctaa 780
cgnctatang gggnacnnat ttttnc 806

<210> 690

<211> 772
<212> DNA
<213> Homo sapiens

<400> 690
ntntttgaat ctttgaaata cctttgctat ngttctttnt gcaggatccc atcgattcga 60
attcggcacg agaggttgct cacctgaagg agcacaggag ggttttccag gccatgtggc 120
tcagcttcct caagcacaag ctgcccctca gcctctacaa gaaggtgctg ctgattgtgc 180
atgacgccat cctgccgcag ctggcgcagc ccacgctcat gatcgacttc ctcacccgcg 240
cctgcgacct cggggggccc ctcagcctct tggccttgaa cgggctgttc atcttgattc 300
acaaacacaa cctggagtac cctgacttct accggaagct ctacggcctc ttggacccct 360
ctgtctttca cgtcaagtac cgcgcccgct tcttccacct ggctgacctc ttcctgtcct 420
cctcccactn cccgcctacc tggtggccgc cttcgccaag cggctggccc gcctggccct 480
gacggctccc cctgaggccc tgctcatggt cctgcctttc atctgtaacc tgctgcgccg 540
gcaccctgcc tgccgggtcc ttgtgcaccg tccacacggg cctgagtttg gacgccgacc 600
cctacgaccc tggagaggag gacccagccc aagacccggg cctttggaaa acttccctgt 660
gggaagcttt aagnnccttc nanangccac ttacccaacc ttgaggggnt ccaaangccc 720
gccanccggt nattaaccaa ggccctggnc aatgcctgaa ggtcaaacaa tn 772

<210> 691
<211> 755
<212> DNA
<213> Homo sapiens

<400> 691
ntgctttcna atctttntaa atgcctttgg cttctcgntc tttctgcagg atcccatcga 60
ttcgaattcg gcacgagaaa aagtaaagct tttcatgagc acaaatncct tgcattgttt 120
gatgttactg atattcgtaa aatgaatatt ttttgttttg ttttgtttta ttttttgag 180
acaagtcttg ctttgttgcc caggctggag tgcaatggca tgatcttggc tcactgcaac 240
ccctgccttg cgagttcaag tgattcttct gcctcagcct cctgagtagc tgggattaca 300
ggcgctcacc accacaccca gctaatttct gtatttttag tagacacagg gttttaccat 360
gttggccagg ctggtctcaa actcctgacc tcaaactcct cacacctgta atctcagcac 420
tttgggaggc tgaggtggaa ggatcacttg aagccagagt ttgagaccag cctgtgcaac 480
acagcaagac cccgtctcta caaaaactta aaaaattagc tggctgtggt gttgctcacc 540
catagttcca gctactcggg aagctgagca ntaagatcac ttgagcccan gaggccnatg 600
cttncantga actgtgattg tttccantac agnccacctg ggtgacanag taaanaaaan 660
gaaacattac ataatttggc tagagcataa taaattgatt tctgggttnt gaaattnnag 720
ttgccataaa aggnntttna atgngcnant tcant 755

<210> 692
<211> 748
<212> DNA
<213> Homo sapiens

<400> 692
tgnttttaat cnttctaatn cttggctctt gttcttttg caggatccct cgattcgaat 60
tcggcacgag gtccgaagaa aaagactgtg gtggcggaga tgctctctcc aatggcatca 120
agaaacacag aacaagtttg ccttctccta tgttttccag aaatgacttc agtatctgga 180
gcatcctcag aaaatgtatt ggaatggaac tatccaagat cacgatgcca gttatattta 240
atgagcctct gagcttccta cagcgcctaa ctgaatacat ggagcatact tacctcatcc 300
acaaggccag ttcactctct gatcctgtgg aaaggatgca gtgtgtagct gcgtttgctg 360

tatctgctgt tgcttctcag tgggaacgga ctggaaaacc tttcaaccca ctgctgggag 420
agacttatga attagtgcga gatgaccttg gatttagact catctccgaa caggtcagcc 480
atcacccacc aatcagtgca tttcatgctg aaggattaaa caatgacttc atctttcatg 540
gctctatcta tcccaaactg aaattctggg ggaagagtgt agaacagaac ccaaaggaac 600
catcaccttg gagctncttg aacacaatga ggcatataca tggacaaatc cacctgctgt 660
gtgcataata tcattgnggg taaactgtgg atcgaacagt ntggcaatgt ggaaattnta 720
accncagact ggggacaaat ntgtgttg 748

<210> 693
<211> 881
<212> DNA
<213> Homo sapiens

<400> 693
tgnnnngtna accagggaaa agctnngttt gaactccttg ggcatgatcc catcgattcg 60
aattcggcac gaggcggtga cccacgtgtc cttttgattg ccctactgct gtggagacct 120
cgtgctgacc atctggcagt gntcttcgta ttctctggcc tgtggggcgt ggcaagatgc 180
ccgtctggca gacacaaaac aatgctctct acggcgttct gtttganaag agcaaggaag 240
ctgccttcgc caattaccgc ctgtgggagg ccctgggctt cgtcattgcc ttcnggtaca 300
gcacgttttn gtgcntgcac gtcaagctct acattctgct gggggtccng agcctgacca 360
tggtggcgta tgggcttgtg gantgcgtgg agtcccaaga accccgaatc anacccnact 420
ctttcaggac aggtcaanca agtcagagga tgaagaanat tcanacaaan atgtgatanc 480
cngngaggcc naangaggan naantnataa aagcaccagc cagaagaatt ttcttanaan 540
atgcctnagg gacatatcan ccggggttct cattacccat cttaancncc anatttngnc 600
ccattcttga aataagantc nttgnttnaa ttntcaactt ctttttatgg tnatttcnat 660
ntatctantt antaaaacca caaatntgtt nncnatnacc accanttctt ttaaaccatn 720
tagnaattca aangntgtgt nnttacnaat ntntaanggg ttattcaaan ttcnaaattt 780
taaanattnt tatgcantnc ncacaatnta tataanangg tcctnaaaac gngnnccaat 840
atnncannnc nataatntag nanatntntn nnccntgtan n 881

<210> 694
<211> 742
<212> DNA
<213> Homo sapiens

<400> 694
atngcttggc tctngttctt tctgcaggat cccatcgatt cgaaaattta tagtaatgac 60
aaatgactta tcagtgttca tcatctgaaa gctaagtggt tcgttcaatc actttttcaa 120
agttgatagt agattgcatg gtttcatgtt tcctcatatt ggtttattaa ttctatttaa 180
tcaaggaaaa taacttcaga ttccataaag tttcagttta tttttagttt actactaggt 240
gagatagcac attacatact tttactatca aatattattt tagcagcttc ccatagtacc 300
aaatgatttg attccctact ctcatttttt aaagcatata aatatttatg ggcttaaaaa 360
gggggttttt aaaaactgag gatatcanta ataaattgca gaatattttg caaagctttc 420
ttttggaaag caaacttttg tgcctgccta tatgcnaagt attttatcag ggacttgaac 480
aaagacctca ctctttttca cttgtcttat gtcgagagaa aaggttattg gcagncacat 540
tcctaanact ggggaatggt gtgtnctttt naaatttgaa gataactttt agggtaatta 600
tggaaactcc tcaaangagg ganaaagtna tttttttcca gacatttttc ctcaattctg 660
ggtctttcac acactanntt tccatagtnc nagaatttct gnntttttac catttgggct 720
gtgaaatgtt cacaatntcn ng 742

<210> 695

<211> 745
<212> DNA
<213> Homo sapiens

<400> 695
tttcaaatng cttggctact tgttcttttt gcagggatcc catcgattcg aattcggcac 60
gaggctagac gaagtggtga agcccaaaga cttatttttg agctcgctgt aagactgaga 120
aatcacgtag tccttcctga aaccactaag aggaaaaatg tctgtgacac tgcatacaga 180
tgtaggtgat attaaaattg aagtcttctg tgagaggaca cccaaaacat gtgagatgga 240
gtctcgctgt gtccccccagg ctggagtaca atggcgcgat ctcggctcac tgcaacctcc 300
gcctcctggg ttcaagcaag tcttctgcct cagcctcccg agaactggaa gaggaggcaa 360
cagtatttgg ggcaagaagt ttgaggatga atacagtgaa tatcttaagc acaatgttag 420
aggtgttgta tctatggcta ataatggccc gaacaccaat ggatctcagt tcttcatcac 480
ctatggcaaa cagccacatt tggacatgaa atacaccgta tttggaaagg taatagatgg 540
tctggaaact ctagatgagt tggagaaagt tgccagtaaa tgagaaagac ataccgacct 600
cttaatgatg tacacattaa gggccntaac tattcatgcc aacccatttg ctcagtagct 660
attgatngan ctggacaaat tactttgncc aaattgctng aacacacttt attgggggt 720
taccccgntt ttaattatgt canaa 745

<210> 696
<211> 795
<212> DNA
<213> Homo sapiens

<400> 696
tttcaaatng cttggctant ngttcttttt gcaggatccc atcgattcga attcggcacg 60
aggctggcca aagccaaatc tcctaagtcc accgcccagg agggaaccct gaagcctgaa 120
ggagttacgg aggccaaaca tccagctgca gttcgcctcc aagaaggggt ccatggccct 180
agtcgagtcc atgtgggctc tggggaccat gactattgtg tccggagcag gacccccccca 240
aaaaagatgc ctgccctagt cattccagag gtgggctccc gatggaatgt caagcgccat 300
caggacatca ccatcaaacc tgtcttgtcc ttgggcccag ctgcccctcc gcccccatgc 360
atanctgcct cccgggagcc gcttgatcac aggactagca gtgagcaggc agatccctca 420
gcaccctgcc ttgccccatc cagcttgctg tcccctgagg cctnaccctg ccggaatgac 480
atnaacacta ggactncccc tgaaccctca gccaagcanc ggtcaatgcg ctgttacccg 540
aaaaagcctg caggtcaagc cagcccctta agccagggct tggcangggc ccgccnaagg 600
ccgnaacaag accgntctgt naactcttgg gttccaaacc cggaactttg cccgaaagca 660
tttntttccc ttaattcctt caattcaatc cggnctttcc ttaatttccn ggattcttng 720
ggtccaaggg tccccttttt tccccccccaa naacaaagaa aaggttgggc ccgaaanggt 780
cccaaccttn ttnnt 795

<210> 697
<211> 734
<212> DNA
<213> Homo sapiens

<400> 697
ctaatagctt ggctactcgt tctttntgca ggatcccatc gattcgcagc cctcttccct 60
cccctgtcaa gtcacttacc atgcaaacca caggctctaa gagtttgtcc ccagggacat 120
ccatccaagt catctccatg gctcctgggt cccctggtga gcatggagtc aggaggtcat 180
caatcatcat gctggggttg gtgcgagagg ggccacagac ctgaaaccaa atggatctga 240
ctggggcagc tgcccctcag tgtcagaggg gctcgacccc tccggtctct aaggaagtcc 300

caaagagaat gctctgtggg tccctagcat ctgaggagga cgggctcctt cagaactcgg 360
gctgggtggt ccgagcgact catgatttgc atgggactct ggcaatctgt agccccaatg 420
ccttgatgtc ttcctcatta acactgtcac gtctcaccag gaatacagtg acattaaaag 480
tgtgatatgg tntagctgtg cccccaccca catttcaact tgaactgtat ctatctccca 540
gaattcccac atgttgtggg anggacccag ggggaggtaa ctgaatcatg gnggctggtc 600
ttttcccgtg ctattctcgt gaatngtgaa ntttnacgag atctgatggg tttatcaggg 660
gttttccaat ttttggttct tatttttctn ttgcaatctg catttaagna antgccnttn 720
ggtctctaac antn 734

<210> 698
<211> 728
<212> DNA
<213> Homo sapiens

<400> 698
ttcnaatngc tnggcttttn gttctctttg caggatccca tcgattcgaa ttcggcacga 60
ggtttaattt aaacctctca tcttttttta agcactcact gantttgacc gagacagcca 120
gtcgccgttg aggaatcctc tgttgtcaac atcgagaccc ctggttttcg ggaaacccaa 180
tggtgatgca gttgattatc agaaacagct gaagcagatg attaaggatt tagccaaaga 240
aaaagataaa actgagaaag aattgcccaa aatgagccag agagaattta tccagttctg 300
taaaactctg tacagtatgt tccatgaaga tccagaagaa aatgatttgt atcaagccat 360
cgccacagtc accacactgc tgctgcagat cggggaggtg gggcagcgag gcagcagctc 420
tggaagctgc tcccaggagt gtggggagga gctgcgggct tcagctcctt ctcctgagga 480
ctcggttttt gcagacactg ggaagacgcc ccaggactcc caggcatttc cagaggcggc 540
agaaggggac tggactgtct cccttgaaca tattttagct tcacttctga ctgaacagtc 600
attagtcaac ttttttttgaa aagccactgg acatgaaatc caaacttgaa aatgccaaga 660
tcaatcagtn caatctcaaa cttttgaaat gaccncaatc caatctggac ntaagctgag 720
tacttgtn 728

<210> 699
<211> 746
<212> DNA
<213> Homo sapiens

<400> 699
tttcaaatcn cttggctntt ngttcttttt gcaggatccc atcgattcga attcggcacg 60
agggaaaaac aacaggtttg agtcctataa agccataatt taactccagt agctgatgtc 120
agacaagctt gtcctatgtc ctatttgagt ggcagcagcg ccagcccagc aagaaggctg 180
ggggttgtca aggttgtccc cagaccttgc ttgcagtggt tggagaaccc aggggggctgc 240
cttgggccct ctggccagag ggaagcgggc agctctagcc ctggagattg tggtcacatt 300
ggggcttgtt taggattgga gggccaggtc acctccccag ccaccctccc ttctctcctc 360
tggggtcccc actttagggc gactttgccc gagcccacgc atccatccac tcctttagtg 420
ccttgaatct cattcacaag cagccccctc ccttcccctc cccttctcac tctgttgatg 480
taatcctncc acccccagtg tccatcctaa gacaggcatc aaaaagaggc cctaacttta 540
cttnccaaat ggtgcttttt aaaaaacacc atcactacat tangggcaat tttttcacac 600
cttcctgtct tcagaatgta aaagggtggg ggaattattg tctctggtta aatntgcacn 660
cccttgactt gtgggggttt tggggcatgt tcanntattt angaatgaat tncaattnga 720
caaaaggggg tttantnaat tgttnt 746

<210> 700
<211> 759

<212> DNA
<213> Homo sapiens

<400> 700
gntttgaaat cccctttgctt tnaaatcctt tgctanttgn tctttttgca ggatcccatc 60
gattcgaatt cggcacgaga taagggtggg gccttaattc agtagaattg gtggcctcct 120
aagcagagga agagagattt ttctttctct ctctgccatg tgaagacagt gaggagtcgg 180
ccgtctgcaa gccaagaaga gcccttatca ggaacagact tggctagcac cttcatcgtg 240
gacctccagc ctccagaatt gcaagaaaat acatttccgt cgttgaaacc acccagtctg 300
tggtattttg ttatggcagc ccaggcagac taatacgtga agcctgctct aaatagataa 360
aataagaaat tactacagag ggctctttag aaattgtatt taaaaacaag acaatccata 420
tttacctaag atttacagaa tgtatgtcta taaaaggagg gatttctgga ctagatgatg 480
atgaaaaatg ttcatataaa ggcaccttca gcttcgagtt gccaacacag gaggaagaat 540
gctccctgct gttcagatgc tgatatgtgt cctgtgcttt ctggatggcc agtgggatca 600
taagctggta gaagccagaa ctttcatcca ctgacttcat attcttncac atnctggaac 660
tgtgggtgtt tgacctttta aaaaataaat ttaagcaaat tgaaatgntt tcctttgaga 720
nttttggcca naaacccaca tnganatttt ncgtctncc 759

<210> 701
<211> 751
<212> DNA
<213> Homo sapiens

<400> 701
gcttnnaatt ccnttccaaa gnaaaccctt tgnaaattnc cctttctgnt tggatcccat 60
ccgattcgaa ttcggcacga gggtaagtca ggtgattgaa tcccggaant nttcattgtc 120
ttcaagctca caatactatt ttgggacaaa cagttgtcta gtgtttggac tcatgaaccc 180
tgattcttga gggtggtatt ttactgcttt tgtgatttgg tttcaacata tatagtcttt 240
tctccggagt taccttaggt cagtggccag tgtttcagcc cctggaaagg gcatgggctg 300
ccactgaggt tggtcacagg cctctcagct catggtggga gtgggttcag gagttggtaa 360
gtagggttca gttctgttgt tgccaccgat ggcaacaggg gtttgtaata atccctagtt 420
gtgtcaatta tgtcacttaa ttttcacaac aggtctctga agtgtttctc atctcatttt 480
tacagatgag gcctgcctgt gttaatacac ctagtgagga gtggagctga atttgaatgc 540
aagccttggc accttaattg agcaagtttg aaacctcgct tgttgccctt ctggaaggag 600
tcangaattt ncagttctgg gcctgggctg tgggtctggc agacagacct ctggccctaa 660
ggtttgggtn ccangttctc tgcttccaga atgagaagct ttgctgtgca ccaagnanct 720
gggcccctct ggnatctcnt gaatnaaaan n 751

<210> 702
<211> 748
<212> DNA
<213> Homo sapiens

<400> 702
gntttgaanc ccctttnntt naaatccttt gctacttgnt ctttttgcag gatcccatcg 60
attcgaattc ggcacgagcc tgaatataaa gaggaggagg aagaccaaga catacaggga 120
gaaatcagtc atcctgatgg aaaggtggaa aaggtttata agaatgggtg ccgtgttata 180
ctgtttccca atggaactcg aaaggaagtg agtgcagatg ggaagaccat cactgtcact 240
ttctttaatg gtgacgtgaa gcaggtcatg ccagaccaaa gagtgatcta ctactatgca 300
gctgcccaga ccactcacac gacataccccg gagggactgg aagtcttaca tttctcaagt 360
ggacaaatag aaaaacatta cccagatgga agaaaagaaa tcacgtttcc tgaccagact 420

gttaaaaact tatttcctga tggacaagaa gaaagcattt tcccagatgg tacaattgtc 480
agagtacaac gtgatggcaa caaactcata gagtttaata atggccaaag agaactacat 540
actgcccagt tcaagagacg ggaatcccag atggcactgt taaaaccgta tatgcaaacg 600
gtcatcaaga aacgaagtac agatccngtc ggataagagt taanggcaag gagggtaatg 660
tgctaatgga cccgaactgt gacgatcctc atgtgatcat gaagtaccag tactgacttt 720
ttatgttaaa aaatgtccat ttactgng 748

<210> 703
<211> 769
<212> DNA
<213> Homo sapiens

<400> 703
ggnnntnnna gnntttgaan tccctttnnt tctaatncta ggcttctngt tctttttgca 60
ggatcccatc gattcgctca gctgaggcaa ttaaactgga aaagaaatag attgaaaaga 120
tactacagaa gaagcagtac agaagttggg ggactgaagg agagggagcc actgcaggtg 180
ctagctgctt aaggggatac cagtcctttt acagatataa tagatacagc ttctgaggtg 240
gagggtgata ggagtgtgta gagaaattgc agttcagaac tggagcatgc agttaggcaa 300
gaggcatccc atgtgaagat gtcaagcaag tactggaaaa tgctgaacta aaactcaggg 360
atggatatgt agatttagag aacttcattg tagaggcagt cattgaaagc taaaagggct 420
gataataaaa ttgccaagga tggaaatagt aagagggagt cagtgttatt aggattagaa 480
ttctgttttg tttttctttt aaacagattc tcgctctgtc accctggctg gagtgaagtg 540
gtgtgatctc ggctcactgc ggcctcgacc tcccaggctc aagttatcct cccaactctc 600
agccttccaa gtagctggga ccacagccat tcaaacacat gcctgcctta tgtttggatt 660
tttttgtana aaccaaggtt ttgccatgtt tnccaggctg gnctnngaac ttctgggctt 720
aagccattcc cccacccttg ggtctcccaa aatgctngcc attatangg 769

<210> 704
<211> 759
<212> DNA
<213> Homo sapiens

<400> 704
cnaannncnn ggnttcnaat annaggctac ttgttctttt tgcaggatcc catcgattcg 60
aattcggcac gagacccgtc cggggccggc caatttgcat atttggaatg cgccgctata 120
aacccggctg ggggttttgca gcgatttctt agatgtaaaa atgagatctc aatagcagcg 180
ggctgggcac atcctctcct ctctccttct ctctctgccc ggagctggtt tccgtctctc 240
ggctcggggc tggaactccg gcccaaccta ggcgcgcagc cgccacgaga tggcgcactt 300
ccgatcaatg tcaaagccgc cggggagccg ggaaccccag catgattctt ggcctttgtt 360
cgcttctgat actaagagca gcacggtaca ttatttcact tgtcccgctc cccttcataa 420
cagaaaaagg ggactcaccc tcaagaagtg attggtatgg taatttaaag caacgcgcat 480
tcgctaggcc tcgcgagcgt cgccgcgcgg agaagccagc tgtcccttgg cagtgatttc 540
ggaaatgtgt caaggcaatt ccaaaggtga aaacgcagcc aactggctca cggcaaaaga 600
gtggtcngaa aaaagcgctt gccccttaca cgaagcacca gacactggag ctggaagaan 660
ggagtttctg ttcaatatgt acccttactc gaaaagcggn gcctagagaa taacccgcan 720
cgttccacct taacggacag gacaagtgga aaaatcttg 759

<210> 705
<211> 777
<212> DNA
<213> Homo sapiens

<400> 705
tttgaaatcc cntttnttna aatcctttgc tncttgttct ttttgcagga tcccatcgat 60
tcgtcctgaa gctcgggggg ctgcaggtcc tgaggaccct ggtgcaggag aagggcacgg 120
aggtgctcgc cgtgcgcgtg gtcacactgc tctacgacct ggtcacggag aagatgttcg 180
ccgaggagga ggctgagctg acccaggaga tgtccccaga gaagctgcag cagtatcgcc 240
aggtacacct cctgccaggc ctgtgggaac agggctggtg cgagatcacg gcccacctcc 300
tggcgctgcc cgagcatgat gcccgtgaga aggtgctgca gacactgggc gtcctcctga 360
ccacctgccg ggaccgctac cgtcaggacc cccagctcgg caggacactg gccagcctgc 420
aggctgagta ccaggtgctg gccagcctgg agctgcagga tggtgaggac gagggctact 480
tccaggagct actgggctct gtcaacagct tgctgaagga gctgagatga ggccccacac 540
cangactgga ctgggatgcc cgctagtgaa gcttgaaggg tgccaaccgt gggttgggct 600
ttcttaagca tggaggacat ttttggcaat gcttggcttt gggccattta aatgggaaac 660
cttgaaaggc caaaaaaaaa aaaaaantna tntnaaaaan aaacttnnac cttttaaaac 720
ttttaantgn ngnccgnttt tacnttanat tccagacttg attaggaatc cattttt 777

<210> 706
<211> 760
<212> DNA
<213> Homo sapiens

<400> 706
gntttgaaat nccnttnntt caaatnctng gctacttgtt ctttttgcag gatcccatcg 60
attcgaattc ggcacgagna atgcaaaggg ctgcagttct cattcaggct actttcagga 120
tgcacagaac atatattaca tttcagactt ggaaacatgc ttcaattcta attcagcaac 180
attatcgaac atatagagct gcaaaattgc aaagagaaaa ttatatcaga caatggcatt 240
ctgctgtggt tattcaggct gcatataaag gaatgaaagc aagacaactt ttaagggaaa 300
aacacaaagc ttctattgta atacaaggca cctacagaat gtataggcag tattgtttct 360
accaaaagct tcagtgggct acaaaaatca tacaagaaaa atatagagca aataaaaaga 420
aacagaaagt atttcaacac aatgaactta agaaagagac ttgtgttcag gcaggttttc 480
aggacatgaa cataaaaaaa cagattcagg aacagcacca ggctgccatt attattcaga 540
agcattgtaa agcctttaaa ataaggaagc attatctcca cattagagca acagtagttt 600
ctattcaaag aagatacaga aaactaactg cagtgcgtcc ccaacaagtt atttgtatac 660
agtcttatta cagangcttt aaagttccaa aaggatattc aaaaatatgc caccgggctt 720
gccacactta attcagncat tctatcnaat gccccagggc 760

<210> 707
<211> 856
<212> DNA
<213> Homo sapiens

<400> 707
gttgctttga agcctttgaa atncnttgtt tnaaatnctt ggctttngnt ctntttgcag 60
gatcccatcg attcgcctcc ctggatgtgc agacatggag gaggacagaa ggcccagctc 120
agtggccccc gctccccacc ccccacgccc gaacagcagg ggcagagcag tctggaggtg 180
gtgntcccac ttgatgaaga gcaggcgact ggnttggaga gggagatcat gctggctgna 240
aagaanggac tggacccata caatgtactg gccncaaagg gancttcagg caccagngaa 300
gacccaaant tantncccta catntccaac aagagaatag naagctgcat ntgtgaanag 360
gacaatacca gcntcnantg gttttggctn nacaaangcc angnccancn atgccccenn 420
tttgnaaccc attacaanct gntgccccan tagctggcac actgancncc tnntctaaat 480
tacttaaaat natgctgtan aagtatantn tttncagaan agactaanca ntncatngnc 540
tacttctcca aaaaaaantg anaaaaatna taaaantcaa antaaatact aaatnannan 600

ataananancan tannaantta tatttcnnan atantanann nancnnttta naannantta 660
nggnnancan nnattantnn tnnatanntt acattaaant tattnanann anaaannnan 720
nananannat atattannan anantnacnt aaactnnnnt naatnntcca nanacttnaa 780
naanaataag nnntanatna nnnnttangn ntnatatann ttnanatann nnnnacnata 840
nnacatnnnn tannga 856

<210> 708
<211> 766
<212> DNA
<213> Homo sapiens

<400> 708
ctaatactgg ctacttgttc tttcnaagcn ctggnntttn annnatnnag ctacttgttc 60
tttttgcagg acccatcgat tcgcccaaac ttatcggggg tgccagaggc agagtagaca 120
agccttagtg gccgccattt gttgaatatc tactgtgcgc caagcagtgc gtcacaactt 180
tatgaagtag gtattattat catccccatt ttacaggtga agaaactgag tctctgagag 240
accaactttt ccaaggtcac acagaggtgg gatccagccc acttccgtct gaccccaagc 300
ccctgctgtt aacccctgcc ccattgtggg gaggttccgg cccactctgg agttctctgg 360
tctgcgtcag tcctcaggag aagaaagaat gggggtgatg ctccaaatat tgaggctccc 420
atctgtctgt cctgcactag gcagagccag gcttctccat ggggcacagg agagagggca 480
ccagatctga ggagcaaata ggttcttggt ctgagatctc atgggatcag gttgccagcc 540
ctgcaaaccc ccgctcangt ctagaggaca tggagctgcc tttcaaggtg catttgcttc 600
ctttacagac tcggactctg tnctctggct actttgggcc gtcccggact cgggaatgcg 660
tnctacactt gtaggggcaa aaccccggtt tgactctttc cgggttccta cccttaacca 720
agcctttact ttctngggat caccctgttg ggacttttg tccacc 766

<210> 709
<211> 743
<212> DNA
<213> Homo sapiens

<400> 709
gaannccntt nnnttgcaaa tnntnggcta cttgttcttt ttgcaggatc ccatcgattc 60
gaattcggca cgaggttttt tttttttttt tttggagaat gaatgcaaga tttattgagt 120
ggtggaagta gctctcagca gatggctggg gagccagaag ggggatagca tgggaaggta 180
gtcttcctct ggagtctggc tgctcagcag ccgggatctc ctactgtcct tggccgaatt 240
tcccttggcg tccgaatcgt tccaccatca atggcctgcc agcgtctttc gatgtgttct 300
tctgccagtg tgttcctctt gacgtccagc cgcttgtgtg tgtgcccgct ggggtctcag 360
ggtttttata ggcacagaat gggtggcatg gcaggccaga gtggtcttgg aaaatgcaac 420
atttgggcaa gaagacagga gtccttgttc tcattaggtc catgggcaca agcctgaggg 480
tggagccctt gccagtgacc ctgcccttct ctacccagca cttccctgtc cccctcccat 540
atcaccgttg ccatcttgtc cttgatgagg aatacaactc ccaattcagt gnttgcttgt 600
gggaagatgc aatcctcttt atgacaagtt tctaanaagt tgataagaaa aatggggacc 660
tgcctaaggg ctagtatctc atttaatact ctatagaata ttatgnggtt ttccctttta 720
ngttttaaat gttgaananc nan 743

<210> 710
<211> 753
<212> DNA
<213> Homo sapiens

<400> 710
gnnnnnnnnn nagngtttga antcctcctt ngaaatcctt tggcnactcg ctctttntgc 60
aggatcccat cgattcgaat tcggcacgag gggcaatgca gttataatac tgtgttaatt 120
tcagacatct tctggtcctc cgagccttgt atttacatac tagctgaaac tgcaagtgga 180
aatgaatgga gctgatgata tttgccttat cctaattttt ctgtgaggag gagaaaaaca 240
cttgtgcttc aaataagcag atgtgaaaac acttctcact aatcaaaatg tttaccacta 300
ggttatgaga gtctgcctct cataggcagt gaatctgata tgtatactta gtaatataag 360
tctatttagt ttgacaaaac cttagagcag aatttttgca gcttagttca ggatgatcac 420
tagcaatgcc aaacttcatt ttttattgaa cttggatcca agaaggcctg ctgtgtctat 480
ttcagtatag actctcatac caatatattt atgctccaag tcactacacc cagaagtgat 540
gcagtggggg aaatgcaaag acaacatcac tgtaagattc acagaatgga tcttttgtaa 600
aatattttat attgacttaa ggaaaacctt tcattgggaa ttaattaaat taagtctcta 660
atatcctgga agacagtaaa aantnaagcn ggtgntctca antttgaacc cggcnattng 720
naatttcatt ataggaattt ctgaaaataa tcc 753

<210> 711
<211> 718
<212> DNA
<213> Homo sapiens

<400> 711
naatngctag gctacttgtt ctttttgcag gatcccatcg attcgaattc ggcacgagcc 60
tacttattgg atgttggctc tttggtgtca tggagatggc tttactgtag gtttgttgtg 120
ttgcattact tttcattggg attgaactga gaaataacaa acaagcttta agtgggaaat 180
taaaaaaaag aagtaaccta tgtagatcca aacttaaaat gtgagaaatt attgaaattt 240
cattttctac aaacttgaaa ttagcctgct aattgtaaag ttgttttaat aatgctgaca 300
aatgtcagtt acgtttgcaa aggagtgtat ggttctaggt atttgcctac tgttaaccgt 360
tgagaaaaac attgtcaggt tagcaagtct attgaaatag agacctcctt agtttacagc 420
aaagaataaa tagctgatga ctggagattg ggactaaggt tttatttatt tatattcttt 480
gaaagaaatc ggacagttaa taagtggttt gtggtagagt tgaaggatgt ctgagagatg 540
gaaagagagt gacaaaggag gagaaggaat agtatttctt ttttagtatt gntttgaaat 600
taaaactctg ntattttaat atggtaaaga gcaagaattt gggttgggcc gcngtgactc 660
acgcctataa tcccagcact ttgggaagcc ntggtgggca aatcacctga aattangg 718

<210> 712
<211> 783
<212> DNA
<213> Homo sapiens

<400> 712
agttgaantn cttgctacnn aaaacctttg gcnactngct ctttntgnag gatcccatcg 60
attcgcaaag atggtcgtat tactaaaggt gaataaccag cgcggnnngc acgtggagtc 120
actggaacat ttgtgcaatg ctggtgggaa tgtcaacccg tgcggccctc tggaataagc 180
ctggcagctc ctccaagagt taccgngtga cccancaatt ccactcctag ctccacccac 240
aggaattgaa agcaaanacg caaacagatg cctgtncacc aaagttcacg gcagcatnct 300
tcgncatagt ggcagcatcc gtcgtcacag cggcatcatc cttcatcata gcggcagcat 360
ccgtcgtcac aagcggcagc atccttcgcc acagnggcan gcatctgtcg tcacancggn 420
agcatccttc gacaaagcgg cagcatnctt cgtnatagcn gcagcatcct ttgccatanc 480
cggcaaggtg gaaaccctgt ccatccactg aggcgtgcat agactaaaca tgggcagtcc 540
agcactggaa ttccaagccg tacaacggng nccacngtca aaangaatg aggaccctga 600
ngcacctgng cnganaacaa gaacnngcga nnccaanact tttnagacat tattgcctta 660

agtngaaaaa cccagngcac caacgggaaa ccngaccgnc ntgnanccct gnttaacntt 720
nantnngttn cccgaaaatg ggggcacntt nccaaaaagg ggaataaaag gggagaattn 780
cct 783

<210> 713
<211> 765
<212> DNA
<213> Homo sapiens

<400> 713
gttgaantcc ttcctttcaa atngcttggc tactcgntct ntntgcagga tcccatcgat 60
tcgaattcgg cacgagccca catgtaccag gttgagtttg aagatggatc ccagatagca 120
atgaagagag aggacatcta cactttagat gaagagttac ccaagagagt gaaagctcga 180
ttttccacag cctctgacat gcgatttgaa gacacgtttt atggagcaga cattatccaa 240
ggggagagaa agagacaaag agtgctgagc tccaggttta agaatgaata tgtggccgac 300
cctgtatacc gcactttttt gaagagctct ttccagaaga agtgccagaa gagacagtag 360
tctgcataca tcgctgcagg ccacagagca gcttgggttg gaagagagaa gatgaaggga 420
catccttggg gctgtgccgt gagttttgct ggcatangtg acagggtgtg tctctgacag 480
tggtaaatcg ggtttccaga gtttggtcac caaaaataca aaatacaccc aatgaattgg 540
acgcagcaat ctgaaatcat ctctagtctt gctttccttg tgagcagttg tctttctatg 600
atccccaaag aagtttttct aaagtnaaaa ggaaaattcc tagtggaatt canccccccaa 660
gggaaaaaag cccacttgnc cacannagga agccnggntn cccсttngtt ccggcttaan 720
ggccccttgt tcaggaaacc acactggggg ancttntttt ttttn 765

<210> 714
<211> 740
<212> DNA
<213> Homo sapiens

<400> 714
gtttgaannc cttngntttc naatgctngg ctacttgttc tttntgcagg atcccatcga 60
ttcgccaaaa gcttgtggca aatttgaaat ttctgccatt agggacctta caactggcta 120
tgatgatagc caacctgata aaaaagctgt tcttcccact agtaaaagca gccaaatgat 180
caccttcacc tttgctaatg gaggcgtggc caccatgcgc accagtggga cagagcccaa 240
aatcaagtac tatgcagagc tgtgtgcccc acctgggaac agtgatcctg agcagctgaa 300
gaaggaactg aatgaactgg tcagtgctat tgaagaacat tttttccagc cacagaagta 360
caatctgcag ccaaaagcag actaaaatag tccagccttg ggtatacttg catttaccta 420
caattaagct gggtttaact tgttaagcaa tatttttaag ggccaaatga ttcaaaacat 480
cacaggtatt tatgtgtttt acaaagacct acattcctca ttgtttcatg tttgaccttt 540
aaggtgaaaa aagaaaatgg ccaaacccaa caaactaaca ttcctactaa aaagttgagc 600
ttggacatat tttgaatttt tgtaagtgaa agatttttaa actgactaac ttaaaaaaat 660
agattgtaat tgatgtgcct taatttgcat aaatcataaa tgtatgtcct ctctgtaatt 720
ggtttaatgt gtgcttgaan 740

<210> 715
<211> 708
<212> DNA
<213> Homo sapiens

<400> 715
tttgcaaatn gcttggctac ttgttctttt tgcaggatcc catcgattcg aattcggcac 60

gagggaggct agactcaagc tgtctggaga gtgtgaaaca aaagtgtgtg aagagttgta 120
actgtgtgac tgagcttgat ggccaagttg aaaatcttca tttggatctg tgctgccttg 180
ctggtaacca ggaagacctt agtaaggact ctctaggtcc taccaaatca agcaaaattg 240
aaggagctgg taccagtatc tcagagcctc cgtctcctat cagtccgtat gcttcagaaa 300
gctgtggaac gctacctctt cctttgagac cttgtggaga agggtctgaa atggtaggca 360
aagagaatag ttccccagag aataaaaact ggttgttggc catggcagcc aaacggaagg 420
ctgagaatcc atctccacga agtccgtcat cccagacacc caattccagg agacagagcg 480
gaaagacatt gccaagcccg gtcaccatca cgcccagctc catgaggaaa atctgcacat 540
acttccatag aaagtcccag gaggacttct gtggtcctga cactcaacag aattatagat 600
tctaatctga tgagttactg agctttggtc ccttaaaaca agctgacttg gtccctaaac 660
cagatgaaaa tccagatgct ctatacttgg ctttaagaac tgctttcn 708

<210> 716
<211> 730
<212> DNA
<213> Homo sapiens

<400> 716
ttgcaaatng ctnggctact tgttcttttt gcaggatccc atcgattcgc tcccatggag 60
gtggtgggaa tggcaccgag aagtttgatg acagttatct aatggactag aggttggcaa 120
actttctgta aatggccagg tagtaaatag ttctgctttt gaaggcatat ggtctcttgc 180
acctactcga ggctgaaagc agctatagac aatacataaa tgaatgagcg tgagtgtgtt 240
ccaataagaa aaaaacatgg ctgtttgctt cggccccagg gttgtagctt accagtcctg 300
taacagatca cagtttgctc ttttggtcac aaatacttga acccctccct agttcagagc 360
atttgatacc gtaatattta aagctcactt gtaaaacatc gtttgttgcc tccatccata 420
gtatctcaaa cagaatgtct ctcccaaata tacctaaatt ccatattctc tgaagcacaa 480
ccagctattt tcttgacata cttcctaaca caccccacag ttcacaattt gatctgaaaa 540
cttgttaagg gaggttcttt ggcatgtgat gccataaaaa gagaggtatg ggctctcctt 600
taaaaaagag acccttttta tgagactcac aataggataa aagagcccat gcctattttt 660
aaacattttt ttcactatat aagacatgca tgcctgnaaa atggttttta attagtatna 720
ntgcttaatn 730

<210> 717
<211> 728
<212> DNA
<213> Homo sapiens

<400> 717
naatngctng gctcttgttc tttttgcagg atccctcgat tcgctgcagt gagattctct 60
gcaatgactg gcctcagcaa gggggcagct taggaccctg acatcccagg tcactaagcc 120
acataggata agtaatgggt ggacagaagc gggaaaggag aagggcaggg cacatgttta 180
aaacttgaac tttctgaggc taagactgga aaaggaatgg tttcagctga tatatttgga 240
taccagttga ctatttttag gaaaaaaaca caaatggctt ttaaacatca cagtgtgata 300
cagtctaact cagaattaga gacaggcaaa acagaactcc atcttaaaaa ataaataaat 360
aaaataaaat aaatgacatc actttggttc agagctctaa aatggaggga ggaagccatt 420
ctaaaaagga ctccctacat gacctgcaac ttgaaaaaaa attaaaagct ccaaaaaaaa 480
caatncagga gcttaccttg aaccttttga attgggccaa attgccgatg accactgcat 540
cctggaaaat tttatttcac cagcactaca acttctcaac agcaccaacc aatttaacta 600
tggatttttg tactaanccc agttgcctct ttnaaaacaa cttgtcaact ttgtctaatc 660
accctcagct ttttttaaa aacccctnct ctacccctnt ctcttcagaa caccaaagtg 720
gncttttn 728

<210> 718
<211> 730
<212> DNA
<213> Homo sapiens

<400> 718
gaantccttn nntttnaaat cnttggctac ttgttctttt tgcaggatcc catcgattcg 60
aattcggcac gatctagata ttgcccaatc gctgcccaca gtgcacatac ctttccacca 120
gtcacatgtg agagggcaga ttttccaaat gctcatcacc acttggcact gtgtggacta 180
taattttggc cagttaggaa atggcatctc attgttttca tcttaatttg cgtcagcctg 240
attactcatt gaaacttgtg aggttgagaa acttttctta agcttattgg ccattcaagt 300
ttcctccttt atgaaatggt tgttcatgtc atttgctcat ttttatatta gattgttttt 360
ctttttttcca gctgacttgt aggaactcta catcttatca atattaatca tttatcgaaa 420
actatttggg tgccattatc ttctcctagt caatgttttt tgtttgtgat atcttttata 480
atatataagt ttttaatgtt ggcagaagta aagttaatct ttttggctgt gttgtgtgtc 540
ttgtttgatg taaagatagt ttctgtaata gttttgcagt ttgattggtc atctttaggt 600
cttcaattac aacctgcaca ttcatccctc tatcctcttt cttactctgg ttttctccat 660
agcacttatc atccaataat atggcatgca cttatttaat ctggtttgca tatatatttt 720
ngctggtacg 730

<210> 719
<211> 733
<212> DNA
<213> Homo sapiens

<400> 719
ttcaaatcgc ttggctactt gttctttntg caggatccct cgattcgctt cagtgcacac 60
aacaggagag aggagaaaga agaaacgcta gtaattccaa gcactggaat taagttgcct 120
tcatcagtgt ttgcttcaga gtttgaggaa gatgttggat tgttaaataa agcagctcca 180
gtttcaggac ctcgactgga ttttgatcct gacattgttg cagctcttga tgatgatttt 240
gactttgatg atccagataa ttctgcttga ggatgacttt attcttcagg ccaataaggc 300
aacaggagag gaagagggaa tggatataca gaaatctgag aatgaagatg acagcgagtg 360
ggaagatgtg gatgatgaga agggagatag caatgatgac tatgactctg caggcctatt 420
gtcagatgaa gactgtatgt ctgtgcccgg aaaaactcac agagctatag cagatcactt 480
gttctggagt gaggaaacaa agagtcgctt cacggagtat tcgatgactt nctcagtcat 540
gaggagaaat gaacagcttg accctacatg atgagangtt tgagaaagtt ttatgagcca 600
tattgatgat gatgaaattg ggagctctgg ataatgccag aatttggaaa ggttctattc 660
aagtgggaca gcaattcgct ttcnaggaag ttttgaatga ctactattaa agagaangcc 720
caanaattnt ntt 733

<210> 720
<211> 740
<212> DNA
<213> Homo sapiens

<400> 720
agttnnnttn ntnctnttca aatccttggc tacttgntct ttttgcagga tcccatcgat 60
tcgaattcgg cacgagaaga gaaggaccta gagattgaga ggcttaagac gaagcaaaaa 120
gaactggagg ccaagatgtt ggcccagaag gctgaggaaa aggagaacca ttgtcccaca 180
atgctccggc ccctttcaca tcgcacagtc acaggggcaa agcccctgaa aaaggctgtg 240
gtgatgcccc tacagctaat tcaggagcag gcagcatccc caaatgccga gatccacatc 300

ctgaagaata aaggccggaa gagaaagctg gagtccctgg atgccctaga gcctgaggag 360
aaggctgagg actgctggga gctacagatc agcccggagc tactggctca tgggcgccaa 420
aaaatactgg atctgctgaa cgaaggctca gcccgagatc tccgcagtct tcaacgcatt 480
ggcccgaaga aggcccagct aatcgtgggc tggcgggagc ttcacggncc cttcaccagg 540
tggaggacct ggaacgcntg gagggcataa cngggaaaca gatggagtcc tttctgaagg 600
caaacattct gggtctcggc ggccgccanc gctntggcgc cttctgaccg tcgctnctac 660
ttncgncttt tcaaattttt ggnataaccc ccgtgtttgn gtaaaatcca gtttttgttc 720
cgntaaaaaa aaaaaaaaat 740

<210> 721
<211> 736
<212> DNA
<213> Homo sapiens

<400> 721
nnttnnnttt tnnaaatccc ttggctactt gttcttttg cagggatccc atcgattcgc 60
atgagtgata ttttggtctg ggtttcctct taagatttta gtttgtctga attaaggaaa 120
aatgttttta atatacattc ttattttgtc ccacccctcc agaaataagc tggaaatctt 180
aactttttgg ggggtctttt ttggtgtttt aatgggccca gaactgtggt ttaaattttt 240
atgtatgtat tttctttttt gtggagtata aatttaaaaa ctggatttgg gacctaaaat 300
actcctcagg ttgatgtatt catgaagttt taaaacatct ttagttttca aagtaaactg 360
gatatgtgga ccttaaagtt attgagttta agctacaaat tgtaacgtca ttactggaca 420
tgtcagcatc aaccctctca aaatagcttg gtcactttat gaaggggcgt tttaaagttg 480
ttgtttagca gtgacattta atatggtcca attgcttttc tttttaacgt gacaaaaaga 540
gaataaggaa caaacactat tgctgccgaa tgccataaca ctgagttgtc aaattgtgat 600
tgaggaaatg aaaaggttta tactttttaa aaaaaaaaaa cnnaanccaa aaaaccaaaa 660
cttcaaatgg aataaattat tcatgaagcc cttaaaaaaa aaaaaaaaaa aactcgaacc 720
tntaaaactn tngngg 736

<210> 722
<211> 751
<212> DNA
<213> Homo sapiens

<400> 722
attnccttgg cttttcaaat ccttggctac tngttctttn tgcaggatcc catcgattcg 60
aattcggcac gagattatag agattaatct cctttgctcg aagtctattt aaatattagt 120
cacatctaaa acatactttt acagcaacat ctagactggt gtttgaccaa acaactgggc 180
atcatagctg acacataaaa ttaaccatca caaccatgtt ctaggcactg ttcctcactg 240
cctgagaaga caccgttatg tttattaggg tttttgagtt ttatccacag cttttggtta 300
tctgcaacca tgtctcccac cattaacata gttcacactg agatgaggat tccctattta 360
acacttggtc ccaacttctt cacagtccat ctggttttgt agagggaaca taactggaca 420
ttctggtcag gttaggtgag gtcaggcctt caggacgcta ttttcactga gttgctttat 480
aaggcacatt atgcaaaatt ccatcagctc ttctgttcac tacattcact gttgaaattc 540
taagagtgag actgctgtct cacaccaaag ccagtgggta ctatcttcag taggcacgca 600
gcatcatgtt tgtatttgat ccanctagat gacatgtaag agaaaacttt attgnggact 660
ctgtaaagtg tgacattcgt ttgtgactca atttgctcat gtatttggtc ctggggagtc 720
attacatagc taactttcag ctgctttcaa t 751

<210> 723
<211> 749

<212> DNA
<213> Homo sapiens

<400> 723
tttaatncct ttcnntaatc cttngtttcn ngcnctttnt gcaggatccc atcgattcga 60
tgctagccaa agcctgctgc cagctccata gcctggacct acagcactcc atggtggagt 120
ccacagctgt ggtgagcttc ttggaggagg cagggtcccg aatgcgcaag ttgtggctga 180
cctacagctc ccagacgaca gccatcctgg gcgcactgct gggcagctgc tgcccccagc 240
tccaggtcct ggaggtgagc accggcatca accgtaatag cattcccctt cagctgcctg 300
tcgaggctct gcanaaaggc tgccctcagc tccagcctgg accttgcccc caggtgctgc 360
ggctgttgaa cctgatgtgg ctgcccaagc ctccgggacg aggggtggct cccggaccag 420
gcttcctagc ctagaggagc tctgcctgnc gagctcaacc tgcaactttg tgagcaacga 480
ggtcctnggc cgnctactcc acggctctcc caacctgcgc ttactggatc ttcgtggctg 540
tgcncgcatc acgccggctg gccttcagga tctgccatgt cgggagctgg agcagcttca 600
tctgggcctg tatggcacgt cagaccggct gacttttacc aangagggca agncccttttt 660
gaccagaant ggtgcataca ctgcgaagaa ctggactttg aatggccaag ggttcaattg 720
agaaagacct ggaacangcc cttgctnct 749

<210> 724
<211> 761
<212> DNA
<213> Homo sapiens

<400> 724
ttnnnncccct ttttaatncc ttctactaat ccttggctct cgntctttct gcaggatccc 60
atcgattcga attcggcacg agcctcagcc ttctaaaaag ctggggctac acccagctga 120
agaaattgta actaaagata gattgtttaa agcaaagcaa gaaacttctg aagaaatgga 180
acaaagtgga gaagcctcag gaaagcccaa cagagagtgt gcaccccaga ttccttgtag 240
tactcctatt gctactgaaa ggacagttgc acatttgaac actctgaagg accgtcaccc 300
aggtgatttg tgggcccgca tgcacatctc atccctggaa tatgctgcan gagacattac 360
ccgaaaaggg agaaaaaaag acaaagctcg agtgagtgaa ctgctccaag gcctctcatt 420
ctctggtgac tcagatgtgg aaaaagataa tgagcctgag atccagcctg ctcaaaagaa 480
gttaaaggta tcatgtttcc cagaaaagag ttggaccaaa agagacatta aacccaattt 540
tccaagctgg tcagcactgg attctggact tttgaatctc aagagcgaaa agtttgaacc 600
cagtagagct tttgaatta tttttgatg atgaaacatt caacttaatt gtcaatgaaa 660
ccnataatta tgcttctcag aaaaatgtca gctttggaag tccagttcag gaaaaaaaan 720
nnnnannaaa aaactcgagc ctntanaact atngtgagtc c 761

<210> 725
<211> 760
<212> DNA
<213> Homo sapiens

<400> 725
tttcnccccn tttttanccc cttnctctaa tccttggntc tngttctttt tgcaggatcc 60
catcgattcg aattcggcac gaggcggact ctcaggacga aaagagtcaa accttttttgg 120
gaanttcaga ggaagtaact ggaaagcaag aagatcatgg tataaaggag aaaggggtcc 180
cagtcagcgg gcaggaggcg aaagagccag agagttggga tgggggcagg ctgggggcag 240
tgggaagagc gaggagcagg gaagaggaga atgagcatca tgggccttca atgcccgctc 300
tgatagcccc tgaggactct cctcactgtg acctgtttcc aggtgcctca tatctcgtga 360
ctcagattcc cgggactcag acagagtcca gggctgagga actgtccccc gcagctctgt 420

```
ctcccttgct agagcccatc agatgctctc accagcccat ttctctactg ggctcctttt     480
tgactgagga gtcacctgac aaggaaaaac ttctatcagt actttgatat gtcacagttt     540
catgtttatc cagttcaatg tatttttaaa tttttccttg agacttcttt gactgataga     600
ttattgtgaa gtgtgttttt aaatttncaa atgtttangg attttcatat ctttcttatg     660
ctgatttcca attggattcc ttacaatgat ttttgggttt catctgctct tggatgatta     720
ctatctcttt taaatttggt gtggccaagt tttagggccn                           760
```

<210> 726
<211> 741
<212> DNA
<213> Homo sapiens

<400> 726

```
ttntgccctt tgtntnatcc ttgntcttgc ctttttgcag gatcccatcg attcgaattc      60
ggcacgagac aagttctatt gagtgctatt cagaatagga acaaggttct aatagaaaaa     120
gatggcaatt tgaagtagct ataaaattag actaatctac attgcttttc tcctgcagag     180
tctaatacct tttatgcttt gataattagc agtttgtcta cttggtcact aggaatgaaa     240
ctacatggta ataggcttaa caggtgtaat agcccactta ctcctgaatc tttaagcatt     300
tgtgcatttg aaaaatgctt ttcgcgatct tcctgctggg attacaggca tgagccactg     360
tgcctgacct cccatatgta aaagtgtcta aaggtttttt ttggttataa aaggaaaatt     420
tttgcttaag tttgaaggat aggtaaaatt aaaggacatg ctttctgttt gtgtgatggt     480
ttttaaaatt ttttttaag atggagttct tgttgcccag gctagaatgc aatggcaaaa      540
tctcactgca atctcctcct catgggttca agcaattctc ctacttcagc ctcccaagta     600
gctgggatta caggcatgtg ctaatttggt gtttttaata gagatgaggg ttttccatgt     660
tggtcangct ggtctcaaac tcctgcctta ngtgatcgcc tcggcctnct aaagtgctgg     720
aattcaggca tgaancncca t                                               741
```

<210> 727
<211> 751
<212> DNA
<213> Homo sapiens

<400> 727

```
ccttcttccn aangctntgt tgaacncctt tcnnnatcgc gcttgcgctt tgagctagga      60
taaaaattgg gtaaagggac atttgcttac ctgnntnatg aatcactntt tgaaatgtga     120
tcttgccata tcatcaagaa acttgttttc tggatgaata ctgggagaat aaaatgagaa     180
ctctggagtg agctaaattg atcccaatna agtttttctg cttagcagac agaaggtata     240
attntttgac acccttttccc acctggtgcc tatgctaggc ttgtcctgan aacatncctc    300
agtaacttga tattcacatg acctacagga tgtcccatct gcagggctga gtcagttggg     360
gaacaccaga ggctacacag tagctattcc tgctactcgg ttaatgagct tggcaggttc     420
tttgtctcac tgaattctta tcatggaaac agcagcagca gccgctagga aatcttcaag     480
tgtagnggcc tgtgctaacc cagtggtaaa tcccttagat cccctgctgg tctctggcaa     540
aactccttga tnttgggtac catgtatant ttgcctttga cntttaacgc tttctacgat     600
anggtaanca cncntttaat ttangcnctg gancattaac tttctttgca aaggctactt     660
atngccngnc acaantgcag cctcggacan ancnnangnn atatcctgtt ggccatggct     720
ntgatgtttg acanccgata ngccttctnc g                                    751
```

<210> 728
<211> 765
<212> DNA
<213> Homo sapiens

<400> 728
tngnntttnt ttaacnttgt ttgacgcctt tctgcaggat ccctcgattc gcactggcta 60
cctgcagatt gcagagcggc gagagcccat aggcagcatg tcatccatgg aagtgaacgt 120
ggacatgctg gagcagatgg acctgatgga catatcggac cangaggccc tggacgtctt 180
cctgaactct ggaggagaag agaacactgt gctgtccccc gccttagggc ctgaatccag 240
tacctgtcac aatganatta ccctccaggt tccaaatncc tcagaattaa gagccaancc 300
nccttcttnt tcctncacct gcaccgactn ggncacccng nacatcanng agggtgggga 360
gtnccncnnt gttcagtccg atgaggagga anttcangtg gacactgncc tgnccacatn 420
acacactnac agagangcca ctcnngatgg tgntnangac agcaactntt aaattgggac 480
atgggcgtng tntggccaca ctggaatcca nntttggctg tatgcggaat ttcacctgcn 540
aagccaggtt nnttnataga cgttcttgat tattacataa ttgccaatca tgtggtgagn 600
aacttgtgng aacantttaa caattaantg tgaagaccgt acaangaatt agttaaangc 660
natnnagggc taaacaagct attacttntg annnaantta angnatntaa nntttnctgn 720
ttctnaaaat nttcaatntn nngggaacan ttgtaanttt nncnt 765

<210> 729
<211> 743
<212> DNA
<213> Homo sapiens

<400> 729
tannnnttnc tntannnttt ctgangccct tntgcaggat cccatcgatt cgaattcggc 60
acgaggagat ctctgggatg tcagtgaggc tggttgaaga ccagaggtaa actgcagagg 120
tcaccacccc caccatgtcc caggtgatgt ccagcccact gctggcagga ggccatgctg 180
tcagcttggc gccttgtgat gagcccagga ggaccctgca cccagcaccc agccccagcc 240
tgccacccca gtgttcttac tacaccacgg aaggctgggg agcccaggcc ctgatggccc 300
ccgtgccctg catggggccc cctggccgac tccagcaagc cccacaggtg gaggccaaag 360
ccacctgctt cctgccgtcc cctggtgaga aggccttggg gaccccagag gaccttgact 420
cctacattga cttctcactg gagagcctca atcagatgat cctggaactg gaccccacct 480
tccaactgct tcccccangg actggggggct cccangctga nctggcccag agcaccatgt 540
caatgagaaa gaaggaggaa tctgaacctt gggtaaggat ttggggcaca gtaccaggaa 600
gggggcttgg tgccagacct tatgaggaag aaggatttc ctatgtacag agaangggac 660
cctgtnctgt tgggaagtgc ttgtgcaaac ctaaccaagt tactaacccc tctgntttct 720
gtgctacaca aaggggataa att 743

<210> 730
<211> 744
<212> DNA
<213> Homo sapiens

<400> 730
tttnttcctt cctctaatcc ttttancgcc tttctgcagg atcccatcga ttcgaattcg 60
gcacgagggg tcctccaaga gtttggggcg cggacnnnag taccttgcgt gcagttatgt 120
cggcgtntgt agtgtntgtc atttcgcggt tcttacaaca gtacttgagc tccactccgc 180
agcgtctgaa gttgctggac gcgtacctgc tgtatatact gctgaccggg gcgctgcagc 240
acggttactg tctcctcgtg gggaccttcc ccttcaactn ttttctctng ggcttnatct 300
cttgtgtggn tgagtttnat cctagcggtt tgcctgataa tacngatcaa cccacngaac 360
aaagcngatt tccaaggcnt ctgcccagag cnagcctttg ntganntct ctttgccagc 420
accatcctgc accttgttgt natnancnta ggtgnctgaa tcattctcan ttncntaatt 480
gangagtang anactaaaag aatgttgact ctttgaatct gctggataag agactngaga 540
tggcagctta ttggacacat ggattttctt cngatntgca cttactgcta gctntgctan 600

ctatgcagga gaaaagccca tagttactgc gtgtnacaac aactntctaa cnaacattca 660
ttaatccann ngannccttt caangaatgg taancctatg ccnttcaana tactgaactt 720
nntgccactt ntggcaaaaa aaat 744

<210> 731
<211> 746
<212> DNA
<213> Homo sapiens

<400> 731
cttattccct ttgnaactna ctctttntca tccctttgtg caggatccca tcgattcgaa 60
ttcggcacga gtgtccttat ctgaaattca gcgatcttnt tgaataagca tttctctgat 120
tgtggtatat gcctttaatt ttatttctag agtgacaaat ttttggtttt gacagttttt 180
ttctagcttt atagtttctt cttggggaga gaatatgtca acctcactcc atcatgctga 240
agtaaatctt catctcttaa ttttatctct caaaaatatc ctaaggattc cctctggagc 300
ctgataagta attgcagtat ctggtttcta tggttggatg attcaggatt ccaggaataa 360
tagttacttt ttagacctct aaagaagaag taacaaccac gtaaatgaaa agatgcttct 420
taaatcatgg agaatcaggg cttagtatca ctgtattttc aaactgtttc agccttactt 480
tataactgat ttagtatatt tttcttttaa tttcagactt cagtgaagtt ccttatgact 540
tcccctgaaa ttgcttcctt atcatggggg caaatgaaag taaaaggctc taatacaacc 600
tataaggact gcaaagtatg gccagggggt agtcngactt gggattggag agaaacagga 660
actgagcatt ctcctggtgt gcacctgcag atgtgaagga agttgttgag aanggtgtcc 720
agactcttgt gattggncna nggata 746

<210> 732
<211> 756
<212> DNA
<213> Homo sapiens

<400> 732
ttnnnnncnn nnatcctttn gatttnattc ctntntcang tcctttgtgc aggatcccat 60
cgattcgaat tcggcacgag gtggcccata agttttacct tttaaacatc cggctgcctg 120
tgaatgagaa gaagaaaatc aatgtgggaa ttggggagat aaaggatatc cggttggtgg 180
ggatccacca aaatggaggc ttcaccaagg tgtggtttgc catgaagacc ttccttacgc 240
ccagcatctt catcattatg gtgtggtatt ggaggaggat caccatgatg tcccgacccc 300
cagtgcttct ggaaaaagtc atctttgccc ttgggatttc catgaccttt atcaatatcc 360
cagtggaatg gttttccatc gggtttgact ggacctggat gctgctgttt ggtgacatcc 420
gacagggcat cttctatgcg atgcttctgt ccttctggat catcttctgt ggcgagcaca 480
tgatggatca ncacgagcgg aaccacatcg canggtattg gaagcaagtc ggacccattg 540
ccgntggctc cttctgcctc ttcatatttg acatgtgtga gaaaggggta caactnacga 600
atcccttcta cagtatctgg actacagaca ttggaacana gctggccatg gncttcatca 660
tcgtggctgg aatctgcctc tgcctctact tcctgtttct atgcttnatg gnatttcaag 720
tgtttcngac atcantggga agcaatccac ctgccn 756

<210> 733
<211> 742
<212> DNA
<213> Homo sapiens

<400> 733
cntatccttt nntttattcc ttnataagnc cttnngcagg atccatcgat tcgaattcgg 60

cacgagctca cacctgcttt ggatgcttca agcacctcag ccctctgaac tacaaaacag 120
aagagcctgc aagtgacaaa ggaagtgagg cagaggccca catgccccca ccgttcacac 180
cctacgtgcc tcggattctg aacggcttgg cctcggagag gacagcactg tctccgcagc 240
agcagcagca gcagacctat ggtgccatcc acaacatcag cgggactatc cctggacagt 300
gcttggcgca gagcgccacg ggcagtgtgg ctgctgcccc ccaggaggcc tgaggctggg 360
tctcactgct ctgaaaagac acaaccagaa tggcctgggg ctcaggccct tggctgagtg 420
ggaatgcgtt gggactgccc agctgagcta tcaggtgccc atcttttctg gtcccagcag 480
tggtgaggag agcacaggca ggcctcgccc ctcccttgct cacccagttt cccctncggc 540
acaagcttcc agctctgcag ctggggtgac atccccagtg gtttgtcgcc aagacatgtg 600
gtggactttt cgccccccaa actgatgagt nccggagaat atatggagag agagatgtaa 660
aaaaaaaaaa nnnnnnnnnt nntnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 720
nnnnnnnnna annnnananc tc 742

<210> 734
<211> 749
<212> DNA
<213> Homo sapiens

<400> 734
nntanaatcc ntttnnctnt aatccctcta ncaaatccct tgggcaggat cccatcgatt 60
cgaaaattta tagtaatgac aaatgactta tcagtgttca tcatctgaaa gctaagtggt 120
tcgttcaatc actttttcaa agttgatagt agattgcatg gtttcatgtt tcctcatatt 180
ggtttattaa ttctatttaa tcaaggaaaa taacttcaga ttccataaag tttcagttta 240
tttttagttt actactaggt gagatagcac attacatact tttactatca aatattattt 300
tagcagcttc ccatagtacc aaatgatttg attccctact ctcatttttt aaagcatata 360
aatatttatg ggcttaaaaa gggggttttt aaaaactgag gatatcagta ataaattgca 420
gaatattttg caaagctttc ttttggaaag caaacttttg tgcctgccta tatgcaaagt 480
attttatcag ggacttgaac aaagacctca ctctttttca cttgtcttat gtcgagagaa 540
aagggtattg gcagccacat tcctaagact ggggaatggt gtgtcccttt aaatttgaag 600
ataactttan gtaattatng gaactcctca aagaggagaa agtaattttt tncagacatt 660
ttctcaatct gggnctttca cacactantt tncatagtcg agaatctggt tttacccatt 720
gggctgngaa tgtccaatat cagtcctgg 749

<210> 735
<211> 770
<212> DNA
<213> Homo sapiens

<400> 735
gngntnngnn gttnnnttnt tttnaatnta atccttgtnt naantccttt tgcaggatcc 60
catcgattcg aattcggcac gagggtgccc atcaccacac ccagctaact tttgtatttt 120
tagtagagac ggggtttcac catgttggcc aggctggtct tgaactcctg acctcgtgat 180
ccgcccgcct tggccccgca aagtgctggg attacaagca tgagcccagc gcctggctgt 240
atctttcatt ttacccaagt cactttaccc aagtaagtaa ttaggggaaa gcctgagtct 300
tgtaccacct gttcatttgg ggaactgtgg gaaacggagc caacggacct aagtgcccct 360
tgacagtgag tttcatacca tttcagtagt gtatttcttt cttaatctga ataaaccaga 420
atgatactct cagcacagaa gaataaaggg agcgagtcat taacgttntc tttttaaacc 480
tttatgatga cttncttatg aattactgaa cgaacactgg aatgggactc acgtatcctg 540
aggacatctc tcaactctgg ccttantttc ccctctgtaa aattagggtg ccaactaaat 600
gatctacaag gtccctttnc aagcgccccgn cattctgtaa ttacatcatg tggaactgna 660
ttaaacatac accagtgaac tggcangcat tgggaatgta actttcccag taaaatgctt 720

tnggtttggt tcaaaataca ctntgaactt cttttcaaag acnggttnng 770

<210> 736
<211> 746
<212> DNA
<213> Homo sapiens

<400> 736
tttnnctttt attcaaatnc ttgcnggatc ccttgattcg aattcggcac gagggatgnc 60
catcgatgct natcnggcac gaggtgatgn cagcttgcaa actggtctac atnncaaact 120
gatagtacat tgccatctnc aggaagactt gacggctttg ggattttgtt taaactttta 180
taataaggat cctaagactg ttgcctttaa atagcaaanc agcctacctg gaggctaagt 240
ctgggcagtg ggctggcccc tggtgtgagc attagaccan ccacagtgcc tgattggtat 300
agccttatgt gctttcctac aaaatggaat tggaggccgg gcgcagtggc tcacgcctgt 360
aatcccagca ctttgggagg ccaaggtggg tggatcacct gaggtcagga nctcgagacc 420
agcctggcca acatggtgaa accccatctc tactaaaaat acaaaaatta gccangtgtg 480
atggtgcatg cctgtaatcc cagctcctca gtaggctgag acaggagcat cacttgaacg 540
tgggangcag angttgcagt gagcccgaga ttgcaccacc gtactnnaac ctgggtgaca 600
gagcgagact tatcttatan ataaatagat ngatcttcac ctgggtgaca naacgagact 660
tatagataga tagatagata gatggataga tngatngatn gatagataga ttgataaacg 720
gaattgggcc ttttgcttta atgaaa 746

<210> 737
<211> 751
<212> DNA
<213> Homo sapiens

<400> 737
ntnnnncttt ttgatcantc ctttnttgga tcccnttgct acttgttctt tttgcaggat 60
cccatcgatt cgaattcggc acgaggctga cctacagcag aagctgctgg atgcagaaag 120
tgaagacaga ccaaaacaac gctgggagaa tattgccacc attctggaag ccaagtgtgc 180
cctgaaatat ttgattggag agctggtctc ctccaaaata caggtcagca aacttgaaag 240
cagcctgaaa cagagcaaga ccagctgtgc tgacatgcag aagatgctgt ttgaggaacg 300
aaatcatttt gccgagatag agacagagtt acaagctgag ctggtcagaa tggagcaaca 360
gcaccaagag aaggtgctgt accttctcag ccagctgcag caaagccaaa tggcagagaa 420
gcagttagag gaatcagtca gtgaaaagga acagcagctg ctgagcacac tgaagtgtca 480
ggatgaagaa cttgagaaaa tgcgagaagt gtgtgagcaa aatcagcagc ttctccgaga 540
gaatgaaatc atcaagcaga aactgaccct tcttcaggta gccagcagac agaaacatct 600
tcctaaggat acccttctat ctncagactc ttcttttgaa tatgtcccac ctaagccaaa 660
acctttntcgt gttaaagaaa agttnctgga caaaacatgg acatngagga tctaaaattt 720
ggtcanagca tctgtgaatg agcatganga t 751

<210> 738
<211> 795
<212> DNA
<213> Homo sapiens

<400> 738
aatccctttg ctttaancct tgtttgaacc cctttggaac tncctctntn tgnaggatcc 60
catcgattcg aagagcncan gcaggaagag agagaccctn actgctgggg anttnctgcc 120
acactcaagt ccccaaccca ctggaatctc ccctactaca agtgccatgt anaccccttg 180

aaaaggggag gggcctaggg agccgacctt gtcatgtacc atcaataaag taccctgtgc 240
tcaaccaaaa aganaantan anaaaactcn agcctctaga actatagtga gtcttattac 300
gtagatccag acatgattng anacattgat gagtntngac aaaccacanc tcgaatgcng 360
tgaaaaaaat gcnttatntn tgaaanntga natgctatat nnntcattnn ttaccattnt 420
antctgcagt aaacaaantt tacagcancn nttgnntnga tttcatgtnt caagttcaag 480
gnganntgtt tggcgttnat ntaattcggc ccnacncgng accctttgc attgggcccn 540
nnacccanct ntagttccct nttagngagg ggnaattgcg cnctttggcg taataatngg 600
gcanangctg nttttcccnn tgtnnaaatt ggtttatcca gtttannaat ttcaacacga 660
tnaatatcaa acccggtaag cnattaaatg gtnaaaaacn ntgnggggng cccttaanga 720
gttgaactta accnganatt aaattgcnnt tncgcnttna atntcccncn ttttaaatcc 780
nggaaaacct tcccc 795

<210> 739
<211> 763
<212> DNA
<213> Homo sapiens

<400> 739
ttnnnnncct catnaatccc ttctttgatc cctcnccnca aaacccttgg cnactcgctc 60
tttntgcagg atcccatcga ttcgaattcg gcacgaggca nccttcgcct cctgggttca 120
agtgattctc ctccctcaca tcccaagtag ctgggactac aggcacgtgc caccacaccc 180
agctaattnt tgcattttta gtacaggcag ggcttcatca tgttggccag gctggtctca 240
aactcctgat ctcaagtnat ctgcccactt tggcctccca aagtgctggc attacaggaa 300
tggagccacc gcgcccagcc tgatttcttt anntangtct tgtcangaaa natattgant 360
ctnttgattc ntnaacatgg cnttnggtcg tctttaatnn gnctcatcan tgcctccatg 420
tgttnttgat gccttngaac tggtattttt aaaatnncaa tttctaattg nnnattatnn 480
aaacacaatt gggntnnata tattggcatt gtattaatgc aactttccta aactcactag 540
taattctagt agcntnantt ggtanattct taaggatttn ctgngtnaat agncatgtca 600
tctgtgaatn aagccattct ttganccttt tcaaattttg agccttgtat ttcttattct 660
taccatatca cattggcaaa gacctccagt atganattga ataaangtgg tganagaaaa 720
cacccctncta aaantgctng aattacaggc atgaaccacc ntn 763

<210> 740
<211> 765
<212> DNA
<213> Homo sapiens

<400> 740
tnnnnnnnnn tttttnaacc ntttnttgna tncntctntc aaatcgcttg gctacttgtt 60
ctttttgcag gatcccatcg attcgctagc ctgggcaata tagtacgacc ctgtctttac 120
taaaaatgca aaaattaacc acgtatggtg gctcacacct gtagtcctgg ctactgagga 180
ggctgatgca ggagaatcat ttgaacccag gaggtcaagg ctgcagtgag ctatgattgc 240
accactgcaa tccagcctgg acaacacagt gagaccctgc ctcacaaaaa ttatattctg 300
atttctgag tccatgaaca cattgtccaa atggattttt ctagctcctc caagttacag 360
atagttccac gcacacacag aactcaccac tctcaaatat tttccccact agtattacta 420
ttaaattttt caaacatgca aaagatgaaa gaattgctca gtgaacacca tgtacccacc 480
acctagattc tacaattaac attttaccct actttcttta tcacatatat gtacctatcc 540
atctatccat tcttccatga atccatcaat tcatctaatt ttttatatat ttcaagttaa 600
gttgcagata tgtagcttat gtttcacctt aaatgtttct gcctggctat tattaactgg 660
agtgcaatat gtttttggnt cttctttatg gtaaaatcta tgttcagtga aatgcacaag 720
acttangtat gccattaata gggtttgacg aatagacaaa ccttn 765

<210> 741
<211> 753
<212> DNA
<213> Homo sapiens

<400> 741
ttnganccnt tnnntnnttn nntnaatgaa gccatttgct acttgntctt tttgcaggat 60
cccatcgatt cgaggaaggt ggaggggcag gnaacaggac ggacaggccc cgggctctgg 120
cacatcctgg ggaacaaggg accacaagga cgggggcagt ctccagactt cccctgggcg 180
cttgacccca ggccttgcag gggagagagc cagggcctcc ctcaggtctt tgttcatgct 240
gttttccctg ccgtggacac cctttcccgc tctccgattc tctaaatcct gccccatctc 300
ccagatcttg ttcatgtcca agcttttcca ggaagtctta gcagctccca caccgcagag 360
ctcgagatgt ctccctgact tggtcccaga ccccaactat gtgcaagcat ccacttatgt 420
gcagagagcc cacctgtact ccctgcgctg tgctgcggag gagaagtgtc tggccagcac 480
agcctatgcc cctgaggcca ccgactacga tgtgcgggtg ctactgcgct tccccancgc 540
gtgaagaacc agggcacagc agacttctnc ccaaccggca cggcacacct gggagtggca 600
caactgccac cagcattacc acagcatgga cgagttcanc cactacgacc tactggatgc 660
aaccacaggc aaanaangtg gcccanggcc acaaaggcca atttctgnct ggaggacanc 720
acctgtgact tnggcaacct naaacgctat gcn 753

<210> 742
<211> 767
<212> DNA
<213> Homo sapiens

<400> 742
tngancettt cgnttctncn ctcctaagcc tttgctactt gctctttttg caggatccca 60
tcgattcgca ggacatggag cagtacctgt ccactggcta cctgcagatt gcagagcggc 120
gagagcccat aggcagcatg tcatccatgg aagtgaacgt ggacatgctg gagcagatgg 180
acctgatgga catatcggac caggaggccc tggacgtctt cctgaactct ggaggagaag 240
agaacactgt gctgtccccc gccttanggc ctgaatccag tacctgtcag aatgagatta 300
ccctccaggt tccaaatccc tcagaattaa gagccaagcc ancttcttct tcctncacct 360
gcaccgactc nggcacccgg gacatcagtn agggtgggga gtcccccgtt gttcaanccg 420
atnaggagga agttcaggtg gacactgccc tggccacatc acacactgac aganaggcca 480
ctccggatgg tggtgaggac agncactctt aaattgggac atgggcnttg nctggccaca 540
ctggaatcca ngtttggctg tatgcngaat tncacctgga aaagccaagg ttggtntata 600
ganggtcttg atttttacnt anttgncaat aatgggttga gnaaacttaa agaaccagtt 660
taacaataaa atngttaggg acccgttnan aaaatggang tctnccttcc atntnaacct 720
gganncettn aaacntttnt gngtccnaat tttcgttnca tccannn 767

<210> 743
<211> 768
<212> DNA
<213> Homo sapiens

<400> 743
naancctttc nnncttcgcn attcnaanng ntnggaaagc tcantcgctc natagngcnn 60
gggcttcgcg agnnntggga natnacanag gctngttanc ataccngttt ttnactgcan 120
aggnnnccac angcagcatg gcccatgnna tgnccatgcc antgatggcn ggnggccatg 180
ctgtcagcgg anncgcactt gtgagganec nntntggann cngtanncna canncacccc 240
cagtctggna cccnagtgtt cttactacac caantgaaac gctggnnagc caagagcccn 300

gatggcccac gtnccctgca tgganccccc tgancngact ccaccagcct atacangngg 360
aagccanaag cagctgtttt cngccntgcc ctgctgataa tgccttgaag accccatacg 420
acctnnacgg nctacattga cantnngact gtgncancct ngatcagatn atcctggaac 480
tgggnccnng attccaggan cttnccntca atggacctgg gngcttgtaa tcngttntgg 540
accatacanc cnttgtanna gataaaagan ngaggaaatc tgaaaccntn gnaataagat 600
ctgnggcatt agtnnntcaa ggggaggntn ggtnncaaaa cnctatgagg aagaacgatg 660
gnactatgtc catgnaaggg gaacatntan tgttgganna tgcnatgcaa ncntnnccnt 720
gatntaacnc tttganaaac tnangcttna caaaggggga aaaanact 768

<210> 744
<211> 757
<212> DNA
<213> Homo sapiens

<400> 744
tnnnnncnnt tnnnnttnat ncntctctca aatcgcttgg ctacttgttc tttttgcagg 60
gatcccatcg attcgcttga cctctgtact ttaaaggaaa tcactaacca aattttcaaa 120
gtttcctttt aaatgcgttt agctagaaat ctatgtattt atccctttcc tattttgcat 180
tcttctccca ctatttttaa aaactcattt acagtagaaa ccattcttct ttctcccaac 240
agtatccttt gccaagacca tgagaacagt aaggagcatg ttgttggtca gggtttcaga 300
atacgcgtga tgtcactgag aatgtttgct cacagtcaat aattgtcttt gtggatgtga 360
taattttgga gatacacttc tggtcagaac tcaggtgaga taatcttgca atactccaaa 420
tgcagatact ccagccaccc gcaaggttcc aggaaaggac aatgtcctgc gagaaaatca 480
ggaggcctcc acttcctggg ccacttgaga agttcctggg catgtcacta catgttggtt 540
gactcagcca tttctcatgc tgntttgttt cttgcggtgg ccacttaacc ccaaagaatg 600
aanggaggat ccacagtgaa agtgcctgag tttctctatg agaccagatg ctgtcgaaac 660
caaacatctt ttcctttgct ctatnggaac attttaaggg ttggtttgca caactggttt 720
tcagactngg aagattacca agtttgggtc ccccctn 757

<210> 745
<211> 751
<212> DNA
<213> Homo sapiens

<400> 745
cttnttnnnt ttnntttgat ncctctacnc aaacccttgg ctactngctc tttntgcagg 60
atcccatcga ttcgaattcg gcacgaggaa naacagacag gtttcaacat ggatggatct 120
gaaatgctgt tgaagcatat catttgcata aaaatcaggg acagtttcca aagaattata 180
tatttttttc agttggctct ctagttagtt tttttgggag taaggacaaa cctggaatag 240
atagcaaaac tgaaaatcan cagtgctgat ggtggtacat atgtctttcc tttagcttct 300
cccctgataa ttcccatctg cttttacttc gggtgagcag agggggatgt gtgtgtgcgt 360
gtgtgtcagt ctgtttgtga gtgtgttaaa ggctacagac cacagttggt ttaaaatgct 420
tggaacttcc caaactggct ttactttatg tttatacagt gctcagggtt aacgcagtac 480
atccatgcca ttgctgtggg aggtatcccc ggatgcatgt gttttgagtc tataaatata 540
gaaaatatat attggtttct ttttccaact taatangttt attaaagcat gaaatgaaag 600
ggtgcatatc atgcattcaa gntatntcct aatttttggt ctgacagtgc atgtctttgg 660
agcatgctga aacaanaatn acacaggaat tgantaaccn gaaagaaaca ttgttaaatg 720
tccaacattt gttatgcatt tntattgggg g 751

<210> 746
<211> 760

<212> DNA
<213> Homo sapiens

<400> 746
tnnnnntntn nnnnntttnn nttcntnnnn ctttgaancc ctttgctact tgctcttttt 60
gcaggatccc atcgattcgc tgaaacaaaa gatgtatttc aattaaaaga cttggagaag 120
attgctccca aagagaaagg ctttactggn tntgtcangt aaaagaagtc cttcaangct 180
tagttgatga tggtatggtt gactgtgaga ggatcggaac ttctaattat tattgggctt 240
ttccaagtaa agctcttcat gcaaggaaac ataagttgga ggttctggaa tctnagttgt 300
ctgagggaag tcaaaagcat gcaagcctac agaaaagcat tgagaaagct aaaattggcc 360
gatgtgaaac ggaagagcga accangctag caaaagagct ttcttcactt cgagaccaaa 420
gggaacagct aaaggcagaa gtagaaaaat acaaagactg tgatccgcaa gttgtggaag 480
aaatacgcca agcaaataaa gtagccaaag aagctgctaa cagatggact gatnacatat 540
tccaataaaa tcttgggcca aaagaaaatt tgggtttgaa gaaaataaaa ttgatagaac 600
ttttggaatt ncagaagact ttgactacct ngactaaaat attccatggt ggtgaaagat 660
tttcaagctt gngaatttgt aaattttnaa ctattatcta actaatgtnc tgaattgccn 720
ttggctgtac tgggttatca ttttattaat ggtaaataaa 760

<210> 747
<211> 786
<212> DNA
<213> Homo sapiens

<400> 747
tnngncttta nnccntttnn attgnnnnnn nttgaaaccc ttggcnactn gctctttntg 60
caggatccca tcgattcgaa ttcggcacga ggaggctgtg tcaaagaatg aatggaacgc 120
ctactatgag gaggtgggtg tacgtnctag anggagatcg agtacatgat ccagaagctc 180
cctgagtggg ccncggatga gcccgtggag aagacgcccc anactcanca ggacgagctc 240
tacatccact cggagccact gggcgtggtc ctcgtcattg gcacctggaa ctaccccttc 300
aacctcacca tccagcccat ggtgggcgcc atcnctgcan ggaactcagt ggtcctcaag 360
ccctcggagc tgagtgagaa catggcgagc ctgctggcta ccatnatccc ccagtacctg 420
gacaaggatc tgtacccagt aatcaatggg ggtgtccctg agaccacgga gctgctnaag 480
ganaggttcg accatatcct gtncacgggc agcacggggg tggggaagat catcatgacc 540
gctgntgcca agcacctgac cctgtnacgc tggaactggg aaggaagagt ccctgctacg 600
tgggacaaat aactgtgaac tggaccttgg ncttnctaac attggncttg gggggaaatt 660
catnaacaag ttngccaana cctgcgtggg cccctgaaat acattctttt nggacccccct 720
tgnatccaga accccaattg nnngnngaaa acttnaaana aantnncttt naaaannntt 780
tttnct 786

<210> 748
<211> 722
<212> DNA
<213> Homo sapiens

<400> 748
tggaactngc tctttntgca ggatcccatc gattcgaatt cggcacgagg aggaagaggc 60
ctgctccact tgtctgggaa cctgggcagg aggcacagag gaagccaagg cctggagctg 120
caggtccccc ggcatctctc tctgtcccgg cagcccagga tggcctggtg cccccacctg 180
ctgcagcagg agccccaagg agtgctagct gagggtggtt gctggggtgg tcctcatgga 240
cagtgaggtg tgcaagggtg cactgagggt ggtgggaggg gatcacctgg gttccaggcc 300
atccttgctg agcatctttg agcctgcctt ccggtgggag canaaaaggc cagaccctgc 360

tgagttanag gctgctggga tccactgttt ccacacancn ggaaggctgc tgggaacagg 420
tggcanagaa gtgccatgtt tgcgtngaac cttgcantct tncanctggg gactggtnct 480
tgctgaaacc cacgagctgn acantnanga gctgtccanc ttgcttggct cactgngacc 540
aggaaagcct gtctttggtt agctcgtgtc ttctgcagga aaaaaaaaag gatgtgtcat 600
ttggccatga tatttgaaaa aggggaagga tngccnaant ttgtttncca tttattccag 660
tanttggaaa attttttgac cccctnngct taattctttt gcaanaacta ctggggggtn 720
tg 722

<210> 749
<211> 821
<212> DNA
<213> Homo sapiens

<400> 749
tttnaanncc cttgctactn gttctttttg caggatccca tcgattcgtn gacatagaaa 60
acatacagta agaatatggt attataatct tacggggacc actgtcaaat cgcggtctgt 120
ctttgaaaag ttgtnatggc ggcgcatgac tataaatacc ctagctggtt agcatttaca 180
ttccttgcca gggagtttga aatttatnct nggcgggctg nctttaggnt ttaggtagag 240
ttaaagaggt aaagcacatg tttgccacaa cccaggaaag tatttttaag aaagatttgg 300
atttcctac ctttagagat ctaaaaaaaa tttaatataa aaaatcattt tgagntggtg 360
tttattacta gttcagaatg agtggctgct gaaggggggcc cccttgnnat tttcattata 420
acccaatttt ncactttatt ttgaactctt aagtcataaa tgtataatga ctttatgaat 480
tagcacaggn taagttgaca ctttgaaact ggccatttct gnattacact atcaaatagg 540
aaacattgga aagatnggga aaaaaaattc ttattttaaa atggcttaga aaagttttca 600
agattacttt ggaaaattct aaacnttnct ttctgngttc caaaactttg gaaaatatgg 660
tagatnggac ctcattgcca tttaagactg gttttcaaaa gctttccctc aacatttttt 720
aaaggtgtgg antttttccct ttttaaatat tccataattt aantttcctt ttnaaaggcc 780
nctnnttttc ccaaacccat ngnctttttgg ggnaaatccc c 821

<210> 750
<211> 770
<212> DNA
<213> Homo sapiens

<400> 750
gntttnnnnn nnctttnttn nntgnctntt tctaagagct tngcnnatgc tnggtcggca 60
cgaggcaaca tttgtctaca actctactgt aaaattggaa atgcttttcc acagaaaaac 120
ctctcaaaat gctgaatgca aaagttggga tcacagaaac attgtgccta tttttggtct 180
gctggaaact gtatttntac aaggtaatcc ctgttctcaa tatagttcct gtcttgccac 240
tggcggtttt cttgtagcat ttttctagtt ctgagattgc tactacccaa agtattcatt 300
tctttcttac tggggtgtcc tctgtcttca cagcctgctt ctggattgta ggtttttttcc 360
tttctttctg ttgagatatt tatggcattt gatagagtca aaccagatgt attgcagccg 420
gacatactta tgtggcttca gatgtgtaaa ataagtaact tcctatcttt gtctgtctag 480
ctcaagagtt gactgtggac gaggaatgcc tgtattgatt cattaatgta ataactattt 540
actgactgcc taccatgtac aaccagaaac acagttccta acctcatgaa cttaccatgt 600
aacatgggaa gacaagccta agttcttatt tggntggnaa ttgcgataac gctcacagaa 660
caaattcccg attcctacga acccatgtat agggggggaaa tatttaaggt cccatttaat 720
actgacattn gcccnccccc ctnntatttt aagctgagaa tctgaaggnn 770

<210> 751
<211> 774

<212> DNA
<213> Homo sapiens

<400> 751
cgttnnnttt ccncctttga agcccttttt gcaggacttt cnaatncttg gtagacttta 60
tgtcagttct gtgtagactt tatgtcagtt tttgtcatta tttgaaaatc tattctgaca 120
actttttaat tcctttgatc ttataagtta aagctgtaac aactgaaatt gcatggatca 180
agtaagcata gttttatcca gggagacngc tcnnnggaag ccatagaatt gctctggtca 240
aaaccaagca caccatagcc ttaactgaat atttaggaaa tctgcctaat ctgcttatat 300
ttggtgtttg ttttttgact gttgggcttt gggaagatgt tatttatgac caatatctgc 360
cagtaacgct gtttatctca cttgctttga aagccaatgg gggaaaaaaa tccatgaaaa 420
aaaaaagatt gataaagtag atgattttgt ttgtatccct acccatctcc tggcagccct 480
actgagtgaa attgggatac atttggctgt cagaaattat accgagtcta ctgggtataa 540
catgtctcac ttggaaagct agtcctttta aatgggtgcc aaaggtcaac tgtnatgaga 600
taattatccc tgcctgntgt ccatgtcaga cttttgagct gatcctgaat aataaagcct 660
tttaccttat ctggaaaaaa aaaacattnt anancaaaaa aaaactnnga gccctttana 720
actnttagng agnccntttt ccgtagaatc ccngacntgg ntaaggaanc nnnc 774

<210> 752
<211> 778
<212> DNA
<213> Homo sapiens

<400> 752
gntttgaann ccnttgtttc gnatcctttt tgnaggactc tgaagncctt tgttcggcnc 60
gagaagaaac tctgcctcag aaaatgttta cagcttccag tggaatcaaa cataccatga 120
ccncaattta tccaagttct aacacattag tagaaatgac tcttggtatg aagaaattaa 180
aggaagagat ggaaggggtg gttaaagacn ttgctgaaaa taaccacatt ttagaaaggt 240
ttggctcttt aaccatggat ggtggccttc gcaacgttga ctgtctttag ctttctaata 300
gaagtttaag aaaagtttcc gtttgcacaa gaaaataacg cttgggcatt aaatgaatgc 360
ctttatagat agtcacttgt ttctacaatt cagtatttga tgtggtcgtg taaatatgta 420
caatattgta aatacataaa aaatatacaa atttttggct gctgtgaaga tgtaatttta 480
tcttttaaca tttataatta tatgaggaaa tttgacctca gtgatcacga gaagaaagcc 540
atgaccgacc aatatgttga catactgatc ctctactctg agtggggcta aataagttat 600
tttctctgac cgcctactgg gaaatatttt taagtggaac caaaataggc atcccttacc 660
aaatcaagga agactgactt ggacaccgtt tggaaaatgg gtaaaaacgg tggnttactg 720
gtganttggg gagcnagaac cggacccact ggtatactgg ggantaacaa ttttttc 778

<210> 753
<211> 775
<212> DNA
<213> Homo sapiens

<400> 753
gcttttgaaa ccccttttgtt aacgcctttc tgcatgatct tctcgtcctt gaaagggccc 60
taaaagagat gaacaatacc gtatcatgtg gtttgaatta gaaacccttg tcagagccca 120
tatcaacaac tcagagaaac atcaaagagt cttggaatgt ctgatggcat gcaggagcaa 180
acccccagaa gaggaagaac gaaaganacg cggctgaaag agggaagaca aagaggacaa 240
gtcagagaaa gcagtgaaag attatgaaca ggaaaagtct tggcaagact cagagagatt 300
aaaaggaatc ttagaacgtg gaaaagaaga attggctgaa gctgagatta taaaagattc 360
gcctgattcc ccagaacctn caaacaaaaa accccttgtt gaaatggatg aaactccaca 420

agtggaaaaa tcaaaagggc cagtgtcgtt attatccttg tggagtaata gaatcaatac 480
tgccaattcc agaaaacatc aggaatttgc tggaccgttt gaactctgtt aataacagag 540
ctgaactata tcaacatctt aaagaggaaa atgggatgga gacaacagaa aatggaaaag 600
ccagccggca gtgaagagtg acttgangaa ctaaatttta gcatattgca aaaatatttt 660
gtgcgggaat tcgatatnag tacttttacc agcaagatgg natngttatg tttgcctgga 720
ctggntttta catttttnaa attttttcag tgncctttttt tggtcctaaa ttatc 775

<210> 754
<211> 1032
<212> DNA
<213> Homo sapiens

<400> 754
ggnntttttc ccaaaaaaaa ggggccccct nggggntttt tncncaanng gncccctttt 60
tctttgncca gggnaacntt ttttgngaaa agancccccct ttttggatnn accggggccc 120
cccggaaggt tccnaaattt tnagggttna aacccaaatc cttggggaaa aaaaaaaaac 180
ccagggccnt ntntggggnc cccctngggg gggtngggaa aaaaaaaaaa gggggaatgg 240
cccccaaaaa aaaatnnggg gcccctnggg ggaaaaaaaa gggaaagccc aggtngggaa 300
nggaaagggg gaaggntccc ccggggggaa aggaaatggg tgggtnggna atggcccaat 360
ggttggaaaa ggcccaaacc aatttgggnt ntaaaacaat ttcaacctgg gggggtcctg 420
gcccanaaaa aatgcngggc acccncgngg ggtctggctt aagaattggt tacaagggca 480
aagggaaagg gaagagttct agagataaag aactatatgc ttggatgaag tgtgtgaagg 540
gacagcctca tgatcacaaa catttaatgc caacccaaat tatacctggt tctgttttga 600
cagatcttct agatgccatg cacactctta gggaaaaata tggtattaaa tcccattgnc 660
attggactaa caaacagaat ttacaagttg gaaattttcc tacaatgaat ggtgtatctc 720
aagttttaca gaatgntctt aatcacagna ataaaatttc tctgtgcatg cctgagtctt 780
cagcagcaaa aatactcctc cgaagtctga gaaaaatggn ggcagcagcc caagaagagt 840
gatgtaggca cagataacna aggntaacct cctccagaat ccccagtcac cactgcactg 900
gttaagcaga acttngcagg agcaaaaaag cccngangan ggaaaaaaaa aannaaaaaa 960
aactcggagc cctcttagaa ctatangggg ggccgnnnta ccgnangatc cccgacctga 1020
anaggaaccc cc 1032

<210> 755
<211> 798
<212> DNA
<213> Homo sapiens

<400> 755
ngnnnnnttt nncccnacna aatccctttt ttgaagcctt ctantgnctt catcgtnctg 60
gtaaattggn tgaattattg tattgaagct tgagctgtat tttnaagtaa tttnggttnc 120
ccctaagatg ttattatgtt agggacataa cacttttggg aggttgttgt gggagatggt 180
tgatttaggt tttcaaaagc tagaaataaa atttacatnn ccccggntnn cataaaattc 240
tgctctaatt gggtggaagg tgctgtatct aacttgtgtt cctnctaagg ttatgtccta 300
ataactattc ttttaggagt atacttctac tttatagaag gttgcttttt ctttttaatt 360
ttntctaaca aagaaaagaa tnaagtattt attaataaag aaccagaaag cacttgaaac 420
tgatgttttt aaatgggctc acttanggta gatttattta tctcattaac ttaaaaacag 480
ctatgtgnat tgaaataagt cacaacagaa cttgaacacc agggtgggtg tctgagcaat 540
cccctttctt atggggaaaa acaaatggtt cttgtttgaa cangaaggta tcattgcagt 600
cngcattcac ccgtgtataa ttgnnatata agntgnataa tatgctcgta aaggctnaag 660
gtnagctgga tctggatgcc ctttnaccaa ttangatttt aacttttaan aataaaattt 720
naaanctaat tgncnaaata aaaaaaatan naaacttcgg ncctctacaa nttntagatg 780

ngtcgattnn cgnncanc 798

<210> 756
<211> 834
<212> DNA
<213> Homo sapiens

<400> 756
tttgaaaccc ntttnttnaa gcctttttaa tgactttanc gncctttatt cggcacgagg 60
tccttcagct ggtagcttnc attcgnantt nnanatanta tntgtgcatg cncnnttgaa 120
tttttgtgga agaacagant gcagaagaag gcnaggaaag ccgaagagan tnntncggca 180
ncagaagctt aaagnaggcc aaactggtgg tgcnctttcc tcggnacaga agctggatga 240
ctatggccaa tttggagaaa nagctccagg agatggaggc acggttcgag aaggagtttg 300
nagatggatc ggatgaaaat gaaantggaa gaacatganc tcaaagatga ngatggatgg 360
taangacagt gatgaggncc gaagacnctg agctctatga tgacctttta ctgnccanca 420
tgtgacaaat cgtnaanaac agtaaaggcc atgaanaatc acntagaagt caaangaaag 480
cnnttgggaa aaatggnggn nctttgntaa aaccacnagc tgganggang gaagaannna 540
aaatttttta agnacctcaa attgattgaa aaatncatta tgatgacaat tcctgnanga 600
ataaattggn agatgcncta naancaaaan gcnttttttn antnnaaana nacaaannnt 660
nnagcctntt ngaacntata gtnnannctn cntttanctn tntatcccgg actttnttnt 720
ggataccntt gactnagctt ttggacaaaa ncncnacttt gtattncatt ngnnaaaaaa 780
atgcntttat ttttcgnaaa tttggtgaat ncntaattng ntnntattnn nnnc 834

<210> 757
<211> 1062
<212> DNA
<213> Homo sapiens

<400> 757
tttttccaaa aaaatcnccc ccnttttttg gccttnaana nanngggccc cctttttttt 60
gggccagggg aatncccccca atnccggaat tttccggggt ntttgggggg nttggaaagg 120
gccccttggg gaaagggncn tttccnaagn aaaggggtng gaaaatttn taaatggcct 180
tttngggggg aaaaagcccc ctnggaatnc ccccaaaaaa cccttgggaa aaaggggggga 240
aaaagggggg aacctttngg gnaatccttn cccnttnaat aatttggggn aattaaancc 300
ctggtttggg aaagggaaaa gggttggtct tggtcttggg ggaanggaat tgggggccaa 360
nttaaaatgg aaggtttggc canaatnggc cncttcgggg gcttnttcaa aagccaagcc 420
tttgggancc ctgcttcatt tttngggccc tttnctgcca aggaanccca acccttaact 480
tancaggaaa anggagatga aaggccttct tccaaggaag gtaaggtcct ttggctgccc 540
cnacttaaat gctttttgaa antctcttag atgtggnaaa tattttttcc gaaccttgaa 600
atcaactngg tagaatttca attggaagca taatccattg taaaatatat tttagttgat 660
atttggtaaa atgccttttt tggtggtgtg gttngaatcc tgggtttccc aagaatcttg 720
natttcaaat ggtttaacaa angggaagga aagggancttt ttcccttaac cttccctttt 780
tgaccaggaa agattttnaa aagtaccttt ctttttaagg aaaaaaaaaa attaaatttt 840
gaagaaaaat tgggatttgg attttanaaa aaangggaaa aaaaatatna ntattnatan 900
ntcnnannat nnttnatnnt ctanntantt nctntnnnta ntnctnntnt ntnnannnna 960
nannnannaa ataaatantc nnncatnctt anctacanat ncenntcttn nttntannac 1020
tttnannnta nntatctaan tctntcccta ttntaccctn nc 1062

<210> 758
<211> 845
<212> DNA

<213> Homo sapiens

<400> 758
aaanccсttn tttnaaatcc tttttanang attcatcgat tcgaattcgg nacgaggcgc 60
tagcgtcggn tccgcntggg cccttgcggt gcgctgnggg caggcggtga ggcttacgcn 120
tntgcttacg ggcaaaaacc tgcacacgca ccanttcccg tnnccgttgt ccaacaacca 180
gaaggtgatt gcctttgggg aancttctan gncaacnacn tgaacntatg gacagtgcgc 240
tgntttggac agaantggga acnttnaggn tgntgtgcgc ttcnagcatn tgggcacctt 300
tgtgttcctg tcantcacgg gtgagcanta tggaagcccc atccgtgggg cagcatgaag 360
gtccacggca tgcccaattg caacacgcac aaatacttgg aangccatgg aangcatntt 420
natcaagcct aatgtgggag cccttttgca agtcacgaat taactctnaa nngtntggat 480
ggattgggtg ggantggang gttgcaagtt ngggccnttt tgaaaggcca ctttttggna 540
aaaaactttt gggtttttaa ngggttcntc aaaatgccct ttgnnaattn aaagaaatgt 600
tgggcctatt naaaaaaaan atnatacttt atntaatctn nataataata nttantaata 660
aaantcttnn agccttttta aaanttttta atgaanctct ttattttanc gttanantnc 720
ntaacnttta attaaaggaa taacaatttg ttgaantttt ggtataaana ncccccantt 780
tttaaaattc ntntngaaaa aaaatncntt tattttggta aaaatttgng gaatcnnttt 840
tgctn 845

<210> 759
<211> 947
<212> DNA
<213> Homo sapiens

<400> 759
tngggggggg ccccnanttt ggggccccaa acccttnggg gaaacccccc ttnnnnnttt 60
ttnccntttt gggggggaaa ngcccccccc caaangnaaa aacccntttt nnnnaatttn 120
ngggnanggg ntntggggnc ccnttaaccc caanggggggg gggttttnan cctgggggnn 180
naaaatnggg ggaanaantn nnnaatgggn antcccttna angggaaaaa naatttnncc 240
ttaaggnnat gggncattaa tnttnatccc tantggattn caatttcatt cgnattaaag 300
gcttttactg gnataatcct tnncggcccg cnctggtagt ttaaagtgcc canaanttga 360
atgggaaatn acgggttttg aaaatcgcac aaagcagtgc cnggcacnga ggngtcacgc 420
cngtaatncc agcattttgg gaggcctgag gcangcggat cacganggca anagagtcca 480
gaccattnct ggctaacacn gggaaacccc gggnctaata aaaaatcaaa aattaggntg 540
gacatggtgg cacgtgccng taatcncagc tacttangga agctggatgc aggaagaatt 600
gcgtgnnanc cnggccccng tggaangntg cattgatacg aagaaccgtg ccaaatgaan 660
ttanannctg ggcngaannn gagcggaaaa agccctnttt aaaaaaaaan gggantggaa 720
aaantggtgc canagncatn nggggaaaaa attttnnnnt tnnttnancg gttttnanct 780
tgnggaaggc cntctttaat nttggggaaa aggcactttt gggntnggtt ttggaaaacg 840
nntggctttt ccctttnaaa agggaaaaan ggnnttaanc ccctgaaaaa ngngcngnnt 900
tttaaanggg gnnnnaaaca nggggncttt ggaancccca nnaaacc 947

<210> 760
<211> 759
<212> DNA
<213> Homo sapiens

<400> 760
gnntttctaa tgcttgtnnn nngcntttnt gcaggatccc atcgattcga attcggcacg 60
agaagatatg cagagatatt ccaggatctt ttagctttgg tgcggtctcc tggagacagt 120
gttattcgcc aacagtgtgt tgaatatgtc acatccattt tgcagtctct ctgtgatcan 180

gacattgcac ttatcttacc ggctcttctg aagggtctat ttctgaactg gagcagctct 240
ccaattctct accaaataaa gaattgatga cctcaatctg tgactgtctg ttggctacgc 300
tagctaactc tgagagcagt tacaactgtt tactgacatg tgtcagaaca atgatgtttc 360
ttgcanagca tgattatgga ttatttcatt taaaaagttc tttaaagaaa aacagtagtg 420
ctctgcatag tttactgaaa cgagtggtca gcacatttag taaggacaca ggagagcttg 480
catcttcatt tttagaattt atgagacaaa ttcttaactc tgacacaatt ggatgctgtg 540
gagatgataa tggtctcatg gaagtanaag gagctcatac atcacggacg atgagtatta 600
atgctgcaga gttaaaacag cttctacaaa gccaaagaag aaagtncaga aaaatttgtn 660
ccttgaacta gagaaacttg ntntggaaca tttcaaaaga tgaatgacaa tctggattcn 720
ttggtngaca gtgtaatttg gactttaacc ngatgctcg 759

<210> 761
<211> 752
<212> DNA
<213> Homo sapiens

<400> 761
cctnactaaa cctttgcnaa ngccnttnnt gctgatccca tcgattcgca ggcctggact 60
tcgcccccag gcctaggacc gcggtgggtn ttaaccctgc tnctgcccca acagggactc 120
caatcaatcg gagttctccc cttgccggag ctgcccttca cctttggggc ccgagacagt 180
cataagggat ggacttacnt ttcttgcagg gaaaaaggtg gacagccgtg tttcttaagg 240
atgctgaggg catggggcca ggaccagggg agaggcacag ctccttcctg agcagcctct 300
caccactgcc acaaggctcc ctaatgctgg tctctgctcc actccccggc ttcccgtgag 360
gcangaggca gagccacagc caaggccctg accacttctg tgccagttgt ctaagcagag 420
cgcctcaggg acgctggaaa tgccttaagg atagaggctg ggcatcacat caaatgggac 480
tgtggtgttt ggtgaaaacc ttcctgagga tctggattca ggaccctcca tgactggcct 540
atttactggt tacagctggc cagtgcanan ctgctgctct tttacctttt taggcccctg 600
taacttncca cctttaaact gcccaanaag catgcctntt ccacaggaag aagggagcag 660
acagggaaat ctgcctacca anaagggtgt tgtgtgtctt tgtgcccaca cgtggtggct 720
ggggaatgcc tggatggtgc cgtggntgat ct 752

<210> 762
<211> 1032
<212> DNA
<213> Homo sapiens

<400> 762
ttctaatgct tggaaacgcn ttgatgnang atnccatcga ttcgaattcg gcacgagggc 60
aagtggtagt ggcgcttntc gggtgntgtg cttcacgttt tggtctaaag gncgagactg 120
ttgtggcnac ngngnaantn tacnggaang gnttaaantn tnnntgnagt nggaanaatt 180
cnatcngaan gaanttgggg gggntagnnn nggttanatn attgatgaat ggnttcaana 240
tngnaaantt tatnancgan atgnnatant tnnaaangan gaccaactgg gntnanatgg 300
agnannnatn aannggntaa ncnatanana tantncattt ggtanganaa tngangaagg 360
attntcaaat agncatgtng gangatgaac ntnnaggnnn nagaatattt ggataaaatt 420
ggtantatga agatntggnn taataatacc nanaaatnnn nnantttnat nanngangaa 480
ntagganttn atgnctatgn ggatannntn nanntatnat agngataaan tatgatactg 540
tttannntat ntnganttag tnattnaatg ntcttgtnan aanttatttt ncgntagtta 600
gntagnnnta tnnactttgg naancanana tgtaattctc tctanacggg aatntttnta 660
tnntnnntat caagaggtnt ntnnattgna aatantatac nnttgnanaa antatatcna 720
tanaanaaan ggnnattatt ntatatganc aaanaaaaaa ntattgngga nntanattat 780
ctctcatnat ngattatncn gtantgtata atggnnnata antatgtnnn tntaanataa 840

atggatataa gtnttatant atgcncntna aggnggtcng anaantatgt aattatattn 900
angctanata cnatnnanat gtntnactaa atatngntgt gaaangtntg cgnggnaaaa 960
tntgttanta ntnaaacang gtataganat atanatgngn ngaatatcta ctatntgtan 1020
atacttatan ca 1032

<210> 763
<211> 817
<212> DNA
<213> Homo sapiens

<400> 763
aanncccttn tttctaatnc ttggctactc gtnctttctg caggatccca tcgattcgaa 60
tttcggcacg aggggaggga cccttggggn caggttgtgg gtagccagtt gcagtctgtg 120
gcctccctca gaggtttgga gtcgggcgtg gcatgctgct gttggcctct ttccgaggga 180
gtgccatcca ctccctgtcc caccgctnnc cctngtgagg acagtgaggg cagtgctacg 240
tggtggggag gtgtgtgtga agccacggaa gggcttcaca gggcaaatgc caaggccagt 300
gggccccgga cagagtnagg ctccctgggc ggncttgtgt cttggtggcc ctgatcatcc 360
tgccaatgca naaagccagc aggcaagaga cccctactcc ctttaaggac cattagcata 420
aacaaaccat tgngttgaat gcaatgatcc aggtgcactt tnagggtaca agctggactn 480
gttggaacag gattacatgg aaaanngaa angggggcan gctgtctctt gggacatnag 540
taatgtcttt ttacccantt gncactctng aanttcaaan ttggncatgt tttctggggc 600
ctnctngnaa aagcagtttt ttcaccncat natgaagaaa aaacttgttg gcttgganng 660
tannggatt nttgntnana cttnccctaa anggntncct ttnggggcat ttntgaaggn 720
taaataatgg gggatacctt tttaannttc cttgcagatt taaaaatgtt ccttaaanga 780
nncctcaatg nttnggtctt nttccaaaaa acnattc 817

<210> 764
<211> 777
<212> DNA
<213> Homo sapiens

<400> 764
taatgcttgg ntctcgnttt tntgcaggat cccatcgatt cgaattcggc acgaggtcca 60
cggtgctgaa catcatcatc tttgaagact gtaggaacca gtggtctatg tcccgaccac 120
tacttggctt gatattgctt aatgaaaagt atttttctga cctaagaaac agtattgtga 180
acagccagcc acccgcgaag cancnggcca tgcacctgtg ttttgagaac ctgatggaag 240
gcatcgagcg aaatcttctt acgaaaaaca gagacaggtt cacccagaac ctgtcagcat 300
tccgtcgaga agtcaacgac tcaatgaaga attccactta tggcgtgaat agcaatgaca 360
tgatgagctg acacctnctt ggactctacc tgtacagagc agcgtccctt tggtttggcc 420
cagaggggcg aacaattgca agggagaggg cctggctgat cctggctctt ttctccaggg 480
gtgtggggaa aaatggcaaa ggtcaactag ctgcttcccc aagggaatag gggtgtgagt 540
acactcacta nggggcaagg cgctgcttgg ttcctggggg gactgggtgg gaaagggtgg 600
tgnganggag ataaagagat tcaaactgag actccagtct ttccttctgg gggccaccca 660
aagttgggga gnaacccccct antggtncct gccaacaacc ttgccttggg attaaacatt 720
ntncattttt ttcantaana tttttgaaca aagggttant attgnctnaa gtttann 777

<210> 765
<211> 774
<212> DNA
<213> Homo sapiens

<400> 765
ntttctaatg cttggctctc gntttgatgc angatcccat cgattcggga aatgcaagtc 60
aaaacagctt tgtaggtctc agagtttgct tttaagaagt agtacaagaa ggaatagtta 120
tatcaataca ccagtggctg aaattatcat gaaaccaaat gttggacaag gcagcacaag 180
tgtgcaaaca gctatggann gtgaactcgg agagtctagt gccacaatca ataaaagact 240
ctgcaaaagt acaatagaac tttcagaaaa ttctttactt ccagcttctt ctatgttgac 300
tggcacacaa agcttgctgc aacctcattt agagagggtt gccatcgatg ctctacagtt 360
atgttgtttg ttacttcccc caccaaatcg tagaaagctt caacttttaa tgcgtatgat 420
ttcccgaatg agtcaaaatg ttgatatgcc caaacttcat gatgcaatgg gtacgaggtc 480
actgatgata catacctttt ctcgatgtgt gttatgctgt gctgaagaag tggatcttga 540
tgagcttctt gctggaagat tagtttcttt cttaatggat catcatcagg aaattcttca 600
agtaccctct tacttacaga ctgcagtgga aaaacatctt gactacttaa aaaaanggga 660
catatttgaa aaatcctggg agaanggact atttggctnc ttttgccaac ttacttcata 720
ctggnaagcc agattantng ctcaaggaag ttttgatgag ccaaaaaagt tttn 774

<210> 766
<211> 779
<212> DNA
<213> Homo sapiens

<400> 766
ttnnncgctn ntgaanaccc cttctcctna aatccttttt aantnccttg ctgnntgatc 60
ccatcgattc gcgaaattcg gtggcgccac gtccgcccgt cttngccttc tgcatngcgg 120
cttcggcggc ttccacctag acacctaaca gtcgcggagc cggccgcgtc gtgagggggt 180
cggcacgggg agtcgggcgg tcttgtgcat cttggctacc tgcgggtcga agatgtcgga 240
catcggagac tggttcagga gcatcccggc gatcacgcgc tattggttcg ccgccaccgt 300
cgccgtgccc ttggtcggca aactcggcct catcagcccg gcctacctct tcctctggcc 360
cgaagccttc ctttatcgct ttcagatttg gaggccaatc actgccacct tttatttccc 420
tgtgggtcca ggaactggat ttctttattt ggtcaattta tatttcttat atcagtattc 480
tacgcgactt gaaacaggag cttttgatgg gaggccagca gactatttat tcatgctcct 540
ctttaactgg atttgcatcg tgattactgg cttagcaaat ggatatgcaa gttgctgatg 600
attcctctga tcatgtcagt actttatgtc tgggcccanc tgaacagaga catgattgna 660
tcatttttgg tttggaacac gaatttaagg cctgctattt accctggggt atccttggat 720
tcaactatat catcggangc tcngtaatca atgagctaat tggnaaattn ggtggacac 779

<210> 767
<211> 799
<212> DNA
<213> Homo sapiens

<400> 767
gnnnnnnttn cccgcctttn gaaanccccct tctttctaat gcttgttcaa cgcctttgct 60
gcaggatccc atcgattcgt ggatactgac aatggtggca ggcatttcaa gccttttaaa 120
ttagtacttt ttgtcgnctt gcttattaaa attttgttaa ttttagcaaa gaccaattgt 180
tgtgataaac tggtgttttt nggatgcttc aagcacacgt taaccaatcn gccaatnccc 240
ctttnggttc ctcccattgn tctaaaatag gactttcata ttattaaaac ctcaaaagat 300
gatccaccca ggatgaacaa agatcaccaa ggggaaagaa aacatttttt atctttacag 360
aaaacatgtt aagattatat atagatgtat tctttacatt ggatattgta ttagagtcct 420
ccttacaaga aatgaaatag gtttttagca ctcttagcat tagagttcct agattggtgt 480
tgatagctac agttttaaaa tgtataacct gaaaatgaag gttaattttg cattgtaaag 540
agcacatttg atctatgtaa aaagtgtcca tttggtgtat ttttttaaa aaagagaaag 600

cactttcata ttaagtagca tgtgtatgaa tttaagattt tcatatttgn tgngtctggt 660
attcagtgaa gtaaaattga gcattttaaa agtttggtgg atggcaacca ttaactatta 720
aattaaaagc caccttatac tctgctgctt aacttgcttg naaattgcac ctttggnacc 780
ctgcacattt tcatattnc 799

<210> 768
<211> 826
<212> DNA
<213> Homo sapiens

<400> 768
gnnnntnncn ccctttctaa tggcttgttt ctaaatgctt tttcnaatcc ttggtacatg 60
atcccatcgn ttcgcgctgt gcttgagacc aacctgacgg gtaccttcta catgtgcaaa 120
gcagtttaca gctcctggat gaaagagcat ggaggatcta tcgtcaatat cattgtccct 180
actaaagctg gatttccatt agctgtgcat tctggagctg caagacnggg tgtttacaac 240
ctcaccaaat ctttagcttt ggaatgggcc tgcagtggaa tacggatcaa ttgtgttgcc 300
cctggagtta tttattccca gactgctgtg gagaactatg gttcctgggg acaaagcttc 360
tttgaagggt cttttcagaa aatccccgct aaacgaattg gtgttcctga ggaggtctcc 420
tctgtggtct gcttcctact gtctcctgca gcttccttca tcactggaca agtnggtgga 480
tgtngatggg ggccnggagt ctctatactc actcgtatga ngtccagatc atgacaactg 540
gcccaaggga gcangggacc tttctggtgt caaaaaagat gaaaggagac ctttaaggag 600
aaagctaagc tcttgagctt gangaaaaca aggggtcctt ccatncccca aatgccttta 660
catttttgga ggatatgcct nnnggnacnt ttttaaaaaa gcttatnagt tngntatggg 720
naaaacaatt ttttccttan tttttaaagt ggntaataaa tnaaantcct aatggnaaaa 780
aaactantcc ttggnaanta ttttccaggn cttnantgtn cccncn 826

<210> 769
<211> 802
<212> DNA
<213> Homo sapiens

<400> 769
gnnnttctaa tgctgttcta atgcttgtca atncttgana cgttcatcga ttcgggaagc 60
caagcctgga gctgcaggtc ccccggcatc tctctctgtc ccggcagccc aggatggcct 120
ggtgccccca cctgctgcag caggagcccc aaggagtgct agctgagggt ggttgctggg 180
gtggtcctca tggacagtga ggtgtgcccg ggtgcactga gggtggtggg aggggatcac 240
ctgggttcca ggccatcctt gctgagcatc tttgagcctg ccttccggtg ggagcagaaa 300
aggccagacc ctgctgagtt agaggctgct gggatccact gtttncacac agcgggaagg 360
ctgctgggaa caggtggcag agaagtgcca tgttngcntt gagccttgca gctcttcagc 420
tggggactgg tgcttgctga aacccaagag ctgaacagtg aggaggctgt ccaccttgct 480
tggctcactg ggaccaggaa agcctgtctt tggttaggct cgtgtacttc tgcaggaaaa 540
aaaaaaagga tgtgtcattg gtcatgatat ttgaaaaggg ggaaggangc cnaaanttgt 600
tcccatttta ttcaagtatt ggaaaatatt tggccccccct ttggctgaaa ttctttttgc 660
aanaactaac tgngtggctt gttcncttac cctttttcan gnttaattgg tttnaatttt 720
ttgcattgaa attaaagacg tttttaaatt tcntttncaa naacaaaggg cttanatncc 780
ngantcnana nattggnant tc 802

<210> 770
<211> 1157
<212> DNA
<213> Homo sapiens

<400> 770
ccctttttt tttttcccnn aaaaaaanat tggggncccn ttttttggg nttttttttc 60
ccnaaaaaaa aattgggncc ctttttgggg ggnntnaaaa aaannnnnnn ncccccccntt 120
tttttggggn nnnnnaaann tnnnnnncnn nttnnnnnnn nnnnnnnnnn ggnnttnnng 180
gggnnnannc cncccccccaa tttcccggnn attnttccgg gcccaatttt tgggaccccc 240
cagggnnnag aataaggccc ggggnttttt tttncnaggg ncccaaaagg gcccttgggc 300
caaaggnaaa tccnttggga aattttggga atttggccct tggnanntcc caataccggn 360
aaaaatgggg aaangnaaaa aaggnttncn ccaaattggt tgggggggg ttccaaagat 420
tttcattggg ggtncntggg ctttcaaccc naaggnaang ggtttncttt caaaaaatta 480
cctttaattg ccattaagca attcccaang gttannaaag ggtgtttntt ctcanctatg 540
cttcganagn gaaaatcaac naatggaaaa tgtgttgtaa ttggtctgca ntctacanga 600
gaagctagaa cattagaagc tttggaanag ggcggnggag aattgaatga tntttgnttc 660
aactgccaaa gagtgttgtt gcagtcactc atttgaaaaa ctattttcct gctccagaca 720
ngaaaaaaac tttatangtt tactaggaat cgatttgaca agcnttcang taacaaacag 780
ttctnccaag agatatcctt gttnaagaan nattanaata ncnngaaagc ggaaanngtg 840
aataaatnnc ttcnagaagc ccaaaaannc acngaanaag tatggtgggn cttactggtt 900
agcacgttct tgacnacaga tggaaattga antctngatt ncctctgatt antgaatgaa 960
aaggtgacta ttnaanagct cttnanatac catgagtntt tgggancattg attgaccaat 1020
ttcaanncca tttttangat ngaattntta tnaatgattn attnanaant gannnccttn 1080
gtttaaatta nnaaanaanc cntcnaaana cnanagggga tttataaaat ctaataanan 1140
ttttnnncnt ntnaann 1157

<210> 771
<211> 760
<212> DNA
<213> Homo sapiens

<400> 771
ngnccttna tnccttntga anccntttgn aattnctcnn nnngttgatc ccatcgattc 60
gaattcggca cgaggtggaa gaaaattttt tgctgcttct ggttnccaga aaagggagcc 120
attttaacag acacatctgt caaaagaaat gacttgtcga ttatttctgg ctaatttttc 180
tttatagcag agtttctcac acctggcgag ctgtggcatg cttttaaaca gagttcattt 240
ccagtaccct ccatcagtgc accctgcttt aagaaaatga acttatgcaa atagacatcc 300
acagcgtcgg taaattaagg ggtgatcacc aagtttcata atattttccc tttataaaag 360
gatttgttgg ccaggtgcag tggttcatgc ctgtaatccc agcagtttgg gaggctgagg 420
tgggtggatc acctgaggtc aggagttcga gaccaacctg accaacatgg tgagaccccc 480
gtctctacta aaaataaaaa aaaaattagc tgggagtggn ggtgggcacc tgtaatccta 540
gctacttggg aggctgaacc aggagaatct cttgaacctg ggaggcanag gttgcaagtg 600
agcccgagat cgtgccattg cactccaacc agggcaacaa gagtgaaact ccatcttaaa 660
aaanaaaaan gaaaactcga gcctctagaa ctatagtgag tcgtattacg tagatccaga 720
catgataaga tacattgatg aattttggac aaaccccann 760

<210> 772
<211> 777
<212> DNA
<213> Homo sapiens

<400> 772
gaaancccat ttnnnnnttc cncttcnaat cccttggnta ctcgntcttt ntgcaggatc 60
ccatcgattc gaattcggca cgagctctac taaaaataca aaaattagct gggcgtggtg 120
gcacacacct gtaatcccag ttacttggga ggctgaggca caagaatcgc ttgaacccgg 180

gaggcggagg ttgcagttag ccaagatcgc cctgctgcnc tccagcctgg gcaacagagg 240
gagactctgt ctccaaaaac aaaaacaaaa actgttagtg aaggttccct gggacttttg 300
atattttaaa aattgttctt atgactagta gataaattca ttgccataat gaggctagct 360
cccagataaa cagtgtattt tcttcttttt ttttttggt gagtggtcca gagctttaag 420
ctacttttcc agtagtttgc cactttctcc gaggtanttt ggctgctctt tcagtaatgc 480
taattgtgtg tcaaattttg tctacaacag taggcaacag atgaagataa gttggttgaa 540
tgtctccagc actatgcatc cctattttct atttattggg gtacactcac tttcagtaat 600
gngtttcaaa ctggtatttt ttaaaaaaca aatcaatgta aggactgaag ttgaaatanc 660
caatgtaata aagttaatta gggttatttt taaaaaaaan aaaaataana actcnagccc 720
tctagaaact atangtgagt cgnnttacct tgaatcccag accttgataa gatacnc 777

<210> 773
<211> 782
<212> DNA
<213> Homo sapiens

<400> 773
gnntnnattc ccctttcnaa tncttggcaa acgctctctn tgttggatcc catcgattcg 60
aattcggcac gagacagtct cgggtttcat attttgctgt ttttgatgga catggaggaa 120
ttcgagcctc aaaatttgct gcacagaatt tgcatcaaaa cttaatcaga aaatttccta 180
aaggagatgt aatcagtgta ncncccgccg tgaagagatg ccttttggac actttcaagc 240
atactgatga agagttcctt aaacaagctt ccagccagaa gcctgcctgg aaagatgggt 300
ccactgccac gtgtgttctg gctgtagaca acattcttta tattgccaac ctcggagata 360
gtcgggcaat cttgtgtcgt tataatgagg agagtnaaaa acatgcagcc ttaagcctna 420
gcaaagagca taatccaact cagtatgaag agcggatgaa gatacagaaa gctggaggaa 480
acgttaaggg atgggcgtgt tttgggcgtg ctagangtgt cacgctacat tggggacngn 540
cantacaagc gctgcngtgt nacctttgtg ccccgacatc agacgctgcc agctnacccc 600
caatgacagg ttcattttgn tggccttgtt atnggctctt naaaggnctt tnccccatna 660
aggaagccng tggaactttc atcttgncct gnantcgang atnaaaaagn atncagaacc 720
cggggaaggg gaaaatcctn aannctgact tccccggtttc caaaccagtn ttgnaacaaa 780
nc 782

<210> 774
<211> 793
<212> DNA
<213> Homo sapiens

<400> 774
gnannngccn cgnttttgat tccccttntt caaatccttt gnnaatcgcc ctcnctgttt 60
tgatcccatc cgattcgaat tcggcacgag atggcagttg cttttgaagt atatgatgnn 120
ttcctccact acaaaaaggg gatctaccac cacactggtc taagagaccc tttcaacccc 180
tttgagctga ctaatcatgc tgttctgctt gtgggctatc ngcactgact cagcctctgg 240
gatggattac tggattgtta aaaacagctg gggcaccggc tggggtgaga atggctactt 300
ccggatccgc agaggaactg atgagtgtgc aattgagagc atagcagtgg cagccacacc 360
aattcctaaa ttgtagggta tgccttccag tatttcataa tgatctgcat cagttgtaaa 420
ggggaattgg tatattcaca gactgtagac tttcagcagc aatctcagaa gcttacaaat 480
agatttccat gaagatattt gtcttcagaa ttaaaactgc ccttaatttt aatatacctt 540
tcaatcggcc actggccatt tttttctaag tattcaatta agtgggaatt ttctggaaga 600
tggtcagcta tgaaagtaat agagtnttgc ttaatcattn ggaattcaaa catgctatat 660
tttttttaaa aatcaatgtg aaaacataga cttattttta aattgntacc aattacaata 720
aaaataatgg gcaattaatt tttnaaaact ttttaaaata gnatgctcat atttttaaaa 780

ataaaanttt tnc 793

<210> 775
<211> 1009
<212> DNA
<213> Homo sapiens

<400> 775
agcnttttt ngaanttccc ctttnnttna aaaatcccct tttttggcaa aaaattnccc 60
ccntntntna nngtttttnn gatncccaca tncngnaatn tncgggcncg ggnnactgnc 120
nanngcncc cttcgggggn ccngtgntaa gncnatnctt gtntntanaa agntggnnnt 180
nttttncgat ngngactatt gncnacnctc ttccntnttg gcagngngtc tgganggttg 240
nggtngctca tntggntaan ccnatcctgg ngaccaanng gccgnggtgn gcntgcaagc 300
tttgnccacn tgggaaancc gnnagtggtn gtctcanttg cntgntgggn ncntgncccc 360
atcttgnctg ctgnanccct ggggagcagg nnctnggtng tggtnctgcc tgcttgctgc 420
tngttccccg ggcatgcgtn nncannaagg gncatgcntn gggcaanaag gtgcgtggnc 480
ancgtnngna tnnnnaggac caccntgggt cgngaatcnn tgggttncct gataggaacc 540
ntnaannnct gcngntttta ttaaatggga nnananggt ncanttcaaa gccagtnnaa 600
tgcccttatg gaanggngtg natnacatan cnnnntatgt gtcntananr angaaatcgt 660
tnnncaaatt tnnacaanaa tntttntaan aaagggtatt tnantntngg tgaaanaaca 720
angntttaaa gtnaaatgnt tntancanaa ttaantaaac nggtnttnat gattncttac 780
naaantaacn atncnnaagc atttacngct tanangtccn cnngatactn ncanaaatatg 840
gnnnnaattn tannanatng cgataatctn gnananactn tcatnnnnna tngtgtaatc 900
antanntacn tgatttnnnt naaatgaaaa catntgatnc aagattaatn cattanntat 960
acnaaaatnt tcanatanta natntacata taatggtttc naataaacn 1009

<210> 776
<211> 785
<212> DNA
<213> Homo sapiens

<400> 776
gnnnnnnntt ccccttcta atcncttgga nntcgctctn tntgnangat cccatngatt 60
cgaattcggc acgagagaaa cacaggtgtc gtgaaaacta cccctaaaag ccaanatggg 120
aaaggaaaag actcatatca acattgtcgt cattggacac gtanattcng gcaagtccac 180
cactactggc catctgatct ataaatnngg tggnntcgac aaaagaacca ttgaaaaatt 240
tganaaggag gctgctgaga tgggaaaggg ctccttcaag tntgcctggg tcttggataa 300
actgaaagct gagcgtgaac gtggtatcac cattgatatc tccttgtgga aatttgagac 360
cagcaagtac tatgtgacta tcattgatgc cccaggacac agagacttta tcaaaaacat 420
gattacaggg acatctcagg ctgactgtgc tgncctgatt gttgctgctg gtgtnggtga 480
atttgaagct ggtatctnca agaatgggca nacccnaaag catgcncttn tggcntacac 540
actgggtgtg aaacaactaa ttgtcggngt taacaaaatg gattcacttg accaccctan 600
aggccngaag agatattgan gaaattgtta aaggaagtca gcacttncat taagaaaatt 660
ggcctacaaa tccnnganac aataancatt tgtgccaatt tnngggttgg gaatgggtga 720
ccaacattgc ttggagccca agtgnttaac aatgccttng gttnaaaggg antggaaaag 780
ttacc 785

<210> 777
<211> 1366
<212> DNA
<213> Homo sapiens

<400> 777
ananaanann annnnnnnaa ggnnaanana nnnnnannnn naanangnaa anananannn 60
tnnanaannn aagnngnttc nannctttc aaagcttgga aaacgcannc aannnnnggg 120
aaagcaagaa agaacagcta aagnnngncn cagaganagc ttttangang tntangaaga 180
aggaatannn gnggncaata nnnnannnnc ngaaantatc atganacnca aatganggan 240
aaggcagcac aagctgngca aacagctatn gngacggggg ggccgggaga gnctaaangn 300
cananatnca atatataagg actgcatgcn aagggatacn aaacaagnan actnntctag 360
gaagaaataa ntnttgacnt ancnnacntt cataacgaat agcaccgtac atcgagncaa 420
ccaactaana ggnctaagga aatggcaaan nacnttaatn nntgagcnaa ggaagggngt 480
atngnccnan annngaaatgc ntcntaacca anttttaatn gtaacggnat nangatnaan 540
ncntnanccc acgcaactca aaaanattac attanntaaa aaaganctat ancaaaacta 600
gtnttcaaaa tngnacgagn aaatgggnaa nantttntnn ccgggaaaat tggnagagat 660
ccanaaacac tggntnaggg naatanatgn ccgcccnaaa aaaccntnac cataggnatn 720
ggctancata gangagatat ancnatnagg ggatcaanan cntaggnatt ngaaaantaa 780
ncgagttaaa acancnagat nnggnantac gaganatagc ttggacgngt atcaaatcgg 840
accctnggat gggcntangg aaaaanaaaa aggntngagn gaanttcctc anaggaanng 900
tganagagcn aaanaanatn aagggccttg gngaaaangg aaaaacagat agngtcatnc 960
natatatncn natganan tggggnaatn taatctacnn tanatnnggg ggaaaaaaat 1020
cnnncatgac nnnaaaanga gntaatgnna nnatgagaga ttaaacnnat aaaacnagag 1080
aantttgngn aaanctgnga gataaaaaat aaataaattc tntntggaac atntanaccn 1140
tctatnnaaa aaaaagaggg gaaaccatct ngattatgca cananaaatn tnacntngng 1200
gaaataaatn gggnacaata acatatatgn ggatgtacan tnntggncng aaaaactata 1260
caacntgaga nnnnacnang atataaagcn nnaggnagtn tatangggca tcatcaangg 1320
gaagntataa agcaactgna nnctcatata naaaactgnn cnncaa 1366

<210> 778
<211> 775
<212> DNA
<213> Homo sapiens

<400> 778
gntttnnatn cctctttcta atnncttggc tactcgntct ntctgnanga tcccatcgat 60
tcgaattcgg cacgagagat tatgagcatg tagaagatga aacttttcct cctttcccac 120
ctccagcctc tccagagaga caagatggtg aaggaactga gcctgatgaa gagtcaggaa 180
atggagcacc tgttcctgta cctcccgccg ccgaacagtt aaaagaaata tacccaagct 240
ggatgctcag agattaattt cagagagagg acttccagcc ttaaggcatg tatttgataa 300
ggcaaaattc aaaggtaaag gtcatgaggc tgaagacttg aagatgctaa tcagacacat 360
ggagcactgg gcacataggc tattccctaa actgcagttt gaggatttta ttgacagagt 420
tgaatacctg ggaagtaaaa aggaagttca nacctgttta aaacgaattc gacttgatct 480
ccctatttta catgaagatt tttgttagca ataatgatga agttgcggag aataatgaac 540
atgatgtcnc ttctactgaa ttagatccct ttctgacaaa cttatctgaa agtgagatgt 600
ttgcttcttg agttaagtag aagcctaaca gaaggagcca accacaaaga attgagagaa 660
atnaacaact gggccttngg aaagaaangc nggccaagct gcttgagtaa tagtcaganc 720
ctanggaaat gatntggtta atgaattcac cccaggncac acccngttga agagc 775

<210> 779
<211> 781
<212> DNA
<213> Homo sapiens

<400> 779

gcttttnann nccctncttt cnaancctct tcaaatcctt ggntatcgtt ctntctgnng 60
gatcccatcg attcgaattc ggcacgagag acaaagaaaa aggtggcaat catagaagag 120
ttagtagtag gttatgaaac ctctctaaaa agctgccggt tatttaaccc caatgatgat 180
ggaaaggagg aaccaccaac cacattactt tgggtccnnt nctacttggc acaacattat 240
gacaaaattg gtcagccatc tattgctttg gagtacataa atactgctat tgaaagtaca 300
cctacattaa tagaactctt tctcgtgaaa gctaaaatct ataagcatgc tggaaatatt 360
aaagaagctg caaggtggat ggatgaggcc caggccttgg acacagcaga cagatttatc 420
aactccaaat gtgcaaaata catgctaaaa gccaacctga ttaaagaagc tgaagaaatg 480
tgctcaaagt ttacaaggga aggaacatca gcggtagaga atttgaatga aatgcagtgc 540
atgtggttcc aaacagaatg tgcccaggct tataaagcaa tgaataaatt tggtgaagca 600
cttaagaaat gtcatgagat tgagagacat tttataggaa atcactgatg accagtttga 660
ctttcataca tactggatga aggaagatta cccttagatc atatgtggac ttattnaaac 720
tatgaagatg tactttnaca gcatncattt tacttcaagg cagcaagaat tgcttttaga 780
c 781

<210> 780
<211> 783
<212> DNA
<213> Homo sapiens

<400> 780
gnntttnnan nnccngnttt ctaatnctnt tcnaatnctt tgnnancgtt ctntatgcan 60
gacccatcga ttcgggaatc tcctagaaaa gttgtgattt tcgagccata tccttctgtg 120
gtagatccta atgatcctca natgttggcc ttcaacccca ggaaaaagaa ctatgatcga 180
gtaatgaaag cactggatag cataacttct atcagcnaaa tgacacaagc accatatctg 240
gaaatcaaga agcaaatgga taaacaggac cccctttgctc atcccttact gcaatgggtt 300
atatcaagta atagatcaca tattgtgaaa ctgccagtta acaggcaatt gaagtttatg 360
catactccac atcagttcct tcttctcagc agtccaccag ccaaagaatc caattttaga 420
gctgctaaaa aactctttgg aagcaccttt gcatttcatg gctcacacat tgaaaactgg 480
cactccatcc tgaggaatgg tctggttgtt gcttctaata cacgattgca gctccatggt 540
gcaatgtatg gaagtggaat ctatcttagt ccaatgtcaa gcatatcatt tggtactcag 600
ggatgaacaa gaaacagaag gtgtcagcca aggacgagcc agcttcaagc agtaaaagca 660
gcaaatacat cacagtcacn ggaaaaaagg acagcaatcc caattcctgc caaagccgta 720
acttaaaatg catagncctt atgtgaaagg gatcaccttc atctggacct gcacaaacat 780
ggc 783

<210> 781
<211> 796
<212> DNA
<213> Homo sapiens

<400> 781
gnnntncgcc ttcaatnctn ttcantctnt tcaatctttg aatcntcttt gttgtccatc 60
gttcaattcg gacgagaccc ttatggcaga tccccacagt ctggggcaga agaggcgtcg 120
aggngccaga agtgncggca gcagcagccg cagcagccca aagagaggca agagaaagag 180
aaagcggccg gtggaggggt nnncggaaga gctggtcccc gtggttgagc tgggtccccg 240
tggttgaatt ggaagaggcc atagccccag gctcagaggc ccagggcgct tgggtctggt 300
ggggacgcgg gggttgcccc caatggtgca gctgcagcag tcaccactag gggtgatgg 360
agaggaaggg ggccacccca gggccattaa caaccagtac tccttcgtgt gagccaaccc 420
cacccgctcc accctttttta aaccccccag cccttgctcg tgagattggg cttgggtagg 480
gacagaagag gcccgaaatc cctcccccat gcttnctgac ccttgtttgg ccaaagggca 540

tctttgatgg tacaaagcag angcttcggg anaagcttcc gtcacaacac tncaaggtcc 600
cttcccaagg gcaaggggat ttnggcttca tgagctnctt tgaggggctt ttttttggtc 660
anncccccacc ttnggggcca tttttcccaa ttaacttacc cccaacccca agncanggtt 720
naggggggnaa agggctttcn anttccatta aagggggttt gtttgttgnt gttttaaacc 780
aaaatgggga aancnn 796

<210> 782
<211> 886
<212> DNA
<213> Homo sapiens

<400> 782
cggnnnnnnn gnagcccntt tggnaaangc ctctaaggga aangcctttt tgaaaacnan 60
angaaaacct ntgggaaaag nccncannna ttttngngaa annggcnnga gcnnanantn 120
ggacacngtt ntaannnnan nagngnnngt tttnnganan agggnnnnna gnggnannna 180
ngngnnggag ggaannaagg nanagnannn ggnagnnaag gnnnnaaaga agnagnnang 240
gaganggnnn gnggnggggc atgangnggg nncagaggca cgaggagccc aagaccatca 300
cngangagna ngagcagggn accnacatnn acnnggacna cgagaagngg ggccagcgga 360
agaaggaagg nagnacctng agnaccgnta ccaggaggan cgggaccnac agngacanag 420
gnccnnnncn anacggannn nanaaacgng aagcaggann nnnanggacc aagggaaggg 480
nncngnncnn ggaaaganng ggagggaggn ncgaaggcaa agggggggann cgnnannncc 540
aggaagnang gaagggggggn cgggaggnna annganaaga ngaaccnngg gggnncaggg 600
gggcgagggn agcanaannn nnccnnagnc aanngaaggg gananaagag ngggaaaann 660
aannagaaag agggaaaana agnnaaggaa anaaaagang ngnnaannng gganaaaana 720
nggnganann gnngganaaa ngngnannan aaaanngagg aggncanngg gnaaanaana 780
nggggagggn ngananang ngaannagac aaggaanagn gaannagngn anagnanngn 840
gnannaaagg nanngggggna anaagnanna nannnnnagn gaagan 886

<210> 783
<211> 805
<212> DNA
<213> Homo sapiens

<400> 783
cnaatncttg ctcttgncct ntttcnaatn cttggcnact cgctttctnt gcggatccct 60
cnnganncna tcgttcgaat tcggcacgag cacaaggaga agaaagttaa ttaacattga 120
aagatgagaa gacatcttgg aagacttgaa ttgggccttg gaagaagaac agccattcaa 180
atagatagaa ttgtggtagc aaaggcatac ngntcggaaa gtatagatct ccagggacag 240
tagtcatggg gttggggcac tgttggaatt taaggttgga aggatatatt ggagcccctt 300
gaatacggta acaaggcaca ccttgggcag tggagagtta tcagagtgtt tgaaaaggag 360
ggttattgag taaataaata gactggtact ttaggaattt taaaatgtgg atcattgtac 420
tactaataac tatntatttt atatttacta tctactaagt aatttacatg tattttcttg 480
tactgactgt aaaccttctg ggtgtgggtg ttttaagtgc cattttactg ataaagaaac 540
tgangcttaa atagntgaaa tanntcaccc tgttagtgag tggcacaatg acaagtcann 600
atcttanggt tgccnanntc caaaanncat ttaaanttnn agnatnattg annnttttnc 660
cttatggcnt nnnaaatttg gggagccatt attgaaatcc nttacnacnt angaattgnc 720
caaaaaaaat actttttggg gaaaactgga tttattaatt atccaaaata atttnantgg 780
cttgnttggc ttntttccac tntnc 805

<210> 784
<211> 776

<212> DNA
<213> Homo sapiens

<400> 784
taatgctggt tactgccctt caaatccttg caatcccttg gnaancggnc cngcngaccc 60
atcgattcga attcggcacg aggttatatt aaattattct ttgntnttct ttgtctttta 120
ataaagcctg caagttacta aattgnagtt ncataaattc tgtagtnaag tatcatcttg 180
gcagngtgcc aaaggtgaaa angntgcttn ctctaacaga gaaattctta gngactccag 240
tcgtanaaaa acgtctttac aacctgaata agatnganga attgngaaca taccatggcc 300
tattggatga atcatttgcc ggnggctana ncagactgta gggtttgtga tggatntatg 360
gagtatgtgg gtatagaaat catgaatntn ccatttgnnn ncagagattc aagcntanac 420
ttaatgggta gatcataaat gacagaatga attcaaaacc tagcacgtgc attgtaaatg 480
tgtgcccaga tatgtnttgg aaatggcagn tccttggggt catgtntcta ctggcaaaat 540
ttgctatagn gnnactattg nantgtaatt ataaaattna tcannattat ncaccgattn 600
gccaagtaaa ctgtactgtn cataggaatt ttgggaattg tgcanaaatt ggatcaattg 660
aanttnagaa cngatgtctg ggcttaaaaa tttatcnggg accacnnatt angaaactna 720
catntttcgg ngctgaggtt cattgnccaa ggccangaag gtntttnccg aaaanc 776

<210> 785
<211> 778
<212> DNA
<213> Homo sapiens

<400> 785
ttngaaaacn ccttngcttn gttnccccta cngaaaccct tttgaaaacc ntttgcnann 60
tcctctttnt gnaggatccc atcgattcgt gaaagaggag atcggtgacc tgggctcctt 120
atgtgcctga atgagtttga gtttcctgtt aactccaaat caacagtatt ttcaacaaga 180
aatgtgcaat tgaaatcaag tgctgtttaa gtgcagctag gantccacag gaagacactt 240
gcagtgaaca gagttatgga gcagcaaaaa cacagatcta tttggaaaaa gagaaaacat 300
atgcgttgta ttttgcttca attataaaat accatcctct caaaggtggt tctaaattac 360
aaaggacttt gatttctagg tagattctgg gtagagactt cctttcatat tgaggcatta 420
atgacacctt ttaacctggg aagcaatatg actggagttg tactttgaga agattaatca 480
ggtttggttg cagaatgaaa gagaagatga agtcaagaga ttggtttaga ggctctagca 540
gaagcttagt catatttcaa aatgatcaaa tatcaagaaa aattctgagc tgcataactt 600
gtataaagta attttcagtg atttttttca tggttatgat aaaagaactg gattagcaga 660
aacttttacc ctgaatcaag atttaatttt tctttgagct catcttaagg atatcggaac 720
atagggagca aacgatggtg tggctgcctc antgcttgaa ttttaacngt tttgaaan 778

<210> 786
<211> 805
<212> DNA
<213> Homo sapiens

<400> 786
ngcccccccct ttcccccctn ttgaaanccc ctttggnana nnccnntttc aaatcncttg 60
naaatccttg gcnactcgtn ctntctgcag gatcccatcg attcgaattc ggacgaggag 120
aggatcactt gagcttagga gttcaaatcc agcctgagcc aacataacaa gactttgtct 180
ctaaacaaaa cagttattgt ttaaagaatc tgaaatcttc atctttaatt caggtagccg 240
tgaatcgagc ccaagtttgt ttgatatcca gttccaagtc tggagagagg catctttatc 300
ttattaaagt atcgagagac aaaatatcag acagcaatga ccaagagtca gcaaattgtg 360
atgcaaaagg gctatcaaag ggaggctttt tacagagaac taaggaagag aaggaggttg 420

ttaaagagac ttgagatcag aaaaagatca agaacaactt gaatctcaaa gtatgaattt 480
gaagtatttt gctgagcaaa catttgaatg cctgtatgta ccgtaatcct ctatcactgg 540
ggtccccaac cccggtacca gcccgtggcc tgctagggac tgggccgcac agcaggaggt 600
gagcagtggg tgggcaagcg accattccca cctgagcttc ccctcctgtc agatcagcag 660
cagcgttaga ttctcatagg agtgcaaaac cctattgtaa actgcccatg ccaagggatc 720
tangttgcaa cgcttcctta tgagaanttg aatgcctgan ngaactgtca ctgncttcca 780
tnaaccccca gatgggtact ngttc 805

<210> 787
<211> 775
<212> DNA
<213> Homo sapiens

<400> 787
ccttggnnag nngccccctt naaanccttt gaaaaccctt ggcaaangcc ctnncngnnn 60
gatcccatcg attcgaattc ggacgaggag aggatcactt gagcttagga gttcaaatcc 120
agcctgagcc aacataacaa gactttgtct ctaaacaaaa cagttattgt ttaaagaatc 180
tgaaatcttc atctttaatt caggtagcac cgactcgagc ccaagtttgt ttgatatcca 240
gttccaagtc tggagagagg catctntatc ttattaaagt atcgagagac aaaatatcag 300
acagcaatga ccaagagtca gcaaattgtg atgcaaaagg gctatcaaag ggaggctttt 360
tacagagaac taaggaagag aaggaggttg ttaaagagac ttgagatcag aaaaagatca 420
agaacaactt gaatctcaaa gtatgaattt gaagtatttt gctgagcaaa catttgaatg 480
cctgtatgta ccgtaatcct ctatcactgg ggtccccaac cccggtacca gcccgtggcc 540
tgctagggac tgggcccgca cagcaggagg tgagcagngg gtgggcaagc cgaccattcc 600
cacctgagct tncccctcct gtcagatcag cancagcgtt agattctcat aggagtgcaa 660
ccctattgta aactgccatg cnagggatct aggttgcacg ctccttatga ggaattgaat 720
gccctgatga acttgncact gncttccatc acccccagaa ngganctggc taacc 775

<210> 788
<211> 774
<212> DNA
<213> Homo sapiens

<400> 788
gaaacccttt tgtnaanagc cncttcaacc cnttctaatg cttggcaatc gctctntctg 60
cangacccat cgattcgaat tcggcacnag attatttcca aagcagccta cagtagaaaa 120
tagtcattat ggcagcagct tctgatgttt ttgtttggta ggttttctga tttcaatata 180
tagaatcata ttcatagagt atcttctntn ccgcctngca caaagtaccc atttaaaatt 240
tacatgcaca gttcattgcc acctttctta ggcctatgca tagttaataa ggttataatc 300
tactcaacat ggaaaatgga gcctatttgc aaacacacaa gtaattaaag taccaattct 360
ctcttagttt ctttttttat agttggttta ttttgcaatt ataaatgtta aacatcccta 420
gagatgaaag ttaaaatggt tgatcacaga tcagtagcaa aatacaaatt gacaattcaa 480
aattataaat aaaactctgt tgaggatgtt taactttgag tctccaaatt taagagctaa 540
gcttggaaga aacaaattta taggttatat ttccctctta aattaaanaa acaaacttcc 600
tctggcagta gtttggtgaa ttcctttcat tgnaatgata ccatgattac aggatcaaaa 660
atgcttaact tacttgccat tctgctcaca tcatcacagg ttgttntttt tttaaagcac 720
tcnatgtagg cattttaaac cttcnggata accagagtat cttttgagaa annc 774

<210> 789
<211> 773
<212> DNA

<213> Homo sapiens

<400> 789
ngccccttg aanccnacng aaatcctttg gcnantcncn ctntctgtng gatcccatcg 60
attcgaattc ggcacgagag cagatttgng ataaacntnn tgnaggttna accnaagggg 120
aactnntggt gcaactatgn ngnttggaag atgctgcnta tgtttattga ggattgcann 180
anananatcc tgaatnctcg ccntttncaa aggcttggat aaagcactca agccagctac 240
atatgtatag aacggnttaa aatcnatgag gaagcctgga ctaaatatnc catnggactg 300
gngccnanaa ngctgncgat gaactttgna tctggnnaga agtntaaaga atggcaggat 360
nantnnctaa ngatgaattt cannacnggn nnnccaccan tcttnaatnc tttaagatca 420
ttatacgaag ncnangaaaa ggtggcaatc atngaanaat gngnatnatg ttangaaacc 480
tctctaaaaa gntgacggca ctttaacccc natgatgatg ggaaggaggn accaccaacc 540
acattanttt ngggtccagt actacttggc acanccttat nacgaaactg gncngtncnt 600
ctattgcttt gggagtaccn taaaatacng ccntngngag tncacctnca atgaatnnaa 660
nctctttntc anganagctn nngatccata ngacntgctg ganatnttta aggaancttc 720
nanggnggan tggattaggc ncaggccntt ggacacancc ntncttnatt tnc 773

<210> 790
<211> 953
<212> DNA
<213> Homo sapiens

<400> 790
aanannnngg gnnnnnnnnn nnnnannnnn nnnnnnnnan nggngnnttn aaanccttnt 60
aanngncnnt ncngcttnaa accttggnaa ncnccgcccn nttgcannaa angngaannn 120
atgcttngtg aagcctgann ccaaanctna aggnanggac ctggatcccc ttatatngaa 180
naancggtnt ggaggaanga gnntgtcngg gaggatgggg cagaaaatga ngnnggcaga 240
ntggncccgg gggctctgca naccagcctt ggagcctgct cattctgggc ccttgctgcc 300
aagganccca gcctnaccta gcangaaang anatgaaagc ccttctccca ngaggtaggg 360
tctaggctgc ccnaacttaa atgcattnag aaanctcnta gatgtggaaa nattttttncg 420
aacctgaaaa tgcagctggt anaatntcaa tgggaagcat aaatncatgt aaaatataat 480
tnagntngaa tatnanngta aaaatgcact tttnngcggt gtgacngatc ctgggnnccc 540
annatctgnn attnaagngn tttacnaang gaanggaaag gacctttncc taaactacct 600
ttttgaacag ancattaaga angnncnttc ttttaagnaa aaaaaaatca aattttgang 660
aaaantggna ttngaatgtn nagaaaaang gatananaan aaaanccaat nntaannacc 720
nannctctct gganttcnac tatctccact acntacntnt acntatngcg ntaanatnna 780
ctnttacntc nnnntantcn cacanacntc ntcnaacnta atnangcncn canaatcctc 840
tatannatnt antgtnnntc acannncnna cnggntaant ntnnncaacg ccatatcacc 900
nctnnnatcg ncnagntana taacacntat atcgncactc ncacananac tcc 953

<210> 791
<211> 798
<212> DNA
<213> Homo sapiens

<400> 791
tggnancgcn ctntntgttt gatcccatcg attcgaattc ggcacgagga tcattgttaa 60
ttagtgacat agtaacatct gtagcagctg gttagtaaac ctcatgtggg ggtggggtgg 120
gggtgtattc cttgggggat ggtttgggcc gaatggggag tggaatattt gcncttcncc 180
tgttttaaat tctaggatag atttaacat cctttgcggt cccagtccaa ggtangctgg 240
tgtcatagtc ttctcactcc taatccatga ccactgtttt tttcctattt atatcaccag 300

gtagcctact gagttaatat ttaagttgtc aatagataag tgtccctgtt ttgtggcata 360
atataactga atttcatgag aagatttatt ccaccanggg tatttcannc tttgaaacca 420
aatctgtgta tctaatacta acccaatctg tttggatgtg gattttaaaa aaatgtttgc 480
taaacctacc caaagtnaga tttacctgna tttaaatggc ctttngggtc ttgaaaaagc 540
tttntnaacc tcttggcttt aaaatgcgtt ttattctnga taagatactt cnaaatancc 600
tnncaaaagg tgttngatnc naattacttt aaaataaaac ctgtaattgn ataatgncat 660
aatgntgntc catgcctnan tcccсttcta gnnntanaaa cntnantaan aantatatca 720
atnntcgatn aaatnntann actataaaaa ctncggccct cttananact tnatncttga 780
agttctcant ataaccnc 798

<210> 792
<211> 788
<212> DNA
<213> Homo sapiens

<400> 792
ctnttgttct ttttgcagga tccatcgatt cgaattcggc acgaggcaga gctcacatcc 60
tgtgcgcagc atcttctgtc ccctcatgtc cttccgccag gggcctgcg tggtgacggg 120
cagtgaggac atgtgcgtgc acttctttga tgtggagcgg gcggccaagg ctgctgtcaa 180
caagctgcag ggccacagtg cacctgtgct tgatgtcagc ttcaactgcg acgagagcct 240
actggcctcc agtgacgcca gcggcatggt catcgtctgg aggcgggagc agaagtaggg 300
tcctgtcngc cctgctgctg tcctccatcc cacccctctt actccacctc gtgttgtaaa 360
taaagtttcg gtggtcatgc tganggccgg ctcccagctc tgccggggac ggacagggca 420
gaaggcancg ggcaacttca ggaacacggt gaaaaaaaaa aaaaaaaaac tcgagcctct 480
agaactatag tgagtcgtat tacgtagatc cagacatgat aagatacatt gatgagtttg 540
gacaaaccac aactagaatg cantgaaaaa aatgctttat tttggggaaa atttgggatg 600
ctattgctta atttgnnaac cattntaaac ctgcaaatta aaccaagttt aacaaccaan 660
caattggcan ttcattttta atggttttna aggttcaagg ggggaaggtt tttgggaagg 720
tttttttaaa attnncgggn ccnnnggngc ccaatgcatt tggggccccg ggnccccaaa 780
nttttttt 788

<210> 793
<211> 806
<212> DNA
<213> Homo sapiens

<400> 793
gaatcccttt gcttctgtcc tttaagnnat cgttggaaca accatgnctt tttgtaggtg 60
aagtgttctc tctgcatgca acagtaaaaa ttaatataat atttttncca caaaagaaac 120
acttaacaga ggcnagtgcc aatttataaa atttatgatc taaaggggga aatcatggat 180
tataaagtcc ttcagccctt tgggactcta aattggnggg ggattaaaaa gaatttaaaa 240
taattttnga accgaattta ttttcccctc agtttttgag ggcattaaaa aggcattaaa 300
tcaagacaaa tcatgtgctt gagaaaaata aaattaatga aaacncagca ctttatgttg 360
gtttaacntg canсctnctt tggaggtaga atttatttat ttaaaattac tgggtgcatc 420
angaacccat agggtgtaca aaangttcta ttaaaatctg cnttatagag acaaagaggc 480
aggcaaatcc atgtnacaaa gggtaaagct tacagtttac aaactgngaa cgccanggtg 540
taggatataa aaacgcactc ttgagaaaac anatggtcat cagggtgctg aaaacttgca 600
tggtgctttt caacattagc ctttggtcca caaatttctt gtatttgaca ggatccatag 660
tgtgccatgg ggcaaganac nattttgccc tctatggtnt tctttaaaaa ttttcanttt 720
aaaaatacct cttttnncag gaatcctaat tttggcnccg aagcntattn ntggtnccac 780
atttaccgtt gcccttgccn ttggan 806

<210> 794
<211> 815
<212> DNA
<213> Homo sapiens

<400> 794
tttcaaatnc cttggcttta nccctttgtt tganntcctt gttcgaattc ggcacgaggc 60
cttctctggc ctcaccaatt aggtcaaatg ttccttattt tgtgttgtgg ggcatggctc 120
tncctgtgag gacctgtccc agcttggacc tccgccttcc tgcgactgta ttggtgtctn 180
tccctctcaa gcctatgagc tcttgcaagg gcagggaccc tgtatgattt tgcctatcgt 240
atgtcctcca gcccccagca cangcgcctg gtgtccagtg agagctcagc aaatactttg 300
tgagttaaan gacangcggg cttggggtag atggatccgt ctgcctanac agggcangtt 360
attcccgctt gtgagcaact cttaanagaa acttcatttt ttttcggcgc ctgcncgaac 420
tttcaaagat gtttcccggc cangaacngt ggctcacacc tgtaatccca gcactttggg 480
aggcttgaag tgggtngatc accttgaggt canganttn tagaccagnc tggccaacac 540
cggtgaaacc ccgtcctctn ctaaaaatac aaaanttaac tgggtgtngt tggtngggcg 600
ctttgnantc tcactacttn ggaangctga ngcnatgaan aatttgcttn aaccccngga 660
nggcngaagt ttcaattgan gtcnanactt nancccattt gcgccttcan accctggggc 720
aacangtatc annaacttna acnattaaaa aatnaanana nctcttatcc ctttannaac 780
nattattgan gntacntatt ntcntagaaa tccct 815

<210> 795
<211> 1050
<212> DNA
<213> Homo sapiens

<400> 795
tttctaatgc ttggctttga gncctctntt taaaatcctt tggcnactac tctgcacgat 60
gcggcgctga cccggncggn cccacacccg ctctttnctc ttctttgccg cggactccct 120
ttcctgcctc caagacctgg gtgtctacaa ctgtgagccc agcttgnncc aaaggcagtc 180
cccatgggac ctagactcac cttnccccttg cctctatgaa accttctgct tgggcccanc 240
ccctgttcca gctcccgacc tgcacttcct tgctgggact cangcctcca agctccctgc 300
ccagcnagcg gncttcagcc accgtcttcc cctttctttc gggccctgnt tgtnagcanc 360
tttgcagaaa cccananggg acctngtgcc ccttgcnaag nctgtcgcct tggtgcaaga 420
ctgncctgtn ctgcatcatt ttncatggtt gncgggggtg tggggntnnn cnngncgnnn 480
cntgntcaca atcaancatn tatncctnan ntngggtatn acnaatggcc tnaagantgc 540
tacntcntan nnnnganttn tcangnnntn ttactaacnt ncnatngnnc ntnganatag 600
ncatgnantn ttagtntntg atntanccnc nattgcagcc ncataattat cctacaccac 660
anannaancc ntccttnnag aanntgncnt ctatgnaana gnctnnnaat gtggcnncna 720
atataanntn ntntnctnnc atcntannnn nntcctacgt nannnnncat nnncnctntn 780
ggnnactatc ncatantaca tcnntnannn cacccatnct nntntnanat ntctcntggg 840
nantnnnntc tcctnnanat ncnctaatna ngatctctca nntacatgan ntanatnacn 900
natanngnnn anatcnannn ngtctctcnt atnnnttatn nanngntcan nttacnnnan 960
nannnaanng tatnntngtt cnaaanntat ntataaancn ncgtnnnttt nnannagatg 1020
tacnccnntn anntaannat ctangctccg 1050

<210> 796
<211> 884
<212> DNA
<213> Homo sapiens

<400> 796
ggnnntttng agctcggaaa tcncttnggt nnagcctttc nttgacccca ttgttcgaat 60
tcggcacgag acggcctggt ggagcagctg tncgaccttt ncctggagtt cctgcacagc 120
caggcacact gcatcggctt cccggacctg gggctgcctg tggtcctgca gntgaagtcg 180
ttcctccggg agtgcaaggt ggccaactac tgccggcagg tgcagcagct gcttgggaag 240
gttcaggaga actcggcata catntgcaag ccgccgccag agggttncct tnggcgtttc 300
tgagcagcag gcagtggaag cctgggaanaa gctgacccgg gaagagggga caccccttgac 360
cttgtcctac agccacttgg cgcaagcttg cgttgaccgg ggaagatcca acttgggaga 420
tcaannggc aaaagaaccg gcttggaaag acctggaact ttcccttgag atcaaaaccg 480
aaanggaaga atgggcttga canggaangg atgaaggaca gggaagccaa ttttaaaaga 540
ccctctttga cctgnacaag ctcttgaaaa aggacgacac ccgaggggat tcttcggaga 600
nnagggatac tgangccccc tgagcacctc ggcatggggg tngggaagac cattgnaaac 660
aaggaccaag gaaggaaggg ccnaaggaag ggacaagcan ncaaactcgg aanggntgna 720
atgggncctt ngggantngg aggaacccca naaccccaaa aaggccgggg ggcttgggcc 780
cccttggggg gaancttnnc aacaaaatnt gggccccaag ggggccccgg aaaggaacga 840
aaccttggaa gggaatcttg ncaagcttct tanaaaaggg ancg 884

<210> 797
<211> 773
<212> DNA
<213> Homo sapiens

<400> 797
taatgcttgg ctctgtctnt tgttgacccn tngttcgttt gtgcctgagc acccacaatt 60
tcaggattta gactgtgtgg gcacctcagc tttcctctgg ntgtaaccac tccttggtga 120
nagagggaac tcctaaccan tcccatttgn caaaggctag gcaatcttca ttctgcttgg 180
ctttagtcat tcttgtcatt gggctgcaga agaaaaacaa ctttgctggg tgatcccact 240
gccttgattt cacctcggan cgaggctggg ccatgtccaa gtcttatgag gtcaccctga 300
ctagaaaaaa ttgaactcac ctacaaatag tctgaaagag tggtgtatat caaatacgtg 360
ggtagtgttg catttcaaat gangctcttc tgggttgaaa tgatatattt ataaaaccag 420
aatatcaaaa atgggtgatg tataatgtct ctttagtttt tttggtattt ggcctctttt 480
aaagcctgtc ngatgtatgg gagaaaaaca atgaaccgtg ctttgatttc ctatcaagtc 540
actcttaaga acatacatat tggttaaagt aactcggtct ttttttatct gattctttga 600
ggcactatgg gtagcaaaat aaccacttac aaatttaaat gtaatataca cttcttttct 660
gngtgtcaag tccttatttt tangtgccta attggacatt ttaaaaggtt aaattattng 720
gttggcatat taatntcaaa aaatctatta attnatttta atgcctggta ccg 773

<210> 798
<211> 812
<212> DNA
<213> Homo sapiens

<400> 798
gtcaatnctn ttcatgaccc tatcgattcg aattcggcac gaggctggag cacgctggag 60
aggccatccc tgccctggca gcccgcggct gggggagact cctttgcccc attctttgcc 120
ggtttcctgc cattattggt gtgcaagaca aaacagggct gcacagtggc agagaagtcc 180
tttgcagtgg ggaccttggc agagactatt cagggcctgg gtgctgcctc agcccagttt 240
gtgtctcggc tgctccctgt gctgttgagc accgcccaag aggcagaccc cgaggtgcga 300
agcaatgcca tcttcgggat gggcgtgctg gcagagcatg gggccaccc tgcccaggaa 360
cactttccca agctgctggg gctccttttt cccctctggc gcgggagcga catgatcgtg 420
tccgtgacaa catctgtggg gcacttgccc gctgttgatg gccantccca ccaggaaacc 480

agaccccaag tgctggctgc ctactgcatg ccctgncact gaaaggagga acttgnaaga 540
atgggtcacc atttgggcgc ctttttaact ttctgtacca gancaacccc ttgacaaggt 600
tataaaatgt nggctccccg aaccttnttg cgtattcttg cagncctcaa ttcttggctt 660
gaccaaccaa aggattccca cccangaaaa cccnaanggg cccnaaactt gttnncttgn 720
ttnccttgga ccgtttcctt ggggccaaaa acaggnanaa cccggacang gtttttttnaa 780
accagntttt tggggcttta aattggcctt gg 812

<210> 799
<211> 758
<212> DNA
<213> Homo sapiens

<400> 799
ctaatagctt ttcattcnaa tgcttgtgat ccctcgattc gaattccgtt gctgtcggac 60
agattgccct agtacccacc cacctatcag ggttatgcaa tggaacatcc tcgcccaagc 120
tcttggagaa ggcaaagaca actttgtaca gtgccctgtt gaagcactca aatgggaaga 180
aaggaaatgt ctcatcctgg aagaaatcct ggcctaccag cctgatatat tgtgcctcca 240
agaggtggac cactattttg acaccttcca gccactcctc agtagactag gctatcaagg 300
cacgtttttc cccaaaccct ggtcaccttg tctagatgta gaacacaaca atggaccaga 360
tggttgtgcc ttatttttc ttcaaaaccg attcaagcta gtcaacagtg ccaatattag 420
gctgacagcc atgacattga aaaccaacca ggtggccatt gcacagaccc tggagtgcaa 480
ggagtcaggc cgacagttct gcatcgctgt tacccatcta aaagcacgca ctggctggga 540
agcggtttcg atcagcttaa ggcttgtgga ctcttcagaa cctgcaaaac atnacccaag 600
gagcccaaga ttncccttat tgtgtgtggg gacttcaatg canaccaaca gaanaaggtc 660
tncaaacact ttgcttcttn cagnctnaac cttganagnc ggcctacaag ntgctgaatg 720
cttgatgggc aatttagaac cccatacac ctacctgg 758

<210> 800
<211> 770
<212> DNA
<213> Homo sapiens

<400> 800
ttnaaancng cnttggactc cttgcaggat cccatcgatt cgtttaaact gagctccaaa 60
tgacgttcaa acacccctct cgggtagagt tttcatggtg gaacggttgc gcccaccaaa 120
cagaagctta tgtttttggc acagaagcct gggccatttt catggacacc tggctggacc 180
tcggtggaag tgaactccgt aggttgttgc gttcactgca gcacctcaca tgataccgtc 240
ccctctcatg gaacggagcc tccccatgc agccccact caaatggagt tttaaaggct 300
gggttcaggt tacgggggcg tttctcaccg tctgaatgcg gaggacagag acnagctcca 360
gggagcgtgg gcgggtgacg gcgctgagat gcgtgatgtc tcggaaacgt cctcgcatcc 420
ctcancgcgg gcgctgactg ccgcggccct tgcctgtctt caggagcgct ccagcttcgc 480
ccacacaccc cgggctgatg tcccctcgct ccggcggcct gcagacccca nagtgcctgt 540
ctcgggaggg ctccccattc acacgaccct gagtttgggt ccaagttagc ttctgtccca 600
aagtaccngt attcccaaag cgcacccggt aaagganccg ggccggncct tntttgcggg 660
gccgggggcc ggggccggga actcgtnggg ggttgccngg aangggggtta accgtnccgg 720
ttnttccgnc cttncgtgca aggcttnccc cgttaagngg cccaaaccnt 770

<210> 801
<211> 573
<212> DNA
<213> Homo sapiens

<400> 801
ggagccctag agctccacaa caggactcag agcctctaac cagttccagc actccagact 60
ccagccacac tccaacacag caccatgatc ccagccaccc gctcgcttct ctgtgcagcg 120
ctgctgctgc tggccaccag ccgcctggcc acaggtaggt ctcgccactg ccactggggg 180
aggagggacc tctggtgagc gcagcctccc acagtcccgc tgaccaagag tcttctccca 240
tagggcgcct atcgccaatg agctgcgctg tcagtgcctg cagaccatgg ctgggattca 300
cctcaagaac atccagagct tgaaggtgtt gccctcaggg ccccactgca cccaaaccga 360
agtcatgtga gtatcttccc ggttagcttc tgccacttcc agactcgccc aaaccctccc 420
gcgcccccac acttctccta gtgggaatgc ctaacatgtg ggtctatcct tctctctgca 480
gagccacact caagaatggt cgcgaggctt gccttgaccc tgaagctccc ttggttcaga 540
aaattgtcca aaagatgcta aagtgagttg tga 573

<210> 802
<211> 1390
<212> DNA
<213> Homo sapiens

<400> 802
tttttttttt cacaaggaat atcattttat tactgtaatc acaaaatcgt aatttctgta 60
caggaatgta taagtgaaca ttattcaaag cattggtaat tcacttcata aagagggtaa 120
acatactaca gaacatattg taaagaaaaa atattgtaaa attttctggt cttgcagtgc 180
actatttagt gcaagtattt aagacacaat agtgttcaat tcagcaaagt attgcagaat 240
gtcatgccac agtccactta attcaaagag ggtcaggaca tgcagcttgt aataaaatgt 300
cagagtgtgt gtgtgtgtgt gtgtgtgtat ataaaaccac atgtaattca taaaatatat 360
agtggtttat ttagatggtt ttaaatgatt tcactgtgga atccagcata actggaacaa 420
catccaaggt cttcttaacg gcaacaatct tattgctagg caatggcytt ggcttcaggt 480
argaatgcyt cccagtattt tatcagctgt tgttgtgttt gaactagtga ttctaagtac 540
ttgatgataa cggttttaaa atccttcact cgttctttct caaatcttcc cacttctttt 600
cgaatcgttt tagatatctg ttcaaaatct ctttcccctt gttgcacttt cgcctcccac 660
tctcttattt catttttagc ttgctgtatt ttatctggtt tgttagcaac catcattttt 720
gcttcagctt cacgtttttt gagcaaagta atttgagcat cttcccattt ctgccagcac 780
ttcattcgat ggtcaaacac acctttcact gcagcaataa gacgaatgta gtcactaagt 840
agttctgaaa acatataaaa gtcagmaaaa gcttgttctt gatgtaactg gtctatcttc 900
tcctcaacct ctgcaagctg agacaaagct ctagataaag cagtatgatc ctcagaatta 960
cctaacatgg cagcactttt agcaaaggca gctgtgttgg ctgaaagttc ttttctatga 1020
cagamcaagg cttcaacact gacatgaagt ttcctaagtt gctgatccag attctcaaat 1080
tgctgctgct tttcttcaaa ccatgcatcc gattcattca tcttgattgt cattttgttg 1140
acagcgtcgg cagccttgtt caccatcctc aatattcctg ctccactcag agcctgtgta 1200
ttaactgctc taggcagctc tgaactttcc aagaactgcc ttaaatcagg atcctgtagt 1260
aaagttggat gttttactgt tctttgaaga tacctttcaa gagctgctct ccgtttttct 1320
acaaactcag tggatgatga gtcttcttta cccactttga ccttggtcat ccctactata 1380
ctcttttctg 1390

<210> 803
<211> 947
<212> DNA
<213> Homo sapiens

<400> 803
ggaacttctg agtaattggt atcatttcct agtgactcgg ctcttgtact ccaatcccac 60
agtaaaaccc attgatctgc actactatgc ccagtccagc ctggacmtky kkcwsgsagg 120

ngagagcagc ccagaacccc tggacaacat cttgttggca gcctttgagt ttgacatcca 180
tcaagtaatc aaagagtgca gcatcgccct gagcaactgg tggtttgtgg cccacctgac 240
agacctgctg gaccactgca agctcctcca gtcacacaac ctctatttcg gttccaacat 300
gagagagttc ctcctgctgg agtacgcctc gggactgttt gctcatccca gcctgtggca 360
gctgggggtc gattactttg attactgccc cgagctgggc cgagtctccc tggagctgca 420
cattgagcgg atacctctga acaccgagca gaaagccctg aaggtgctgc ggatctgtga 480
gcagcggcag atgactgaac aagttcgcag catttgtaag atcttagcca tgaaagccgt 540
ccgcaacaat cgcctgggtt ctgccctctc ttggagcatc cgtgctaagg atgccgcctt 600
tgccacgctc gtgtcagaca ggttcctcag ggattactgt gagcgaggct gcttttctga 660
tttggatctc attgacaacc tggggccagc catgatgctc agtgaccgac tgacattcct 720
gggaaagtat cgcgagttcc accgtatgta cggggagaag cgttttgccg acgcagcttc 780
tctccttctg tccttgatga cgtctcggat tgcccctcgg tctttctgga tgactctgct 840
gacagacgcc ttgccccttt tggaacagaa acaggtgatt ttctcagcag aacagactta 900
tgagttgatg cggtgtctgg aggacttgac gtcaagaaga cctgtgc 947

<210> 804
<211> 532
<212> DNA
<213> Homo sapiens

<400> 804
cctctgccct cccaggttca agccattttc ctgcctcagc ctcccgagnt agactgggac 60
tgcaggtgcg catcaccacg cctggntaat ttttgtattt tgagtagaga tggggtttca 120
ccatgttggc caggctggtn tcgaactcct ggccctcaag tgatccaccc acctcagcct 180
cccaaagtac agggnttata ggcgtgcgcc antntgcccg gccgagaaca atttntcaca 240
agnttacttt tctagttttg ccaatgcatg gtgaaagtga acccaagcct gggaactgca 300
ggcctagaca atgcaggrmm ykksttsamm cwsrsmsrmr smsstysmar ywmrsssagm 360
cttggaaagg agaagtgtga ggcaggtgtg ggtaggacct ctttttagta cctagaaaaa 420
ggctaagaaa gtggcctgga gatgtttaga aggttaaaac caacgaagaa aaaaatcaat 480
gacaacctat caggaacgtg attgactctc agaatggaga actggcgaat cg 532

<210> 805
<211> 552
<212> DNA
<213> Homo sapiens

<400> 805
aatgcattnt tgattttta ttgcagatga tgaaaaagtt ttagatatag acagtgccga 60
tggttacaca atgttgtaaa tgtatttaat cccacttacg aatgattaaa atgataaatc 120
ttatgtttat ttcatcacta ccaaaaggct gtgggtgcag gggtgctggt ttctggtcct 180
agcctaagag actggcagtt tccaccttct atctcttggg acagtagctc tgggagccct 240
gagctgtcat gcaggaagtc cagctaccct gagaccacca tgctggaaag gccacaggga 300
ggagctctgt ggacagtccc agctgaacct tgccttccag ctgtccctgt caagatgcca 360
ggsatgtgag taaagccatc atggacccty tagaccagac tgcccaccag cagggtaccw 420
tctggcagcc acatggagca gaagaaccgc ccagctgagc cacttccaaa ctcttgaccc 480
actaagtcat gatccacaat gaacccatca tagggatggt tggctttgca gtgtggataa 540
tgaggatgtc at 552

<210> 806
<211> 1646
<212> DNA

<213> Homo sapiens

<400> 806
aactagtata tttacaacat cagaaacttc aatatggaga tttgttgttc ctatatcatg 60
atctttagca gcaactacac cataggcact gcacaacctg ggtcctagat caggacgtac 120
aaaaaatcct ggcaaatgag aggccaaatt gaattttcct tctggattac aatattctgg 180
caatggcaga ctttttaaaa gatcttcgta tcttgctggc atcatagtct tgaagtcttc 240
tcctgaaggc caatctttca atttaaaac aactgtttct ccactcttgt ttttctgccg 300
ttttgaaact tcttcaaaac catcccagaa ttccttaaca ttggcatttg aaatgatgct 360
atctttgcag ttcaggagat cagcttggtg gtctccaaaa tcaagactaa ttgattccgc 420
cttccatagg ctaatgttca ttttcttatg cacaccagaa accactgcag gctgtccttg 480
tttccaacat tctttgaaaa gcttccaatt actgctattc ttataatcct taagccataa 540
aatatgcttc tcacagatcc aagaatgtgg tatatcactg tataatttat tattttcatc 600
cactgcagat attatgcttt cttcaggctc ttctttaagc tctggtttta catttatctt 660
ggaggtttta cttggtggaa ttttgttttc aacaactgaa gcaattatgt catcaagaat 720
gttaggcata gtccgtccac ttttgctact tggggctccc attgaatata ctggggcaaa 780
ggcaatgcca gcatctgtas accccacacg tagctttcca gctgttgtag tcagcaaatc 840
ccgtaaggtt gagccttgtt cattattctg ggacacaaga ggtgatgttc tgccatttgg 900
agattcagag ttgtcttgtt ctctttcttc tttaatttgg ttttcaaggg taagttcttt 960
gttttctttt ttttcctctc tggctttttg ctctgcaaga tctgctaacc agtgcagtgg 1020
tgactgggat tctggaggag ttaacttgtt atctgtgcct acatcactct ctgggctgct 1080
gccaccattt ttctcagact tcggaggagt attttgctgc tgagactcag gcatgcacag 1140
agaaatttta ttactgtgat taagaacatt ctgtaaaact tgagatacac cattcattgt 1200
aggaaaattt ccaacttgta aattctgttt gttagtacaa tgacaatggg atttaatacc 1260
atatttttcc ctaagagtgt gcatggcatc tagaagatct gtcaaaacag aaccaggtat 1320
aatttgggtt ggcattaaat gtttgtgatc atgaggctgt ccyttcacac acttcatcca 1380
agcatattag ttctttatcc ctagramyyc tyccttcct ttngccttgt aacaatctaa 1440
gcaganccac aawkccacat tttkggcaga cccagtnraw kktaancawk gntgcttcac 1500
atgcatcaca catctcccgg actcctctca ctgctctttt ccaggcaatt ttggcatcct 1560
ttttcaccca ggacaaagct gttttttcag atgttactaa ttgacagaac ttatcaccta 1620
ttatatccaa gatatattta gaagtc 1646

<210> 807
<211> 1029
<212> DNA
<213> Homo sapiens

<400> 807
tggggctgtg actgtattta cttcattctt gaatcccgcg tccccgtggc tgggggctga 60
cacatccctg ggcaccactg tgacttcctg tgggtccctt cccttctgtc cctgactctg 120
tagaccccc acaggaaggg tcctaggtag gggaggttc ctcctccctt gaaaccctgg 180
gccactctgt caaggcaaag ctctgggccc agcaccttgt aaaggctttg atgagaggag 240
ctctggcttt tgctcagggc ctttggaccc caccctccag cccccaggaa tgcaggcgct 300
caaagcctgt ggtnaggctg cccgaagcac gtgccgcagt tcttctggag tgggagcagg 360
gggacagagc tttgggtaga ggagggtcac ctgcaaagct ggaatgccag gggagtgggc 420
ggtgcctcca gctcctgggg gccagggtgt ctccatacct catgggcctg agcctgggca 480
ggggtctgga gtgcacatag cccccaggca gggagagggc agtgacagga cagagccact 540
catctgtccc aaagctgcac caaggggtgt cagcaacccc aacctactga cctactttgg 600
gaccacaggc ccatctagtg caaatgaggc ccagaaagga gaaatgcttt gctcaacagc 660
cacagtaggc tgacgtaacc tatgtaatgt agggtcaggg tgggcctgag ggatgancca 720
ggtggtgggc aggtganaca ccaggtcccc tcctggcctc tgccccaccc agccctctcc 780

tgcacggcta ccagaagatg tccgggaaga acanactagc cctgagtagg gagtgtggtc 840
aggtgcagag gagggcaggg gcccggatcc tggcccagaa acactctaaa acagaatccg 900
atcctgagat gatccaaatc aaacagaata cttgacggaa atagtagagt ctgaaaatga 960
tgcactctgc gcacacatat acaagacaca cacacacaca cgaatccacg cacacgaggc 1020
acacccccac 1029

<210> 808
<211> 836
<212> DNA
<213> Homo sapiens

<400> 808
aaaaccgggt ataacacttt aatatagatt tgtggaactc tggcccttgc agccagaata 60
cacatttata agccataaat aaagcacgca gaaaccataa attaatcgga cccgagacct 120
ggatttcacc gtgtcaagat tgggaatgct tttttttct ttttcttggt catttacaac 180
agacccttac attatttttt ttcctgtttt taaacaatag tacaaccctc tggttctgtt 240
aaaactacat ggttttacac cgagtcactc acaaaatttt tttttttttt taagtaagac 300
ttccctgcaa caacagcaat ggaggagaac aacaacaaca aaaaaatcag aatctgcagg 360
tgcttgaaga agcaggagtc tacacagtag tggaaaccgg aggctttttt ttaactttat 420
attctttccc gttttcctcc ttatatagaa cgtggggtat ctgtgtggcc ctctgtttgg 480
gacggaacrg ctgcagcggg tgaaggaaga ctgctgtctt gggggtgttg gggtgggggt 540
gttatggatt tcttctccct tgcgtctctg caacaccgtc tccccaaagt ctcgaccccc 600
acttgctctc tcacttrtcc tcgatccggg gtgccagagt tagccnggcc tgaagccgtc 660
gtcttcttaa gaggagttca taatgggccg ggagtacacc ccctggtagt aggaggtatc 720
tgcggccagg ggcgaggcgt ccaggcccgt tttgttcgtg accgggccca tggccaagct 780
gccaggcatg gggggaaccgt agccggggta gtgcatcacc tgttcgtagg ccttga 836

<210> 809
<211> 1844
<212> DNA
<213> Homo sapiens

<400> 809
atcaggtgtt cctcccatgg caggagggaa gaaacccagc aaacggccag cctgggactt 60
aaagggtcag ttatgtgacc taaatgcaga actaaaacgg tgccgtgaga ggactcaaac 120
gttggaccaa gagaaccagc agcttcagga ccagctcaga gatgcccagc agcaggtcaa 180
ggccctgggg acagagcgca caacactgga ggggcattta gccaaggtac aggcccaggc 240
tgagcagggc caacaggagc tgaagaactt gcgtgcttgt gtcctggagc tggaagagcg 300
gctgagcacg ccaggagggc ttggtgcaag agcttcagaa aaaacaggtg gaattgcagg 360
aagaacggag gggactgatg tcccaactag aggagaagga gaggaggctg caacatcaga 420
agcagccctg tcaagcagcc aagcagaagt ggcatctctg cggcaggaga ctgtggccca 480
ggcagcctta ctgactgagc gggaagaacg tcttcatggg ctagaaatgg agcgccggcg 540
actgcacaac cagctgcagg aactcaaggg caacatccgt gtattctgcc gggtccgccc 600
tgtcctgccg gggggagccca ctccaccccc tggcctcctc ctgtttccct ctggccctgg 660
tgggccctct gatcctccaa cccgccttag cctctcccgg tctgacgagc ggcgtgggac 720
cctgagtggg gcaccagctc cccaactcg ccatgatttt tcctttgacc gggtattccc 780
accaggaagt ggacaggatg aagtgtttga agagattgcc atgcttgtcc agtcagccct 840
ggatggctat ccagtatgca tctttgccta tggccagaca ggcagtggca agaccttcac 900
aatggagggt gggcctgggg gagaccccca gttggagggg ctgatccctc gggccctgcg 960
gcacctcttc tctgtggctc aggagctgag tggtcagggc tggacctaca gctttgtagc 1020
aagctacgta gagatctaca atgagactgt ccgggacctg ctggccactg gaacccggaa 1080

gggtcaaggg ggcgagtgtg agattcgccg tgcagggcca gggagtgagg agctcactgt 1140
caccaatgct cgatatgtcc ctgtctcctg tgagaaagaa gtggacgccc tgcttcatct 1200
ggcccgccag aatcgggctg tggcccgcac agcccagaat gaacggtcat cacgcagcca 1260
cagtgtattc cagctacaga tttctgggga gcactccagc cgaggcctgc agtgtggggc 1320
ccccctcagt cttgtggacc tggccgggag tgagcgactt gaccccggct tagccctcgg 1380
ccccggggag cgggaacgct tcgggaaaca caggccatta acagcagcct gtccacgctg 1440
gggctggtta tcatggccct gagcaacaag gagtcccacg tgccttaccg gaacagcaaa 1500
ctgacctacc tgctgcagaa ctctctgggt ggtagtgyta agatgctcat gtttgtgaac 1560
atttytccay tggaagagaa cgtytccgag tccctcaact ctctacgctt tgcctccaag 1620
gtgaaccagt gtgttattgg tactgctcag gccaacagga agtgaagacg gatccagatc 1680
tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtcct atgtctatgt atcgggtgag 1740
gggtgggagg gttgctggag ggtgctttat tgggtggagg gcaccatgtc ccagggctat 1800
caaataaaga atagtttggt ttttttttta aataaaggtt ttat 1844

<210> 810
<211> 489
<212> DNA
<213> Homo sapiens

<400> 810
gccccgctcc atgagcagtg actccccagc tcctcctggc accagtcccc agggctctcc 60
tgttggtakw wmmwgctwyw ywtsyysswm mywmmycgkg racctcraga tctyyaccct 120
aaaatarttc tgttgaattt caccctggcr atgtaaaytg akagcttatc ttcacagatg 180
ysrganaakr gmcmayycmy cwkcaswcct swgncwmays tswrwcwrat ksmtkycykw 240
kccctattta tgtaaaaata cagggtccct gagccagcct aaggcataag tgacttatcc 300
ctcctccctg ctcacatata aattgtgtat ttagtgaaag gctgatcaaa grttcaaagr 360
atgttatttg ttatctacct gtggacccag naggtcccca attccagtta tttccacctt 420
tccaggaccg ggaccaatgt atatatgtaa ctggattggc tgttctcgtg tgtttgttaa 480
aatgtgtgg 489

<210> 811
<211> 471
<212> DNA
<213> Homo sapiens

<400> 811
gccctcagcc acccccatcc ctgccccttc tgagactcac agcacccctt tccttcctct 60
cctcccacct cctccctcag cccctcattc tccttgggaa tctgcagagg gctctgggac 120
tcactgccgg atgtgaaatc caggcgtcag ctgtttccta ggcaagggca ggaaagtggt 180
ctccagccct tgctccactc atgcctgggg gnctgggsyy gagtggtatc cctacctggc 240
ctccccctgg cctctggcct ccagcgctgg gtttgtcgag tgagagagag agaggagctt 300
gggttgcttc cctgtccccg ccccctctgt ggcattgtcc ctcccactct tatttttcta 360
ccaattgcta tttttccgaa caatccttgt agagtatgta ccatccaaag gcaggagggc 420
cctcggtggc cggctctggt tggagatggt acagttttat tgtacaggtg c 471

<210> 812
<211> 579
<212> DNA
<213> Homo sapiens

<400> 812

```
cccaatgaat caacatactt tattagaccc actaagtgcc aggggagggg cctgtgccta      60
ngagccaggt tacagggctc acccgtagat tcagtctggt ctctccccat catgcctctc     120
acttccagtc tgggcttcta ataggagggc cccgacttct tccctcccag tcattctctc     180
gaatggagaa tctttcctca ttccagggac accaaggctc aggaaggggc ctatccatca     240
tcagtagagc cagacaagct ctcccatcgg acgtcctgtg gctgggccca gaaatgggtg     300
ccgctgcctg tgggactgcc cttccgggaa ggaccagggt gtcttcagtg ctcttggcct     360
gcacgtggna ggagagtagg cagatgtctg gtgctcttta agctcaaagg catcatggcc     420
ctctckgnwg sarcrrrsrs akamragkym sssatcncag scagcscwnk arskstsgca     480
nwsmwcatts casmtgcasc mmcmggrrrs mkcsksywcm kmagnsktnm scmtsgsrgy     540
cagcgcagcg tagggtggca tcctcattgc agatgcagc                            579
```

<210> 813
<211> 562
<212> DNA
<213> Homo sapiens

<400> 813

```
tttttttttt tccagatgta actcttgtct tttattccag catctcccag agctccaata      60
tgtacagact ttatttatac acatataata tacaccatat atacttattt atagatattc     120
acacaccagc ccacacactc gcacacactc acacgcacac acccttccag gaggggcgtg     180
tggctgcctt ggagtcccgc tagscccaaa caagtgatac tgggcttgcc aggcagttgt     240
gaggttttgt gtttttgct tttaaaaaga aggccatttc ctccagatgt gtcctccctc      300
tccccaagcc ctaaaactcc tccccaaaac actctgaaaa aaattttttt aaaacaagrg     360
gnttttcctt tgctytggsc caagtagttt ctngganagn tccrggscca tccacaagny     420
ccgtgcaggt cctagagcac gagagccggg cgtggccttg gtcaggcctg cagctgtgcc     480
ctctgagggg agaggggagg cgctatagca tcaagggcac ctgccagatg aggagggtgc     540
tgtccgtctc cccacacggg gc                                              562
```

<210> 814
<211> 594
<212> DNA
<213> Homo sapiens

<400> 814

```
agcctcgcct gggccggcct gtggctccca ttttcctttc agcgggacaa aggggacttg      60
ttaccaggcc attttctgga tggcctgtga gatctctgcc cctccaagac cckccaaryc     120
tsmsyckgwc scmswgytsk smsmmwgmmt ycwgcmsygs smrccntgss rrykctswrkc    180
tggcaccagg ctgnagnctc cccaatccca gcccactttg ctgtgtctct ggcgggctgt     240
cctccttggt gggagctgtc ctgcacactg taggatgctt aaaggtatcc ctkgcctcca     300
cccacccta gccagcagct cccagtcaga caacagccag awatgtctcc agactctgcc      360
cagcctcccc aggtagccac cctcgagaca cgacctcaga gtctctgtgt ctcctagaag     420
cctgacagag acccccaggg cagtgggtgg gtngcgggct agagaccctt gcctgtntcc     480
gggaccctgg cgccgctctc ccctcctgtg gatccctccg gactaacagt gttcttagtn     540
ggcagangct ggggcacccc ttnggccctg ncaggcatng ccattggcgc angc           594
```

<210> 815
<211> 812
<212> DNA
<213> Homo sapiens

<400> 815

aaaaccgggt ataacacttt aatatagatt tgtggaactc tggcccttgc agccagaata 60
cacatttata agccataaat aaagcacgca gaaaccataa attaatcgga cccgagacct 120
ggatttcacc gtgtcaagat tgggaatgct ttttttttct ttttcttggt catttacaac 180
agacccttac attatttttt ttcctgtttt taaacaatag tacaaccctc tggttctgtt 240
aaaactacat ggttttacac cgagtcactc acaaaatttt tttttttttt taagtaagac 300
ttccctgcaa caacagcaat ggaggagaac aacaacaaca aaaaaatcag aatctgcagg 360
tgcttgaaga agcaggagtc tacacagtag tggaaaccgg aggctttttt ttaactttat 420
attctttccc gttttcctcc ttatatagaa cgtggggtat ctgtgtggcc ctctgtttgg 480
gacggaacrg ctgcagcggg tgaaggaaga ctgctgtctt gggggtgttg gggtgggggt 540
gttatggatt tcttctccct tgcgtctctg caacaccgtc tcccccaaagt ctcgaccccc 600
acttgctctc tcacttrtcc tcgatccggg gtgccagagt tagccnggcc tgaagccgtc 660
gtcttcttaa gaggagttca taatgggccg ggagtacacc ccctggtagt aggaggtatc 720
tgcggccagg ggcgaggcgt ccaggcccgt tttgttcgtg accgggccca tggccaagct 780
gccaggcatg ggggaaccgt agccggggta gt 812

<210> 816
<211> 999
<212> DNA
<213> Homo sapiens

<400> 816
aagccgcctt ctgagccttt ngcctctgtt gttcctcctg ctgcctgtga gttttcatgt 60
gtgcatttcg gcttttgatc ttgaagaaga ctttgccnca ctccttgcag gggaagatgg 120
tggtggggtc tgtctcgccg ctggtggtgc tgtgagaggg tgancncttt accncnacag 180
tacccactct gggtgccncc aggcttctgc ttcccagags gkrtrrmmmc kmgggccttg 240
ctttgccccc tgnaaaagct gcccccctanc catagtatct cccaggcaaa gatgccatgc 300
tcactgcaaa ctatggaatg aggtcagaac agaatcaaag taacgcttga tgggaaaagt 360
tggccccaag accccagtac taagagggtc gcctgcgtct cacacacaca cactcacagc 420
aagctttggg ataaaaggca accgggatgg ttgacatctg aatgcaatgg aacatgaagg 480
tcagcttcag tccctactgg gaatgatttc atgagaaggt agcccagatg aaacacctct 540
taaagatagt tgtgccaatt atttattccc ccaaccccccc acaaaaacaa atttttttaa 600
ataaaaggaa aagaaatagg attttttttt ctaaacctga ataaaatgac cacttttaaa 660
acagrtagtt taaaagggtt acaaaacaag caggcagtcc aggtttcctg attaatgaag 720
atggaggccg tgggttttca ctgtctctaa gtgacacaca gggctttata gttctgcgtc 780
accctgaagc aagactgaat cttgatcatc caagagaaga tcggtgtcca caacttcagc 840
ctcttccatg acacctccca actgctggac gacgtcgtcg tcgaggatgt ccacatcctt 900
gtatgggttt gatcagactc agctggtcca ggggcagcag cmcgrcagca ccccacgggc 960
ccgtagtcct ctcaatcgtg gctgccatct cagctgcaa 999

<210> 817
<211> 653
<212> DNA
<213> Homo sapiens

<400> 817
atttttaywt ttaaaacatt ttatgaggga taaaatatag tctttttcta tcagtatgtt 60
cacacttcct ggcctctcat tgggaagctg taagatgtcc ttcaataaga tcctgaacac 120
gcgacagaat aatctcatta gagctgctgc aattttctgg accatatggt gggtctatag 180
tcaggacccc agccacacag agagtccttg gagcgtctcc ctgttcagtg atggggatgt 240
ggttcttctc aagccatttc tttaggctgt tctttctctc ttccagatcc tctgggctgt 300
atgctttgca gtctccagac gtgaacaaat gcatcagctt ctccctcact ctatggtccc 360

cttcattcat agtttcaaca gtckgcacag catgtcccat aattccggtc acagacatgc 420
tgccatcttc aaggaagttc acaaggacaa tattggcaga gactgggtct gkagttaaam 480
cccatccttt atactcattc ttctcactgg ctgtcactcg gacctctttg taaatgtaat 540
cttgccattc taaggggcct ttcttcatcc attcactcat gattgccacc tggctaaatc 600
agttaaaaaa ctcctcgcaa ctctgggtac tcagcaacca tgctttgagg aag 653

<210> 818
<211> 1225
<212> DNA
<213> Homo sapiens

<400> 818
ggattctttc actgagcaca aagagttgtt ggggctttag catctgactg attttgttac 60
ggggttgatt ctgaccatag gaagtatgca atgtgaatca ctatttacag agaaacctac 120
aacagatgct tgatgttgta gaaactggga catatagata ccaagcaaaa ttataagaaa 180
cctataaggt gttcaatacg cttgtgtttc caaaattcac tgtacatgat cagtttggtg 240
ttcttgtacc acagttttta actgaaggaa ccagttgtaa cagtctcaat tttaactaaa 300
acttgaagaa ctaaaacaac aatgcaaacc tttcagcatt gtttggccaa acttgttaaa 360
actgtaatgc aagaaccaaa tgcactgtga tgtggcacca actaattagc aagcatgaat 420
ttttcaccca agagtgaaaa aaggaaaatc taccatggct tgaagttaaa gagcagaact 480
cctgactacc attctatgac tgatcaaaag actaatagtt aaaaacctca gcaggccttg 540
ttcacgatat gcagaaaaaa aagtgctgca gtttagatac ctctggaatt tttccacagt 600
gtcacaggtt tgtaatactt gaagccctac atttctaaga atatatttct tgctcagttg 660
tttcakgcaa gcccaagact ttgtaatttt taaagggccc aagatttttt tttttttttt 720
tttttcaaat aacagaccag cttctttttc ttgcagttac agatgtaatt tccttttttgt 780
tgtcaaacat aaggtaccaa atatgatgca ataaattgtt ttgaaaaaca gttgtgtgaa 840
tatttcaact aatctgtgtt gggcttctgt gaaatacaca ggtggaaaca gaggtgcaag 900
ccagagcaat ngtaatatgc tgtaaggcta gtgcagatgg gagcttttta gaaggggcta 960
agtgctggtg tcagggaaat tccataatga agtagaatgc tgctcctgca ttaagatttc 1020
attgagggca aggctggtgg caggtactat gaatgtaatt cataatttaa aaggaaaact 1080
aaaaactatt ttgatttggg aaaatgagcc ttaatttgtt aaacctatac actgaggaac 1140
tagcctcagg ctttaatatt ctcattggca tttgccaagg tcctgaggcc aaataaggtt 1200
taagttaaaa caaatccaat tgtnt 1225

<210> 819
<211> 1024
<212> DNA
<213> Homo sapiens

<400> 819
gacaccccag atgcagccac caccagcaga agcgatcagc tgaccccaca agggcacgtg 60
gctgtggccg tgggctcagg tggcagctat ggagccgagg atgaggtgga ggaggagagt 120
gacarggccg cgctcctgca ggagcagcag cagcagcagc agccgggatt ctggaccttc 180
agctactatc agagcttctt tgacgtggac acctcacagg tcctggaccg gatcaaaggc 240
tcactgctgc cccggcctgg ccacaacttt gtgcggcacc atctgcggaa tcggccggat 300
ctgtatggcc ccttctggat ctgtgccacg ttggcctttg tcctggccgt cactggcaac 360
ctgacgmtgg tgctggccca gaggagggac ccctccatcc actacagccc ccagttccac 420
aaggtgaccg tggcaggcat cagcatctac tgctatrcgt ggctggtgcc cctggccctg 480
tggggcttcc tgcggtggcg caagggtgtc caggagcgca tggggcccta caccttcctg 540
gagactgtgt gcatctacgg ctactccctc tttgtcttca tccccatggt ggtcctgtgg 600
ctcattccct gtgcctntgg ctacagtggc tctttggggg cgctggccct gggcctgtnc 660

aaccaccggg ctggtaatca ccctctggcc cgtggtccgt gaggacacca ggctggtggc 720
cacagtgctg ctgtccgtgg tcgtgctgcn ccacgccctc ctggccatgg gctgtaagtt 780
gtacttcttc cagtcgctgc ctcnggagna cgtggctcct ccaccccaaa tcanatctct 840
gccctcaaac atcgcgctgt cccctacctt gccgcagtcc ctggccccct cctaggaagg 900
nccgggtccc acaggcaaca cctaagtgga ccaacccctc tgcctgtcct gccccccaga 960
cgatgactga aggctccttt gacaccttga gatgantctg ctactttcca gacttttctt 1020
acaa 1024

<210> 820
<211> 631
<212> DNA
<213> Homo sapiens

<400> 820
atttttaywt ttaaaacatt ttatgaggga taaaatatag tctttttcta tcagtatgtt 60
cacacttcct ggcctctcat tgggaagctg taagatgtcc ttcaataaga tcctgaacac 120
gcgacagaat aatctcatta gagctgctgc aattttctgg accatatggt gggtctatag 180
tcaggacccc agccacacag agagtccttg gagcgtctcc ctgttcagtg atggggatgt 240
ggttcttctc aagccatttc tttaggctgt tctttctctc ttccagatcc tctgggctgt 300
atgctttgca gtctccagac gtgaacaaat gcatcagctt ctccctcact ctatggtccc 360
cttcattcat agtttcaaca gtckgcacag catgtcccat aattccggtc acagacatgc 420
tgccatcttc aaggaagttc acaaggacaa tattggcaga gactgggtct gkagttaaam 480
cccatccttt atactcattc ttctcactgg ctgtcactcg gacctctttg taaatgtaat 540
cttgccattc taaggggcct ttcttcatcc attcactcat gattgccacc tggctaaatc 600
agttaaaaaa ctcctcgcaa ctctgggtac t 631

<210> 821
<211> 635
<212> DNA
<213> Homo sapiens

<400> 821
aggttgctca cctgaaggag cacaggaggg ttttccaggc catgtggctc aggttcctca 60
agcacaagct gcccctcagc ctctacaaga aggtgctgct gattgtgcat gacgccatcc 120
tgccgcagct ggcgcagccc acgctcatga tcgacttcct cacccgcgcc tssgacctcg 180
ggggggccct cagcctcttg gccttgaacg ggctgttcat cttgattcac aaacacaacc 240
tggagtaccc tgacttctac cggaagctct acggcctctt ggacccctct gtctttcacg 300
tcaagtaccg cgcccgcttc ttccacctgg ctgacctctt cctgtcctcc tcccacctcc 360
ccgcctacct ggtggccgcc ttcgccaagc ggctggcccg cctggccctg acggctcccc 420
ctgaggccct gctcatggtc ctgcctttca tctgtaacct gctgcgccgg caccctgcct 480
gccgggtcct cgtgcaccgt ccacacggcc ctcgagttgg aacgccgacc cttacgaacc 540
ctgggagagg aggacccagc ccagagccgg gctttgggag agttccttgt tggatttttc 600
agggccttnc agcggcatta ccaacttgag gtttt 635

<210> 822
<211> 752
<212> DNA
<213> Homo sapiens

<400> 822
tgcttttatc ttgaatgtag ccttcaactt tgtgtaattc cttaccaaaa aggccacatg 60

gcttaaaatt caacacacat ttgtccccag tcttgtggtt tataatttcc acattgccat 120
actgttcgat ccacagttta cccacaatga tattatgcac acagcaggtg ggatttgtcc 180
atgtatatgc ctcattgtgt tcaaggagct ccaaggtgat ggttcctttg ggttctgctt 240
ctacactctt cccccagaat ttcagtttgg gatagataga gccatgaaag atgaagtcat 300
tgtttaatcc ttcagcatga aatgcactga ttggtgggtg atggctgacc tgttcggaga 360
tgagtctaaa tccaaggtca tctcgcacta attcataagt ctctcccagc agtgggttga 420
aaggttttcc agtccgttcc cactgagaag caacagcaga tacagcaaac gcagctacac 480
actgcatcct ttccacagga tcagagagtg aactggcctt gtggaygagg taagtatgct 540
ccatgtattc agttaggcgc tgtaggaagc tcagaggctc attaaatata actggcatcg 600
tgatcttgga tagttccatt ccaatacatt ttctgaggat gctccagata ctgaagtcat 660
ttctggaaaa cataggagaa ggcaaacttg ttctgtgttt cttgatgcca ttggagagag 720
catctccgcc accacagtct ttttcttcgg ac 752

<210> 823
<211> 899
<212> DNA
<213> Homo sapiens

<400> 823
tttgccacag ggtaaacttt tattttagaa tccaatcttt tcccccacaca tacacaataa 60
attaaacaga atccacagta aatgtacatt ttttaacata aaaagtcagt tactgttact 120
tcatgatcac atgaggatcg tcacagctcc gtgtccatta gcacattacc ctccttgtcc 180
ttaactctta tccgaccgga tctgtacttc gtttcttgat gaccgtttgc atatacggtt 240
ttaacagtgc catctgggta ttcccgtctc ttgaactggg cagtatgtag ttctctttgg 300
ccattattaa actctatgag tttgttgcca tcacgttgta ctctgacaat tgtaccatct 360
gggaaaatgc tttcttcttg tccatcagga aataagtttt taacagtctg gtcaggaaac 420
gtgatttctt ttcttccatc tgggtaatgt ttttctrttt aaaaagttgt tacagtaaat 480
attttttgaa ggaagggaag aatttaatga gagggtggag caagtttgta cctatttgtc 540
cacttgagaa atgtaagact tccagtcctc cgggtatgtc gtgtgagtgg tctggcagc 600
tgcatagtag tagatctgta aagacacaca gtcagtctgc cttttctcca gagatggtta 660
aactatggag gagaacactt ctggaaacat accactcttt ggtctggcat gacctgcttc 720
acgtcaccat taaagaaagt gacagtgatg gtcttcccat ctgcactcac ttcctttcga 780
gttccattgg gaaacagtat aacacggcac ccattcttat aaaccttttc cacctttcca 840
tcaggatgac tgatttctcc ctgtatgtct tggtcttcct cctcctcttt atattcagg 899

<210> 824
<211> 1980
<212> DNA
<213> Homo sapiens

<400> 824
acccgtccgg ggccggccaa tttgcatatt tggaatgcgc cgctataaac ccggctgggg 60
ttttgcagcg atttcttaga tgtaaaaatg agatctcaat agcagcgggc tgggcacatc 120
ctcksmwytc ysskwswskm tstgcccrga gctggtttcc gtctctcggc tcggggctgg 180
aactccggcc caacctaggc gcgcanccgc sacgagatgg cgcacttccg atcaatgtca 240
aagccgccgg ggagccggga accccagcat gattcttggc ctttgttcgc ttctgatact 300
aagagcagca cggtacatta tttcacttgt cccgctcccc ttcataacag aaaaagggga 360
ctcaccctca agaagtgatt ggtatggtaa tttaaagcaa cgcgcattcg ctaggcctcg 420
cgagcgtcgc cgcgcggaga agccagctgt cccttggcag tgatttcgga aatgtgtcaa 480
ggcaattcca aaggtgaaaa cgcagccaac tggctcacgg caaagagtgg tcggaagaag 540
cgctgcccct acacgaagca ccagacactg gagctggaga aggagtttct gttcaatatg 600

taccttactc gagagcggcg cctagagatt agccgcagcg tccacctcac ggacagacaa 660
gtgaaaatct ggtttcagaa ccgcagatng aaactgaaga aaatgaatcg agaaaaccgg 720
atccgggagc tcacagccaa ctttaatttt tcctgatgaa tctccaggcg acgcggtttt 780
ttcacttccc gagcgctggt cccctccctc tgtcttcagg ctctgccagg aactcgcacc 840
tgtgctggag ccctgttcct ccctcccaca ctcgccatct cctgggccgt tacatctgtg 900
cagggctggt ttgttctgac tttttgtttc tttgtgtttg cttggtgctg gttwatttgt 960
tgttttctgg gggaaaaagc catatcatgc taaaattcta tagagataga tattgtccta 1020
agtgtcaagt cctgactggg ctgggtttgc tgtcttgggg tcccactgct cgaaatggcc 1080
cctgtcttcg gccgagcntg gtttcctgcc cagcctgggg caaacctagc cgaaggccga 1140
ggtcccattg ttggcgctga ggtgtctggc ctgaggtcaa tggtgcaaag gagccgccac 1200
cggcatgtct gcctggagtg ctgtgctgtg tttaatcagg ggatacaggc ccctgggttt 1260
ctttttttctt tcttcctttc ttccttggcc aagagaaggg cttacaggca tggacatgca 1320
ggttggcaaa cgggcttgac tttggctgat ttaaaaagtg agaaagaaag taaaaaaggt 1380
taatttttcc ttcctctgta agatatccca gctttaaaaa gaaaaaaaaa aagaattacc 1440
aagagaaggg gacttctctt ccagtttctg taaggtctta cattgcctga ctaaaatgtt 1500
tcatttacct ctaaatttcc atatccttct ggctgtagat aaataatgta gttttgttta 1560
tgcatttgga attagtggat ttttttgtca ttaaaattgt taccactggt aacatgtgac 1620
aagcacacca caattctccc tatcttgtga agttgttttt ttaaatcgcc ttgaacaaaa 1680
agtttttttt tttgtttgtt tttgctttct gaaattcaca gaagcctagg aggactgggg 1740
taagcggaat aaactagaga agggagacat tgtttggatt tccttcctat aaatacaaat 1800
ctgtataaat gtctattatt atgaagaatt gccaatcttg ttttaagcaa atgcattcta 1860
tcgttattat aaatgttagt tctagctcta tttacttcta atcttaaatc agaataaatt 1920
aatattgtat tgctgctgtg cgtggaaaaa gacgatgttt atgttcttat agaataaaag 1980

<210> 825
<211> 333
<212> DNA
<213> Homo sapiens

<400> 825
tctagatatt gcccaatcgc tgcccacagt gcacatacct ttccaccagt cacatgtgag 60
agggcagatt ttccaaatgc tcatcaccac ttggcactgt gtggactata atttggcca 120
gttaggaaat ggcatctcat tgttttcatc ttaatttgcg tcagcctgat tactcattga 180
aacttgtgag gttgagaaac ttttcttaag cttattggcc attcaagttt cctcctttat 240
gaaatggttg ttcatgtcat ttkctcattt ttatattaga ttgkwtttmt wttttccagc 300
tgacttgtag gaactctaca tcttatcaat att 333

<210> 826
<211> 658
<212> DNA
<213> Homo sapiens

<400> 826
tttttttttt tttttttttt ttttgaaggc ttcatgaata atttattcca tttgaagttt 60
tgttttttgt ttttgttttt ttttttttaa aaagtataaa ccttttcatt tcctcaatca 120
caatttgtac aactcagtgt tatggcattc ggcagcaata gtgtttgttc cttattctct 180
ttttgtcacg ttaaaaanaa agcaattgga ccatattaaa tgtcactgct aaacaacaac 240
tttaaaacgc cccttcataa agtgaccaag ctattttgag agggttgatg ctgacatgtc 300
cagtaatgac gttacaattt gtagcttaaa ctcaataact ttaaggtcca catatccagt 360
ttactttgaa aactaaagat gttttaaaac ttcatgaata catcaacctg aggagtattt 420
taggkcccaa atccagtttt taaatttata ctccacnaaa aangaaaata catacataaa 480

awtttaaacc mcngttytgg gcccattwaa acaccmaaaa agaccccccn aaaagttaag 540
anttccagct tanttctgga ngggtgggnc aaaatarraw kktwtawwma wwwymytwwt 600
ccnkmattca gacaaactaa aatcttaaga ggaaacccag accaaaatat cactcatg 658

<210> 827
<211> 453
<212> DNA
<213> Homo sapiens

<400> 827
attatagaga ttaatctcct ttgctcgaag tctntttaaa tattagtcac atctaaaaca 60
tacttttaca gcaacatcta gactggtgtt tgaccaaaca actgggcatc atagctgaca 120
cataaaatta accatcacaa ccatgttcta ggcactgttc ctcactgcct gagaagacac 180
cgttatgttt attagggttt ttgagtttta tccacagctt ttggttatct gcaaccatgt 240
ctcccaccat taacatagtt cacactgaga tgaggattcc ctatttaaca cttggtccca 300
acttcttcac agtccatctg gttttgtaga gggaacataa ctggacattc tggtcaggtt 360
aggtgaggtc aggccttcag gacgctattt tcactgagtt gctttataag gcacattatg 420
caaaattcca tcagctcttc tgttcactac att 453

<210> 828
<211> 657
<212> DNA
<213> Homo sapiens

<400> 828
aagagaagga cctagagatt gagaggctta agacgaagca aaaagaactg gaggccaaga 60
tgttggccca gaaggctgag gaaaaggaga accattgtcc cacaatgctc cggccccttt 120
cacatcgcac agtcacaggg gcaaagcccc tgaaaaaggc tgtggtgatg cccctacagc 180
taattcagga gcaggcagca tccccaaatg ccgagatcca catcctgaag aataaaggcc 240
ggaagagaaa gctggagtcc ctggatgccc tagagcctga ggagaaggct gaggactgct 300
gggagctaca gatcagcccg gagctactgg ctcatgggcg ccaaaaaata ctggatctgc 360
tgaacgaagg ctcagcccga gatctccgca gtcttcagcg cattggcccg aagaaggccc 420
agctaatcgt gggctggcgg gagctccacg gccccttcag ccaggtggag gacctggaac 480
gcgtggaggg cataacgggg aaacagatgg agtccttcct gaaggcaaac atcctgggtc 540
tcgccgccgg ccagcgctgt ggcgcctcct gaccgtcgtc tcctcactcc gccttttcaa 600
atttttgtat aaccccgtgt tgtgtaaata cagtttttgc tccggtaaaa aaaaaaa 657

<210> 829
<211> 775
<212> DNA
<213> Homo sapiens

<400> 829
ggtttgagaa aatcaattca aatctgnccc ttctgattgc anctctaacc aggttctgan 60
cggtgtcaga gacttcccaa tacatttccc ttctagnatg cctcataaat ccactcaaaa 120
gtaagacacc aaacacacac ctcatttcct gaactgtgac ttccaagctg acatttttct 180
gagaagcata attattggtt tcattgacaa ttaagttgaa tgtttcatca tcaaaaaata 240
attcaaaaag ctctactggg ttcaactttt cgctcttgag attcaaaagt ccagaatcca 300
gtgctgacca gcttggaaaa ttgggtttaa tgtctctttt ggtccaactc ttttctggga 360
aacatgatac ctttaacttc ttttgagcag gctggatctc aggctcatta tctttttcca 420
catctgagtc accagagaat gagaggcctt ggagcagttc actcactcga gctttgtctt 480

```
tttttctccc ttttcgggta atgtctcctg cagcatattc cagggatgag atgtgcatgc     540
gggcccacaa atcacctggg tgacggtcct tcagagtgtt caaatgtgca actgtccttt     600
cagtagcaat aggagtacta caaggaatct ggggtgcaca ctctctgttg ggctttcctg     660
aggcttctcc actttgttcc atttcttcag aagtttcttg ctttgcttta aacaatctat     720
ctttagttac aatttcttca gctgggtgta gccccagctt tttagaaggc tgagg          775
```

<210> 830
<211> 413
<212> DNA
<213> Homo sapiens

<400> 830

```
agagcctgca agtgacaaag gaagtgaggc agaggcccac atgcccccac cgttcacacc      60
ctacgtgcct cggattctga acggcttggc ctcggagagg acagcactgt ctccgcagca     120
gcagcagcag cagacctatg gtgccatcca caacatcagc gggactatcc ctggacagtg     180
cttggcgcak agcsmcasgk gcagtgtggc ntgctgcccc ccaggaggcc tgaggctggg     240
tctcactgct ctgaaaagac acaaccagaa tggcctgggg ctcaggccct tggctgagtg     300
ggaatgcgtt gggactgccc agctgagcta tcaggtgccc atcttttctg gtmccagcag     360
tggtgaggag agcacaggca ggcctcgccc ctcccttgct canccagttt ccc            413
```

<210> 831
<211> 876
<212> DNA
<213> Homo sapiens

<400> 831

```
gctgacctac agcagaagct gctggatgca gaaagtgaag acagaccaaa acaacgctgg      60
gagaatattg ccaccattct ggaagccaag tgtgccctga aatatttgat tggagagctg     120
gtctcctcca aaatacaggt cagcaaactt gaaagcagcc tgaaacagag caagaccagc     180
tgtgnykaca tgcakaagat gctgtttgag gaacgaaatc attttgccga gatagagaca     240
gagttacaag ctgagctggt cagaatggag caacagcacc aagagaaggt gctgtacctt     300
ctcagccagc tgcagcaaag ccaaatggca gagaagcagt tagaggaatc agtcagtgaa     360
aaggaacagc agctgctgag cacactgaag tgtcaggatg aagaacttga gaaaatgcga     420
gaagtgtgtg agcaaaatca gcagcttctc cgagagaatg aaatcatcaa gcagaaactg     480
accctcctcc aggtagccag cagacagaaa catcttccta aggataccct tctatctcca     540
gactcttctt ttgaatatgt cccacctaag ccaaaacctt ctcgtgttaa agaaaagttc     600
ctggagcaaa gcatggacat cgaggatcta aaatattgtt cagagcattc tgtgaatgag     660
catgaggatg gtgatggtga tgatgatgag gggatgacg aggaatggaa gccaacaaaa      720
ttagttaagg tgtccaggga agaacatcca agggtgttcc tgcaagggct ggtgtgggaa     780
ccangccagt gtggggttcc aggnaagcca aaagtncaga ctggtggtgt tgactgtttg     840
ctgtgacccc cacaaagttt ncggaaccgc ccacca                               876
```

<210> 832
<211> 768
<212> DNA
<213> Homo sapiens

<400> 832

```
tagacataga aaacatacag taagaatatg gtattataat cttacggsam mamygysrmm      60
trnsckkknw rwmktkgwaa agykgyrmyr sgrcsyanra mtanmmmtas ctrgytrrky     120
mrywtwwmma tycctksccm gggagtttga aatttnatac tatagaaata actttaggtt     180
```

ttaggtagag ttaaagaggt aaagcacatg ttgnccacaa ncccaggaaa gtatttttaa 240
gaaagattgg attttcctac ctttagagat ctaaaaaaaa tttaatataa aaaatcattt 300
tgtgttggtg tttattacta gttcagatga gtggctgctg aaggggcccc cttgtcattt 360
tcattataac ccaatttcca cttatttgaa ctcttaagtc ataaatgtat aatgacttat 420
gaattagcac agttaagttg acactagaaa ctgcccattt ctgtattaca ctatcaaata 480
ggaaacattg gaaagatggg gaaaaaaatc ttattttaaa atggcttaga aagttttcag 540
attactttga aaattctaaa cttctttctg tttccaaaac ttgaaaatat gtagatggac 600
tcatgcatta agactgtttt caaagctttc ctcacatttt taaagtgtga ttttcctttt 660
aatatacata tttattttcy ttaaagcagc tatatcccaa cccatgactt tgggrgatat 720
acccataaaa ccmatataac agcaggggta ttggagcagc tttctcaa 768

<210> 833
<211> 1604
<212> DNA
<213> Homo sapiens

<400> 833
aactagtata tttacaacat cagaaacttc aatatggaga tttgttgttc ctatatcatg 60
atctttagca gcaactacac cataggcact gcacaacctg ggtcctagat caggacgtac 120
aaaaaatcct ggcaaatgag aggccaaatt gaattttcct tctggattac aatattctgg 180
caatggcaga ctttttaaaa gatcttcgta tcttgctggc atcatagtct tgaagtcttc 240
tcctgaaggc caatctttca attttaaaac aactgtttct ccactcttgt ttttctgccg 300
ttttgaaact tcttcaaaac catcccagaa ttccttaaca ttggcatttg aaatgatgct 360
atctttgcag ttcaggagat cagcttggtg gtctccaaaa tcaagactaa ttgattccgc 420
cttccatagg ctaatgttca ttttcttatg cacaccagaa accactgcag gctgtccttg 480
tttccaacat tctttgaaaa gcttccaatt actgctattc ttataatcct taagccataa 540
aatatgcttc tcacagatcc aagaatgtgg tatatcactg tataatttat tattttcatc 600
cactgcagat attatgcttt cttcaggctc ttctttaagc tctggtttta catttatctt 660
ggaggtttta cttggtggaa ttttgtttc aacaactgaa gcaattatgt catcaagaat 720
gttaggcata gtccgtccac ttttgctact tggggctccc attgaatata ctggggcaaa 780
ggcaatgcca gcatctgtas accccacacg tagctttcca gctgttgtag tcagcaaatc 840
ccgtaaggtt gagccttgtt cattattctg ggacacaaga ggtgatgttc tgccatttgg 900
agattcagag ttgtcttgtt ctctttcttc tttaatttgg ttttcaaggg taagttcttt 960
gttttctttt ttttcctctc tggctttttg ctctgcaaga tctgctaacc agtgcagtgg 1020
tgactgggat tctggaggag ttaacttgtt atctgtgcct acatcactct ctgggctgct 1080
gccaccattt ttctcagact tcggaggagt attttgctgc tgagactcag gcatgcacag 1140
agaaatttta ttactgtgat taagaacatt ctgtaaaact tgagatacac cattcattgt 1200
aggaaaattt ccaacttgta aattctgttt gttagtacaa tgacaatggg atttaatacc 1260
atatttttcc ctaagagtgt gcatggcatc tagaagatct gtcaaaacag aaccaggtat 1320
aatttgggtt ggcattaaat gtttgtgatc atgaggctgt ccyttcacac acttcatcca 1380
agcatantag ttctttatcy ctagaactnc tyccttttcct ttngccttgt aacaatctaa 1440
gcaganccac aawkccacat tttkggcaga cccagtnraw kktaancawk gntgcttcac 1500
atgcatcaca catctcccgg actcctctca ctgctctttt ccaggcaatt ttggcatcct 1560
ttttcaccca ggacaaagct gtttttcag atgttactaa ttga 1604

<210> 834
<211> 617
<212> DNA
<213> Homo sapiens

<400> 834

gtccgtcagc tggtagcttt cattcgtaaa agagataaaa gagtgcaggc gcatcgaaaa 60
cttgtggaag aacagaatgc agagaaggcg aggaaagccg aagagatgag gcggcagcag 120
aagctaaagc aggccaaact ggtggagcag tacagagaac agagctggat gactatggcc 180
aatttggaga aagagctcya ssangrtgrm srcrsgkkac gagaaggagt ttggagatgg 240
atcggatgaa aatgaaatgg aagaacatga actcaaagat gaggaggatg gtaaagacag 300
tgatgaggcc gaggacgctg agctctatga tgacctttac tgcccagcat gtgacaaatc 360
gttcaagaca gaaaaggcca tgaagaatca cgagaagtca aagaagcatc gggaaatggt 420
ggccttgcta aaacaacagc tggaggagga agaagaaaat ttttcaagac ctcaaattga 480
tgaaaatcca ttagatgaca attctgagga agaaatggaa gatgcaccaa aacaaaagct 540
ttctaaaaaa cagargaaaa agaaacagaa accagcacag gatgtacctg gcaaagattc 600
atatctgcct gcagctc 617

<210> 835
<211> 542
<212> DNA
<213> Homo sapiens

<400> 835
ttttttttt agaccaacat tctttaatca caaaggcact tgaggacccc tacaaaccca 60
aagtctctgc caagagtggc cctgcagacg ccccacctgc caccctccat ccacccatcc 120
atccacacac tcagagttca tcgtgacctg cagagggctc cacactaggc ttgatgaaga 180
tgccttccat ggccttccac gtattgtgcg tgttggcact gggcatgccg tggacctcat 240
gctgcccacg gatggggctt ccatactgct cacccgtgac tgacaggaac acagaggtgc 300
ccacatgctn grarsgcaca gcagcctcac gctcccagnn gctgntccag agcagcgcac 360
tgtccatann gktccaggtc gtcgccctcg ccgtcttccc caaaggcact cacctcctgg 420
ttgttggaca gcggcgangg gaagtggtgc gtgtgcaggt tcnttgnccg taagcacatg 480
cgtgagcctc accgcctgcc cgcagcgcac cgcaagggcc caggcggagc cgacgctcgc 540
gc 542

<210> 836
<211> 542
<212> DNA
<213> Homo sapiens

<400> 836
ttttttttt agaccaacat tctttaatca caaaggcact tgaggacccc tacaaaccca 60
aagtctctgc caagagtggc cctgcagacg ccccacctgc caccctccat ccacccatcc 120
atccacacac tcagagttca tcgtgacctg cagagggctc cacactaggc ttgatgaaga 180
tgccttccat ggccttccac gtattgtgcg tgttggcact gggcatgccg tggacctcat 240
gctgcccacg gatggggctt ccatactgct cacccgtgac tgacaggaac acagaggtgc 300
ccacatgctn grarsgcaca gcagcctcac gctcccagnn gctgntccag agcagcgcac 360
tgtccatann gktccaggtc gtcgccctcg ccgtcttccc caaaggcact cacctcctgg 420
ttgttggaca gcggcgangg gaagtggtgc gtgtgcaggt tcnttgnccg taagcacatg 480
cgtgagcctc accgcctgcc cgcagcgcac cgcaagggcc caggcggagc cgacgctcgc 540
gc 542

<210> 837
<211> 719
<212> DNA
<213> Homo sapiens

<400> 837
aaaaggtccc ccttctggga aagaccgagt gaagaaaggt ggatcctaca tgtgccatag 60
gtcttattgt tacaggtatc gctgtgctgc tcggagccag aacacacctg atagctctgc 120
ttcgaatctg grnttccgct gtncagccga ccgnctgccc actatngact gacaaccaag 180
gaaagtcttc cccantccaa ggagcagtcg tgtctgacct acattgggct tttctcagaa 240
ctttgaacga tcccatgcaa agaattccca ccctgaggtg tttnacatac ctgcccaatg 300
ncaaaggaac cgccttgtga gaccaaattg ctgacctggg tcagtgcatg tgctttatgg 360
tgtggtgcat ctttggagat catcgccata ttttactttt gagagtcttt aaagaggaag 420
gggagtggag ggaaccctga gctaggcttc aggaggcccg cgtcctacgc aggctctgca 480
caggggttag accccaggtc cgacgcttga ccttcctggg cctcaagtgc cctcccctat 540
caaatgacag ggatggacag catgacctct gggtgtctct ccaactcacc agttctaaaa 600
agggtatcag attctattgt gacttcataa gtgagaattt atgatagatt attttttagc 660
tattttttcc atgtgtgaac cttgagtgat actaatcatg taaagtaaga gttcccttta 719

<210> 838
<211> 579
<212> DNA
<213> Homo sapiens

<400> 838
aagatatgca gagatattcc aggatctttt agctttggtg cggtctcctg gagacagtgt 60
tattcgccaa cagtgtgttg aatatgtcac atccattttg cagtctctct gtgatcagga 120
cattgcactt atcttaccaa gctcttctga aggttctatt tctganctgg agcagctctc 180
caattctcta ccaaataaag aattgatgac ctcaatctgt gactgtctgt tggctacgct 240
agctaactct gagagcagtt acaactgttt actgacatgt gtcagaacaa tgatgtttct 300
tgcagagatg attatggatt atttcattta aaaagttctt taaggaaaaa cagtagtgct 360
ctgcatagtt tactgaaacg agtggtcagc acatttagta aggacacagg agagcttgca 420
tcttcatttt tagaatttat gagacaaatt cttaactctg acacaattgg gatgctgtgg 480
gagatgataa tgggtctcat gggaagtagg aggggagctc atacatcacg gacgatgagt 540
attaatgctg cagagttaaa ccagcttctt ccaaggcaa 579

<210> 839
<211> 1172
<212> DNA
<213> Homo sapiens

<400> 839
aaccaaacct cccaacttag tgaaaacaag gcattcaatg acagaccagc agcagaaact 60
gcntattacc tcctaatcat tttatgaaga aatacctata taaaaacaaa cactaaagag 120
nacaaataga tttaactaaa gtgacaagca taattataaa taaataccag attatcagat 180
tttaaacaat aatctataac agttttacta tctaaggatt ttcactccaa gaagaaaaaa 240
tacatagtaa cgccaagctt gcaggacgat gacttaacag atacattttc tcttaatgga 300
aacttatcta gcttcagtaa tatttctgga tgtagcatca agttgctgtt gcacattttt 360
aaaagactgg tccagcagtg tttcctcttc atttaaagta ttggcaatag catcattaca 420
tggattgtcc agaatgtctt cgtttaatcc atttgactcc tccttttgat cctcatcagt 480
attaacctct tcaaccgtgt gtgccctggg tgtattcatt aacatatcat ttccyagggt 540
ctgactatta ctcagcagct tkgcctgcct tctttccarg gccagttggt twatttcycy 600
caattctttg ttgttgctct tctgttaggc ttctacttaa ctcagaagca aacatctcac 660
tttcagataa gtttgtcaga aagggatcta attcagtaga agtgacatca tgttcattat 720
tctccgcaac ttcatcatta ttgctaacaa aatcttcatg taaaataggg agatcaagtc 780
gaattcgttt taaacaggtc tgaacttcct ttttacttcc caggtattca actctgtcaa 840

taaaatcctc aaactgcagt ttagggaata gcctatgtgc ccagtgctcc atgtgtctga 900
ttagcatctt caagtcttca gcctcatgac ctttaccttt gaattttgcc ttatcaaata 960
catgccttaa ggctggaagt cctctctctg aaattaatct ctgagcatcc agcttgggta 1020
tatttctttt aactgttctc tttggaggta caggaacagg tgctccattt cctgactctt 1080
catcaggctc agttccttca ccatcttgtc tctctggaga ggctggaggt gggaaaggag 1140
gaaaagtttc atcttctaca tgctcataat ct 1172

<210> 840
<211> 1145
<212> DNA
<213> Homo sapiens

<400> 840
cctcctactc ccaaacaaat ctttggggaa aaaaaaacta ccaactgtca gccatgggcc 60
tgacggcgct aagctctggg gctccgtgca ctgacgtggg gccagccaca gggaggcggg 120
gatsmrgymg cgngassscm ggakywkgrs cwscwscsrs gymrgkwgca gnrgcrgygg 180
crhcrsganc mrmagcagcn tgmwgcagct cawgcacctg gagtcctttt aygaaaaamc 240
yyctcctggg cttatcaagg aagatgagac taagccagaa gattgcatac cagatgtacc 300
aggcaatgaa cacgccaggg aatttctggc tcatgcacca actaaaggac tttggatgcc 360
actggggaaa gaagtcaaag ttatgcagtg ttggcgttgc aaacgctatg gtcaccgaac 420
gggtgacaaa gaatgccctt tctttatcaa aggcaaccaa aagttagagc agttcagagt 480
ggcacatgaa gatcccatgt atgacatcat acgagacaat aaacgacatg aaaaggacgt 540
aaggatacag cagttaaaac agttactgga ggattctacc tcagatgaag ataggagcag 600
ctccmgttcc tctgaaggta aagagaaaca caagaaaaag aagaagaaag aaaagcataa 660
gaaaaggaag aaagaaaaga aaaagaagaa aaaacggaag cacaaatctt ccaagtcaaa 720
tgagggttct gactcagagt gacaaggatg tgacttgttc aacattctct tctcaaacac 780
tgaccaagga acagaggaag atgcagtcag agaaagcagc aggatagaga cgccgagaga 840
ggagtatatg tgggtcacag cagtgagctc ccacccgcct tgcagtgaag atgtgacccc 900
aggagaggga gtgtctcctt ccaggtgcta gctctggaca gcagctgatt ttaggcagga 960
aagtttcttc atcgttgtcc tccctgctgg tcacatgagt ttacgattcc tttgaagtgt 1020
ctcccacagg gtggcaggac tgggagaatc tctgaggcgt gtcttccagg ccctccccaca 1080
gcttgtgccc tccacagtgt ggactcaggt cccatagaca tcaggctgga gtcttctctg 1140
ttgtt 1145

<210> 841
<211> 642
<212> DNA
<213> Homo sapiens

<400> 841
ttttttataa aaataaatat ttattgccat ttgaagcttt atgtacacct ttaaaagcac 60
atgtacaaat gtgggaaatt acaaaaatca acctaaaacc ctttttctca aagtatacat 120
aaatgtacat ccaagatcag tggtgctacc atcattagaa taaaaaataa gtctgtctgg 180
acataaacaa gcaatcattt taagtgtcat tcagatattc tcctttatat ttaaaactcc 240
aaaaaatact aagaggccca atatatccag aaaattgtgt tttcacttta ccctaactta 300
tgaatagtgg tatacaaata tatttccatc tttttgtcca gccagcaaat gagagtctgt 360
acccgaccat ttcacaaaag accaatgttg gtcagagaca gskskgagrr ksgymktasr 420
stkamysasa akkarstsmm amayrgsrmt tnykcmasra stcamkmtyk ytgsyrcasr 480
gwkrwctyws rmswmwmmwk msargmmcca tttcagaata ggctttgtga cagactgaag 540
cttggtaaga atcatcaatg tgcatctttt tcaggagttg accagttttt aaattccaaa 600
taacaatgtt gttcataata gtagtaccaa gcagagcttc tt 642

<210> 842
<211> 452
<212> DNA
<213> Homo sapiens

<400> 842
acggcctggt ggagcagctg tacgacctca ccctggagta cctgcacagc caggcacact 60
gcatcggctt cccggagctg gtgctgcctg tggtcctgca gctgaagtcg ttcctccggg 120
agtgcaaggt ggccaactac tgccggcagg tgcagcagct gcttgggaag gttcaggaga 180
actcggcata catctrcagc cgccgccaga gggtttcctt cggcgtctct gagcagcagg 240
cagtggaagc ctgggagaag ctgacccggg aagaggggac acccytgacc ttgtactaca 300
gccactggcg caantgcgtg accgggagat ccagctggag atcagtggca aagagcggct 360
ggaagacctg wacttccctg agatcaaacg aaggaagatg gctgacagga aggatgagga 420
caggwagcaa tttaaagacc tcttttgacc tg 452

<210> 843
<211> 805
<212> DNA
<213> Homo sapiens

<400> 843
ggcttataca acatagtggg gaacgcatgg gaatggactt cagactggtg gactgttcat 60
cattctgttg aagaaacgct taacccaaaa ggtccccctt ctgggaaaga ccgagtgaag 120
aaaggtggat cctacatgtg ccataggtct tattgttaca ggtatcgctg tgctgctcgg 180
agccagaaca cacctgatag ctctgcttcg aatctggrnt tccgctgtnc agccgaccgn 240
ctgcccacta tngactgaca accaaggaaa gtcttcccca ntccaaggag cagtcgtgtc 300
tgacctacat tgggcttttc tcagaacttt gaacgatccc atgcaaagaa ttcccaccct 360
gaggtgtttn acatacctgc ccaatgncaa aggaaccgcc ttgtgagacc aaattgctga 420
cctgggtcag tgcatgtgct ttatggtgtg gtgcatcttt ggagatcatc gccatatttt 480
acttttgaga gtctttaaag aggaagggga gtggagggaa ccctgagcta ggcttcagga 540
ggcccgcgtc ctacgcaggc tctgcacagg ggttagaccc caggtccgac gcttgacctt 600
cctgggcctc aagtgccctc ccctatcaaa tgacagggat ggacagcatg acctctgggt 660
gtctctccaa ctcaccagtt ctaaaaaggg tatcagattc tattgtgact tcataagtga 720
gaatttatga tagattattt tttagctatt ttttccatgt gtgaaccttg agtgatacta 780
atcatgtaaa gtaagagttc cctta 805

<210> 844
<211> 702
<212> DNA
<213> Homo sapiens

<400> 844
tttttttttt tttttttgca ggtgcatttg tttctttatt taaaaaaatc atctgggggc 60
atggtctgag gaggacaccc ctcccatggc tttggggagg acgcaggttc caggagtcac 120
agggcagaaa cacgcggggt gggtgggggc gtggccggag tggggagggg ctgtsccagg 180
cacctggggg tggctcccac ggcaccaggt gggctagggc aacagtatgt acaggcgagc 240
agtgctcctg gacccggtcg gggccggctg gggcccattt ctgcggcagg ggagctctgg 300
ggcacagggt ctgagtccca tcttgggctk cagggaccgc gaggscgtcc agggaggctg 360
gacagcgggg gcctttatct gggcccatca ggtggatgag aacggacact gcaaaccgct 420
caccacctgg gccagggcta ggctatccgg cagggcctcc ccmmctgaat cctgcgtgcg 480
cagaactcaa gccggcatnc aggcagtkgg aacgncccgc angctgggct tggktgsyck 540

```
crsgcacgtg acaggtgggg cccgtgtcct gataaacgga caggaacaaa aggaacgcaa     600
ggtctgggac ccacggctct gggagcagcg ccacccaggc tggctcctag cagagaaatg     660
ggaatcgcaa atgcattgca atgtgcagtg aagagacgcg ag                        702
```